






Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20658.8329	-2.12	34.50	74.00	39.50	26.97	54.00	27.03	100	90	Vertical	PASS
2	24010.7005	3.14	41.32	74.00	32.68	36.11	54.00	17.89	100	150	Vertical	PASS
3	26198.7099	3.71	42.05	74.00	31.95	39.24	54.00	14.76	100	280	Vertical	PASS
4	29250.2625	5.07	43.28	74.00	30.72	36.72	54.00	17.28	100	70	Vertical	PASS
5	32818.8409	7.23	45.78	74.00	28.22	41.50	54.00	12.50	100	340	Vertical	PASS
6	36306.0153	11.40	53.53	74.00	20.47	47.82	54.00	6.18	100	170	Vertical	PASS

Mode: ax40-5190




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20596.1298	-2.22	34.59	74.00	39.41	29.45	54.00	24.55	100	60	Horizontal	PASS
2	24373.7187	2.94	41.12	74.00	32.88	32.82	54.00	21.18	100	340	Horizontal	PASS
3	27094.1547	3.44	41.17	74.00	32.83	35.98	54.00	18.02	100	50	Horizontal	PASS
4	29364.6682	4.88	43.89	74.00	30.11	37.14	54.00	16.86	100	60	Horizontal	PASS
5	33079.5540	7.47	47.60	74.00	26.40	39.68	54.00	14.32	100	350	Horizontal	PASS
6	36782.3391	11.55	54.35	74.00	19.65	50.25	54.00	3.75	100	340	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20124.2062	-2.94	32.69	74.00	41.31	26.31	54.00	27.69	100	130	Vertical	PASS
2	23946.8973	3.01	41.01	74.00	32.99	34.45	54.00	19.55	100	260	Vertical	PASS
3	27013.8507	3.43	40.89	74.00	33.11	38.05	54.00	15.95	100	320	Vertical	PASS
4	30600.0300	4.89	42.30	74.00	31.70	37.40	54.00	16.60	100	190	Vertical	PASS
5	34636.1318	8.21	49.33	74.00	24.67	45.31	54.00	8.69	100	360	Vertical	PASS
6	36632.7316	11.50	53.82	74.00	20.18	48.53	54.00	5.47	100	170	Vertical	PASS

Mode:	ax40-5230
-------	-----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20079.1040	-3.00	32.34	74.00	41.66	25.78	54.00	28.22	100	150	Horizontal	PASS
2	23788.4894	2.64	39.40	74.00	34.60	34.53	54.00	19.47	100	210	Horizontal	PASS
3	26196.5098	3.71	42.07	74.00	31.93	33.53	54.00	20.47	100	160	Horizontal	PASS
4	28743.1372	5.00	42.61	74.00	31.39	37.21	54.00	16.79	100	140	Horizontal	PASS
5	31761.6881	6.17	43.01	74.00	30.99	36.63	54.00	17.37	100	100	Horizontal	PASS
6	36795.5398	11.55	52.96	74.00	21.04	45.34	54.00	8.66	100	210	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19245.2623	-4.17	32.10	74.00	41.90	25.89	54.00	28.11	100	320	Vertical	PASS
2	22554.2277	-0.34	36.39	74.00	37.61	27.49	54.00	26.51	100	40	Vertical	PASS
3	25669.5835	3.39	41.41	74.00	32.59	36.20	54.00	17.80	100	40	Vertical	PASS
4	27937.8969	3.54	40.88	74.00	33.12	35.77	54.00	18.23	100	200	Vertical	PASS
5	33372.1686	7.63	46.72	74.00	27.28	41.08	54.00	12.92	100	140	Vertical	PASS
6	36292.8146	11.39	52.55	74.00	21.45	46.59	54.00	7.41	100	140	Vertical	PASS

Mode:	ac80-5210
-------	-----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	23421.0711	1.78	37.05	74.00	36.95	31.64	54.00	22.36	100	70	Horizontal	PASS
2	25353.8677	3.02	40.15	74.00	33.85	34.29	54.00	19.71	100	40	Horizontal	PASS
3	26965.4483	3.44	40.61	74.00	33.39	34.75	54.00	19.25	100	110	Horizontal	PASS
4	30260.1130	4.28	42.17	74.00	31.83	36.82	54.00	17.18	100	250	Horizontal	PASS
5	33295.1648	7.60	47.76	74.00	26.24	40.46	54.00	13.54	100	260	Horizontal	PASS
6	36735.0368	11.53	53.11	74.00	20.89	47.57	54.00	6.43	100	330	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20817.2409	-1.89	33.51	74.00	40.49	27.17	54.00	26.83	100	110	Vertical	PASS
2	24078.9039	3.10	39.99	74.00	34.01	35.34	54.00	18.66	100	240	Vertical	PASS
3	27217.3609	3.45	40.46	74.00	33.54	36.21	54.00	17.79	100	290	Vertical	PASS
4	31002.6501	5.61	42.23	74.00	31.77	37.75	54.00	16.25	100	40	Vertical	PASS
5	33286.3643	7.59	47.14	74.00	26.86	40.87	54.00	13.13	100	190	Vertical	PASS
6	36284.0142	11.38	53.58	74.00	20.42	46.91	54.00	7.09	100	70	Vertical	PASS

Mode:	ac80-5210
--------------	------------------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20131.9066	-2.92	32.08	74.00	41.92	26.95	54.00	27.05	100	320	Horizontal	PASS
2	24000.8000	3.14	40.76	74.00	33.24	33.43	54.00	20.57	100	150	Horizontal	PASS
3	26147.0074	3.73	41.46	74.00	32.54	37.09	54.00	16.91	100	90	Horizontal	PASS
4	29164.4582	5.22	42.14	74.00	31.86	37.60	54.00	16.40	100	260	Horizontal	PASS
5	36483.1242	11.45	53.14	74.00	20.86	45.78	54.00	8.22	100	40	Horizontal	PASS
6	39425.7713	11.36	52.85	74.00	21.15	45.98	54.00	8.02	100	160	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	23890.7945	2.89	40.03	74.00	33.97	34.13	54.00	19.87	100	210	Vertical	PASS
2	25635.4818	3.35	40.72	74.00	33.28	33.87	54.00	20.13	100	250	Vertical	PASS
3	29305.2653	4.99	42.72	74.00	31.28	35.57	54.00	18.43	100	350	Vertical	PASS
4	33256.6628	7.57	47.58	74.00	26.42	42.59	54.00	11.41	100	140	Vertical	PASS
5	36794.4397	11.54	52.83	74.00	21.17	49.04	54.00	4.96	100	280	Vertical	PASS
6	39245.3623	11.21	52.74	74.00	21.26	44.85	54.00	9.15	100	70	Vertical	PASS


1GHz-18GHz

Mode:	n20-5260
-------	----------




★ PK Detector ● AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	45.17	68.23	23.06	42.89	54.00	11.11	150	197	Horizontal	PASS
2	7997.2200	-7.68	45.76	68.23	22.47	40.60	54.00	13.40	150	8	Horizontal	PASS
3	8995.1800	-6.36	48.81	68.23	19.42	45.57	54.00	8.43	150	283	Horizontal	PASS
4	9656.4200	-4.31	46.95	68.23	21.28	44.07	54.00	9.93	150	222	Horizontal	PASS
5	11227.7800	-1.94	47.68	74.00	26.32	44.75	54.00	9.25	150	295	Horizontal	PASS
6	13182.2200	-0.12	48.19	68.23	20.04	46.65	54.00	7.35	150	295	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6313.6200	-10.40	43.69	68.23	24.54	40.13	54.00	13.87	150	54	Vertical	PASS
2	7368.9200	-9.24	45.27	74.00	28.73	41.80	54.00	12.20	150	322	Vertical	PASS
3	7969.1600	-7.56	46.82	68.23	21.41	43.20	54.00	10.80	150	153	Vertical	PASS
4	9588.7100	-4.49	46.38	68.23	21.85	44.67	54.00	9.33	150	122	Vertical	PASS
5	11748.7200	-2.06	48.38	74.00	25.62	45.75	54.00	8.25	150	54	Vertical	PASS
6	13841.0200	1.52	49.21	68.23	19.02	45.55	54.00	8.45	150	279	Vertical	PASS

Mode: n20-5280



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	44.14	68.23	24.09	41.76	54.00	12.24	150	195	Horizontal	PASS
2	7447.0000	-9.17	44.18	74.00	29.82	40.73	54.00	13.27	150	148	Horizontal	PASS
3	8522.4300	-7.41	44.92	68.23	23.31	42.16	54.00	11.84	150	142	Horizontal	PASS
4	9822.3400	-3.98	46.48	68.23	21.75	43.68	54.00	10.32	150	305	Horizontal	PASS
5	12000.0400	-1.54	48.12	74.00	25.88	46.54	54.00	7.46	150	155	Horizontal	PASS
6	14145.4100	1.34	49.51	68.23	18.72	45.40	54.00	8.60	150	130	Horizontal	PASS



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6191.0100	-10.98	43.14	68.23	25.09	38.69	54.00	15.31	150	30	Vertical	PASS
2	7393.3200	-9.24	46.00	74.00	28.00	42.00	54.00	12.00	150	322	Vertical	PASS
3	10282.2800	-3.37	46.93	68.23	21.30	44.94	54.00	9.06	150	192	Vertical	PASS
4	12000.0400	-1.54	48.28	74.00	25.72	46.34	54.00	7.66	150	316	Vertical	PASS
5	13878.8400	1.50	51.17	68.23	17.06	46.04	54.00	7.96	150	257	Vertical	PASS
6	15855.2400	2.72	50.71	74.00	23.29	48.04	54.00	5.96	150	178	Vertical	PASS

Mode: n20-5320



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6386.2100	-10.11	43.16	68.23	25.07	39.64	54.00	14.36	150	0	Horizontal	PASS
2	8122.2700	-7.90	46.12	74.00	27.88	42.88	54.00	11.12	150	144	Horizontal	PASS
3	9676.5500	-4.16	47.05	68.23	21.18	43.25	54.00	10.75	150	187	Horizontal	PASS
4	11569.9900	-1.88	47.71	74.00	26.29	45.71	54.00	8.29	150	187	Horizontal	PASS
5	14069.1600	1.54	50.21	68.23	18.02	47.84	54.00	6.16	150	356	Horizontal	PASS
6	15333.6900	3.37	50.72	68.23	17.51	48.44	54.00	5.56	150	107	Horizontal	PASS



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	44.27	68.23	23.96	42.32	54.00	11.68	150	312	Vertical	PASS
2	7444.5600	-9.16	45.30	74.00	28.70	44.15	54.00	9.85	150	344	Vertical	PASS
3	9000.0600	-6.30	48.44	74.00	25.56	46.35	54.00	7.65	150	41	Vertical	PASS
4	10309.1200	-3.42	46.55	68.23	21.68	43.96	54.00	10.04	150	338	Vertical	PASS
5	11656.6100	-2.25	48.25	74.00	25.75	46.29	54.00	7.71	150	239	Vertical	PASS
6	14040.4900	2.14	50.81	68.23	17.42	47.55	54.00	6.45	150	58	Vertical	PASS

Mode: ax20-5260




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6897.3900	-9.32	44.63	68.23	23.60	37.90	54.00	16.10	150	342	Horizontal	PASS
2	7994.1700	-7.57	45.45	68.23	22.78	41.29	54.00	12.71	150	189	Horizontal	PASS
3	9000.0600	-6.30	47.03	74.00	26.97	46.06	54.00	7.94	150	222	Horizontal	PASS
4	11215.5800	-1.71	48.16	74.00	25.84	45.69	54.00	8.31	150	189	Horizontal	PASS
5	13262.7400	0.11	48.22	74.00	25.78	43.67	54.00	10.33	150	284	Horizontal	PASS
6	14938.4100	1.33	50.46	68.23	17.77	44.40	54.00	9.60	150	348	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6390.4800	-9.97	43.81	68.23	24.42	41.13	54.00	12.87	150	296	Vertical	PASS
2	7363.4300	-9.44	45.66	74.00	28.34	42.08	54.00	11.92	150	329	Vertical	PASS
3	9000.0600	-6.30	47.03	74.00	26.97	44.87	54.00	9.13	150	356	Vertical	PASS
4	10520.7900	-3.54	46.81	68.23	21.42	44.72	54.00	9.28	150	26	Vertical	PASS
5	12000.0400	-1.54	48.00	74.00	26.00	45.62	54.00	8.38	150	329	Vertical	PASS
6	15320.8800	3.32	50.70	68.23	17.53	45.15	54.00	8.85	150	289	Vertical	PASS

Mode:	ax20-5280
-------	-----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6419.7600	-9.62	43.03	68.23	25.20	39.47	54.00	14.53	150	85	Horizontal	PASS
2	7997.2200	-7.68	46.84	68.23	21.39	44.26	54.00	9.74	150	191	Horizontal	PASS
3	9000.0600	-6.30	46.85	74.00	27.15	44.66	54.00	9.34	150	210	Horizontal	PASS
4	10319.4900	-3.18	47.18	68.23	21.05	44.82	54.00	9.18	150	52	Horizontal	PASS
5	13151.1100	0.02	47.65	68.23	20.58	42.38	54.00	11.62	150	223	Horizontal	PASS
6	13860.5400	1.27	49.75	68.23	18.48	46.10	54.00	7.90	150	350	Horizontal	PASS




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	44.38	68.23	23.85	42.10	54.00	11.90	150	149	Vertical	PASS
2	7385.3900	-9.22	45.60	74.00	28.40	40.61	54.00	13.39	150	322	Vertical	PASS
3	7996.6100	-7.66	45.75	68.23	22.48	43.34	54.00	10.66	150	17	Vertical	PASS
4	9644.2200	-4.36	46.80	68.23	21.43	45.39	54.00	8.61	150	350	Vertical	PASS
5	12000.0400	-1.54	49.20	74.00	24.80	48.43	54.00	5.57	150	343	Vertical	PASS
6	14860.9400	2.00	51.25	68.23	16.98	48.84	54.00	5.16	150	85	Vertical	PASS

Mode:	ax20-5320
-------	-----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6761.3600	-9.39	43.64	68.23	24.59	41.21	54.00	12.79	150	21	Horizontal	PASS
2	7989.9000	-7.42	45.87	68.23	22.36	44.03	54.00	9.97	150	197	Horizontal	PASS
3	9000.0600	-6.30	46.44	74.00	27.56	44.44	54.00	9.56	150	158	Horizontal	PASS
4	9675.9400	-4.17	47.60	68.23	20.63	46.17	54.00	7.83	150	250	Horizontal	PASS
5	10770.2800	-3.32	47.42	74.00	26.58	45.29	54.00	8.71	150	0	Horizontal	PASS
6	13882.5000	1.40	50.53	68.23	17.70	47.78	54.00	6.22	150	323	Horizontal	PASS



★ PK Detector ● AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6486.2500	-10.29	44.28	68.23	23.95	39.80	54.00	14.20	150	273	Vertical	PASS
2	7445.7800	-9.17	45.85	74.00	28.15	40.77	54.00	13.23	150	322	Vertical	PASS
3	8194.8600	-7.57	45.02	74.00	28.98	42.49	54.00	11.51	150	222	Vertical	PASS
4	9000.0600	-6.30	47.38	74.00	26.62	45.91	54.00	8.09	150	43	Vertical	PASS
5	10976.4600	-3.31	47.11	74.00	26.89	42.73	54.00	11.27	150	203	Vertical	PASS
6	14032.5600	1.88	50.01	68.23	18.22	45.31	54.00	8.69	150	287	Vertical	PASS

Mode:	ac40-5270
-------	-----------



★ PK Detector ★ AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	43.33	68.23	24.90	40.78	54.00	13.22	150	229	Horizontal	PASS
2	7980.7500	-7.25	45.07	68.23	23.16	41.14	54.00	12.86	150	146	Horizontal	PASS
3	10004.1200	-4.23	46.64	68.23	21.59	44.93	54.00	9.07	150	24	Horizontal	PASS
4	12000.0400	-1.54	48.50	74.00	25.50	45.86	54.00	8.14	150	173	Horizontal	PASS
5	14030.1200	1.78	48.87	68.23	19.36	46.46	54.00	7.54	150	350	Horizontal	PASS
6	15040.8900	1.82	50.78	68.23	17.45	46.40	54.00	7.60	150	306	Horizontal	PASS




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6559.4500	-10.11	43.45	68.23	24.78	38.24	54.00	15.76	150	48	Vertical	PASS
2	7998.4400	-7.72	46.16	68.23	22.07	43.86	54.00	10.14	150	181	Vertical	PASS
3	9000.0600	-6.30	48.08	74.00	25.92	45.25	54.00	8.75	150	354	Vertical	PASS
4	11070.4000	-2.86	47.55	74.00	26.45	45.17	54.00	8.83	150	341	Vertical	PASS
5	12000.0400	-1.54	48.77	74.00	25.23	46.58	54.00	7.42	150	359	Vertical	PASS
6	14045.3700	1.97	50.80	68.23	17.43	48.51	54.00	5.49	150	161	Vertical	PASS

Mode: ac40-5310




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5939.0800	-10.99	42.34	68.23	25.89	38.55	54.00	15.45	150	245	Horizontal	PASS
2	7992.9500	-7.52	46.12	68.23	22.11	43.30	54.00	10.70	150	162	Horizontal	PASS
3	9494.1600	-4.88	45.86	74.00	28.14	43.17	54.00	10.83	150	57	Horizontal	PASS
4	12825.9800	-0.46	47.59	68.23	20.64	46.13	54.00	7.87	150	334	Horizontal	PASS
5	14848.7400	1.86	49.31	68.23	18.92	44.64	54.00	9.36	150	51	Horizontal	PASS
6	15592.9400	3.03	50.12	74.00	23.88	47.76	54.00	6.24	150	168	Horizontal	PASS




★ PK Detector ● AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6192.2300	-10.94	43.10	68.23	25.13	41.31	54.00	12.69	150	320	Vertical	PASS
2	7870.9500	-8.44	44.26	68.23	23.97	41.57	54.00	12.43	150	68	Vertical	PASS
3	9000.0600	-6.30	47.81	74.00	26.19	46.30	54.00	7.70	150	62	Vertical	PASS
4	10817.8600	-3.24	46.55	74.00	27.45	42.63	54.00	11.37	150	17	Vertical	PASS
5	12000.0400	-1.54	49.10	74.00	24.90	46.33	54.00	7.67	150	23	Vertical	PASS
6	15321.4900	3.32	49.89	68.23	18.34	46.40	54.00	7.60	150	106	Vertical	PASS

Mode: ax40-5270




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6338.0200	-10.57	42.13	68.23	26.10	39.54	54.00	14.46	150	291	Horizontal	PASS
2	7780.6700	-7.69	43.87	68.23	24.36	41.59	54.00	12.41	150	260	Horizontal	PASS
3	9563.7000	-4.23	45.90	68.23	22.33	43.29	54.00	10.71	150	306	Horizontal	PASS
4	11981.1300	-1.60	48.10	74.00	25.90	44.50	54.00	9.50	150	360	Horizontal	PASS
5	14038.6600	2.11	49.45	68.23	18.78	46.98	54.00	7.02	150	360	Horizontal	PASS
6	16309.6900	3.55	49.78	68.23	18.45	48.05	54.00	5.95	150	208	Horizontal	PASS




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6000.0800	-10.73	42.60	68.23	25.63	38.75	54.00	15.25	150	17	Vertical	PASS
2	7020.6100	-9.26	42.71	68.23	25.52	39.80	54.00	14.20	150	326	Vertical	PASS
3	9000.0600	-6.30	48.54	74.00	25.46	45.64	54.00	8.36	150	10	Vertical	PASS
4	11105.7800	-2.82	46.55	74.00	27.45	42.29	54.00	11.71	150	245	Vertical	PASS
5	13850.1700	1.39	49.27	68.23	18.96	46.41	54.00	7.59	150	238	Vertical	PASS
6	15320.8800	3.32	51.04	68.23	17.19	46.25	54.00	7.75	150	264	Vertical	PASS

Mode: ax40-5310




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6277.0200	-10.55	42.41	68.23	25.82	39.71	54.00	14.29	150	48	Horizontal	PASS
2	7633.0500	-8.88	43.75	74.00	30.25	42.29	54.00	11.71	150	183	Horizontal	PASS
3	9478.9100	-5.40	46.33	74.00	27.67	44.04	54.00	9.96	150	183	Horizontal	PASS
4	11720.0500	-1.98	47.69	74.00	26.31	43.99	54.00	10.01	150	152	Horizontal	PASS
5	13664.1200	0.98	48.44	68.23	19.79	44.72	54.00	9.28	150	357	Horizontal	PASS
6	16098.6300	3.08	50.42	74.00	23.58	48.48	54.00	5.52	150	330	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6507.6000	-9.86	42.62	68.23	25.61	40.10	54.00	13.90	150	102	Vertical	PASS
2	7453.7100	-9.15	43.51	74.00	30.49	41.71	54.00	12.29	150	268	Vertical	PASS
3	9000.0600	-6.30	46.92	74.00	27.08	44.86	54.00	9.14	150	357	Vertical	PASS
4	10632.4200	-3.35	46.57	74.00	27.43	42.32	54.00	11.68	150	222	Vertical	PASS
5	12911.3800	-0.20	47.42	68.23	20.81	44.99	54.00	9.01	150	75	Vertical	PASS
6	13810.5200	1.04	49.75	68.23	18.48	45.70	54.00	8.30	150	268	Vertical	PASS

Mode:	ac80-5290
--------------	-----------




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6339.8500	-10.50	42.52	68.23	25.71	40.20	54.00	13.80	150	17	Horizontal	PASS
2	7963.0600	-7.59	44.88	68.23	23.35	43.11	54.00	10.89	150	188	Horizontal	PASS
3	9829.0500	-4.08	45.97	68.23	22.26	43.35	54.00	10.65	150	129	Horizontal	PASS
4	11882.3100	-1.55	46.73	74.00	27.27	42.15	54.00	11.85	150	255	Horizontal	PASS
5	14064.8900	1.50	49.37	68.23	18.86	43.76	54.00	10.24	150	44	Horizontal	PASS
6	15865.0000	2.75	50.03	74.00	23.97	47.97	54.00	6.03	150	289	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6399.6300	-10.18	43.95	68.23	24.28	40.20	54.00	13.80	150	46	Vertical	PASS
2	7852.6500	-8.56	44.59	68.23	23.64	42.24	54.00	11.76	150	77	Vertical	PASS
3	9000.0600	-6.30	47.03	74.00	26.97	45.13	54.00	8.87	150	17	Vertical	PASS
4	10332.3000	-3.64	46.42	68.23	21.81	44.15	54.00	9.85	150	102	Vertical	PASS
5	12066.5300	-1.63	47.35	74.00	26.65	41.61	54.00	12.39	150	249	Vertical	PASS
6	14593.1500	1.77	49.23	68.23	19.00	44.34	54.00	9.66	150	77	Vertical	PASS

Mode: ax80-5290



★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6219.6800	-10.23	42.24	68.23	25.99	37.53	54.00	16.47	150	93	Horizontal	PASS
2	7981.3600	-7.27	45.85	68.23	22.38	43.42	54.00	10.58	150	202	Horizontal	PASS
3	9000.0600	-6.30	45.80	74.00	28.20	43.96	54.00	10.04	150	271	Horizontal	PASS
4	10224.3300	-4.01	46.65	68.23	21.58	42.73	54.00	11.27	150	336	Horizontal	PASS
5	12000.0400	-1.54	47.35	74.00	26.65	45.70	54.00	8.30	150	19	Horizontal	PASS
6	14291.2000	1.23	50.06	68.23	18.17	47.59	54.00	6.41	150	56	Horizontal	PASS




★ PK Detector ● AV Detector


Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	6380.7200	-10.32	43.32	68.23	24.91	39.03	54.00	14.97	150	105	Vertical	PASS
2	7318.9000	-9.01	42.80	74.00	31.20	37.67	54.00	16.33	150	198	Vertical	PASS
3	9000.0600	-6.30	48.54	74.00	25.46	45.17	54.00	8.83	150	61	Vertical	PASS
4	10323.7600	-3.31	46.92	68.23	21.31	43.91	54.00	10.09	150	4	Vertical	PASS
5	12000.0400	-1.54	48.49	74.00	25.51	46.53	54.00	7.47	150	360	Vertical	PASS
6	14712.1000	2.04	49.21	68.23	19.02	46.86	54.00	7.14	150	236	Vertical	PASS

18GHz-40GHz

Mode:	n20-5260
-------	----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20021.9011	-3.09	32.16	74.00	41.84	26.16	54.00	27.84	100	150	Horizontal	PASS
2	24193.3097	3.03	40.43	74.00	33.57	32.69	54.00	21.31	100	270	Horizontal	PASS
3	27963.1982	3.55	40.66	74.00	33.34	35.26	54.00	18.74	100	240	Horizontal	PASS
4	32102.7051	6.45	43.56	74.00	30.44	39.30	54.00	14.70	100	200	Horizontal	PASS
5	36589.8295	11.48	53.75	74.00	20.25	45.91	54.00	8.09	100	90	Horizontal	PASS
6	38863.6432	10.89	52.99	74.00	21.01	45.19	54.00	8.81	100	150	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20377.2189	-2.55	32.81	74.00	41.19	24.19	54.00	29.81	100	20	Vertical	PASS
2	24146.0073	3.07	40.14	74.00	33.86	35.82	54.00	18.18	100	340	Vertical	PASS
3	28094.1047	3.73	42.00	74.00	32.00	34.29	54.00	19.71	100	180	Vertical	PASS
4	30272.2136	4.30	42.05	74.00	31.95	34.65	54.00	19.35	100	280	Vertical	PASS
5	33336.9668	7.61	47.47	74.00	26.53	39.43	54.00	14.57	100	270	Vertical	PASS
6	36276.3138	11.39	54.13	74.00	19.87	46.28	54.00	7.72	100	80	Vertical	PASS

Mode: n20-5280



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20091.2046	-2.99	32.99	74.00	41.01	24.57	54.00	29.43	100	110	Horizontal	PASS
2	24100.9050	3.09	39.57	74.00	34.43	34.39	54.00	19.61	100	30	Horizontal	PASS
3	27435.1718	3.48	40.65	74.00	33.35	36.47	54.00	17.53	100	160	Horizontal	PASS
4	32011.4006	6.36	43.52	74.00	30.48	37.67	54.00	16.33	100	30	Horizontal	PASS
5	36757.0379	11.53	52.80	74.00	21.20	45.30	54.00	8.70	100	80	Horizontal	PASS
6	38602.9301	10.66	53.65	74.00	20.35	46.27	54.00	7.73	100	80	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	20626.9313	-2.17	33.05	74.00	40.95	28.80	54.00	25.20	100	240	Vertical	PASS
2	24031.6016	3.13	40.09	74.00	33.91	34.94	54.00	19.06	100	300	Vertical	PASS
3	28779.4390	5.07	42.45	74.00	31.55	34.62	54.00	19.38	100	170	Vertical	PASS
4	33357.8679	7.62	46.67	74.00	27.33	42.20	54.00	11.80	100	100	Vertical	PASS
5	36610.7305	11.49	53.34	74.00	20.66	45.25	54.00	8.75	100	140	Vertical	PASS
6	39600.6800	11.51	52.80	74.00	21.20	46.25	54.00	7.75	100	260	Vertical	PASS