






Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19954.7977	-3.18	31.94	74.00	42.06	24.74	54.00	29.26	100	80	Vertical	PASS
2	24074.5037	3.10	40.01	74.00	33.99	33.96	54.00	20.04	100	160	Vertical	PASS
3	26019.4010	3.77	41.34	74.00	32.66	37.04	54.00	16.96	100	320	Vertical	PASS
4	29332.7666	4.94	42.18	74.00	31.82	35.59	54.00	18.41	100	220	Vertical	PASS
5	33091.6546	7.48	46.33	74.00	27.67	41.58	54.00	12.42	100	300	Vertical	PASS
6	36648.1324	11.51	53.41	74.00	20.59	46.69	54.00	7.31	100	320	Vertical	PASS

Mode:	ac40-5755
--------------	------------------



Final Data List


NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19210.0605	-4.22	33.18	74.00	40.82	24.43	54.00	29.57	100	150	Horizontal	PASS
2	22313.3157	-0.95	35.14	74.00	38.86	28.23	54.00	25.77	100	280	Horizontal	PASS
3	24019.5010	3.13	40.48	74.00	33.52	32.99	54.00	21.01	100	280	Horizontal	PASS
4	26115.1058	3.74	42.90	74.00	31.10	34.29	54.00	19.71	100	140	Horizontal	PASS
5	29259.0630	5.06	43.14	74.00	30.86	36.15	54.00	17.85	100	60	Horizontal	PASS
6	36773.5387	11.54	54.99	74.00	19.01	48.23	54.00	5.77	100	230	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19203.4602	-4.23	31.14	74.00	42.86	26.99	54.00	27.01	100	360	Vertical	PASS
2	22253.9127	-1.10	34.52	74.00	39.48	28.12	54.00	25.88	100	310	Vertical	PASS
3	24001.9001	3.14	39.81	74.00	34.19	34.71	54.00	19.29	100	80	Vertical	PASS
4	27056.7528	3.44	41.06	74.00	32.94	33.78	54.00	20.22	100	170	Vertical	PASS
5	31088.4544	5.68	42.41	74.00	31.59	38.18	54.00	15.82	100	30	Vertical	PASS
6	36368.7184	11.41	53.28	74.00	20.72	46.33	54.00	7.67	100	120	Vertical	PASS


Mode:

ac40-5795




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19285.9643	-4.11	31.52	74.00	42.48	27.98	54.00	26.02	100	40	Horizontal	PASS
2	22173.6087	-1.30	34.83	74.00	39.17	28.75	54.00	25.25	100	230	Horizontal	PASS
3	23880.8940	2.85	40.51	74.00	33.49	36.07	54.00	17.93	100	200	Horizontal	PASS
4	28734.3367	4.98	43.18	74.00	30.82	35.79	54.00	18.21	100	300	Horizontal	PASS
5	31857.3929	6.24	44.34	74.00	29.66	38.50	54.00	15.50	100	330	Horizontal	PASS
6	36207.0104	11.37	53.04	74.00	20.96	45.35	54.00	8.65	100	280	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19400.3700	-3.95	31.54	74.00	42.46	25.49	54.00	28.51	100	240	Vertical	PASS
2	21482.7741	-1.67	33.43	74.00	40.57	28.78	54.00	25.22	100	320	Vertical	PASS
3	23960.0980	3.05	41.30	74.00	32.70	33.00	54.00	21.00	100	340	Vertical	PASS
4	26060.1030	3.76	41.72	74.00	32.28	34.71	54.00	19.29	100	330	Vertical	PASS
5	29677.0839	4.36	41.77	74.00	32.23	35.28	54.00	18.72	100	330	Vertical	PASS
6	36521.6261	11.46	53.66	74.00	20.34	46.59	54.00	7.41	100	230	Vertical	PASS

Mode:
ax40-5755




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19416.8708	-3.93	31.98	74.00	42.02	25.64	54.00	28.36	100	110	Horizontal	PASS
2	22270.4135	-1.06	35.35	74.00	38.65	26.96	54.00	27.04	100	250	Horizontal	PASS
3	24275.8138	2.99	39.39	74.00	34.61	33.23	54.00	20.77	100	180	Horizontal	PASS
4	27491.2746	3.49	41.39	74.00	32.61	36.65	54.00	17.35	100	270	Horizontal	PASS
5	31979.4990	6.33	44.23	74.00	29.77	36.83	54.00	17.17	100	290	Horizontal	PASS
6	36777.9389	11.54	53.03	74.00	20.97	48.67	54.00	5.33	100	300	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19199.0600	-4.23	31.25	74.00	42.75	25.30	54.00	28.70	100	60	Vertical	PASS
2	20865.6433	-1.81	33.39	74.00	40.61	29.09	54.00	24.91	100	300	Vertical	PASS
3	25864.2932	3.62	40.56	74.00	33.44	35.48	54.00	18.52	100	270	Vertical	PASS
4	29162.2581	5.23	42.69	74.00	31.31	36.46	54.00	17.54	100	160	Vertical	PASS
5	33391.9696	7.64	46.79	74.00	27.21	40.98	54.00	13.02	100	40	Vertical	PASS
6	36596.4298	11.48	53.84	74.00	20.16	46.53	54.00	7.47	100	290	Vertical	PASS


Mode:

ax40-5795




Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19316.7658	-4.07	31.07	74.00	42.93	25.14	54.00	28.86	100	330	Horizontal	PASS
2	20833.7417	-1.86	34.42	74.00	39.58	28.59	54.00	25.41	100	140	Horizontal	PASS
3	23991.9996	3.12	40.67	74.00	33.33	35.88	54.00	18.12	100	60	Horizontal	PASS
4	26118.4059	3.73	41.92	74.00	32.08	34.69	54.00	19.31	100	20	Horizontal	PASS
5	30208.4104	4.18	41.97	74.00	32.03	36.57	54.00	17.43	100	270	Horizontal	PASS
6	36680.0340	11.51	53.32	74.00	20.68	45.90	54.00	8.10	100	190	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19232.0616	-4.19	31.77	74.00	42.23	26.65	54.00	27.35	100	40	Vertical	PASS
2	24008.5004	3.14	40.03	74.00	33.97	36.47	54.00	17.53	100	360	Vertical	PASS
3	26336.2168	3.67	41.09	74.00	32.91	36.70	54.00	17.30	100	90	Vertical	PASS
4	29350.3675	4.90	43.33	74.00	30.67	35.09	54.00	18.91	100	140	Vertical	PASS
5	32917.8459	7.34	45.65	74.00	28.35	39.71	54.00	14.29	100	130	Vertical	PASS
6	36678.9339	11.51	53.70	74.00	20.30	47.62	54.00	6.38	100	270	Vertical	PASS

Mode: ac80-5775



Final Data List


NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19458.6729	-3.87	31.70	74.00	42.30	25.87	54.00	28.13	100	270	Horizontal	PASS
2	22742.3371	0.13	35.85	74.00	38.15	29.63	54.00	24.37	100	170	Horizontal	PASS
3	25695.9848	3.42	40.65	74.00	33.35	37.86	54.00	16.14	100	140	Horizontal	PASS
4	29466.9733	4.71	42.71	74.00	31.29	34.92	54.00	19.08	100	210	Horizontal	PASS
5	33428.2714	7.67	46.64	74.00	27.36	41.31	54.00	12.69	100	200	Horizontal	PASS
6	36487.5244	11.45	53.89	74.00	20.11	46.47	54.00	7.53	100	170	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19455.3728	-3.87	32.06	74.00	41.94	24.64	54.00	29.36	100	90	Vertical	PASS
2	21450.8725	-1.67	33.77	74.00	40.23	28.15	54.00	25.85	100	310	Vertical	PASS
3	23869.8935	2.83	40.08	74.00	33.92	35.30	54.00	18.70	100	340	Vertical	PASS
4	27192.0596	3.45	41.50	74.00	32.50	33.73	54.00	20.27	100	280	Vertical	PASS
5	30124.8062	4.03	41.86	74.00	32.14	37.95	54.00	16.05	100	30	Vertical	PASS
6	36543.6272	11.47	53.32	74.00	20.68	47.27	54.00	6.73	100	190	Vertical	PASS


Mode:

ax80-5775



Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19142.9571	-4.32	31.75	74.00	42.25	26.45	54.00	27.55	100	290	Horizontal	PASS
2	21226.4613	-1.64	33.14	74.00	40.86	27.11	54.00	26.89	100	20	Horizontal	PASS
3	24076.7038	3.10	39.87	74.00	34.13	36.26	54.00	17.74	100	20	Horizontal	PASS
4	26198.7099	3.71	41.48	74.00	32.52	35.18	54.00	18.82	100	340	Horizontal	PASS
5	31081.8541	5.67	42.89	74.00	31.11	35.97	54.00	18.03	100	340	Horizontal	PASS
6	36781.2391	11.55	54.28	74.00	19.72	46.74	54.00	7.26	100	200	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	19657.7829	-3.59	31.62	74.00	42.38	26.22	54.00	27.78	100	220	Vertical	PASS
2	22593.8297	-0.25	36.03	74.00	37.97	28.99	54.00	25.01	100	160	Vertical	PASS
3	24584.9292	2.82	39.20	74.00	34.80	33.06	54.00	20.94	100	170	Vertical	PASS
4	29173.2587	5.21	42.39	74.00	31.61	36.06	54.00	17.94	100	180	Vertical	PASS
5	32515.2258	6.90	44.62	74.00	29.38	39.18	54.00	14.82	100	220	Vertical	PASS
6	36916.5458	11.59	53.59	74.00	20.41	50.19	54.00	3.81	100	280	Vertical	PASS

All the modes have been tested. OFDM and OFDMA technologies respectively represent the maximum power mode of data and different bandwidths.

Mode:


n20-5180



★ AV Detector

Final Data List


NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	44.45	54.00	9.55	150	39	Horizontal	PASS
2	4654.5763	11.34	49.01	54.00	4.99	150	31	Horizontal	PASS
3	4736.9704	12.33	49.64	54.00	4.36	150	216	Horizontal	PASS
4	4837.4101	12.53	50.82	54.00	3.18	150	257	Horizontal	PASS
5	5118.1655	13.42	53.11	54.00	0.89	150	257	Horizontal	PASS
6	5150.0000	13.64	48.99	54.00	5.01	150	93	Horizontal	PASS



Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	44.77	54.00	9.23	150	117	Vertical	PASS
2	4597.3621	11.43	48.70	54.00	5.30	150	143	Vertical	PASS
3	4734.7322	12.31	49.84	54.00	4.16	150	105	Vertical	PASS
4	4874.3405	12.72	52.15	54.00	1.85	150	0	Vertical	PASS
5	5020.5236	13.32	53.19	54.00	0.81	150	40	Vertical	PASS
6	5150.0000	13.64	50.61	54.00	3.39	150	5	Vertical	PASS

Mode:


ax20-5180



★ AV Detector

Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	48.37	54.00	5.63	150	312	Horizontal	PASS
2	4599.3205	11.45	48.94	54.00	5.06	150	210	Horizontal	PASS
3	4694.8641	11.43	49.68	54.00	4.32	150	304	Horizontal	PASS
4	4781.7346	12.37	49.49	54.00	4.51	150	104	Horizontal	PASS
5	4938.6890	13.12	51.07	54.00	2.93	150	104	Horizontal	PASS
6	5150.0000	13.64	47.97	54.00	6.03	150	62	Horizontal	PASS




★ AV Detector

Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	46.22	54.00	7.78	150	175	Vertical	PASS
2	4624.9201	11.48	49.27	54.00	4.73	150	171	Vertical	PASS
3	4718.7850	11.72	49.74	54.00	4.26	150	94	Vertical	PASS
4	4842.1663	12.82	50.15	54.00	3.85	150	83	Vertical	PASS
5	4922.8817	13.13	52.28	54.00	1.72	150	276	Vertical	PASS
6	5019.1247	13.36	53.09	54.00	0.91	150	44	Vertical	PASS
7	5150.0000	13.64	48.74	54.00	5.26	150	67	Vertical	PASS

Mode:


n20-5240



★ AV Detector

Final Data List


NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2500.0000	11.09	46.67	54.00	7.33	150	66	Horizontal	PASS
2	4500.0000	11.09	46.67	54.00	7.33	150	66	Horizontal	PASS
3	4645.9832	11.42	49.60	54.00	4.40	150	4	Horizontal	PASS
4	4806.3549	12.74	50.78	54.00	3.22	150	337	Horizontal	PASS
5	4936.4508	13.10	51.67	54.00	2.33	150	208	Horizontal	PASS
6	5150.0000	13.64	47.73	54.00	6.27	150	290	Horizontal	PASS



Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	41.61	54.00	12.39	150	7	Vertical	PASS
2	4633.3933	11.84	43.96	54.00	10.04	150	231	Vertical	PASS
3	4774.5803	12.24	45.93	54.00	8.07	150	19	Vertical	PASS
4	4897.3321	12.18	46.25	54.00	7.75	150	58	Vertical	PASS
5	5079.1367	13.27	49.20	54.00	4.80	150	297	Vertical	PASS
6	5150.0000	13.64	42.29	54.00	11.71	150	212	Vertical	PASS

Mode:


ax20-5240



★ AV Detector


Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	46.08	54.00	7.92	150	67	Horizontal	PASS
2	4559.6523	11.31	50.13	54.00	3.87	150	82	Horizontal	PASS
3	4732.6139	12.25	50.52	54.00	3.48	150	28	Horizontal	PASS
4	4967.7758	13.58	52.33	54.00	1.67	150	63	Horizontal	PASS
5	5083.4832	13.34	52.36	54.00	1.64	150	20	Horizontal	PASS
6	5210.0000	13.59	47.99	54.00	6.01	150	86	Horizontal	PASS




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	40.15	54.00	13.85	150	104	Vertical	PASS
2	4666.3669	11.63	44.11	54.00	9.89	150	298	Vertical	PASS
3	4831.2350	12.32	45.00	54.00	9.00	150	141	Vertical	PASS
4	4942.7458	13.25	46.58	54.00	7.42	150	43	Vertical	PASS
5	5077.3381	13.26	49.65	54.00	4.35	150	301	Vertical	PASS
6	5210.0000	13.59	49.94	54.00	4.06	150	246	Vertical	PASS

Mode: ac40-5190




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	46.60	54.00	7.40	150	31	Horizontal	PASS
2	4632.9436	11.84	50.85	54.00	3.15	150	98	Horizontal	PASS
3	4874.2506	12.72	50.65	54.00	3.35	150	305	Horizontal	PASS
4	4973.0216	13.83	52.53	54.00	1.47	150	274	Horizontal	PASS
5	5069.5444	13.22	52.32	54.00	1.68	150	325	Horizontal	PASS
6	5150.0000	13.64	48.63	54.00	5.37	150	4	Horizontal	PASS




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	40.96	54.00	13.04	150	64	Vertical	PASS
2	4617.3561	11.44	43.58	54.00	10.42	150	308	Vertical	PASS
3	4834.3825	12.39	46.13	54.00	7.87	150	179	Vertical	PASS
4	4878.8969	12.53	46.18	54.00	7.82	150	10	Vertical	PASS
5	4974.0707	13.83	46.92	54.00	7.08	150	356	Vertical	PASS
6	5150.0000	13.64	50.08	54.00	3.92	150	56	Vertical	PASS

Mode:	ac40-5230
-------	-----------




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	41.23	54.00	12.77	150	360	Horizontal	PASS
2	4607.9137	11.55	44.06	54.00	9.94	150	360	Horizontal	PASS
3	4741.7566	12.28	44.11	54.00	9.89	150	327	Horizontal	PASS
4	4935.1019	13.08	46.79	54.00	7.21	150	257	Horizontal	PASS
5	5017.2362	13.42	48.27	54.00	5.73	150	331	Horizontal	PASS
6	5150.0000	13.64	43.17	54.00	10.83	150	112	Horizontal	PASS




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	41.63	54.00	12.37	150	191	Vertical	PASS
2	4601.9185	11.49	43.41	54.00	10.59	150	238	Vertical	PASS
3	4798.8609	12.41	45.37	54.00	8.63	150	210	Vertical	PASS
4	4950.6894	13.44	46.38	54.00	7.62	150	321	Vertical	PASS
5	5005.9952	13.40	46.85	54.00	7.15	150	140	Vertical	PASS
6	5150.0000	13.64	45.06	54.00	8.94	150	66	Vertical	PASS

Mode:	ax40-5190
-------	-----------




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	45.04	54.00	8.96	150	295	Horizontal	PASS
2	4584.2326	11.23	49.27	54.00	4.73	150	227	Horizontal	PASS
3	4737.1103	12.33	49.05	54.00	4.95	150	354	Horizontal	PASS
4	4806.0552	12.72	51.32	54.00	2.68	150	223	Horizontal	PASS
5	4962.3801	13.27	51.47	54.00	2.53	150	235	Horizontal	PASS
6	5150.0000	13.64	49.62	54.00	4.38	150	239	Horizontal	PASS



✱ AV Detector


Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	41.40	54.00	12.60	150	308	Vertical	PASS
2	4643.8849	11.54	43.83	54.00	10.17	150	77	Vertical	PASS
3	4761.9904	12.28	44.54	54.00	9.46	150	2	Vertical	PASS
4	4841.2770	12.80	45.76	54.00	8.24	150	227	Vertical	PASS
5	4980.9652	13.56	47.16	54.00	6.84	150	121	Vertical	PASS
6	5150.0000	13.64	51.34	54.00	2.66	150	57	Vertical	PASS

Mode:	ax40-5230
--------------	------------------




★ AV Detector

Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	42.50	54.00	11.50	150	108	Horizontal	PASS
2	4621.2530	11.39	44.78	54.00	9.22	150	210	Horizontal	PASS
3	4781.3249	12.37	44.70	54.00	9.30	150	214	Horizontal	PASS
4	4938.5492	13.12	46.19	54.00	7.81	150	89	Horizontal	PASS
5	5068.6451	13.21	46.90	54.00	7.10	150	70	Horizontal	PASS
6	5150.0000	13.64	44.69	54.00	9.31	150	23	Horizontal	PASS




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	40.03	54.00	13.97	150	146	Vertical	PASS
2	4625.1499	11.48	44.18	54.00	9.82	150	130	Vertical	PASS
3	4761.3909	12.27	44.97	54.00	9.03	150	298	Vertical	PASS
4	4897.9317	12.17	45.66	54.00	8.34	150	158	Vertical	PASS
5	4975.1199	13.81	48.05	54.00	5.95	150	76	Vertical	PASS
6	5150.0000	13.64	44.46	54.00	9.54	150	201	Vertical	PASS

Mode: ac80-5210




★ AV Detector

Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	35.33	54.00	18.67	150	329	Horizontal	PASS
2	4561.6007	11.24	40.41	54.00	13.59	150	36	Horizontal	PASS
3	4698.7410	11.51	38.36	54.00	15.64	150	1	Horizontal	PASS
4	4832.7338	12.34	40.68	54.00	13.32	150	4	Horizontal	PASS
5	4976.7686	13.75	42.10	54.00	11.90	150	142	Horizontal	PASS
6	5150.0000	13.64	42.18	54.00	11.82	150	16	Horizontal	PASS




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	35.87	54.00	18.13	150	204	Vertical	PASS
2	4613.6091	11.54	39.42	54.00	14.58	150	292	Vertical	PASS
3	4760.4916	12.24	40.76	54.00	13.24	150	48	Vertical	PASS
4	4836.7806	12.50	40.36	54.00	13.64	150	132	Vertical	PASS
5	4991.4568	13.13	43.13	54.00	10.87	150	44	Vertical	PASS
6	5150.0000	13.64	49.21	54.00	4.79	150	52	Vertical	PASS

Mode:	ax80-5210
-------	-----------




Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	43.96	54.00	10.04	150	150	Horizontal	PASS
2	4640.7374	11.72	43.64	54.00	10.36	150	356	Horizontal	PASS
3	4785.6715	12.19	43.85	54.00	10.15	150	54	Horizontal	PASS
4	4911.4209	12.84	45.04	54.00	8.96	150	89	Horizontal	PASS
5	5027.4281	13.11	45.97	54.00	8.03	150	46	Horizontal	PASS
6	5150.0000	13.64	43.74	54.00	10.26	150	356	Horizontal	PASS



★ AV Detector


Final Data List									
NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	35.81	54.00	18.19	150	120	Vertical	PASS
2	4585.1319	11.28	38.76	54.00	15.24	150	352	Vertical	PASS
3	4730.5156	12.19	39.30	54.00	14.70	150	211	Vertical	PASS
4	4832.5839	12.34	39.08	54.00	14.92	150	124	Vertical	PASS
5	4996.5528	13.17	41.67	54.00	12.33	150	120	Vertical	PASS
6	5150.0000	13.64	48.17	54.00	5.83	150	63	Vertical	PASS

Mode: n20-5230



★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.72	50.83	68.23	17.40	49.15	54.00	4.85	150	315	Horizontal	PASS
2	5378.2000	15.87	54.06	74.00	19.94	51.62	54.00	2.38	150	244	Horizontal	PASS
3	5391.1200	15.88	53.21	74.00	20.79	49.81	54.00	4.19	150	149	Horizontal	PASS
4	5412.2000	16.04	54.66	74.00	19.34	52.37	54.00	1.63	150	227	Horizontal	PASS
5	5429.8800	15.59	53.68	74.00	20.32	52.29	54.00	1.71	150	166	Horizontal	PASS
6	5460.0000	15.83	50.58	74.00	23.42	48.38	54.00	5.62	150	322	Horizontal	PASS




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.72	51.67	68.23	16.56	49.31	54.00	4.69	150	360	Vertical	PASS
2	5385.0000	15.91	52.91	74.00	21.09	49.99	54.00	4.01	150	201	Vertical	PASS
3	5404.3800	16.00	53.35	74.00	20.65	51.57	54.00	2.43	150	360	Vertical	PASS
4	5426.3100	15.70	52.28	74.00	21.72	49.74	54.00	4.26	150	191	Vertical	PASS
5	5446.3700	15.98	53.79	74.00	20.21	50.86	54.00	3.14	150	34	Vertical	PASS
6	5460.0000	15.83	50.93	74.00	23.07	49.48	54.00	4.52	150	17	Vertical	PASS

Mode:


ax20-5320



★ PK Detector ★ AV Detector

Final Data List


NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.72	52.51	68.23	15.72	49.58	54.00	4.42	150	54	Horizontal	PASS
2	5357.6300	16.22	53.80	74.00	20.20	51.84	54.00	2.16	150	135	Horizontal	PASS
3	5377.3500	15.85	54.03	74.00	19.97	52.10	54.00	1.90	150	276	Horizontal	PASS
4	5403.7000	15.97	53.14	74.00	20.86	50.67	54.00	3.33	150	302	Horizontal	PASS
5	5430.0500	15.59	52.73	74.00	21.27	51.19	54.00	2.81	150	182	Horizontal	PASS
6	5460.0000	15.83	52.99	74.00	21.01	50.61	54.00	3.39	150	14	Horizontal	PASS




★ PK Detector ● AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.72	52.96	68.23	15.27	50.34	54.00	3.66	150	319	Vertical	PASS
2	5360.0000	16.34	50.65	74.00	23.35	48.94	54.00	5.06	150	303	Vertical	PASS
3	5382.6200	15.95	53.08	74.00	20.92	50.17	54.00	3.83	150	222	Vertical	PASS
4	5408.6300	16.08	53.54	74.00	20.46	52.03	54.00	1.97	150	174	Vertical	PASS
5	5430.9000	15.60	52.32	74.00	21.68	50.37	54.00	3.63	150	45	Vertical	PASS
6	5460.0000	15.83	51.98	74.00	22.02	48.07	54.00	5.93	150	231	Vertical	PASS

Mode:
ac40-5270



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	47.16	68.23	21.07	45.38	54.00	8.62	150	288	Horizontal	PASS
2	5367.7000	15.79	49.56	74.00	24.44	47.80	54.00	6.20	150	11	Horizontal	PASS
3	5387.7200	15.93	49.81	74.00	24.19	48.45	54.00	5.55	150	133	Horizontal	PASS
4	5415.4400	15.96	49.35	74.00	24.65	47.42	54.00	6.58	150	144	Horizontal	PASS
5	5435.9000	15.68	50.34	74.00	23.66	47.74	54.00	6.26	150	34	Horizontal	PASS
6	5460.0000	15.84	49.97	74.00	24.03	46.96	54.00	7.04	150	40	Horizontal	PASS




★ PK Detector ● AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	45.07	68.23	23.16	42.91	54.00	11.09	150	193	Vertical	PASS
2	5366.1600	15.88	48.02	74.00	25.98	45.00	54.00	9.00	150	288	Vertical	PASS
3	5389.9200	15.92	48.23	74.00	25.77	45.30	54.00	8.70	150	244	Vertical	PASS
4	5422.7000	15.80	51.32	74.00	22.68	49.59	54.00	4.41	150	52	Vertical	PASS
5	5432.6000	15.61	52.39	74.00	21.61	49.61	54.00	4.39	150	61	Vertical	PASS
6	5460.0000	15.84	46.35	74.00	27.65	44.17	54.00	9.83	150	52	Vertical	PASS


Mode:

ac40-5310



Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	48.32	68.23	19.91	45.63	54.00	8.37	150	48	Horizontal	PASS
2	5369.2400	15.71	46.95	74.00	27.05	45.70	54.00	8.30	150	71	Horizontal	PASS
3	5393.8800	15.81	46.96	74.00	27.04	44.53	54.00	9.47	150	276	Horizontal	PASS
4	5407.9600	16.08	48.38	74.00	25.62	47.25	54.00	6.75	150	90	Horizontal	PASS
5	5434.5800	15.63	47.59	74.00	26.41	45.03	54.00	8.97	150	51	Horizontal	PASS
6	5460.0000	15.84	45.64	74.00	28.36	43.90	54.00	10.10	150	254	Horizontal	PASS




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	50.34	68.23	17.89	48.80	54.00	5.20	150	314	Vertical	PASS
2	5359.1200	16.29	46.48	74.00	27.52	44.45	54.00	9.55	150	311	Vertical	PASS
3	5380.6800	15.94	43.91	74.00	30.09	42.60	54.00	11.40	150	71	Vertical	PASS
4	5399.3800	15.82	43.95	74.00	30.05	42.04	54.00	11.96	150	71	Vertical	PASS
5	5416.1000	15.93	44.82	74.00	29.18	40.98	54.00	13.02	150	283	Vertical	PASS
6	5460.0000	15.84	44.72	74.00	29.28	41.50	54.00	12.50	150	77	Vertical	PASS


Mode:

ax40-5270



Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	44.97	68.23	23.26	42.26	54.00	11.74	150	8	Horizontal	PASS
2	5373.6400	15.80	47.35	74.00	26.65	44.16	54.00	9.84	150	63	Horizontal	PASS
3	5397.8400	15.80	46.71	74.00	27.29	43.80	54.00	10.20	150	305	Horizontal	PASS
4	5422.4800	15.80	47.52	74.00	26.48	45.22	54.00	8.78	150	31	Horizontal	PASS
5	5439.8600	15.82	47.58	74.00	26.42	45.82	54.00	8.18	150	327	Horizontal	PASS
6	5460.0000	15.84	47.21	74.00	26.79	45.35	54.00	8.65	150	136	Horizontal	PASS




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	47.21	68.23	21.02	43.94	54.00	10.06	150	312	Vertical	PASS
2	5370.3400	15.69	47.43	74.00	26.57	46.00	54.00	8.00	150	23	Vertical	PASS
3	5391.2400	15.88	47.23	74.00	26.77	46.11	54.00	7.89	150	312	Vertical	PASS
4	5425.7800	15.72	51.32	74.00	22.68	49.23	54.00	4.77	150	68	Vertical	PASS
5	5438.5400	15.78	49.58	74.00	24.42	46.46	54.00	7.54	150	65	Vertical	PASS
6	5460.0000	15.84	46.19	74.00	27.81	44.58	54.00	9.42	150	300	Vertical	PASS

Mode:

ax40-5310



Final Data List

NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	15.71	49.17	68.23	19.06	46.61	54.00	7.39	150	92	Horizontal	PASS
2	5374.7400	15.81	46.78	74.00	27.22	43.98	54.00	10.02	150	250	Horizontal	PASS
3	5405.3200	16.03	47.34	74.00	26.66	46.00	54.00	8.00	150	48	Horizontal	PASS
4	5428.2000	15.64	47.82	74.00	26.18	44.45	54.00	9.55	150	302	Horizontal	PASS
5	5447.5600	15.98	49.44	74.00	24.56	44.84	54.00	9.16	150	205	Horizontal	PASS
6	5460.0000	15.84	47.46	74.00	26.54	44.05	54.00	9.95	150	54	Horizontal	PASS