


Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	37.080	18.736
116	5580	36.540	20.781
140	5700	40.080	22.695
144	5720	22.280	19.320


CH100

CH116
26 dB Bandwidth

CH140





99 % Occupied Bandwidth



CH144
26 dB Bandwidth

CH144
99 % Occupied Bandwidth



Date: 11.OCT.2025 15:37:56

Date: 11.OCT.2025 15:38:20


Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.620	17.525
116	5580	22.080	17.565
140	5700	19.740	17.551
144	5720	18.200	17.520


CH100

CH116
26 dB Bandwidth

CH140




99 % Occupied Bandwidth



CH144
26 dB Bandwidth

CH144
99 % Occupied Bandwidth



Date: 11.OCT.2025 15:39:36

Date: 11.OCT.2025 15:40:01


Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	85.400	42.505
110	5550	75.600	37.675
134	5670	52.300	47.498
142	5710	51.000	38.000


CH102

CH110
26 dB Bandwidth

CH134





99 % Occupied Bandwidth



CH142
26 dB Bandwidth

CH142
99 % Occupied Bandwidth




Date: 11.OCT.2025 15:43:25

Date: 11.OCT.2025 15:43:49

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	188.790	83.599
122	5610	188.790	90.757
138	5690	144.000	143.000


CH106



CH122
26 dB Bandwidth






CH138



Date: 11.OCT.2025 16:24:04

99 % Occupied Bandwidth




Date: 11.OCT.2025 16:26:20


Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	509.300	255.351

CH114 26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode UNII-2C_TX BE(EHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.500	18.855
116	5580	24.240	18.854
140	5700	28.500	18.914
144	5720	15.320	18.960


CH100






CH116
26 dB Bandwidth




CH140




99 % Occupied Bandwidth



CH144
26 dB Bandwidth



CH144
99 % Occupied Bandwidth



Date: 11.OCT.2025 15:40:41

Date: 11.OCT.2025 15:41:06


Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	80.300	41.285
110	5550	78.800	43.390
134	5670	72.400	41.134
142	5710	52.000	39.000


CH102

CH110
26 dB Bandwidth

CH134





99 % Occupied Bandwidth



CH142
26 dB Bandwidth

CH142
99 % Occupied Bandwidth




Date: 11.OCT.2025 15:44:25

Date: 11.OCT.2025 15:44:49


Test Mode	UNII-2C_TX BE(EHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	164.600	78.678
122	5610	189.640	88.401
138	5690	131.500	134.500


CH106



CH122
26 dB Bandwidth






CH138



Date: 11.OCT.2025 16:26:55

99 % Occupied Bandwidth




Date: 11.OCT.2025 16:27:19


Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	511.280	275.043

CH114 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.660	32.373	0.5	Pass
157	5785	16.020	29.796	0.5	Pass
165	5825	15.480	29.181	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.800	35.673	0.5	Pass
157	5785	17.160	33.267	0.5	Pass
165	5825	16.920	32.314	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	32.600	64.669	0.5	Pass
159	5795	32.600	65.211	0.5	Pass



CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	72.800	144.960	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.580	32.780	0.5	Pass
157	5785	17.580	33.813	0.5	Pass
165	5825	16.740	32.041	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode UNII-3_TX BE(EHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	32.600	62.415	0.5	Pass
159	5795	32.600	59.410	0.5	Pass



CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	72.600	148.445	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.27	0.32	15.59	23.98	0.2500	Pass
40	5200	19.78	0.32	20.10	23.98	0.2500	Pass
48	5240	20.44	0.32	20.76	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.23	0.34	14.57	23.98	0.2500	Pass
40	5200	17.74	0.34	18.08	23.98	0.2500	Pass
48	5240	17.01	0.34	17.35	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.84	0.34	15.18	23.98	0.2500	Pass
40	5200	18.45	0.34	18.79	23.98	0.2500	Pass
48	5240	17.90	0.34	18.24	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.90	23.98	0.2500	Pass
40	5200	21.46	23.98	0.2500	Pass
48	5240	20.83	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.43	0.36	11.79	23.98	0.2500	Pass
46	5230	16.34	0.36	16.70	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.03	0.36	12.39	23.98	0.2500	Pass
46	5230	17.32	0.36	17.68	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.11	23.98	0.2500	Pass
46	5230	20.23	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.63	0.39	11.02	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.40	0.39	11.79	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.43	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.83	0.38	14.21	23.98	0.2500	Pass
40	5200	17.31	0.38	17.69	23.98	0.2500	Pass
48	5240	16.66	0.38	17.04	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.71	0.38	15.09	23.98	0.2500	Pass
40	5200	18.25	0.38	18.63	23.98	0.2500	Pass
48	5240	17.73	0.38	18.11	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.68	23.98	0.2500	Pass
40	5200	21.20	23.98	0.2500	Pass
48	5240	20.62	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.87	0.38	13.25	23.98	0.2500	Pass
46	5230	16.86	0.38	17.24	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.57	0.38	13.95	23.98	0.2500	Pass
46	5230	17.63	0.38	18.01	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.62	23.98	0.2500	Pass
46	5230	20.65	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.98	0.39	11.37	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.82	0.39	12.21	23.98	0.2500	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.82	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.67	0.32	20.99	23.98	0.2500	Pass
60	5300	19.90	0.32	20.22	23.98	0.2500	Pass
64	5320	16.02	0.32	16.34	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.29	0.34	17.63	23.98	0.2500	Pass
60	5300	17.33	0.34	17.67	23.98	0.2500	Pass
64	5320	14.29	0.34	14.63	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.15	0.34	18.49	23.98	0.2500	Pass
60	5300	18.12	0.34	18.46	23.98	0.2500	Pass
64	5320	15.34	0.34	15.68	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.09	23.98	0.2500	Pass
60	5300	21.09	23.98	0.2500	Pass
64	5320	18.20	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.11	0.36	16.47	23.98	0.2500	Pass
62	5310	10.89	0.36	11.25	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.99	0.36	17.35	23.98	0.2500	Pass
62	5310	11.94	0.36	12.30	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.94	23.98	0.2500	Pass
62	5310	14.82	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.28	0.39	11.67	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.11	0.39	12.50	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.12	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.08	0.38	17.46	23.98	0.2500	Pass
60	5300	17.06	0.38	17.44	23.98	0.2500	Pass
64	5320	14.09	0.38	14.47	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.92	0.38	18.30	23.98	0.2500	Pass
60	5300	18.11	0.38	18.49	23.98	0.2500	Pass
64	5320	15.04	0.38	15.42	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.91	23.98	0.2500	Pass
60	5300	21.01	23.98	0.2500	Pass
64	5320	17.98	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.86	0.38	18.24	23.98	0.2500	Pass
62	5310	12.95	0.38	13.33	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.43	0.38	18.81	23.98	0.2500	Pass
62	5310	13.39	0.38	13.77	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.55	23.98	0.2500	Pass
62	5310	16.57	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.58	0.39	11.97	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.53	0.39	12.92	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.48	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.46	0.39	7.85	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.91	0.39	8.30	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.09	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.41	0.39	7.80	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.94	0.39	8.33	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.08	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.24	0.32	17.56	23.98	0.2500	Pass
116	5580	20.67	0.32	20.99	23.98	0.2500	Pass
140	5700	15.04	0.32	15.36	23.98	0.2500	Pass
144	5720	21.10	0.32	21.42	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.95	0.34	16.29	23.98	0.2500	Pass
116	5580	17.94	0.34	18.28	23.98	0.2500	Pass
140	5700	13.93	0.34	14.27	23.98	0.2500	Pass
144	5720	15.41	0.34	15.75	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.85	0.34	16.19	23.98	0.2500	Pass
116	5580	17.26	0.34	17.60	23.98	0.2500	Pass
140	5700	13.73	0.34	14.07	23.98	0.2500	Pass
144	5720	15.68	0.34	16.02	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.25	23.98	0.2500	Pass
116	5580	20.96	23.98	0.2500	Pass
140	5700	17.18	23.98	0.2500	Pass
144	5720	18.90	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.83	0.36	13.19	23.98	0.2500	Pass
110	5550	20.52	0.36	20.88	23.98	0.2500	Pass
134	5670	13.73	0.36	14.09	23.98	0.2500	Pass
142	5710	20.27	0.36	20.63	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.77	0.36	12.13	23.98	0.2500	Pass
110	5550	20.68	0.36	21.04	23.98	0.2500	Pass
134	5670	13.43	0.36	13.79	23.98	0.2500	Pass
142	5710	20.26	0.36	20.62	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.70	23.98	0.2500	Pass
110	5550	23.97	23.98	0.2500	Pass
134	5670	16.95	23.98	0.2500	Pass
142	5710	23.63	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.95	0.39	11.34	23.98	0.2500	Pass
122	5610	12.88	0.39	13.27	23.98	0.2500	Pass
138	5690	20.23	0.39	20.62	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.05	0.39	10.44	23.98	0.2500	Pass
122	5610	12.44	0.39	12.83	23.98	0.2500	Pass
138	5690	20.28	0.39	20.67	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.92	23.98	0.2500	Pass
122	5610	16.07	23.98	0.2500	Pass
138	5690	23.65	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	8.28	0.39	8.67	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	7.48	0.39	7.87	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	11.30	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.07	0.38	15.45	23.98	0.2500	Pass
116	5580	17.56	0.38	17.94	23.98	0.2500	Pass
140	5700	12.70	0.38	13.08	23.98	0.2500	Pass
144	5720	14.97	0.38	15.35	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.07	0.38	14.45	23.98	0.2500	Pass
116	5580	16.94	0.38	17.32	23.98	0.2500	Pass
140	5700	12.63	0.38	13.01	23.98	0.2500	Pass
144	5720	14.70	0.38	15.08	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.99	23.98	0.2500	Pass
116	5580	20.65	23.98	0.2500	Pass
140	5700	16.06	23.98	0.2500	Pass
144	5720	18.22	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.46	0.38	12.84	23.98	0.2500	Pass
110	5550	19.68	0.38	20.06	23.98	0.2500	Pass
134	5670	13.79	0.38	14.17	23.98	0.2500	Pass
142	5710	19.47	0.38	19.85	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.13	0.38	11.51	23.98	0.2500	Pass
110	5550	20.43	0.38	20.81	23.98	0.2500	Pass
134	5670	13.23	0.38	13.61	23.98	0.2500	Pass
142	5710	19.36	0.38	19.74	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.24	23.98	0.2500	Pass
110	5550	23.46	23.98	0.2500	Pass
134	5670	16.91	23.98	0.2500	Pass
142	5710	22.81	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.21	0.39	11.60	23.98	0.2500	Pass
122	5610	12.58	0.39	12.97	23.98	0.2500	Pass
138	5690	18.69	0.39	19.08	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.34	0.39	10.73	23.98	0.2500	Pass
122	5610	12.24	0.39	12.63	23.98	0.2500	Pass
138	5690	18.46	0.39	18.85	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.20	23.98	0.2500	Pass
122	5610	15.81	23.98	0.2500	Pass
138	5690	21.98	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	8.38	0.39	8.77	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	8.52	0.39	8.91	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	11.85	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.13	0.32	24.45	30.00	1.0000	Pass
157	5785	24.53	0.32	24.85	30.00	1.0000	Pass
165	5825	24.85	0.32	25.17	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.76	0.34	25.10	30.00	1.0000	Pass
157	5785	24.65	0.34	24.99	30.00	1.0000	Pass
165	5825	24.48	0.34	24.82	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.51	0.34	24.85	30.00	1.0000	Pass
157	5785	24.54	0.34	24.88	30.00	1.0000	Pass
165	5825	24.52	0.34	24.86	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.99	30.00	1.0000	Pass
157	5785	27.95	30.00	1.0000	Pass
165	5825	27.85	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.35	0.36	24.71	30.00	1.0000	Pass
159	5795	24.23	0.36	24.59	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.85	0.36	24.21	30.00	1.0000	Pass
159	5795	24.35	0.36	24.71	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.48	30.00	1.0000	Pass
159	5795	27.66	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.46	0.39	24.85	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.14	0.39	24.53	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.70	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.26	0.38	23.64	30.00	1.0000	Pass
157	5785	23.74	0.38	24.12	30.00	1.0000	Pass
165	5825	23.92	0.38	24.30	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.26	0.38	22.64	30.00	1.0000	Pass
157	5785	22.16	0.38	22.54	30.00	1.0000	Pass
165	5825	22.39	0.38	22.77	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.18	30.00	1.0000	Pass
157	5785	26.41	30.00	1.0000	Pass
165	5825	26.61	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.32	0.38	23.70	30.00	1.0000	Pass
159	5795	23.76	0.38	24.14	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.28	0.38	22.66	30.00	1.0000	Pass
159	5795	22.12	0.38	22.50	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.22	30.00	1.0000	Pass
159	5795	26.41	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.58	0.39	23.97	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.29	0.39	22.68	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.38	30.00	1.0000	Pass

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.39	0.32	10.71	10.93	Pass
40	5200	10.28	0.32	10.60	10.93	Pass
48	5240	10.28	0.32	10.60	10.93	Pass

