




|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant_1 |
|-----------|-----------------------------|


| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6025                 | 162.04                | 157.15                        | 320         | Pass   |
| 6185                 | 162.17                | 156.58                        | 320         | Pass   |
| 6345                 | 162.11                | 157.01                        | 320         | Pass   |





| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6505                 | 162.59                | 157.07                        | 320         | Pass   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |   |   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|
| <p>6505</p> <p>26 dB Bandwidth</p>  <p>Center Freq 6.50500000 GHz</p> <p>Ref Offset 17.8 dB</p> <p>Ref 20.00 dBm</p> <p>Center Freq 6.50500000 GHz</p> <p>CF Step 40.000000 MHz</p> <p>Man</p> <p>Occupied Bandwidth 156.55 MHz</p> <p>Total Power 18.8 dBm</p> <p>Transmit Freq Error -55.817 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 162.6 MHz</p> <p>x dB -26.00 dB</p> | - | - |
| <p>99 % Occupied Bandwidth</p>  <p>Center Freq 6.50500000 GHz</p> <p>Ref Offset 17.8 dB</p> <p>Ref 20.00 dBm</p> <p>Center Freq 6.50500000 GHz</p> <p>CF Step 40.000000 MHz</p> <p>Man</p> <p>Occupied Bandwidth 157.07 MHz</p> <p>Total Power 19.4 dBm</p> <p>Transmit Freq Error 51.441 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 165.0 MHz</p> <p>x dB -26.00 dB</p>     | - | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6665                 | 162.19                | 156.59                        | 320         | Pass   |
| 6825                 | 161.97                | 156.93                        | 320         | Pass   |




| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6985                 | 161.98                | 157.29                        | 320         | Pass   |



|                                                                                                                      |   |   |
|----------------------------------------------------------------------------------------------------------------------|---|---|
| <p>6985</p> <p>26 dB Bandwidth</p>  | - | - |
| <p>99 % Occupied Bandwidth</p>     | - | - |

|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant_2 |
|-----------|-----------------------------|


| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6025                 | 162.04                | 157.04                        | 320         | Pass   |
| 6185                 | 162.27                | 156.85                        | 320         | Pass   |
| 6345                 | 162.07                | 157.15                        | 320         | Pass   |





| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6505                 | 162.38                | 157.20                        | 320         | Pass   |

|                                                                                                                      |   |   |
|----------------------------------------------------------------------------------------------------------------------|---|---|
| <p>6505</p> <p>26 dB Bandwidth</p>  | - | - |
| <p>99 % Occupied Bandwidth</p>     | - | - |

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6665                 | 162.28                | 156.87                        | 320         | Pass   |
| 6825                 | 162.24                | 157.38                        | 320         | Pass   |



| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6985                 | 162.30                | 157.34                        | 320         | Pass   |

|                                                                                                                      |   |   |
|----------------------------------------------------------------------------------------------------------------------|---|---|
| <p>6985</p> <p>26 dB Bandwidth</p>  | - | - |
| <p>99 % Occupied Bandwidth</p>     | - | - |

## **APPENDIX F - MAXIMUM E.I.R.P.**

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5955                 | 0.93                  | 4.77           | 0.0030       | 24.00                | 0.2512             | Pass   |
| 6175                 | 1.28                  | 5.12           | 0.0033       | 24.00                | 0.2512             | Pass   |
| 6415                 | 0.37                  | 4.21           | 0.0026       | 24.00                | 0.2512             | Pass   |
| 6435                 | 0.91                  | 4.75           | 0.0030       | 24.00                | 0.2512             | Pass   |
| 6475                 | 0.88                  | 4.72           | 0.0030       | 24.00                | 0.2512             | Pass   |
| 6515                 | 1.42                  | 5.26           | 0.0034       | 24.00                | 0.2512             | Pass   |
| 6535                 | 0.31                  | 4.15           | 0.0026       | 24.00                | 0.2512             | Pass   |
| 6695                 | 1.23                  | 5.07           | 0.0032       | 24.00                | 0.2512             | Pass   |
| 6855                 | 1.30                  | 5.14           | 0.0033       | 24.00                | 0.2512             | Pass   |
| 6875                 | 1.64                  | 5.48           | 0.0035       | 24.00                | 0.2512             | Pass   |
| 6995                 | 2.77                  | 6.61           | 0.0046       | 24.00                | 0.2512             | Pass   |
| 7115                 | -4.55                 | -0.71          | 0.0008       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.2 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5955                 | 0.81                  | 4.65           | 0.0029       | 24.00                | 0.2512             | Pass   |
| 6175                 | 1.35                  | 5.19           | 0.0033       | 24.00                | 0.2512             | Pass   |
| 6415                 | 0.92                  | 4.76           | 0.0030       | 24.00                | 0.2512             | Pass   |
| 6435                 | 1.31                  | 5.15           | 0.0033       | 24.00                | 0.2512             | Pass   |
| 6475                 | 0.71                  | 4.55           | 0.0029       | 24.00                | 0.2512             | Pass   |
| 6515                 | 1.21                  | 5.05           | 0.0032       | 24.00                | 0.2512             | Pass   |
| 6535                 | 0.98                  | 4.82           | 0.0030       | 24.00                | 0.2512             | Pass   |
| 6695                 | 1.38                  | 5.22           | 0.0033       | 24.00                | 0.2512             | Pass   |
| 6855                 | 1.08                  | 4.92           | 0.0031       | 24.00                | 0.2512             | Pass   |
| 6875                 | 2.22                  | 6.06           | 0.0040       | 24.00                | 0.2512             | Pass   |
| 6995                 | 2.62                  | 6.46           | 0.0044       | 24.00                | 0.2512             | Pass   |
| 7115                 | -3.95                 | -0.11          | 0.0010       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5955                 | 3.88                  | 7.72           | 0.0059       | 24.00                | 0.2512             | Pass   |
| 6175                 | 4.33                  | 8.17           | 0.0066       | 24.00                | 0.2512             | Pass   |
| 6415                 | 3.66                  | 7.50           | 0.0056       | 24.00                | 0.2512             | Pass   |
| 6435                 | 4.12                  | 7.96           | 0.0063       | 24.00                | 0.2512             | Pass   |
| 6475                 | 3.81                  | 7.65           | 0.0058       | 24.00                | 0.2512             | Pass   |
| 6515                 | 4.33                  | 8.17           | 0.0066       | 24.00                | 0.2512             | Pass   |
| 6535                 | 3.67                  | 7.51           | 0.0056       | 24.00                | 0.2512             | Pass   |
| 6695                 | 4.32                  | 8.16           | 0.0065       | 24.00                | 0.2512             | Pass   |
| 6855                 | 4.20                  | 8.04           | 0.0064       | 24.00                | 0.2512             | Pass   |
| 6875                 | 4.95                  | 8.79           | 0.0076       | 24.00                | 0.2512             | Pass   |
| 6995                 | 5.71                  | 9.55           | 0.0090       | 24.00                | 0.2512             | Pass   |
| 7115                 | -1.23                 | 2.61           | 0.0018       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5965                 | 4.07                  | 7.91           | 0.0062       | 24.00                | 0.2512             | Pass   |
| 6165                 | 5.03                  | 8.87           | 0.0077       | 24.00                | 0.2512             | Pass   |
| 6405                 | 4.06                  | 7.90           | 0.0062       | 24.00                | 0.2512             | Pass   |
| 6445                 | 3.23                  | 7.07           | 0.0051       | 24.00                | 0.2512             | Pass   |
| 6485                 | 3.63                  | 7.47           | 0.0056       | 24.00                | 0.2512             | Pass   |
| 6525                 | 3.74                  | 7.58           | 0.0057       | 24.00                | 0.2512             | Pass   |
| 6565                 | 4.79                  | 8.63           | 0.0073       | 24.00                | 0.2512             | Pass   |
| 6725                 | 4.10                  | 7.94           | 0.0062       | 24.00                | 0.2512             | Pass   |
| 6845                 | 4.38                  | 8.22           | 0.0066       | 24.00                | 0.2512             | Pass   |
| 6885                 | 3.86                  | 7.70           | 0.0059       | 24.00                | 0.2512             | Pass   |
| 7005                 | 5.39                  | 9.23           | 0.0084       | 24.00                | 0.2512             | Pass   |
| 7085                 | 5.57                  | 9.41           | 0.0087       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Ant.2 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5965                 | 4.45                  | 8.29           | 0.0067       | 24.00                | 0.2512             | Pass   |
| 6165                 | 5.27                  | 9.11           | 0.0081       | 24.00                | 0.2512             | Pass   |
| 6405                 | 4.57                  | 8.41           | 0.0069       | 24.00                | 0.2512             | Pass   |
| 6445                 | 3.11                  | 6.95           | 0.0050       | 24.00                | 0.2512             | Pass   |
| 6485                 | 3.38                  | 7.22           | 0.0053       | 24.00                | 0.2512             | Pass   |
| 6525                 | 3.95                  | 7.79           | 0.0060       | 24.00                | 0.2512             | Pass   |
| 6565                 | 4.85                  | 8.69           | 0.0074       | 24.00                | 0.2512             | Pass   |
| 6725                 | 4.35                  | 8.19           | 0.0066       | 24.00                | 0.2512             | Pass   |
| 6845                 | 4.57                  | 8.41           | 0.0069       | 24.00                | 0.2512             | Pass   |
| 6885                 | 4.20                  | 8.04           | 0.0064       | 24.00                | 0.2512             | Pass   |
| 7005                 | 5.26                  | 9.10           | 0.0081       | 24.00                | 0.2512             | Pass   |
| 7085                 | 5.15                  | 8.99           | 0.0079       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5965                 | 7.27                  | 11.11          | 0.0129       | 24.00                | 0.2512             | Pass   |
| 6165                 | 8.16                  | 12.00          | 0.0158       | 24.00                | 0.2512             | Pass   |
| 6405                 | 7.33                  | 11.17          | 0.0131       | 24.00                | 0.2512             | Pass   |
| 6445                 | 6.18                  | 10.02          | 0.0100       | 24.00                | 0.2512             | Pass   |
| 6485                 | 6.52                  | 10.36          | 0.0109       | 24.00                | 0.2512             | Pass   |
| 6525                 | 6.86                  | 10.70          | 0.0117       | 24.00                | 0.2512             | Pass   |
| 6565                 | 7.83                  | 11.67          | 0.0147       | 24.00                | 0.2512             | Pass   |
| 6725                 | 7.24                  | 11.08          | 0.0128       | 24.00                | 0.2512             | Pass   |
| 6845                 | 7.49                  | 11.33          | 0.0136       | 24.00                | 0.2512             | Pass   |
| 6885                 | 7.04                  | 10.88          | 0.0122       | 24.00                | 0.2512             | Pass   |
| 7005                 | 8.34                  | 12.18          | 0.0165       | 24.00                | 0.2512             | Pass   |
| 7085                 | 8.38                  | 12.22          | 0.0167       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5985                 | 5.97                  | 9.81           | 0.0096       | 24.00                | 0.2512             | Pass   |
| 6145                 | 6.87                  | 10.71          | 0.0118       | 24.00                | 0.2512             | Pass   |
| 6385                 | 6.99                  | 10.83          | 0.0121       | 24.00                | 0.2512             | Pass   |
| 6465                 | 2.87                  | 6.71           | 0.0047       | 24.00                | 0.2512             | Pass   |
| 6545                 | 7.09                  | 10.93          | 0.0124       | 24.00                | 0.2512             | Pass   |
| 6705                 | 6.68                  | 10.52          | 0.0113       | 24.00                | 0.2512             | Pass   |
| 6865                 | 5.86                  | 9.70           | 0.0093       | 24.00                | 0.2512             | Pass   |
| 6945                 | 5.24                  | 9.08           | 0.0081       | 24.00                | 0.2512             | Pass   |
| 7025                 | 7.69                  | 11.53          | 0.0142       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Ant.2 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5985                 | 6.53                  | 10.37          | 0.0109       | 24.00                | 0.2512             | Pass   |
| 6145                 | 7.11                  | 10.95          | 0.0124       | 24.00                | 0.2512             | Pass   |
| 6385                 | 7.49                  | 11.33          | 0.0136       | 24.00                | 0.2512             | Pass   |
| 6465                 | 3.98                  | 7.82           | 0.0061       | 24.00                | 0.2512             | Pass   |
| 6545                 | 6.88                  | 10.72          | 0.0118       | 24.00                | 0.2512             | Pass   |
| 6705                 | 7.02                  | 10.86          | 0.0122       | 24.00                | 0.2512             | Pass   |
| 6865                 | 6.11                  | 9.95           | 0.0099       | 24.00                | 0.2512             | Pass   |
| 6945                 | 5.49                  | 9.33           | 0.0086       | 24.00                | 0.2512             | Pass   |
| 7025                 | 7.91                  | 11.75          | 0.0150       | 24.00                | 0.2512             | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT80)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5985                 | 9.27                  | 13.11          | 0.0205       | 24.00                | 0.2512             | Pass   |
| 6145                 | 10.00                 | 13.84          | 0.0242       | 24.00                | 0.2512             | Pass   |
| 6385                 | 10.26                 | 14.10          | 0.0257       | 24.00                | 0.2512             | Pass   |
| 6465                 | 6.47                  | 10.31          | 0.0107       | 24.00                | 0.2512             | Pass   |
| 6545                 | 10.00                 | 13.84          | 0.0242       | 24.00                | 0.2512             | Pass   |
| 6705                 | 9.86                  | 13.70          | 0.0234       | 24.00                | 0.2512             | Pass   |
| 6865                 | 9.00                  | 12.84          | 0.0192       | 24.00                | 0.2512             | Pass   |
| 6945                 | 8.38                  | 12.22          | 0.0167       | 24.00                | 0.2512             | Pass   |
| 7025                 | 10.81                 | 14.65          | 0.0292       | 24.00                | 0.2512             | Pass   |

|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.1 |
|-----------|-----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 6025                 | 9.21                  | 13.05          | 0.0202       | 24.00                | 0.2512             | Pass   |
| 6185                 | 10.58                 | 14.42          | 0.0277       | 24.00                | 0.2512             | Pass   |
| 6345                 | 9.55                  | 13.39          | 0.0218       | 24.00                | 0.2512             | Pass   |
| 6505                 | 7.70                  | 11.54          | 0.0143       | 24.00                | 0.2512             | Pass   |
| 6665                 | 9.76                  | 13.60          | 0.0229       | 24.00                | 0.2512             | Pass   |
| 6825                 | 10.37                 | 14.21          | 0.0264       | 24.00                | 0.2512             | Pass   |
| 6985                 | 11.16                 | 15.00          | 0.0316       | 24.00                | 0.2512             | Pass   |

|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Ant.2 |
|-----------|-----------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 6025                 | 9.33                  | 13.17          | 0.0207       | 24.00                | 0.2512             | Pass   |
| 6185                 | 9.71                  | 13.55          | 0.0226       | 24.00                | 0.2512             | Pass   |
| 6345                 | 8.84                  | 12.68          | 0.0185       | 24.00                | 0.2512             | Pass   |
| 6505                 | 8.27                  | 12.11          | 0.0163       | 24.00                | 0.2512             | Pass   |
| 6665                 | 9.93                  | 13.77          | 0.0238       | 24.00                | 0.2512             | Pass   |
| 6825                 | 9.73                  | 13.57          | 0.0228       | 24.00                | 0.2512             | Pass   |
| 6985                 | 10.67                 | 14.51          | 0.0282       | 24.00                | 0.2512             | Pass   |

|           |                             |
|-----------|-----------------------------|
| Test Mode | IEEE 802.11be(EHT160)_Total |
|-----------|-----------------------------|


| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 6025                 | 12.28                 | 16.12          | 0.0409       | 24.00                | 0.2512             | Pass   |
| 6185                 | 13.18                 | 17.02          | 0.0504       | 24.00                | 0.2512             | Pass   |
| 6345                 | 12.22                 | 16.06          | 0.0404       | 24.00                | 0.2512             | Pass   |
| 6505                 | 11.00                 | 14.84          | 0.0305       | 24.00                | 0.2512             | Pass   |
| 6665                 | 12.86                 | 16.70          | 0.0468       | 24.00                | 0.2512             | Pass   |
| 6825                 | 13.07                 | 16.91          | 0.0491       | 24.00                | 0.2512             | Pass   |
| 6985                 | 13.93                 | 17.77          | 0.0598       | 24.00                | 0.2512             | Pass   |

Note: Conducted power = Measure result + Cable loss + Duty factor


## **APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)**

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.1 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -11.68                                     | 0.46             | -4.37                               | -1.00                   | Pass   |
| 6175                 | -11.27                                     | 0.46             | -3.96                               | -1.00                   | Pass   |
| 6415                 | -11.54                                     | 0.46             | -4.23                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -12.13                                     | 0.46             | -4.82                               | -1.00                   | Pass   |
| 6475                 | -12.41                                     | 0.46             | -5.10                               | -1.00                   | Pass   |
| 6515                 | -11.04                                     | 0.46             | -3.73                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -12.33                                     | 0.46             | -5.02                               | -1.00                   | Pass   |
| 6695                 | -10.90                                     | 0.46             | -3.59                               | -1.00                   | Pass   |
| 6855                 | -11.79                                     | 0.46             | -4.48                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -11.22                                     | 0.46             | -3.91                               | -1.00                   | Pass   |
| 6995                 | -11.26                                     | 0.46             | -3.95                               | -1.00                   | Pass   |
| 7115                 | -10.47                                     | 0.46             | -3.16                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Ant.2 |
|-----------|----------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -11.44                                     | 0.46             | -4.13                               | -1.00                   | Pass   |
| 6175                 | -11.88                                     | 0.46             | -4.57                               | -1.00                   | Pass   |
| 6415                 | -11.63                                     | 0.46             | -4.32                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -11.37                                     | 0.46             | -4.06                               | -1.00                   | Pass   |
| 6475                 | -10.96                                     | 0.46             | -3.65                               | -1.00                   | Pass   |
| 6515                 | -11.76                                     | 0.46             | -4.45                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -11.44                                     | 0.46             | -4.13                               | -1.00                   | Pass   |
| 6695                 | -12.33                                     | 0.46             | -5.02                               | -1.00                   | Pass   |
| 6855                 | -12.35                                     | 0.46             | -5.04                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -11.77                                     | 0.46             | -4.46                               | -1.00                   | Pass   |
| 6995                 | -13.26                                     | 0.46             | -5.95                               | -1.00                   | Pass   |
| 7115                 | -13.02                                     | 0.46             | -5.71                               | -1.00                   | Pass   |




|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT20)_Total |
|-----------|----------------------------|

| Test Frequency (MHz) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -1.24                               | -1.00                   | Pass   |
| 6175                 | -1.24                               | -1.00                   | Pass   |
| 6415                 | -1.26                               | -1.00                   | Pass   |
| 6435                 | -1.41                               | -1.00                   | Pass   |
| 6475                 | -1.30                               | -1.00                   | Pass   |
| 6515                 | -1.06                               | -1.00                   | Pass   |
| 6535                 | -1.54                               | -1.00                   | Pass   |
| 6695                 | -1.24                               | -1.00                   | Pass   |
| 6855                 | -1.74                               | -1.00                   | Pass   |
| 6875                 | -1.17                               | -1.00                   | Pass   |
| 6995                 | -1.83                               | -1.00                   | Pass   |
| 7115                 | -1.24                               | -1.00                   | Pass   |

|           |                            |
|-----------|----------------------------|
| Test Mode | IEEE 802.11be(EHT40)_Ant.1 |
|-----------|----------------------------|

| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -11.20                                     | 0.62             | -3.73                               | -1.00                   | Pass   |
| 6165                 | -10.89                                     | 0.62             | -3.42                               | -1.00                   | Pass   |
| 6405                 | -11.38                                     | 0.62             | -3.91                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6445                 | -12.45                                     | 0.62             | -4.98                               | -1.00                   | Pass   |
| 6485                 | -11.10                                     | 0.62             | -3.63                               | -1.00                   | Pass   |
| 6525                 | -12.09                                     | 0.62             | -4.62                               | -1.00                   | Pass   |

