



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-11.14	0.62	-3.67	-1.00	Pass
6725	-13.05	0.62	-5.58	-1.00	Pass
6845	-12.76	0.62	-5.29	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-13.69	0.62	-6.22	-1.00	Pass
7005	-11.07	0.62	-3.60	-1.00	Pass
7085	-10.84	0.62	-3.37	-1.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-11.95	0.62	-4.48	-1.00	Pass
6165	-12.69	0.62	-5.22	-1.00	Pass
6405	-11.87	0.62	-4.40	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-11.29	0.62	-3.82	-1.00	Pass
6485	-12.38	0.62	-4.91	-1.00	Pass
6525	-11.43	0.62	-3.96	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-12.35	0.62	-4.88	-1.00	Pass
6725	-10.96	0.62	-3.49	-1.00	Pass
6845	-10.63	0.62	-3.16	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-10.16	0.62	-2.69	-1.00	Pass
7005	-13.37	0.62	-5.90	-1.00	Pass
7085	-12.81	0.62	-5.34	-1.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.08	-1.00	Pass
6165	-1.22	-1.00	Pass
6405	-1.14	-1.00	Pass
6445	-1.35	-1.00	Pass
6485	-1.21	-1.00	Pass
6525	-1.27	-1.00	Pass
6565	-1.22	-1.00	Pass
6725	-1.40	-1.00	Pass
6845	-1.09	-1.00	Pass
6885	-1.10	-1.00	Pass
7005	-1.59	-1.00	Pass
7085	-1.23	-1.00	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-11.08	0.63	-3.60	-1.00	Pass
6145	-10.69	0.63	-3.21	-1.00	Pass
6385	-10.78	0.63	-3.30	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-10.58	0.63	-3.10	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-11.39	0.63	-3.91	-1.00	Pass
6705	-11.07	0.63	-3.59	-1.00	Pass
6865	-9.92	0.63	-2.44	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-9.70	0.63	-2.22	-1.00	Pass
7025	-10.52	0.63	-3.04	-1.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-12.94	0.63	-5.46	-1.00	Pass
6145	-13.10	0.63	-5.62	-1.00	Pass
6385	-13.03	0.63	-5.55	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-14.30	0.63	-6.82	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-13.19	0.63	-5.71	-1.00	Pass
6705	-13.19	0.63	-5.71	-1.00	Pass
6865	-14.28	0.63	-6.80	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-15.90	0.63	-8.42	-1.00	Pass
7025	-13.41	0.63	-5.93	-1.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.42	-1.00	Pass
6145	-1.24	-1.00	Pass
6385	-1.27	-1.00	Pass
6465	-1.56	-1.00	Pass
6545	-1.71	-1.00	Pass
6705	-1.51	-1.00	Pass
6865	-1.08	-1.00	Pass
6945	-1.29	-1.00	Pass
7025	-1.24	-1.00	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-11.51	0.69	-3.97	-1.00	Pass
6185	-11.69	0.69	-4.15	-1.00	Pass
6345	-11.66	0.69	-4.12	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-9.73	0.69	-2.19	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-11.82	0.69	-4.28	-1.00	Pass
6825	-10.98	0.69	-3.44	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-11.53	0.69	-3.99	-1.00	Pass




Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-12.12	0.69	-4.58	-1.00	Pass
6185	-11.79	0.69	-4.25	-1.00	Pass
6345	-13.09	0.69	-5.55	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-15.17	0.69	-7.63	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-11.79	0.69	-4.25	-1.00	Pass
6825	-13.19	0.69	-5.65	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-13.83	0.69	-6.29	-1.00	Pass



Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.25	-1.00	Pass
6185	-1.19	-1.00	Pass
6345	-1.77	-1.00	Pass
6505	-1.10	-1.00	Pass
6665	-1.25	-1.00	Pass
6825	-1.40	-1.00	Pass
6985	-1.98	-1.00	Pass

APPENDIX H - IN-BAND EMISSION (MASK)