




BLE_2M-Ant1-2440-0~Reference-PASS

BLE_2M-Ant1-2440-30~1000-PASS

BLE_2M-Ant1-2440-1000~26500-PASS


BLE_2M-Ant1-2480-0~Reference-PASS

BLE_2M-Ant1-2480-30~1000-PASS

BLE_2M-Ant1-2480-1000~26500-PASS

Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.35	0.63	55.56	2.55
BLE_1M	Ant1	2440	0.34	0.63	53.97	2.68
BLE_1M	Ant1	2480	0.34	0.63	53.97	2.68
BLE_2M	Ant1	2402	1.07	1.87	57.22	2.42
BLE_2M	Ant1	2440	1.07	1.87	57.22	2.42
BLE_2M	Ant1	2480	1.07	1.87	57.22	2.42

Test Graphs




NTNV-BLE_2M-Ant1-2402

NTNV-BLE_2M-Ant1-2440

NTNV-BLE_2M-Ant1-2480

Appendix H: Emissions in Restricted Bands

Test Result

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.25	30.37	74.00	43.63	26.07	29.19	54.00	24.81	150	207	Vertical	PASS
2	2320.4	3.34	27.36	30.70	74.00	43.30	26.18	29.52	54.00	24.48	150	165	Vertical	PASS
3	2336.88	3.26	27.58	30.84	74.00	43.16	26.12	29.38	54.00	24.62	150	222	Vertical	PASS
4	2354.8	3.53	27.36	30.89	74.00	43.11	26.17	29.70	54.00	24.30	150	182	Vertical	PASS
5	2364.8	3.68	26.94	30.62	74.00	43.38	25.98	29.66	54.00	24.34	150	36	Vertical	PASS
6	2390	4.38	27.52	31.90	74.00	42.10	26.21	30.59	54.00	23.41	150	102	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.15	30.27	74.00	43.73	26.03	29.15	54.00	24.85	150	40	Horizontal	PASS
2	2321.12	3.34	27.54	30.88	74.00	43.12	26.14	29.48	54.00	24.52	150	77	Horizontal	PASS
3	2344.56	3.48	27.36	30.84	74.00	43.16	26.15	29.63	54.00	24.37	150	268	Horizontal	PASS
4	2364.16	3.65	27.48	31.13	74.00	42.87	26.00	29.65	54.00	24.35	150	58	Horizontal	PASS
5	2378.64	4.08	26.98	31.06	74.00	42.94	25.79	29.87	54.00	24.13	150	103	Horizontal	PASS
6	2390	4.38	27.51	31.89	74.00	42.11	26.21	30.59	54.00	23.41	150	94	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	34.25	37.71	74.00	36.29	33.65	37.11	54.00	16.89	150	232	Vertical	PASS
2	2485.579	3.50	34.65	38.15	74.00	35.85	33.66	37.16	54.00	16.84	150	149	Vertical	PASS
3	2489.2585	3.56	34.85	38.41	74.00	35.59	33.69	37.25	54.00	16.75	150	66	Vertical	PASS
4	2493.4165	3.58	34.64	38.22	74.00	35.78	33.69	37.27	54.00	16.73	150	116	Vertical	PASS
5	2495.6605	3.56	34.15	37.71	74.00	36.29	33.61	37.17	54.00	16.83	150	66	Vertical	PASS
6	2500	3.50	34.69	38.19	74.00	35.81	33.67	37.17	54.00	16.83	150	105	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	37.25	40.71	74.00	33.29	33.65	37.11	54.00	16.89	150	246	Horizontal	PASS
2	2485.2655	3.52	36.45	39.97	74.00	34.03	33.64	37.16	54.00	16.84	150	114	Horizontal	PASS
3	2489.539	3.57	36.74	40.31	74.00	33.69	33.69	37.26	54.00	16.74	150	239	Horizontal	PASS
4	2493.136	3.57	36.48	40.05	74.00	33.95	33.64	37.21	54.00	16.79	150	259	Horizontal	PASS
5	2496.568	3.58	37.66	41.24	74.00	32.76	33.61	37.19	54.00	16.81	150	40	Horizontal	PASS
6	2500	3.50	36.85	40.35	74.00	33.65	33.64	37.14	54.00	16.86	150	0	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2402

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.25	30.37	74.00	43.63	26.07	29.19	54.00	24.81	150	206	Vertical	PASS
2	2321.6	3.33	27.69	31.02	74.00	42.98	26.14	29.47	54.00	24.53	150	110	Vertical	PASS
3	2345.36	3.49	27.58	31.07	74.00	42.93	26.12	29.61	54.00	24.39	150	74	Vertical	PASS
4	2363.6	3.62	27.36	30.98	74.00	43.02	26.01	29.63	54.00	24.37	150	86	Vertical	PASS
5	2376.4	4.00	27.95	31.95	74.00	42.05	25.92	29.92	54.00	24.08	150	194	Vertical	PASS
6	2390	4.38	27.56	31.94	74.00	42.06	26.21	30.59	54.00	23.41	150	203	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.58	30.70	74.00	43.30	26.00	29.12	54.00	24.88	150	38	Horizontal	PASS
2	2324.64	3.31	27.69	31.00	74.00	43.00	25.99	29.30	54.00	24.70	150	35	Horizontal	PASS
3	2337.92	3.27	27.85	31.12	74.00	42.88	26.10	29.37	54.00	24.63	150	0	Horizontal	PASS
4	2355.12	3.53	27.64	31.17	74.00	42.83	26.22	29.75	54.00	24.25	150	167	Horizontal	PASS
5	2378.48	4.08	27.15	31.23	74.00	42.77	25.87	29.95	54.00	24.05	150	0	Horizontal	PASS
6	2390	4.38	27.39	31.77	74.00	42.23	26.21	30.59	54.00	23.41	150	38	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	34.25	37.71	74.00	36.29	33.62	37.08	54.00	16.92	150	4	Vertical	PASS
2	2486.2555	3.49	34.69	38.18	74.00	35.82	33.70	37.19	54.00	16.81	150	114	Vertical	PASS
3	2489.407	3.56	34.58	38.14	74.00	35.86	33.68	37.24	54.00	16.76	150	53	Vertical	PASS
4	2492.2285	3.56	34.94	38.50	74.00	35.50	33.75	37.31	54.00	16.69	150	248	Vertical	PASS
5	2495.71	3.56	34.58	38.14	74.00	35.86	33.61	37.17	54.00	16.83	150	38	Vertical	PASS
6	2500	3.50	34.18	37.68	74.00	36.32	33.60	37.10	54.00	16.90	150	105	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	35.25	38.71	74.00	35.29	34.09	37.55	54.00	16.45	150	80	Horizontal	PASS
2	2486.074	3.48	34.96	38.44	74.00	35.56	33.89	37.37	54.00	16.63	150	77	Horizontal	PASS
3	2488.9945	3.56	34.85	38.41	74.00	35.59	33.80	37.36	54.00	16.64	150	75	Horizontal	PASS
4	2492.0305	3.56	34.69	38.25	74.00	35.75	33.74	37.30	54.00	16.70	150	72	Horizontal	PASS
5	2494.5055	3.57	34.58	38.15	74.00	35.85	33.70	37.27	54.00	16.73	150	134	Horizontal	PASS
6	2500	3.50	34.59	38.09	74.00	35.91	33.58	37.08	54.00	16.92	150	107	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

After the pretest, 115C Antenna was selected as the worst antenna and recorded in the report.

Antenna: 115C



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	46.3688	13.12	-15.96	40.00	26.88	100	80	Vertical	PASS
2	84.4412	10.75	-20.17	40.00	29.25	100	134	Vertical	PASS
3	153.917	14.40	-15.82	43.50	29.10	100	241	Vertical	PASS
4	276.258	14.43	-16.76	46.00	31.57	100	14	Vertical	PASS
5	427.457	17.50	-12.72	46.00	28.50	100	85	Vertical	PASS
6	575.018	23.28	-9.33	46.00	22.72	100	218	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	42.0037	13.86	-15.84	40.00	26.14	100	109	Horizontal	PASS
2	125.302	14.41	-17.20	43.50	29.09	100	52	Horizontal	PASS
3	155.978	14.50	-15.79	43.50	29.00	100	192	Horizontal	PASS
4	337.732	15.56	-15.13	46.00	30.44	100	67	Horizontal	PASS
5	569.683	22.72	-9.45	46.00	23.28	100	257	Horizontal	PASS
6	868.443	26.81	-3.89	46.00	19.19	100	52	Horizontal	PASS

Mode:

BLE 1M-2402

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3593.25	-19.13	55.65	36.52	74.00	37.48	50.88	31.75	54.00	22.25	150	255	Vertical	PASS
2	4803.75	-14.54	58.63	44.09	74.00	29.91	56.24	41.70	54.00	12.30	150	287	Vertical	PASS
3	6744	-9.42	51.49	42.07	74.00	31.93	48.81	39.39	54.00	14.61	150	198	Vertical	PASS
4	8205	-7.36	51.36	44.00	74.00	30.00	46.49	39.13	54.00	14.87	150	89	Vertical	PASS
5	10197.75	-4.51	51.05	46.54	74.00	27.46	49.15	44.64	54.00	9.36	150	294	Vertical	PASS
6	12010.5	-1.78	51.01	49.23	74.00	24.77	47.74	45.96	54.00	8.04	150	219	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4803	-14.58	65.34	50.76	74.00	23.24	63.27	48.69	54.00	5.31	150	14	Horizontal	PASS
2	6423	-10.52	52.44	41.92	74.00	32.08	48.63	38.11	54.00	15.89	150	208	Horizontal	PASS
3	7206	-9.40	53.03	43.63	74.00	30.37	51.13	41.73	54.00	12.27	150	150	Horizontal	PASS
4	9526.5	-4.68	50.05	45.37	74.00	28.63	46.83	42.15	54.00	11.85	150	264	Horizontal	PASS
5	12008.25	-1.77	49.2	47.43	74.00	26.57	46.62	44.85	54.00	9.15	150	80	Horizontal	PASS
6	13820.25	1.12	47.95	49.07	74.00	24.93	44.55	45.67	54.00	8.33	150	163	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2440

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3886.5	-18.26	54.28	36.02	74.00	37.98	49.53	31.27	54.00	22.73	150	147	Vertical	PASS
2	4880.25	-14.06	59.52	45.46	74.00	28.54	57.42	43.36	54.00	10.64	150	294	Vertical	PASS
3	6336.75	-10.63	52.39	41.76	74.00	32.24	46.50	35.87	54.00	18.13	150	25	Vertical	PASS
4	9529.5	-4.69	49.79	45.10	74.00	28.90	47.58	42.89	54.00	11.11	150	197	Vertical	PASS
5	11153.25	-2.77	48.86	46.09	74.00	27.91	46.56	43.79	54.00	10.21	150	39	Vertical	PASS
6	12201	-1.59	50.09	48.50	74.00	25.50	46.21	44.62	54.00	9.38	150	25	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3631.5	-19.29	55.36	36.07	74.00	37.93	52.14	32.85	54.00	21.15	150	195	Horizontal	PASS
2	4879.5	-14.09	66.19	52.10	74.00	21.90	63.68	49.59	54.00	4.41	150	12	Horizontal	PASS
3	6491.25	-9.81	51.63	41.82	74.00	32.18	45.92	36.11	54.00	17.89	150	276	Horizontal	PASS
4	7928.25	-7.76	51.9	44.14	74.00	29.86	46.86	39.10	54.00	14.90	150	195	Horizontal	PASS
5	10242.75	-3.95	50.2	46.25	74.00	27.75	45.26	41.31	54.00	12.69	150	41	Horizontal	PASS
6	12201	-1.59	49.72	48.13	74.00	25.87	48.32	46.73	54.00	7.27	150	281	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4880.25	-14.06	58.49	44.43	74.00	29.57	56.30	42.24	54.00	11.76	150	279	Vertical	PASS
2	6458.25	-10.01	51.88	41.87	74.00	32.13	49.30	39.29	54.00	14.71	150	145	Vertical	PASS
3	7986.75	-7.32	53.03	45.71	74.00	28.29	50.11	42.79	54.00	11.21	150	268	Vertical	PASS
4	10603.5	-3.54	50.48	46.94	74.00	27.06	45.53	41.99	54.00	12.01	150	47	Vertical	PASS
5	12201	-1.59	49.7	48.11	74.00	25.89	47.97	46.38	54.00	7.62	150	228	Vertical	PASS
6	13664.25	1.15	47.94	49.09	74.00	24.91	45.66	46.81	54.00	7.19	150	160	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3627	-19.35	55.49	36.14	74.00	37.86	52.48	33.13	54.00	20.87	150	41	Horizontal	PASS
2	4879.5	-14.09	65.98	51.89	74.00	22.11	63.52	49.43	54.00	4.57	150	0	Horizontal	PASS
3	6218.25	-10.63	51.49	40.86	74.00	33.14	48.47	37.84	54.00	16.16	150	273	Horizontal	PASS
4	7072.5	-9.66	52.26	42.60	74.00	31.40	46.25	36.59	54.00	17.41	150	241	Horizontal	PASS
5	8932.5	-6.67	51.57	44.90	74.00	29.10	46.19	39.52	54.00	14.48	150	30	Horizontal	PASS
6	12201	-1.59	51.45	49.86	74.00	24.14	49.88	48.29	54.00	5.71	150	279	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2402

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3639.75	-19.37	56.14	36.77	74.00	37.23	54.26	34.89	54.00	19.11	150	287	Vertical	PASS
2	4804.5	-14.51	59.82	45.31	74.00	28.69	57.95	43.44	54.00	10.56	150	294	Vertical	PASS
3	6261.75	-10.48	52.66	42.18	74.00	31.82	50.44	39.96	54.00	14.04	150	81	Vertical	PASS
4	9262.5	-4.62	50.16	45.54	74.00	28.46	46.89	42.27	54.00	11.73	150	201	Vertical	PASS
5	12012	-1.79	49.19	47.40	74.00	26.60	47.01	45.22	54.00	8.78	150	195	Vertical	PASS
6	13661.25	1.28	47.83	49.11	74.00	24.89	45.77	47.05	54.00	6.95	150	140	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3428.25	-20.07	56.96	36.89	74.00	37.11	50.89	30.82	54.00	23.18	150	282	Horizontal	PASS
2	4804.5	-14.51	65.71	51.20	74.00	22.80	63.99	49.48	54.00	4.52	150	26	Horizontal	PASS
3	6365.25	-10.51	52.62	42.11	74.00	31.89	48.77	38.26	54.00	15.74	150	198	Horizontal	PASS
4	8299.5	-7.61	52.05	44.44	74.00	29.56	46.36	38.75	54.00	15.25	150	173	Horizontal	PASS
5	10004.25	-4.44	49.81	45.37	74.00	28.63	47.02	42.58	54.00	11.42	150	26	Horizontal	PASS
6	13634.25	0.71	48.45	49.16	74.00	24.84	44.04	44.75	54.00	9.25	150	276	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2440

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3635.25	-19.32	56.37	37.05	74.00	36.95	53.30	33.98	54.00	20.02	150	150	Vertical	PASS
2	4879.5	-14.09	57.28	43.19	74.00	30.81	56.16	42.07	54.00	11.93	150	286	Vertical	PASS
3	6369.75	-10.40	52.72	42.32	74.00	31.68	49.91	39.51	54.00	14.49	150	155	Vertical	PASS
4	7068.75	-9.59	52.43	42.84	74.00	31.16	49.67	40.08	54.00	13.92	150	193	Vertical	PASS
5	8416.5	-7.29	51.2	43.91	74.00	30.09	47.36	40.07	54.00	13.93	150	85	Vertical	PASS
6	10158.75	-4.40	50.16	45.76	74.00	28.24	47.11	42.71	54.00	11.29	150	155	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3636.75	-19.34	55.38	36.04	74.00	37.96	49.98	30.64	54.00	23.36	150	215	Horizontal	PASS
2	4881	-14.04	64.59	50.55	74.00	23.45	59.54	45.50	54.00	8.50	150	6	Horizontal	PASS
3	6375	-10.24	52.48	42.24	74.00	31.76	47.83	37.59	54.00	16.41	150	95	Horizontal	PASS
4	8352.75	-7.18	51.26	44.08	74.00	29.92	46.68	39.50	54.00	14.50	150	78	Horizontal	PASS
5	9683.25	-4.63	50.67	46.04	74.00	27.96	46.04	41.41	54.00	12.59	150	6	Horizontal	PASS
6	13661.25	1.28	48.1	49.38	74.00	24.62	44.03	45.31	54.00	8.69	150	164	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3594	-19.14	55.56	36.42	74.00	37.58	52.71	33.57	54.00	20.43	150	288	Vertical	PASS
2	4905	-13.32	53.64	40.32	74.00	33.68	51.28	37.96	54.00	16.04	150	78	Vertical	PASS
3	5990.25	-12.03	56.01	43.98	74.00	30.02	52.92	40.89	54.00	13.11	150	288	Vertical	PASS
4	7065.75	-9.60	51.96	42.36	74.00	31.64	48.03	38.43	54.00	15.57	150	118	Vertical	PASS
5	9261.75	-4.57	49.21	44.64	74.00	29.36	43.54	38.97	54.00	15.03	150	91	Vertical	PASS
6	12402	-1.51	49.25	47.74	74.00	26.26	46.88	45.37	54.00	8.63	150	28	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3386.25	-19.96	56.15	36.19	74.00	37.81	53.36	33.40	54.00	20.60	150	140	Horizontal	PASS
2	4959	-14.74	64.99	50.25	74.00	23.75	61.82	47.08	54.00	6.92	150	1	Horizontal	PASS
3	7179	-9.70	52.41	42.71	74.00	31.29	49.07	39.37	54.00	14.63	150	220	Horizontal	PASS
4	9459.75	-5.22	50.34	45.12	74.00	28.88	44.72	39.50	54.00	14.50	150	105	Horizontal	PASS
5	10780.5	-3.16	48.6	45.44	74.00	28.56	45.55	42.39	54.00	11.61	150	170	Horizontal	PASS
6	13827	1.06	47.66	48.72	74.00	25.28	43.93	44.99	54.00	9.01	150	132	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level