



BLE_2M-Ant1-2440-0~Reference

BLE_2M-Ant1-2440-30~1000

BLE_2M-Ant1-2440-1000~26500


BLE_2M-Ant1-2480-0~Reference

BLE_2M-Ant1-2480-30~1000

BLE_2M-Ant1-2480-1000~26500


Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	2.12	2.50	84.80	0.72
BLE_1M	Ant1	2440	2.13	2.50	85.20	0.70
BLE_1M	Ant1	2480	2.13	2.50	85.20	0.70
BLE_2M	Ant1	2402	1.07	1.87	57.22	2.42
BLE_2M	Ant1	2440	1.07	1.87	57.22	2.42
BLE_2M	Ant1	2480	1.07	1.87	57.22	2.42

Test Graphs





Appendix H: Emissions in Restricted Bands

Test Result

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	28.36	31.48	74.00	42.52	26.03	29.15	54.00	24.85	150	207	Vertical	PASS
2	2323.52	3.32	28.41	31.73	74.00	42.27	26.14	29.46	54.00	24.54	150	84	Vertical	PASS
3	2342	3.35	28.36	31.71	74.00	42.29	26.18	29.53	54.00	24.47	150	20	Vertical	PASS
4	2353.28	3.50	28.41	31.91	74.00	42.09	26.21	29.71	54.00	24.29	150	26	Vertical	PASS
5	2371.2	3.79	27.36	31.15	74.00	42.85	25.87	29.66	54.00	24.34	150	191	Vertical	PASS
6	2390	4.38	28.36	32.74	74.00	41.26	26.26	30.64	54.00	23.36	150	102	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	28.36	31.48	74.00	42.52	26.04	29.16	54.00	24.84	150	40	Horizontal	PASS
2	2321.52	3.33	28.48	31.81	74.00	42.19	26.16	29.49	54.00	24.51	150	240	Horizontal	PASS
3	2340	3.33	28.64	31.97	74.00	42.03	26.08	29.41	54.00	24.59	150	72	Horizontal	PASS
4	2352.88	3.50	28.84	32.34	74.00	41.66	26.17	29.67	54.00	24.33	150	219	Horizontal	PASS
5	2364.96	3.69	27.96	31.65	74.00	42.35	25.94	29.63	54.00	24.37	150	212	Horizontal	PASS
6	2390	4.38	28.43	32.81	74.00	41.19	26.16	30.54	54.00	23.46	150	197	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	34.25	37.71	74.00	36.29	33.52	36.98	54.00	17.02	150	133	Vertical	PASS
2	2486.404	3.50	34.68	38.18	74.00	35.82	33.63	37.13	54.00	16.87	150	113	Vertical	PASS
3	2489.374	3.56	34.54	38.10	74.00	35.90	33.74	37.30	54.00	16.70	150	223	Vertical	PASS
4	2492.4595	3.56	34.58	38.14	74.00	35.86	33.67	37.23	54.00	16.77	150	84	Vertical	PASS
5	2495.6275	3.56	34.64	38.20	74.00	35.80	33.75	37.31	54.00	16.69	150	167	Vertical	PASS
6	2500	3.50	34.67	38.17	74.00	35.83	33.66	37.16	54.00	16.84	150	41	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	35.12	38.58	74.00	35.42	33.66	37.12	54.00	16.88	150	15	Horizontal	PASS
2	2486.5195	3.51	35.14	38.65	74.00	35.35	33.65	37.16	54.00	16.84	150	12	Horizontal	PASS
3	2488.714	3.53	35.34	38.87	74.00	35.13	33.58	37.11	54.00	16.89	150	245	Horizontal	PASS
4	2491.783	3.56	34.69	38.25	74.00	35.75	33.70	37.26	54.00	16.74	150	72	Horizontal	PASS
5	2495.149	3.56	35.18	38.74	74.00	35.26	33.70	37.26	54.00	16.74	150	70	Horizontal	PASS
6	2500	3.50	35.49	38.99	74.00	35.01	33.65	37.15	54.00	16.85	150	65	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.15	30.27	74.00	43.73	26.07	29.19	54.00	24.81	150	4	Vertical	PASS
2	2322	3.33	27.35	30.68	74.00	43.32	26.16	29.49	54.00	24.51	150	269	Vertical	PASS
3	2334.64	3.27	27.45	30.72	74.00	43.28	26.20	29.47	54.00	24.53	150	17	Vertical	PASS
4	2355.52	3.52	27.65	31.17	74.00	42.83	26.11	29.63	54.00	24.37	150	184	Vertical	PASS
5	2374.8	3.95	26.85	30.80	74.00	43.20	25.96	29.91	54.00	24.09	150	194	Vertical	PASS
6	2390	4.38	27.68	32.06	74.00	41.94	26.26	30.64	54.00	23.36	150	203	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.25	30.37	74.00	43.63	26.04	29.16	54.00	24.84	150	135	Horizontal	PASS
2	2321.04	3.34	27.68	31.02	74.00	42.98	26.13	29.47	54.00	24.53	150	34	Horizontal	PASS
3	2343.84	3.44	27.45	30.89	74.00	43.11	26.18	29.62	54.00	24.38	150	173	Horizontal	PASS
4	2364.08	3.65	27.36	31.01	74.00	42.99	26.00	29.65	54.00	24.35	150	158	Horizontal	PASS
5	2374.24	3.93	26.94	30.87	74.00	43.13	25.87	29.80	54.00	24.20	150	4	Horizontal	PASS
6	2390	4.38	27.58	31.96	74.00	42.04	26.23	30.61	54.00	23.39	150	43	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	34.20	37.66	74.00	36.34	33.71	37.17	54.00	16.83	150	283	Vertical	PASS
2	2486.6515	3.52	34.68	38.20	74.00	35.80	33.67	37.19	54.00	16.81	150	115	Vertical	PASS
3	2489.8525	3.57	34.15	37.72	74.00	36.28	33.67	37.24	54.00	16.76	150	224	Vertical	PASS
4	2492.509	3.57	34.65	38.22	74.00	35.78	33.61	37.18	54.00	16.82	150	38	Vertical	PASS
5	2495.38	3.56	34.74	38.30	74.00	35.70	33.60	37.16	54.00	16.84	150	122	Vertical	PASS
6	2500	3.50	34.25	37.75	74.00	36.25	33.60	37.10	54.00	16.90	150	127	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	35.15	38.61	74.00	35.15	34.08	37.54	54.00	16.46	150	80	Horizontal	PASS
2	2485.5625	3.50	36.41	39.91	74.00	36.41	33.81	37.31	54.00	16.69	150	78	Horizontal	PASS
3	2488.945	3.56	37.52	41.08	74.00	37.52	33.68	37.24	54.00	16.76	150	75	Horizontal	PASS
4	2491.255	3.55	36.46	40.01	74.00	36.46	33.76	37.31	54.00	16.69	150	95	Horizontal	PASS
5	2495.71	3.56	36.52	40.08	74.00	36.52	33.59	37.15	54.00	16.85	150	90	Horizontal	PASS
6	2500	3.50	37.52	41.02	74.00	37.52	33.67	37.17	54.00	16.83	150	213	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

After the pretest, 115C Antenna was selected as the worst antenna and recorded in the report.

Antenna: 115C



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	45.5200	13.28	-15.91	40.00	26.72	100	60	Vertical	PASS
2	106.023	12.12	-19.06	43.50	31.38	100	13	Vertical	PASS
3	158.525	14.30	-15.79	43.50	29.20	100	191	Vertical	PASS
4	308.996	15.17	-15.36	46.00	30.83	100	38	Vertical	PASS
5	592.357	23.33	-8.81	46.00	22.67	100	152	Vertical	PASS
6	820.428	25.55	-4.43	46.00	20.45	100	119	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	44.3075	13.55	-15.92	40.00	26.45	100	45	Horizontal	PASS
2	60.9188	12.52	-17.17	40.00	27.48	100	151	Horizontal	PASS
3	146.400	14.57	-16.13	43.50	28.93	100	354	Horizontal	PASS
4	309.602	14.63	-15.34	46.00	31.37	100	134	Horizontal	PASS
5	582.051	23.75	-9.05	46.00	22.25	100	342	Horizontal	PASS
6	883.115	27.79	-3.24	46.00	18.21	100	42	Horizontal	PASS

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3688.5	-19.35	55.82	36.47	74.00	37.53	52.21	32.86	54.00	21.14	150	114	Vertical	PASS
2	4803	-14.58	60.37	45.79	74.00	28.21	58.25	43.67	54.00	10.33	150	287	Vertical	PASS
3	6351.75	-10.23	52.36	42.13	74.00	31.87	49.43	39.20	54.00	14.80	150	12	Vertical	PASS
4	8100	-7.39	50.98	43.59	74.00	30.41	45.02	37.63	54.00	16.37	150	76	Vertical	PASS
5	9562.5	-4.79	50.37	45.58	74.00	28.42	48.11	43.32	54.00	10.68	150	294	Vertical	PASS
6	12010.5	-1.78	50.25	48.47	74.00	25.53	47.88	46.10	54.00	7.90	150	151	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3379.5	-19.64	56.31	36.67	74.00	37.33	52.51	32.87	54.00	21.13	150	257	Horizontal	PASS
2	4804.5	-14.51	64.58	50.07	74.00	23.93	60.54	46.03	54.00	7.97	150	15	Horizontal	PASS
3	6402	-10.72	53.09	42.37	74.00	31.63	50.59	39.87	54.00	14.13	150	80	Horizontal	PASS
4	8402.25	-7.53	52.09	44.56	74.00	29.44	47.64	40.11	54.00	13.89	150	43	Horizontal	PASS
5	9927.75	-4.28	50.12	45.84	74.00	28.16	43.61	39.33	54.00	14.67	150	50	Horizontal	PASS
6	11943.75	-1.66	49.56	47.90	74.00	26.10	47.14	45.48	54.00	8.52	150	190	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3593.25	-19.13	55.99	36.86	74.00	37.14	51.45	32.32	54.00	21.68	150	128	Vertical	PASS
2	4879.5	-14.09	59.12	45.03	74.00	28.97	56.44	42.35	54.00	11.65	150	287	Vertical	PASS
3	7986.75	-7.32	53.74	46.42	74.00	27.58	51.03	43.71	54.00	10.29	150	244	Vertical	PASS
4	9846	-4.34	49.72	45.38	74.00	28.62	48.32	43.98	54.00	10.02	150	2	Vertical	PASS
5	12198.75	-1.59	49.32	47.73	74.00	26.27	47.72	46.13	54.00	7.87	150	37	Vertical	PASS
6	13874.25	0.93	48.28	49.21	74.00	24.79	42.43	43.36	54.00	10.64	150	42	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3629.25	-19.29	55.28	35.99	74.00	38.01	50.68	31.39	54.00	22.61	150	126	Horizontal	PASS
2	4879.7082	-14.06	67.70	53.64	74.00	20.36	65.98	51.92	54.00	2.08	100.9	8.6	Horizontal	PASS
3	6964.5	-9.79	51.68	41.89	74.00	32.11	48.37	38.58	54.00	15.42	150	180	Horizontal	PASS
4	9255.75	-4.57	49.44	44.87	74.00	29.13	46.94	42.37	54.00	11.63	150	255	Horizontal	PASS
5	12201	-1.59	49.47	47.88	74.00	26.12	46.60	45.01	54.00	8.99	150	268	Horizontal	PASS
6	14138.25	1.25	48.64	49.89	74.00	24.11	43.09	44.34	54.00	9.66	150	126	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3594.75	-19.16	56.37	37.21	74.00	36.79	53.44	34.28	54.00	19.72	150	156	Vertical	PASS
2	4880.25	-14.06	59.14	45.08	74.00	28.92	56.96	42.90	54.00	11.10	150	294	Vertical	PASS
3	5989.5	-12.03	55.43	43.40	74.00	30.60	52.11	40.08	54.00	13.92	150	282	Vertical	PASS
4	7971.75	-7.59	50.62	43.03	74.00	30.97	46.90	39.31	54.00	14.69	150	17	Vertical	PASS
5	10323.75	-4.01	50.04	46.03	74.00	27.97	42.82	38.81	54.00	15.19	150	287	Vertical	PASS
6	12198	-1.59	49.4	47.81	74.00	26.19	45.56	43.97	54.00	10.03	150	212	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3479.25	-19.96	55.96	36.00	74.00	38.00	54.49	34.53	54.00	19.47	150	190	Horizontal	PASS
2	4879.5	-14.09	66.1	52.01	74.00	21.99	63.61	49.52	54.00	4.48	150	24	Horizontal	PASS
3	6341.25	-10.38	52.79	42.41	74.00	31.59	49.84	39.46	54.00	14.54	150	48	Horizontal	PASS
4	7548.75	-8.88	52.53	43.65	74.00	30.35	48.59	39.71	54.00	14.29	150	142	Horizontal	PASS
5	10974.75	-3.27	49.18	45.91	74.00	28.09	45.16	41.89	54.00	12.11	150	209	Horizontal	PASS
6	12198.75	-1.59	50.39	48.80	74.00	25.20	47.45	45.86	54.00	8.14	150	270	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3592.5	-19.11	55.63	36.52	74.00	37.48	53.82	34.71	54.00	19.29	150	59	Vertical	PASS
2	4804.5	-14.51	60.26	45.75	74.00	28.25	57.99	43.48	54.00	10.52	150	286	Vertical	PASS
3	6992.25	-9.40	52	42.60	74.00	31.40	48.61	39.21	54.00	14.79	150	110	Vertical	PASS
4	9699.75	-4.50	49.81	45.31	74.00	28.69	44.83	40.33	54.00	13.67	150	59	Vertical	PASS
5	12007.5	-1.76	50.69	48.93	74.00	25.07	47.77	46.01	54.00	7.99	150	135	Vertical	PASS
6	14281.5	1.52	47.99	49.51	74.00	24.49	43.22	44.74	54.00	9.26	150	110	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3519.75	-19.60	56.49	36.89	74.00	37.11	49.77	30.17	54.00	23.83	150	169	Horizontal	PASS
2	4803	-14.58	65.05	50.47	74.00	23.53	61.93	47.35	54.00	6.65	150	11	Horizontal	PASS
3	6240	-10.03	52.04	42.01	74.00	31.99	49.20	39.17	54.00	14.83	150	81	Horizontal	PASS
4	8158.5	-7.79	51.9	44.11	74.00	29.89	48.61	40.82	54.00	13.18	150	16	Horizontal	PASS
5	10389	-4.10	50.18	46.08	74.00	27.92	44.89	40.79	54.00	13.21	150	169	Horizontal	PASS
6	13764	0.71	48.38	49.09	74.00	24.91	44.41	45.12	54.00	8.88	150	116	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3415.5	-19.93	56.6	36.67	74.00	37.33	51.20	31.27	54.00	22.73	150	116	Vertical	PASS
2	4880.25	-14.06	59.83	45.77	74.00	28.23	56.28	42.22	54.00	11.78	150	294	Vertical	PASS
3	6377.25	-10.17	52.29	42.12	74.00	31.88	49.35	39.18	54.00	14.82	150	78	Vertical	PASS
4	8864.25	-6.72	50.92	44.20	74.00	29.80	47.18	40.46	54.00	13.54	150	0	Vertical	PASS
5	9984	-4.51	51.08	46.57	74.00	27.43	47.95	43.44	54.00	10.56	150	121	Vertical	PASS
6	14161.5	1.30	47.93	49.23	74.00	24.77	45.04	46.34	54.00	7.66	150	212	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3600.75	-19.27	57.97	38.70	74.00	35.30	55.55	36.28	54.00	17.72	150	249	Horizontal	PASS
2	4878.75	-14.10	65.22	51.12	74.00	22.88	62.99	48.89	54.00	5.11	150	0	Horizontal	PASS
3	6343.5	-10.32	52.39	42.07	74.00	31.93	46.48	36.16	54.00	17.84	150	264	Horizontal	PASS
4	8915.25	-6.52	50.56	44.04	74.00	29.96	47.22	40.70	54.00	13.30	150	22	Horizontal	PASS
5	11629.5	-2.04	48.84	46.80	74.00	27.20	46.52	44.48	54.00	9.52	150	0	Horizontal	PASS
6	13641.75	0.85	48.79	49.64	74.00	24.36	43.91	44.76	54.00	9.24	150	10	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3464.25	-20.08	60.81	40.73	74.00	33.27	59.25	39.17	54.00	14.83	150	102	Vertical	PASS
2	4960.5	-14.77	55.44	40.67	74.00	33.33	53.11	38.34	54.00	15.66	150	46	Vertical	PASS
3	7069.5	-9.58	53.02	43.44	74.00	30.56	50.18	40.60	54.00	13.40	150	1	Vertical	PASS
4	7986.75	-7.32	52.76	45.44	74.00	28.56	51.04	43.72	54.00	10.28	150	209	Vertical	PASS
5	9653.25	-4.73	50.2	45.47	74.00	28.53	48.30	43.57	54.00	10.43	150	159	Vertical	PASS
6	12397.5	-1.45	49.74	48.29	74.00	25.71	43.91	42.46	54.00	11.54	150	64	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3664.5	-19.21	55.89	36.68	74.00	37.32	53.48	34.27	54.00	19.73	150	294	Horizontal	PASS
2	4960.5	-14.77	64.18	49.41	74.00	24.59	62.49	47.72	54.00	6.28	150	0	Horizontal	PASS
3	6341.25	-10.38	52.17	41.79	74.00	32.21	49.64	39.26	54.00	14.74	150	172	Horizontal	PASS
4	9521.25	-4.66	49.97	45.31	74.00	28.69	47.18	42.52	54.00	11.48	150	143	Horizontal	PASS
5	11788.5	-1.94	48.81	46.87	74.00	27.13	44.32	42.38	54.00	11.62	150	207	Horizontal	PASS
6	15729.75	2.22	47.38	49.60	74.00	24.40	43.41	45.63	54.00	8.37	150	189	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level