




BLE_2M-Ant1-2440-0~Reference-PASS

BLE_2M-Ant1-2440-30~1000-PASS

BLE_2M-Ant1-2440-1000~26500-PASS



BLE_2M-Ant1-2480-0~Reference-PASS



BLE_2M-Ant1-2480-30~1000-PASS



BLE_2M-Ant1-2480-1000~26500-PASS



Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.39	0.63	61.90	2.08
BLE_1M	Ant1	2440	0.39	0.63	61.90	2.08
BLE_1M	Ant1	2480	0.39	0.63	61.90	2.08
BLE_2M	Ant1	2402	0.20	0.63	31.75	4.98
BLE_2M	Ant1	2440	0.20	0.63	31.75	4.98
BLE_2M	Ant1	2480	0.20	0.63	31.75	4.98

Test Graphs





Appendix H: Emissions in Restricted Bands

Test Result

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.86	30.98	74.00	43.02	27.09	30.21	54.00	23.79	150	109	Vertical	PASS
2	2319.12	3.32	27.82	31.14	74.00	42.86	27.09	30.41	54.00	23.59	150	221	Vertical	PASS
3	2331.44	3.28	28.03	31.31	74.00	42.69	27.15	30.43	54.00	23.57	150	236	Vertical	PASS
4	2357.68	3.48	28.91	32.39	74.00	41.61	27.10	30.58	54.00	23.42	150	163	Vertical	PASS
5	2372.8	3.90	27.64	31.54	74.00	42.46	26.99	30.89	54.00	23.11	150	182	Vertical	PASS
6	2390	4.38	28.12	32.50	74.00	41.50	27.25	31.63	54.00	22.37	150	100	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	27.86	30.98	74.00	43.02	27.13	30.25	54.00	23.75	150	251	Horizontal	PASS
2	2318.32	3.31	27.79	31.10	74.00	42.90	27.14	30.45	54.00	23.55	150	131	Horizontal	PASS
3	2333.2	3.27	27.91	31.18	74.00	42.82	27.19	30.46	54.00	23.54	150	218	Horizontal	PASS
4	2344.72	3.49	28.02	31.51	74.00	42.49	27.27	30.76	54.00	23.24	150	110	Horizontal	PASS
5	2366	3.66	27.76	31.42	74.00	42.58	26.97	30.63	54.00	23.37	150	279	Horizontal	PASS
6	2390	4.38	28.12	32.50	74.00	41.50	27.27	31.65	54.00	22.35	150	260	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	35.64	39.10	74.00	34.90	34.59	38.05	54.00	15.95	150	175	Vertical	PASS
2	2485.0015	3.54	35.48	39.02	74.00	34.98	34.59	38.13	54.00	15.87	150	285	Vertical	PASS
3	2488.9945	3.56	35.69	39.25	74.00	34.75	34.73	38.29	54.00	15.71	150	10	Vertical	PASS
4	2492.9545	3.57	35.48	39.05	74.00	34.95	34.77	38.34	54.00	15.66	150	78	Vertical	PASS
5	2495.5780	3.56	35.23	38.79	74.00	35.21	34.56	38.12	54.00	15.88	150	336	Vertical	PASS
6	2500.0000	3.50	35.34	38.84	74.00	35.16	34.64	38.14	54.00	15.86	150	85	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	35.41	38.87	74.00	35.13	34.60	38.06	54.00	15.94	150	248	Horizontal	PASS
2	2485.5790	3.50	35.32	38.82	74.00	35.18	34.58	38.08	54.00	15.92	150	226	Horizontal	PASS
3	2489.8360	3.57	35.42	38.99	74.00	35.01	34.61	38.18	54.00	15.82	150	214	Horizontal	PASS
4	2493.3010	3.58	35.61	39.19	74.00	34.81	34.65	38.23	54.00	15.77	150	40	Horizontal	PASS
5	2495.6935	3.56	35.48	39.04	74.00	34.96	34.69	38.25	54.00	15.75	150	343	Horizontal	PASS
6	2500.0000	3.50	35.34	38.84	74.00	35.16	34.64	38.14	54.00	15.86	150	211	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.42	40.54	74.00	33.46	35.07	38.19	54.00	15.81	150	80	Vertical	PASS
2	2320.24	3.34	38.94	42.28	74.00	31.72	36.42	39.76	54.00	14.24	150	237	Vertical	PASS
3	2339.84	3.33	38.71	42.04	74.00	31.96	36.78	40.11	54.00	13.89	150	185	Vertical	PASS
4	2355.6	3.52	38.61	42.13	74.00	31.87	36.21	39.73	54.00	14.27	150	308	Vertical	PASS
5	2370.08	3.70	38.64	42.34	74.00	31.66	35.57	39.27	54.00	14.73	150	0	Vertical	PASS
6	2390	4.38	38.16	42.54	74.00	31.46	35.90	40.28	54.00	13.72	150	0	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.46	40.58	74.00	33.42	34.79	37.91	54.00	16.09	150	97	Horizontal	PASS
2	2323.68	3.32	38.46	41.78	74.00	32.22	35.14	38.46	54.00	15.54	150	260	Horizontal	PASS
3	2340.88	3.34	38.47	41.81	74.00	32.19	34.95	38.29	54.00	15.71	150	360	Horizontal	PASS
4	2355.12	3.53	38.52	42.05	74.00	31.95	34.88	38.41	54.00	15.59	150	352	Horizontal	PASS
5	2375.6	3.98	38.56	42.54	74.00	31.46	35.30	39.28	54.00	14.72	150	296	Horizontal	PASS
6	2390	4.38	37.81	42.19	74.00	31.81	36.31	40.69	54.00	13.31	150	291	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	44.86	48.32	74.00	25.68	43.30	46.76	54.00	7.24	150	142	Vertical	PASS
2	2484.919	3.53	46.93	50.46	74.00	23.54	45.12	48.65	54.00	5.35	150	70	Vertical	PASS
3	2489.5885	3.57	46.16	49.73	74.00	24.27	42.25	45.82	54.00	8.18	150	309	Vertical	PASS
4	2493.2185	3.58	46.27	49.85	74.00	24.15	43.24	46.82	54.00	7.18	150	164	Vertical	PASS
5	2495.7265	3.56	46.11	49.67	74.00	24.33	42.98	46.54	54.00	7.46	150	190	Vertical	PASS
6	2500	3.50	44.88	48.38	74.00	25.62	43.48	46.98	54.00	7.02	150	75	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	43.57	47.03	74.00	26.97	39.10	42.56	54.00	11.44	150	355	Horizontal	PASS
2	2483.9455	3.45	45.88	49.33	74.00	24.67	44.36	47.81	54.00	6.19	150	43	Horizontal	PASS
3	2485.7605	3.49	43.53	47.02	74.00	26.98	41.78	45.27	54.00	8.73	150	360	Horizontal	PASS
4	2488.2355	3.48	42.31	45.79	74.00	28.21	40.38	43.86	54.00	10.14	150	355	Horizontal	PASS
5	2491.9645	3.56	40.75	44.31	74.00	29.69	38.14	41.70	54.00	12.30	150	61	Horizontal	PASS
6	2500	3.50	38.27	41.77	74.00	32.23	36.44	39.94	54.00	14.06	150	51	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

After the pretest, 115C Antenna was selected as the worst antenna and recorded in the report.

Antenna: 115C



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	36.6688	14.11	-16.09	40.00	25.89	100	59	Vertical	PASS
2	63.2225	11.76	-17.33	40.00	28.24	100	242	Vertical	PASS
3	148.582	14.23	-15.98	43.50	29.27	100	34	Vertical	PASS
4	317.120	15.74	-15.29	46.00	30.26	100	301	Vertical	PASS
5	597.450	23.98	-8.88	46.00	22.02	100	303	Vertical	PASS
6	820.186	26.58	-4.44	46.00	19.42	100	108	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	35.8200	13.95	-16.11	40.00	26.05	100	323	Horizontal	PASS
2	54.8562	14.07	-16.46	40.00	25.93	100	50	Horizontal	PASS
3	109.903	12.05	-18.69	43.50	31.45	100	279	Horizontal	PASS
4	137.548	14.06	-16.64	43.50	29.44	100	323	Horizontal	PASS
5	282.200	15.00	-16.65	46.00	31.00	100	338	Horizontal	PASS
6	585.446	24.00	-9.01	46.00	22.00	100	293	Horizontal	PASS

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4040.25	-17.27	56.07	38.80	74.00	35.20	50.85	33.58	54.00	20.42	150	356	Vertical	PASS
2	5024.25	-13.67	55.82	42.15	74.00	31.85	51.68	38.01	54.00	15.99	150	112	Vertical	PASS
3	6547.5	-10.39	53.93	43.54	74.00	30.46	50.00	39.61	54.00	14.39	150	130	Vertical	PASS
4	7206.75	-9.34	54.94	45.60	74.00	28.40	52.16	42.82	54.00	11.18	150	44	Vertical	PASS
5	8669.25	-7.06	52.04	44.98	74.00	29.02	48.81	41.75	54.00	12.25	150	76	Vertical	PASS
6	12052.5	-1.79	49.84	48.05	74.00	25.95	44.53	42.74	54.00	11.26	150	179	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3844.5	-17.67	55.6	37.93	74.00	36.07	52.27	34.60	54.00	19.40	150	92	Horizontal	PASS
2	4804.5	-14.51	59.95	45.44	74.00	28.56	56.72	42.21	54.00	11.79	150	300	Horizontal	PASS
3	7206	-9.40	55.38	45.98	74.00	28.02	51.32	41.92	54.00	12.08	150	11	Horizontal	PASS
4	9369.75	-5.11	51.88	46.77	74.00	27.23	48.40	43.29	54.00	10.71	150	125	Horizontal	PASS
5	11133.75	-2.88	49.82	46.94	74.00	27.06	44.68	41.80	54.00	12.20	150	343	Horizontal	PASS
6	14411.25	1.09	50.42	51.51	74.00	22.49	46.47	47.56	54.00	6.44	150	49	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2440

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3402	-19.53	57.66	38.13	74.00	35.87	53.18	33.65	54.00	20.35	150	43	Vertical	PASS
2	4915.5	-13.33	55.09	41.76	74.00	32.24	52.84	39.51	54.00	14.49	150	249	Vertical	PASS
3	7321.5	-9.16	56.2	47.04	74.00	26.96	50.69	41.53	54.00	12.47	150	43	Vertical	PASS
4	9052.5	-6.12	52.35	46.23	74.00	27.77	49.67	43.55	54.00	10.45	150	184	Vertical	PASS
5	11458.5	-2.37	50.05	47.68	74.00	26.32	48.16	45.79	54.00	8.21	150	196	Vertical	PASS
6	13029.75	-0.43	49.17	48.74	74.00	25.26	42.85	42.42	54.00	11.58	150	287	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4880.25	-14.06	56.62	42.56	74.00	31.44	54.79	40.73	54.00	13.27	150	302	Horizontal	PASS
2	6175.5	-11.24	54.96	43.72	74.00	30.28	52.25	41.01	54.00	12.99	150	181	Horizontal	PASS
3	7320	-9.14	57.21	48.07	74.00	25.93	53.97	44.83	54.00	9.17	150	35	Horizontal	PASS
4	9759.75	-4.59	51.02	46.43	74.00	27.57	47.09	42.50	54.00	11.50	150	271	Horizontal	PASS
5	11775.75	-1.85	49.57	47.72	74.00	26.28	43.86	42.01	54.00	11.99	150	235	Horizontal	PASS
6	14638.5	0.91	51.02	51.93	74.00	22.07	47.65	48.56	54.00	5.44	150	46	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 1M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3951.75	-17.35	55.94	38.59	74.00	35.41	51.80	34.45	54.00	19.55	150	82	Vertical	PASS
2	5141.25	-13.61	55.39	41.78	74.00	32.22	52.43	38.82	54.00	15.18	150	217	Vertical	PASS
3	7440.75	-8.90	54.92	46.02	74.00	27.98	51.60	42.70	54.00	11.30	150	248	Vertical	PASS
4	8178.75	-7.88	53.67	45.79	74.00	28.21	50.38	42.50	54.00	11.50	150	169	Vertical	PASS
5	9950.25	-4.10	51.62	47.52	74.00	26.48	49.24	45.14	54.00	8.86	150	356	Vertical	PASS
6	12978	-0.64	49.48	48.84	74.00	25.16	46.03	45.39	54.00	8.61	150	126	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3883.5	-18.31	57.79	39.48	74.00	34.52	53.71	35.40	54.00	18.60	150	137	Horizontal	PASS
2	4891.5	-13.68	54.92	41.24	74.00	32.76	49.80	36.12	54.00	17.88	150	46	Horizontal	PASS
3	7440.75	-8.90	54.18	45.28	74.00	28.72	51.13	42.23	54.00	11.77	150	39	Horizontal	PASS
4	9672.75	-4.69	51.65	46.96	74.00	27.04	48.12	43.43	54.00	10.57	150	297	Horizontal	PASS
5	13746.75	0.22	49.28	49.50	74.00	24.50	43.90	44.12	54.00	9.88	150	248	Horizontal	PASS
6	14882.25	1.81	51.16	52.97	74.00	21.03	47.01	48.82	54.00	5.18	150	46	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2402

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3681.75	-18.88	56.1	37.22	74.00	36.78	51.39	32.51	54.00	21.49	150	207	Vertical	PASS
2	4896.75	-13.59	53.18	39.59	74.00	34.41	49.80	36.21	54.00	17.79	150	78	Vertical	PASS
3	7206.75	-9.34	55.39	46.05	74.00	27.95	53.13	43.79	54.00	10.21	150	158	Vertical	PASS
4	9609.75	-5.06	53.84	48.78	74.00	25.22	50.31	45.25	54.00	8.75	150	176	Vertical	PASS
5	11918.25	-1.55	48.71	47.16	74.00	26.84	42.90	41.35	54.00	12.65	150	164	Vertical	PASS
6	14415	1.02	49.65	50.67	74.00	23.33	47.12	48.14	54.00	5.86	150	182	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3595.5	-19.16	55.54	36.38	74.00	37.62	53.30	34.14	54.00	19.86	150	230	Horizontal	PASS
2	4803	-14.58	58.45	43.87	74.00	30.13	55.78	41.20	54.00	12.80	150	48	Horizontal	PASS
3	6231	-10.40	53.99	43.59	74.00	30.41	48.31	37.91	54.00	16.09	150	128	Horizontal	PASS
4	7207.5	-9.28	55.12	45.84	74.00	28.16	52.19	42.91	54.00	11.09	150	128	Horizontal	PASS
5	10329.75	-4.24	50.64	46.40	74.00	27.60	47.98	43.74	54.00	10.26	150	3	Horizontal	PASS
6	14412	1.08	51.94	53.02	74.00	20.98	46.54	47.62	54.00	6.38	150	10	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2440

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3647.25	-19.23	56.36	37.13	74.00	36.87	51.10	31.87	54.00	22.13	150	356	Vertical	PASS
2	4904.25	-13.35	54.78	41.43	74.00	32.57	51.01	37.66	54.00	16.34	150	38	Vertical	PASS
3	7318.5	-9.22	55.65	46.43	74.00	27.57	52.10	42.88	54.00	11.12	150	164	Vertical	PASS
4	8683.5	-6.97	52.28	45.31	74.00	28.69	48.51	41.54	54.00	12.46	150	132	Vertical	PASS
5	9983.25	-4.51	52.05	47.54	74.00	26.46	49.84	45.33	54.00	8.67	150	83	Vertical	PASS
6	14287.5	1.50	48.04	49.54	74.00	24.46	43.56	45.06	54.00	8.94	150	24	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3516	-19.57	57	37.43	74.00	36.57	50.43	30.86	54.00	23.14	150	254	Horizontal	PASS
2	4879.5	-14.09	55.94	41.85	74.00	32.15	53.29	39.20	54.00	14.80	150	96	Horizontal	PASS
3	7318.5	-9.22	56.04	46.82	74.00	27.18	52.42	43.20	54.00	10.80	150	81	Horizontal	PASS
4	9646.5	-4.73	51.67	46.94	74.00	27.06	49.77	45.04	54.00	8.96	150	0	Horizontal	PASS
5	12627	-1.15	48.02	46.87	74.00	27.13	42.18	41.03	54.00	12.97	150	329	Horizontal	PASS
6	14637	0.90	51.75	52.65	74.00	21.35	49.44	50.34	54.00	3.66	150	144	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:

BLE 2M-2480

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3558	-19.63	57.09	37.46	74.00	36.54	52.76	33.13	54.00	20.87	150	238	Vertical	PASS
2	4897.5	-13.58	53.75	40.17	74.00	33.83	49.41	35.83	54.00	18.17	150	140	Vertical	PASS
3	6381.75	-10.17	52.74	42.57	74.00	31.43	50.25	40.08	54.00	13.92	150	291	Vertical	PASS
4	9484.5	-5.39	51.15	45.76	74.00	28.24	48.17	42.78	54.00	11.22	150	332	Vertical	PASS
5	12900	0.11	46.97	47.08	74.00	26.92	43.45	43.56	54.00	10.44	150	185	Vertical	PASS
6	14876.25	1.74	49.54	51.28	74.00	22.72	47.40	49.14	54.00	4.86	150	179	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3750.75	-19.15	55.94	36.79	74.00	37.21	49.14	29.99	54.00	24.01	150	19	Horizontal	PASS
2	4893.75	-13.64	53.93	40.29	74.00	33.71	50.27	36.63	54.00	17.37	150	195	Horizontal	PASS
3	6349.5	-10.15	52.68	42.53	74.00	31.47	49.36	39.21	54.00	14.79	150	298	Horizontal	PASS
4	7440.75	-8.90	55.16	46.26	74.00	27.74	52.91	44.01	54.00	9.99	150	124	Horizontal	PASS
5	9917.25	-4.31	51.25	46.94	74.00	27.06	48.51	44.20	54.00	9.80	150	356	Horizontal	PASS
6	14883	1.83	51.77	53.60	74.00	20.40	46.66	48.49	54.00	5.51	150	331	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level