




BLE_2M-Ant1-2440-0~Reference-PASS




BLE_2M-Ant1-2440-30~1000-PASS



BLE_2M-Ant1-2440-1000~26500-PASS



BLE_2M-Ant1-2480-0~Reference-PASS



BLE_2M-Ant1-2480-30~1000-PASS



BLE_2M-Ant1-2480-1000~26500-PASS

Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	0.34	0.63	53.97
BLE_1M	Ant1	2440	0.34	0.63	53.97
BLE_1M	Ant1	2480	0.34	0.63	53.97
BLE_2M	Ant1	2402	1.07	1.87	57.22
BLE_2M	Ant1	2440	1.07	1.87	57.22
BLE_2M	Ant1	2480	1.07	1.87	57.22

Test Graphs




NTNV-BLE_2M-Ant1-2402


NTNV-BLE_2M-Ant1-2440

NTNV-BLE_2M-Ant1-2480

Appendix H: Emissions in Restricted Bands

Test Result


Mode:	BLE 1M-2402
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	41.71	74.00	32.29	40.00	54.00	14.00	100	102	Horizontal	PASS
2	2323.9700	4.86	43.20	74.00	30.80	39.78	54.00	14.22	100	76	Horizontal	PASS
3	2342.6700	4.90	43.55	74.00	30.45	40.93	54.00	13.07	100	66	Horizontal	PASS
4	2354.6600	4.98	43.30	74.00	30.70	40.30	54.00	13.70	100	145	Horizontal	PASS
5	2370.1700	5.04	43.52	74.00	30.48	41.93	54.00	12.07	100	148	Horizontal	PASS
6	2390.0000	4.95	43.36	74.00	30.64	40.84	54.00	13.16	100	79	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	42.45	74.00	31.55	40.46	54.00	13.54	100	127	Vertical	PASS
2	2323.5300	4.86	44.37	74.00	29.63	42.24	54.00	11.76	100	228	Vertical	PASS
3	2334.4200	4.80	43.57	74.00	30.43	41.86	54.00	12.14	100	183	Vertical	PASS
4	2353.3400	4.96	43.61	74.00	30.39	41.96	54.00	12.04	100	145	Vertical	PASS
5	2376.6600	5.06	43.69	74.00	30.31	41.77	54.00	12.23	100	196	Vertical	PASS
6	2390.0000	4.95	42.81	74.00	31.19	41.05	54.00	12.95	100	101	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 1M-2480
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	42.93	74.00	31.07	42.51	54.00	11.49	100	146	Horizontal	PASS
2	2487.4900	5.50	44.38	74.00	29.62	44.31	54.00	9.69	100	135	Horizontal	PASS
3	2490.9273	5.55	43.81	74.00	30.19	43.59	54.00	10.41	100	200	Horizontal	PASS
4	2492.5819	5.57	44.30	74.00	29.70	44.22	54.00	9.78	100	16	Horizontal	PASS
5	2496.5947	5.58	43.73	74.00	30.27	43.57	54.00	10.43	100	16	Horizontal	PASS
6	2500.0000	5.50	43.15	74.00	30.85	43.04	54.00	10.96	100	204	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	41.85	74.00	32.15	41.40	54.00	12.60	100	80	Vertical	PASS
2	2487.0504	5.54	44.69	74.00	29.31	44.58	54.00	9.42	100	80	Vertical	PASS
3	2490.5915	5.56	44.01	74.00	29.99	43.90	54.00	10.10	100	100	Vertical	PASS
4	2492.7098	5.57	44.94	74.00	29.06	44.71	54.00	9.29	100	41	Vertical	PASS
5	2495.3237	5.56	43.45	74.00	30.55	43.35	54.00	10.65	100	169	Vertical	PASS
6	2500.0000	5.50	41.63	74.00	32.37	41.13	54.00	12.87	100	154	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 2M-2402
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	40.80	74.00	33.20	39.33	54.00	14.67	100	34	Horizontal	PASS
2	2326.0600	4.86	43.79	74.00	30.21	41.85	54.00	12.15	100	57	Horizontal	PASS
3	2336.0700	4.81	42.97	74.00	31.03	41.21	54.00	12.79	100	19	Horizontal	PASS
4	2349.3800	5.02	43.90	74.00	30.10	42.03	54.00	11.97	100	53	Horizontal	PASS
5	2367.8600	5.00	43.22	74.00	30.78	40.12	54.00	13.88	100	220	Horizontal	PASS
6	2390.0000	4.95	42.01	74.00	31.99	40.76	54.00	13.24	100	198	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	41.37	74.00	32.63	39.45	54.00	14.55	100	183	Vertical	PASS
2	2328.1500	4.85	43.66	74.00	30.34	41.38	54.00	12.62	100	31	Vertical	PASS
3	2343.9900	4.95	43.61	74.00	30.39	39.86	54.00	14.14	100	0	Vertical	PASS
4	2353.6700	4.96	43.75	74.00	30.25	41.29	54.00	12.71	100	242	Vertical	PASS
5	2366.2100	5.00	43.12	74.00	30.88	39.95	54.00	14.05	100	31	Vertical	PASS
6	2390.0000	4.95	43.51	74.00	30.49	40.83	54.00	13.17	100	108	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 2M-2480
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	45.19	74.00	28.81	45.11	54.00	8.89	100	246	Vertical	PASS
2	2486.9704	5.54	45.10	74.00	28.90	44.89	54.00	9.11	100	208	Vertical	PASS
3	2490.8953	5.55	44.90	74.00	29.10	44.81	54.00	9.19	100	180	Vertical	PASS
4	2494.6043	5.57	44.75	74.00	29.25	44.55	54.00	9.45	100	73	Vertical	PASS
5	2496.3149	5.57	43.88	74.00	30.12	43.67	54.00	10.33	100	77	Vertical	PASS
6	2500.0000	5.50	42.96	74.00	31.04	42.85	54.00	11.15	100	165	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	42.26	74.00	31.74	42.09	54.00	11.91	100	106	Horizontal	PASS
2	2486.8825	5.53	44.10	74.00	29.90	44.02	54.00	9.98	100	4	Horizontal	PASS
3	2489.8561	5.57	44.25	74.00	29.75	44.09	54.00	9.91	100	219	Horizontal	PASS
4	2491.7586	5.56	43.92	74.00	30.08	43.74	54.00	10.26	100	36	Horizontal	PASS
5	2495.8433	5.56	43.63	74.00	30.37	43.40	54.00	10.60	100	28	Horizontal	PASS
6	2500.0000	5.50	42.67	74.00	31.33	42.40	54.00	11.60	100	28	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions


Test Result

Note:


The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

Mode: Charging




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	45.5200	-15.91	19.19	40.00	20.81	100	10	Vertical	PASS
2	73.6500	-18.97	12.30	40.00	27.70	100	189	Vertical	PASS
3	105.296	-19.13	14.27	43.50	29.23	100	10	Vertical	PASS
4	233.821	-18.69	20.33	46.00	25.67	100	291	Vertical	PASS
5	382.595	-13.80	21.59	46.00	24.41	100	259	Vertical	PASS
6	571.866	-9.40	25.16	46.00	20.84	100	298	Vertical	PASS




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	47.0962	-16.03	28.12	40.00	11.88	100	69	Horizontal	PASS
2	87.5938	-20.29	19.22	40.00	20.78	100	317	Horizontal	PASS
3	107.721	-18.83	19.44	43.50	24.06	100	340	Horizontal	PASS
4	183.502	-17.97	21.35	43.50	22.15	100	178	Horizontal	PASS
5	207.025	-19.08	22.73	43.50	20.77	100	161	Horizontal	PASS
6	557.073	-9.86	25.34	46.00	20.66	100	263	Horizontal	PASS

Mode: BT




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	48.5513	-16.11	14.64	40.00	25.36	100	312	Vertical	PASS
2	63.8288	-17.29	14.72	40.00	25.28	100	179	Vertical	PASS
3	134.517	-16.81	15.54	40.00	24.46	100	305	Vertical	PASS
4	180.107	-17.53	15.35	40.00	24.65	100	295	Vertical	PASS
5	337.247	-15.13	17.52	47.00	29.48	100	159	Vertical	PASS
6	584.597	-9.04	25.21	47.00	21.79	100	62	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	49.4000	-16.15	15.18	40.00	24.82	100	30	Horizontal	PASS
2	68.5575	-18.05	12.08	40.00	27.92	100	319	Horizontal	PASS
3	149.673	-15.92	15.65	43.50	27.85	100	62	Horizontal	PASS
4	242.308	-18.19	13.96	46.00	32.04	100	202	Horizontal	PASS
5	365.013	-14.51	17.97	46.00	28.03	100	279	Horizontal	PASS
6	595.146	-8.93	25.32	46.00	20.68	100	246	Horizontal	PASS


Mode:	BLE 1M-2402
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3478.0000	-19.96	37.48	74.00	36.52	32.51	54.00	21.49	150	134	Horizontal	PASS
2	5052.5000	-12.87	40.92	74.00	33.08	39.07	54.00	14.93	150	1	Horizontal	PASS
3	6461.5000	-9.96	42.80	74.00	31.20	40.21	54.00	13.79	150	1	Horizontal	PASS
4	8246.5000	-7.61	44.05	74.00	29.95	41.70	54.00	12.30	150	96	Horizontal	PASS
5	10032.000	-4.48	46.16	74.00	27.84	44.42	54.00	9.58	150	178	Horizontal	PASS
6	13674.000	0.74	48.50	74.00	25.50	43.88	54.00	10.12	150	84	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3728.5000	-18.95	37.85	74.00	36.15	34.45	54.00	19.55	150	127	Vertical	PASS
2	4977.0000	-13.54	41.06	74.00	32.94	39.19	54.00	14.81	150	109	Vertical	PASS
3	7086.5000	-9.55	42.61	74.00	31.39	41.52	54.00	12.48	150	102	Vertical	PASS
4	7987.0000	-7.32	46.29	74.00	27.71	42.96	54.00	11.04	150	45	Vertical	PASS
5	10752.000	-3.43	46.14	74.00	27.86	42.66	54.00	11.34	150	115	Vertical	PASS
6	13654.500	1.18	48.72	74.00	25.28	47.69	54.00	6.31	150	216	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18383.269	-4.88	45.57	74.00	28.43	43.88	54.00	10.12	100	231	Horizontal	PASS
2	19151.557	-4.29	47.22	74.00	26.78	44.68	54.00	9.32	100	127	Horizontal	PASS
3	20609.380	-2.20	46.37	74.00	27.63	44.42	54.00	9.58	100	138	Horizontal	PASS
4	21145.957	-1.63	46.69	74.00	27.31	43.92	54.00	10.08	100	326	Horizontal	PASS
5	22735.036	0.11	46.43	74.00	27.57	45.12	54.00	8.88	100	193	Horizontal	PASS
6	23969.898	3.07	49.60	74.00	24.40	48.28	54.00	5.72	100	87	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18238.711	-4.97	43.37	74.00	30.63	42.00	54.00	12.00	100	352	Vertical	PASS
2	19029.401	-4.47	43.54	74.00	30.46	42.45	54.00	11.55	100	152	Vertical	PASS
3	20044.102	-3.05	44.45	74.00	29.55	42.12	54.00	11.88	100	299	Vertical	PASS
4	21668.183	-1.70	43.90	74.00	30.10	41.23	54.00	12.77	100	269	Vertical	PASS
5	23138.956	1.11	46.56	74.00	27.44	45.85	54.00	8.15	100	87	Vertical	PASS
6	23953.447	3.03	48.60	74.00	25.40	47.57	54.00	6.43	100	20	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 1M-2440
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3212.0000	-20.33	38.51	74.00	35.49	37.28	54.00	16.72	150	185	Horizontal	PASS
2	4981.0000	-13.66	39.78	74.00	34.22	36.82	54.00	17.18	150	210	Horizontal	PASS
3	6343.0000	-10.34	42.58	74.00	31.42	40.86	54.00	13.14	150	179	Horizontal	PASS
4	7987.0000	-7.32	47.03	74.00	26.97	45.42	54.00	8.58	150	97	Horizontal	PASS
5	11112.5000	-3.00	46.34	74.00	27.66	44.16	54.00	9.84	150	198	Horizontal	PASS
6	14173.500	1.38	49.87	74.00	24.13	47.23	54.00	6.77	150	65	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3409.5000	-19.59	37.61	74.00	36.39	35.70	54.00	18.30	150	101	Vertical	PASS
2	4998.0000	-14.23	41.23	74.00	32.77	38.96	54.00	15.04	150	70	Vertical	PASS
3	6352.0000	-10.25	43.05	74.00	30.95	39.65	54.00	14.35	150	235	Vertical	PASS
4	7986.5000	-7.32	50.67	74.00	23.33	48.43	54.00	5.57	150	56	Vertical	PASS
5	9581.5000	-4.80	45.67	74.00	28.33	43.14	54.00	10.86	150	31	Vertical	PASS
6	12803.500	-1.06	47.45	74.00	26.55	44.07	54.00	9.93	150	101	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18313.965	-4.92	44.13	74.00	29.87	43.20	54.00	10.80	100	92	Horizontal	PASS
2	19343.717	-4.04	44.31	74.00	29.69	42.93	54.00	11.07	100	70	Horizontal	PASS
3	20537.276	-2.31	45.06	74.00	28.94	43.87	54.00	10.13	100	201	Horizontal	PASS
4	21202.310	-1.64	44.41	74.00	29.59	43.64	54.00	10.36	100	232	Horizontal	PASS
5	22814.840	0.31	45.31	74.00	28.69	44.17	54.00	9.83	100	102	Horizontal	PASS
6	24012.250	3.13	49.27	74.00	24.73	46.75	54.00	7.25	100	304	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18580.679	-4.76	44.86	74.00	29.14	43.94	54.00	10.06	100	35	Vertical	PASS
2	19735.036	-3.49	44.77	74.00	29.23	42.77	54.00	11.23	100	165	Vertical	PASS
3	21039.902	-1.62	46.00	74.00	28.00	44.37	54.00	9.63	100	237	Vertical	PASS
4	22484.774	-0.51	45.59	74.00	28.41	44.71	54.00	9.29	100	252	Vertical	PASS
5	23700.735	2.43	47.90	74.00	26.10	46.11	54.00	7.89	100	355	Vertical	PASS
6	24191.809	3.04	48.64	74.00	25.36	47.18	54.00	6.82	100	86	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 1M-2480
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3810.5000	-18.22	37.13	74.00	36.87	33.68	54.00	20.32	150	39	Horizontal	PASS
2	4917.5000	-13.40	40.78	74.00	33.22	34.95	54.00	19.05	150	204	Horizontal	PASS
3	7012.0000	-9.19	43.92	74.00	30.08	40.94	54.00	13.06	150	198	Horizontal	PASS
4	9471.5000	-5.41	45.10	74.00	28.90	43.18	54.00	10.82	150	230	Horizontal	PASS
5	10993.000	-2.92	46.12	74.00	27.88	43.91	54.00	10.09	150	102	Horizontal	PASS
6	13608.000	0.39	48.98	74.00	25.02	47.27	54.00	6.73	150	140	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3575.5000	-19.80	36.97	74.00	37.03	34.85	54.00	19.15	150	146	Vertical	PASS
2	4907.0000	-13.24	39.90	74.00	34.10	38.41	54.00	15.59	150	63	Vertical	PASS
3	6162.5000	-11.09	40.93	74.00	33.07	37.79	54.00	16.21	150	165	Vertical	PASS
4	7987.0000	-7.32	47.98	74.00	26.02	44.10	54.00	9.90	150	50	Vertical	PASS
5	9968.0000	-4.16	45.63	74.00	28.37	43.82	54.00	10.18	150	43	Vertical	PASS
6	14224.000	1.33	48.25	74.00	25.75	45.38	54.00	8.62	150	178	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18613.230	-4.74	43.85	74.00	30.15	42.35	54.00	11.65	100	306	Horizontal	PASS
2	19203.710	-4.23	44.79	74.00	29.21	44.10	54.00	9.90	100	218	Horizontal	PASS
3	20490.724	-2.38	45.20	74.00	28.80	44.21	54.00	9.79	100	136	Horizontal	PASS
4	21216.310	-1.64	44.96	74.00	29.04	43.33	54.00	10.67	100	17	Horizontal	PASS
5	22997.549	0.78	46.14	74.00	27.86	44.20	54.00	9.80	100	7	Horizontal	PASS
6	24152.257	3.05	48.42	74.00	25.58	46.02	54.00	7.98	100	116	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18273.013	-4.95	44.53	74.00	29.47	43.05	54.00	10.95	100	171	Vertical	PASS
2	19301.015	-4.09	44.71	74.00	29.29	42.40	54.00	11.60	100	244	Vertical	PASS
3	20408.820	-2.50	45.36	74.00	28.64	43.47	54.00	10.53	100	356	Vertical	PASS
4	21836.191	-1.72	45.42	74.00	28.58	44.69	54.00	9.31	100	72	Vertical	PASS
5	23038.851	0.87	46.80	74.00	27.20	45.64	54.00	8.36	100	123	Vertical	PASS
6	24048.302	3.12	49.03	74.00	24.97	47.92	54.00	6.08	100	224	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 2M-2402
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3503.5000	-19.75	36.65	74.00	37.35	34.08	54.00	19.92	150	83	Horizontal	PASS
2	4803.0000	-14.58	40.66	74.00	33.34	38.72	54.00	15.28	150	242	Horizontal	PASS
3	6264.0000	-10.50	42.74	74.00	31.26	37.29	54.00	16.71	150	224	Horizontal	PASS
4	7693.5000	-8.38	44.08	74.00	29.92	42.52	54.00	11.48	150	167	Horizontal	PASS
5	10985.500	-3.06	45.56	74.00	28.44	43.27	54.00	10.73	150	64	Horizontal	PASS
6	15943.000	3.09	49.87	74.00	24.13	48.55	54.00	5.45	150	134	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3581.5000	-19.70	37.30	74.00	36.70	33.49	54.00	20.51	150	64	Vertical	PASS
2	4911.5000	-13.16	39.39	74.00	34.61	37.11	54.00	16.89	150	39	Vertical	PASS
3	6312.5000	-10.88	42.11	74.00	31.89	37.19	54.00	16.81	150	203	Vertical	PASS
4	9032.0000	-6.31	44.12	74.00	29.88	40.16	54.00	13.84	150	13	Vertical	PASS
5	11307.000	-3.02	46.37	74.00	27.63	44.79	54.00	9.21	150	45	Vertical	PASS
6	13697.000	0.78	48.55	74.00	25.45	46.17	54.00	7.83	150	19	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18393.419	-4.87	44.15	74.00	29.85	42.05	54.00	11.95	100	35	Horizontal	PASS
2	19827.791	-3.36	46.86	74.00	27.14	46.16	54.00	7.84	100	226	Horizontal	PASS
3	20893.594	-1.77	44.83	74.00	29.17	43.46	54.00	10.54	100	100	Horizontal	PASS
4	22535.526	-0.39	45.24	74.00	28.76	44.41	54.00	9.59	100	299	Horizontal	PASS
5	23532.726	2.04	47.32	74.00	26.68	45.02	54.00	8.98	100	132	Horizontal	PASS
6	24100.455	3.09	49.65	74.00	24.35	49.11	54.00	4.89	100	289	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18394.119	-4.87	44.34	74.00	29.66	43.12	54.00	10.88	100	223	Vertical	PASS
2	19204.060	-4.23	45.01	74.00	28.99	42.66	54.00	11.34	100	360	Vertical	PASS
3	20569.828	-2.26	45.22	74.00	28.78	42.95	54.00	11.05	100	160	Vertical	PASS
4	21178.158	-1.63	44.81	74.00	29.19	44.01	54.00	9.99	100	253	Vertical	PASS
5	22570.528	-0.31	45.85	74.00	28.15	43.35	54.00	10.65	100	243	Vertical	PASS
6	24237.311	3.02	49.05	74.00	24.95	47.76	54.00	6.24	100	10	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 2M-2440
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3380.5000	-19.65	36.52	74.00	37.48	34.66	54.00	19.34	150	90	Horizontal	PASS
2	4896.5000	-13.59	40.27	74.00	33.73	38.26	54.00	15.74	150	217	Horizontal	PASS
3	7028.0000	-9.64	42.59	74.00	31.41	39.36	54.00	14.64	150	70	Horizontal	PASS
4	7986.5000	-7.32	43.92	74.00	30.08	41.08	54.00	12.92	150	96	Horizontal	PASS
5	11170.500	-2.73	45.87	74.00	28.13	43.53	54.00	10.47	150	121	Horizontal	PASS
6	13657.500	1.26	48.48	74.00	25.52	46.76	54.00	7.24	150	192	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3805.0000	-18.45	37.23	74.00	36.77	32.82	54.00	21.18	150	90	Vertical	PASS
2	4921.0000	-13.55	39.68	74.00	34.32	37.67	54.00	16.33	150	198	Vertical	PASS
3	7060.0000	-9.62	42.38	74.00	31.62	38.75	54.00	15.25	150	70	Vertical	PASS
4	8380.0000	-7.27	44.13	74.00	29.87	42.46	54.00	11.54	150	90	Vertical	PASS
5	10278.000	-3.64	45.92	74.00	28.08	44.13	54.00	9.87	150	167	Vertical	PASS
6	13853.500	0.76	48.94	74.00	25.06	46.77	54.00	7.23	150	198	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18368.568	-4.89	44.35	74.00	29.65	41.29	54.00	12.71	100	0	Horizontal	PASS
2	19001.050	-4.51	44.23	74.00	29.77	42.69	54.00	11.31	100	0	Horizontal	PASS
3	19828.141	-3.36	45.55	74.00	28.45	43.49	54.00	10.51	100	238	Horizontal	PASS
4	20551.627	-2.29	45.28	74.00	28.72	43.61	54.00	10.39	100	278	Horizontal	PASS
5	21464.473	-1.67	44.60	74.00	29.40	43.26	54.00	10.74	100	178	Horizontal	PASS
6	24045.852	3.12	48.90	74.00	25.10	47.12	54.00	6.88	100	118	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18540.427	-4.79	43.79	74.00	30.21	42.72	54.00	11.28	100	299	Vertical	PASS
2	19827.791	-3.36	46.14	74.00	27.86	45.41	54.00	8.59	100	31	Vertical	PASS
3	20404.620	-2.51	45.33	74.00	28.67	43.17	54.00	10.83	100	136	Vertical	PASS
4	21215.610	-1.64	44.84	74.00	29.16	43.12	54.00	10.88	100	188	Vertical	PASS
5	22564.928	-0.31	45.04	74.00	28.96	42.93	54.00	11.07	100	352	Vertical	PASS
6	23824.641	2.73	48.47	74.00	25.53	46.99	54.00	7.01	100	214	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	BLE 2M-2480
-------	-------------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3512.0000	-19.54	36.47	74.00	37.53	33.35	54.00	20.65	150	38	Horizontal	PASS
2	4947.0000	-13.88	39.57	74.00	34.43	38.25	54.00	15.75	150	159	Horizontal	PASS
3	6216.0000	-10.69	42.64	74.00	31.36	40.73	54.00	13.27	150	133	Horizontal	PASS
4	7760.5000	-8.23	44.06	74.00	29.94	42.03	54.00	11.97	150	96	Horizontal	PASS
5	9041.5000	-6.25	44.77	74.00	29.23	40.58	54.00	13.42	150	13	Horizontal	PASS
6	10858.000	-3.46	45.77	74.00	28.23	43.62	54.00	10.38	150	20	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3669.5000	-19.01	37.15	74.00	36.85	34.78	54.00	19.22	150	101	Vertical	PASS
2	4904.5000	-13.34	39.25	74.00	34.75	36.56	54.00	17.44	150	101	Vertical	PASS
3	5662.0000	-12.68	39.68	74.00	34.32	38.02	54.00	15.98	150	184	Vertical	PASS
4	6415.0000	-10.45	42.10	74.00	31.90	40.09	54.00	13.91	150	75	Vertical	PASS
5	7987.5000	-7.32	46.42	74.00	27.58	40.09	54.00	13.91	150	217	Vertical	PASS
6	10594.000	-3.59	46.43	74.00	27.57	44.88	54.00	9.12	150	107	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18356.317	-4.90	44.55	74.00	29.45	43.58	54.00	10.42	100	325	Horizontal	PASS
2	19537.626	-3.77	44.02	74.00	29.98	42.67	54.00	11.33	100	65	Horizontal	PASS
3	20513.125	-2.34	44.85	74.00	29.15	41.66	54.00	12.34	100	75	Horizontal	PASS
4	21378.368	-1.66	44.93	74.00	29.07	42.79	54.00	11.21	100	101	Horizontal	PASS
5	23225.411	1.31	45.93	74.00	28.07	44.86	54.00	9.14	100	65	Horizontal	PASS
6	24212.460	3.03	48.71	74.00	25.29	47.22	54.00	6.78	100	315	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18125.306	-5.03	44.67	74.00	29.33	42.89	54.00	11.11	100	60	Vertical	PASS
2	19410.220	-3.94	44.46	74.00	29.54	43.51	54.00	10.49	100	60	Vertical	PASS
3	20462.023	-2.42	45.80	74.00	28.20	44.42	54.00	9.58	100	291	Vertical	PASS
4	21503.675	-1.68	44.86	74.00	29.14	44.15	54.00	9.85	100	25	Vertical	PASS
5	22803.990	0.28	45.46	74.00	28.54	44.22	54.00	9.78	100	301	Vertical	PASS
6	24080.154	3.09	49.15	74.00	24.85	48.10	54.00	5.90	100	75	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.579	10.25	34.00	56.00	22.00	22.18	46.00	23.82	L1	PASS
2	0.792	10.29	32.82	56.00	23.18	20.93	46.00	25.07	L1	PASS
3	1.035	10.36	33.61	56.00	22.39	20.89	46.00	25.11	L1	PASS
4	1.68	10.31	34.14	56.00	21.86	21.31	46.00	24.69	L1	PASS
5	3.576	10.30	36.82	56.00	19.18	23.39	46.00	22.61	L1	PASS
6	7.527	10.42	36.28	60.00	23.72	22.68	50.00	27.32	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.417	10.28	32.12	57.51	25.39	21.66	47.51	25.85	N	PASS
2	0.804	10.26	32.58	56.00	23.42	20.99	46.00	25.01	N	PASS
3	1.188	10.28	32.35	56.00	23.65	21.07	46.00	24.93	N	PASS
4	2.616	10.39	35.15	56.00	20.85	21.94	46.00	24.06	N	PASS
5	4.92	10.41	36.19	56.00	19.81	22.74	46.00	23.26	N	PASS
6	7.389	10.42	36.21	60.00	23.79	24.22	50.00	25.78	N	PASS