



BLE_2M_Ant1_2440_0~Reference



BLE_2M_Ant1_2440_30~1000



BLE_2M_Ant1_2440_1000~26500



BLE_2M_Ant1_2480_0~Reference



BLE_2M_Ant1_2480_30~1000



BLE_2M_Ant1_2480_1000~26500

Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	0.34	0.63	53.97
		2440	0.34	0.63	53.97
		2480	0.34	0.63	53.97
BLE_2M	Ant1	2402	1.07	1.87	57.22
		2440	1.07	1.87	57.22
		2480	1.07	1.87	57.22

Test Graphs





BLE_2M_Ant1_2402



BLE_2M_Ant1_2440



BLE_2M_Ant1_2480

Appendix H: Emissions in Restricted Bands

Test Result

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.99	41.11	74.00	32.89	35.73	38.85	54.00	15.15	150	260	Horizontal	PASS
2	2322.96	3.32	39.37	42.69	74.00	31.31	36.01	39.33	54.00	14.67	150	200	Horizontal	PASS
3	2334.72	3.27	38.88	42.15	74.00	31.85	37.29	40.56	54.00	13.44	150	252	Horizontal	PASS
4	2349.68	3.57	38.84	42.41	74.00	31.59	37.69	41.26	54.00	12.74	150	229	Horizontal	PASS
5	2364.64	3.67	39	42.67	74.00	31.33	37.09	40.76	54.00	13.24	150	185	Horizontal	PASS
6	2390	4.38	37.69	42.07	74.00	31.93	35.82	40.20	54.00	13.80	150	95	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	38.92	42.04	74.00	31.96	36.86	39.98	54.00	14.02	150	170	Vertical	PASS
2	2324	3.31	39.09	42.40	74.00	31.60	35.38	38.69	54.00	15.31	150	301	Vertical	PASS
3	2339.44	3.32	39.4	42.72	74.00	31.28	37.60	40.92	54.00	13.08	150	213	Vertical	PASS
4	2352.24	3.49	39.26	42.75	74.00	31.25	35.43	38.92	54.00	15.08	150	160	Vertical	PASS
5	2367.12	3.61	38.96	42.57	74.00	31.43	34.62	38.23	54.00	15.77	150	250	Vertical	PASS
6	2390	4.38	37.76	42.14	74.00	31.86	36.28	40.66	54.00	13.34	150	298	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.56	49.02	74.00	24.98	43.53	46.99	54.00	7.01	150	309	Horizontal	PASS
2	2486.2555	3.49	46.72	50.21	74.00	23.79	45.00	48.49	54.00	5.51	150	248	Horizontal	PASS
3	2488.5985	3.51	47.01	50.52	74.00	23.48	45.28	48.79	54.00	5.21	150	212	Horizontal	PASS
4	2491.1065	3.55	46.69	50.24	74.00	23.76	42.49	46.04	54.00	7.96	150	151	Horizontal	PASS
5	2494.324	3.58	46.18	49.76	74.00	24.24	44.39	47.97	54.00	6.03	150	278	Horizontal	PASS
6	2500	3.50	44.82	48.32	74.00	25.68	42.34	45.84	54.00	8.16	150	332	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	45.75	49.21	74.00	24.79	43.35	46.81	54.00	7.19	150	314	Vertical	PASS
2	2486.3875	3.50	46	49.50	74.00	24.50	43.81	47.31	54.00	6.69	150	190	Vertical	PASS
3	2489.242	3.56	46.22	49.78	74.00	24.22	44.56	48.12	54.00	5.88	150	71	Vertical	PASS
4	2493.4825	3.58	46.76	50.34	74.00	23.66	44.71	48.29	54.00	5.71	150	115	Vertical	PASS
5	2496.634	3.58	46.24	49.82	74.00	24.18	42.96	46.54	54.00	7.46	150	228	Vertical	PASS
6	2500	3.50	44.25	47.75	74.00	26.25	42.12	45.62	54.00	8.38	150	193	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.59	40.71	74.00	33.29	35.01	38.13	54.00	15.87	150	237	Horizontal	PASS
2	2327.84	3.31	40.21	43.52	74.00	30.48	38.25	41.56	54.00	12.44	150	29	Horizontal	PASS
3	2345.36	3.49	38.41	41.90	74.00	32.10	36.19	39.68	54.00	14.32	150	232	Horizontal	PASS
4	2357.6	3.48	38.2	41.68	74.00	32.32	36.29	39.77	54.00	14.23	150	249	Horizontal	PASS
5	2375.6	3.98	38.45	42.43	74.00	31.57	36.57	40.55	54.00	13.45	150	346	Horizontal	PASS
6	2390	4.38	38.21	42.59	74.00	31.41	35.78	40.16	54.00	13.84	150	86	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	38.07	41.19	74.00	32.81	36.25	39.37	54.00	14.63	150	238	Vertical	PASS
2	2325.6	3.32	38.44	41.76	74.00	32.24	34.82	38.14	54.00	15.86	150	32	Vertical	PASS
3	2340.8	3.34	38.18	41.52	74.00	32.48	35.79	39.13	54.00	14.87	150	129	Vertical	PASS
4	2357.2	3.49	38.17	41.66	74.00	32.34	36.27	39.76	54.00	14.24	150	126	Vertical	PASS
5	2374.16	3.93	39.1	43.03	74.00	30.97	35.80	39.73	54.00	14.27	150	340	Vertical	PASS
6	2390	4.38	38.54	42.92	74.00	31.08	36.77	41.15	54.00	12.85	150	340	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	2M -2480
-------	----------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	44.55	48.01	74.00	25.99	42.49	45.95	54.00	8.05	150	214	Horizontal	PASS
2	2486.371	3.50	46.33	49.83	74.00	24.17	43.08	46.58	54.00	7.42	150	217	Horizontal	PASS
3	2489.737	3.57	46.94	50.51	74.00	23.49	44.92	48.49	54.00	5.51	150	171	Horizontal	PASS
4	2493.136	3.57	46.3	49.87	74.00	24.13	42.10	45.67	54.00	8.33	150	82	Horizontal	PASS
5	2496.073	3.56	46.55	50.11	74.00	23.89	44.68	48.24	54.00	5.76	150	24	Horizontal	PASS
6	2500	3.50	45.9	49.40	74.00	24.60	44.89	48.39	54.00	5.61	150	212	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	46.07	49.53	74.00	24.47	42.57	46.03	54.00	7.97	150	135	Vertical	PASS
2	2486.8165	3.53	46.67	50.20	74.00	23.80	44.04	47.57	54.00	6.43	150	310	Vertical	PASS
3	2491.4695	3.55	46.94	50.49	74.00	23.51	43.83	47.38	54.00	6.62	150	145	Vertical	PASS
4	2494.9675	3.56	47.02	50.58	74.00	23.42	44.83	48.39	54.00	5.61	150	188	Vertical	PASS
5	2497.7065	3.58	46.07	49.65	74.00	24.35	43.76	47.34	54.00	6.66	150	263	Vertical	PASS
6	2500	3.50	45.26	48.76	74.00	25.24	42.59	46.09	54.00	7.91	150	120	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

After the pretest, 115C Antenna was selected as the worst antenna and recorded in the report.

Antenna: 115C



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	40.0638	13.31	-15.88	40.00	26.69	100	125	Vertical	PASS
2	58.7362	13.40	-16.76	40.00	26.60	100	248	Vertical	PASS
3	110.995	12.94	-18.60	43.50	30.56	100	31	Vertical	PASS
4	166.891	15.34	-16.15	43.50	28.16	100	330	Vertical	PASS
5	472.441	20.79	-11.64	46.00	25.21	100	65	Vertical	PASS
6	565.925	22.94	-9.52	46.00	23.06	100	350	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	37.1538	13.09	-16.07	40.00	26.91	100	235	Horizontal	PASS
2	58.0088	12.40	-16.70	40.00	27.60	100	359	Horizontal	PASS
3	143.368	14.64	-16.34	43.50	28.86	100	94	Horizontal	PASS
4	314.331	15.37	-15.31	46.00	30.63	100	94	Horizontal	PASS
5	582.172	22.91	-9.05	46.00	23.09	100	247	Horizontal	PASS
6	807.940	26.67	-4.86	46.00	19.33	100	250	Horizontal	PASS

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3740.25	-18.79	56.54	37.75	74.00	36.25	51.25	32.46	54.00	21.54	150	332	Horizontal	PASS
2	4804.5	-14.51	60.78	46.27	74.00	27.73	56.07	41.56	54.00	12.44	150	293	Horizontal	PASS
3	6485.25	-10.05	52.82	42.77	74.00	31.23	47.64	37.59	54.00	16.41	150	0	Horizontal	PASS
4	8145.75	-7.66	52.09	44.43	74.00	29.57	48.21	40.55	54.00	13.45	150	3	Horizontal	PASS
5	9757.5	-4.61	51.13	46.52	74.00	27.48	46.19	41.58	54.00	12.42	150	184	Horizontal	PASS
6	12008.25	-1.77	51.7	49.93	74.00	24.07	49.28	47.51	54.00	6.49	150	267	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3675	-18.87	57.86	38.99	74.00	35.01	55.44	36.57	54.00	17.43	150	356	Vertical	PASS
2	4804.5	-14.51	63.03	48.52	74.00	25.48	58.12	43.61	54.00	10.39	150	207	Vertical	PASS
3	5698.5	-12.82	55	42.18	74.00	31.82	52.61	39.79	54.00	14.21	150	299	Vertical	PASS
4	7986.75	-7.32	55.83	48.51	74.00	25.49	53.51	46.19	54.00	7.81	150	281	Vertical	PASS
5	9846.75	-4.34	50.72	46.38	74.00	27.62	48.41	44.07	54.00	9.93	150	213	Vertical	PASS
6	12011.25	-1.78	53.82	52.04	74.00	21.96	47.64	45.86	54.00	8.14	150	287	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Mode:	BLE 1M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3786	-18.62	56.5	37.88	74.00	36.12	51.35	32.73	54.00	21.27	150	176	Horizontal	PASS
2	4880.25	-14.06	61.02	46.96	74.00	27.04	58.72	44.66	54.00	9.34	150	298	Horizontal	PASS
3	6828	-9.86	52.93	43.07	74.00	30.93	47.78	37.92	54.00	16.08	150	298	Horizontal	PASS
4	9972.75	-4.31	51.2	46.89	74.00	27.11	48.93	44.62	54.00	9.38	150	158	Horizontal	PASS
5	12198.75	-1.59	50.56	48.97	74.00	25.03	48.88	47.29	54.00	6.71	150	121	Horizontal	PASS
6	13669.5	0.93	49.4	50.33	74.00	23.67	47.48	48.41	54.00	5.59	150	312	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3636	-19.33	57.13	37.80	74.00	36.20	53.41	34.08	54.00	19.92	150	206	Vertical	PASS
2	4880.25	-14.06	65.67	51.61	74.00	22.39	61.67	47.61	54.00	6.39	150	218	Vertical	PASS
3	6333	-10.89	53.84	42.95	74.00	31.05	51.04	40.15	54.00	13.85	150	123	Vertical	PASS
4	7986.75	-7.32	54.09	46.77	74.00	27.23	50.17	42.85	54.00	11.15	150	242	Vertical	PASS
5	12201	-1.59	52.21	50.62	74.00	23.38	50.60	49.01	54.00	4.99	150	278	Vertical	PASS
6	15985.5	3.77	48.13	51.90	74.00	22.10	41.24	45.01	54.00	8.99	150	242	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3829.5	-18.02	56.15	38.13	74.00	35.87	53.06	35.04	54.00	18.96	150	74	Horizontal	PASS
2	4960.5	-14.77	61.34	46.57	74.00	27.43	55.20	40.43	54.00	13.57	150	312	Horizontal	PASS
3	6345	-10.28	53.18	42.90	74.00	31.10	50.64	40.36	54.00	13.64	150	186	Horizontal	PASS
4	8324.25	-7.53	52.27	44.74	74.00	29.26	47.35	39.82	54.00	14.18	150	294	Horizontal	PASS
5	11061	-2.94	49.87	46.93	74.00	27.07	46.78	43.84	54.00	10.16	150	186	Horizontal	PASS
6	12399	-1.50	51.5	50.00	74.00	24.00	47.68	46.18	54.00	7.82	150	288	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4088.25	-17.29	55.54	38.25	74.00	35.75	51.17	33.88	54.00	20.12	150	189	Vertical	PASS
2	4959	-14.74	64.15	49.41	74.00	24.59	62.00	47.26	54.00	6.74	150	203	Vertical	PASS
3	6637.5	-10.37	52.84	42.47	74.00	31.53	49.41	39.04	54.00	14.96	150	122	Vertical	PASS
4	7986.75	-7.32	54.67	47.35	74.00	26.65	51.72	44.40	54.00	9.60	150	242	Vertical	PASS
5	12401.25	-1.52	53.26	51.74	74.00	22.26	48.15	46.63	54.00	7.37	150	224	Vertical	PASS
6	15336	2.67	47.8	50.47	74.00	23.53	42.25	44.92	54.00	9.08	150	104	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3764.25	-18.74	55.85	37.11	74.00	36.89	51.39	32.65	54.00	21.35	150	119	Horizontal	PASS
2	4803	-14.58	58.31	43.73	74.00	30.27	56.17	41.59	54.00	12.41	150	302	Horizontal	PASS
3	6372.75	-10.31	53.33	43.02	74.00	30.98	49.93	39.62	54.00	14.38	150	38	Horizontal	PASS
4	7971.75	-7.59	51.52	43.93	74.00	30.07	47.08	39.49	54.00	14.51	150	271	Horizontal	PASS
5	9955.5	-4.00	50.77	46.77	74.00	27.23	49.06	45.06	54.00	8.94	150	49	Horizontal	PASS
6	12012	-1.79	50.81	49.02	74.00	24.98	48.67	46.88	54.00	7.12	150	197	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3744	-18.95	56.58	37.63	74.00	36.37	50.34	31.39	54.00	22.61	150	338	Vertical	PASS
2	4803	-14.58	62.88	48.30	74.00	25.70	60.13	45.55	54.00	8.45	150	206	Vertical	PASS
3	6153	-10.65	52.18	41.53	74.00	32.47	49.78	39.13	54.00	14.87	150	254	Vertical	PASS
4	7986.75	-7.32	55.43	48.11	74.00	25.89	52.37	45.05	54.00	8.95	150	271	Vertical	PASS
5	9784.5	-4.70	50.89	46.19	74.00	27.81	46.91	42.21	54.00	11.79	150	106	Vertical	PASS
6	12006.75	-1.76	51.96	50.20	74.00	23.80	47.46	45.70	54.00	8.30	150	276	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Mode:	BLE 2M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3740.25	-18.79	56.86	38.07	74.00	35.93	53.32	34.53	54.00	19.47	150	8	Horizontal	PASS
2	4878.75	-14.10	63.34	49.24	74.00	24.76	61.00	46.90	54.00	7.10	150	199	Horizontal	PASS
3	6146.25	-10.72	52.78	42.06	74.00	31.94	46.86	36.14	54.00	17.86	150	51	Horizontal	PASS
4	7986.75	-7.32	58.79	51.47	74.00	22.53	55.75	48.43	54.00	5.57	150	179	Horizontal	PASS
5	11001	-2.82	49.67	46.85	74.00	27.15	47.35	44.53	54.00	9.47	150	100	Horizontal	PASS
6	12197.25	-1.58	51.88	50.30	74.00	23.70	50.35	48.77	54.00	5.23	150	285	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3833.25	-17.78	55.29	37.51	74.00	36.49	50.23	32.45	54.00	21.55	150	165	Vertical	PASS
2	4881	-14.04	60.23	46.19	74.00	27.81	55.15	41.11	54.00	12.89	150	302	Vertical	PASS
3	7021.5	-9.57	53.13	43.56	74.00	30.44	50.41	40.84	54.00	13.16	150	261	Vertical	PASS
4	8770.5	-6.61	51.36	44.75	74.00	29.25	46.04	39.43	54.00	14.57	150	177	Vertical	PASS
5	11112	-3.00	49.7	46.70	74.00	27.30	46.97	43.97	54.00	10.03	150	254	Vertical	PASS
6	12197.25	-1.58	50.28	48.70	74.00	25.30	47.22	45.64	54.00	8.36	150	201	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3652.5	-19.22	56.47	37.25	74.00	36.75	51.79	32.57	54.00	21.43	150	1	Horizontal	PASS
2	4958.25	-14.66	59.96	45.30	74.00	28.70	56.59	41.93	54.00	12.07	150	314	Horizontal	PASS
3	6207	-10.92	53.61	42.69	74.00	31.31	48.38	37.46	54.00	16.54	150	1	Horizontal	PASS
4	8313.75	-7.61	52.84	45.23	74.00	28.77	49.23	41.62	54.00	12.38	150	152	Horizontal	PASS
5	11550.75	-2.13	49.04	46.91	74.00	27.09	45.53	43.40	54.00	10.60	150	132	Horizontal	PASS
6	12402	-1.51	51.86	50.35	74.00	23.65	49.82	48.31	54.00	5.69	150	290	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3583.5	-19.55	58.15	38.60	74.00	35.40	55.48	35.93	54.00	18.07	150	237	Vertical	PASS
2	4960.5	-14.77	62.86	48.09	74.00	25.91	60.41	45.64	54.00	8.36	150	224	Vertical	PASS
3	6348.75	-10.17	53.43	43.26	74.00	30.74	47.85	37.68	54.00	16.32	150	276	Vertical	PASS
4	9234	-4.94	50.49	45.55	74.00	28.45	48.30	43.36	54.00	10.64	150	192	Vertical	PASS
5	10088.25	-4.45	51.15	46.70	74.00	27.30	44.26	39.81	54.00	14.19	150	320	Vertical	PASS
6	12397.5	-1.45	53.89	52.44	74.00	21.56	49.15	47.70	54.00	6.30	150	290	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level