


BLE_2M-Ant1-2440-0~Reference-PASS

BLE_2M-Ant1-2440-30~1000-PASS

BLE_2M-Ant1-2440-1000~26500-PASS



BLE_2M-Ant1-2480-0~Reference-PASS



BLE_2M-Ant1-2480-30~1000-PASS



BLE_2M-Ant1-2480-1000~26500-PASS

Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	0.39	0.63	61.90
		2440	0.39	0.63	61.90
		2480	0.39	0.63	61.90
BLE_2M	Ant1	2402	0.20	0.63	31.75
		2440	0.20	0.63	31.75
		2480	0.20	0.63	31.75

Test Graphs




BLE_2M_Ant1_2402

BLE_2M_Ant1_2440

BLE_2M_Ant1_2480

Appendix H: Emissions in Restricted Bands

Test Result

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.36	40.48	74.00	33.52	35.20	38.32	54.00	15.68	150	232	Horizontal	PASS
2	2323.84	3.31	39.71	43.02	74.00	30.98	36.28	39.59	54.00	14.41	150	154	Horizontal	PASS
3	2342.8	3.38	38.9	42.28	74.00	31.72	37.04	40.42	54.00	13.58	150	232	Horizontal	PASS
4	2357.68	3.48	38.91	42.39	74.00	31.61	37.32	40.80	54.00	13.20	150	17	Horizontal	PASS
5	2379.84	4.15	40.07	44.22	74.00	29.78	38.27	42.42	54.00	11.58	150	53	Horizontal	PASS
6	2390	4.38	43.24	47.62	74.00	26.38	41.97	46.35	54.00	7.65	150	354	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	38.12	41.24	74.00	32.76	36.09	39.21	54.00	14.79	150	59	Vertical	PASS
2	2320.48	3.34	39.04	42.38	74.00	31.62	37.61	40.95	54.00	13.05	150	241	Vertical	PASS
3	2337.6	3.26	38.98	42.24	74.00	31.76	37.02	40.28	54.00	13.72	150	89	Vertical	PASS
4	2348.32	3.51	38.97	42.48	74.00	31.52	37.51	41.02	54.00	12.98	150	296	Vertical	PASS
5	2367.04	3.61	38.86	42.47	74.00	31.53	37.30	40.91	54.00	13.09	150	119	Vertical	PASS
6	2390	4.38	39.31	43.69	74.00	30.31	37.07	41.45	54.00	12.55	150	293	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	34.01	37.47	74.00	36.53	34.05	37.51	54.00	16.49	150	61	Horizontal	PASS
2	2485.5955	3.50	34.03	37.53	74.00	36.47	34.09	37.59	54.00	16.41	150	121	Horizontal	PASS
3	2489.0605	3.56	34.03	37.59	74.00	36.41	34.16	37.72	54.00	16.28	150	92	Horizontal	PASS
4	2492.0635	3.56	34.04	37.60	74.00	36.40	34.11	37.67	54.00	16.33	150	138	Horizontal	PASS
5	2496.568	3.58	34.01	37.59	74.00	36.41	34.04	37.62	54.00	16.38	150	42	Horizontal	PASS
6	2500	3.50	33.99	37.49	74.00	36.51	34.04	37.54	54.00	16.46	150	22	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	34	37.46	74.00	36.54	34.13	37.59	54.00	16.41	150	125	Vertical	PASS
2	2485.5955	3.50	34	37.50	74.00	36.50	34.21	37.71	54.00	16.29	150	44	Vertical	PASS
3	2490.463	3.56	34.05	37.61	74.00	36.39	34.28	37.84	54.00	16.16	150	4	Vertical	PASS
4	2493.334	3.58	34.03	37.61	74.00	36.39	34.09	37.67	54.00	16.33	150	115	Vertical	PASS
5	2496.9475	3.59	34.01	37.60	74.00	36.40	34.11	37.70	54.00	16.30	150	54	Vertical	PASS
6	2500	3.50	34.02	37.52	74.00	36.48	34.17	37.67	54.00	16.33	150	56	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading g [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading g [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.13	40.25	74.00	33.75	35.70	38.82	54.00	15.18	150	296	Horizontal	PASS
2	2325.44	3.32	39.22	42.54	74.00	31.46	36.73	40.05	54.00	13.95	150	230	Horizontal	PASS
3	2343.6	3.43	38.83	42.26	74.00	31.74	37.19	40.62	54.00	13.38	150	346	Horizontal	PASS
4	2364	3.64	38.03	41.67	74.00	32.33	36.30	39.94	54.00	14.06	150	172	Horizontal	PASS
5	2376.08	3.99	38.38	42.37	74.00	31.63	36.94	40.93	54.00	13.07	150	318	Horizontal	PASS
6	2390	4.38	37.94	42.32	74.00	31.68	35.78	40.16	54.00	13.84	150	93	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading g [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading g [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	3.12	37.47	40.59	74.00	33.41	36.21	39.33	54.00	14.67	150	119	Vertical	PASS
2	2321.2	3.34	38.48	41.82	74.00	32.18	36.01	39.35	54.00	14.65	150	163	Vertical	PASS
3	2341.76	3.35	39.45	42.80	74.00	31.20	36.53	39.88	54.00	14.12	150	20	Vertical	PASS
4	2352.24	3.49	38.48	41.97	74.00	32.03	36.39	39.88	54.00	14.12	150	246	Vertical	PASS
5	2367.84	3.60	38.73	42.33	74.00	31.67	36.68	40.28	54.00	13.72	150	264	Vertical	PASS
6	2390	4.38	37.07	41.45	74.00	32.55	35.59	39.97	54.00	14.03	150	317	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	39.07	42.53	74.00	31.47	36.44	39.90	54.00	14.10	150	271	Horizontal	PASS
2	2483.9125	3.45	42.15	45.60	74.00	28.40	39.67	43.12	54.00	10.88	150	50	Horizontal	PASS
3	2488.945	3.56	38.54	42.10	74.00	31.90	36.59	40.15	54.00	13.85	150	171	Horizontal	PASS
4	2492.278	3.56	38.66	42.22	74.00	31.78	35.67	39.23	54.00	14.77	150	271	Horizontal	PASS
5	2496.0895	3.56	38.67	42.23	74.00	31.77	36.50	40.06	54.00	13.94	150	324	Horizontal	PASS
6	2500	3.50	37	40.50	74.00	33.50	34.91	38.41	54.00	15.59	150	324	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	3.46	39.61	43.07	74.00	30.93	38.48	41.94	54.00	12.06	150	55	Vertical	PASS
2	2487.031	3.54	39.03	42.57	74.00	31.43	37.57	41.11	54.00	12.89	150	128	Vertical	PASS
3	2489.506	3.57	39.74	43.31	74.00	30.69	37.87	41.44	54.00	12.56	150	165	Vertical	PASS
4	2492.4925	3.56	38.86	42.42	74.00	31.58	36.73	40.29	54.00	13.71	150	216	Vertical	PASS
5	2494.8355	3.56	38.5	42.06	74.00	31.94	36.21	39.77	54.00	14.23	150	152	Vertical	PASS
6	2500	3.50	37.49	40.99	74.00	33.01	35.40	38.90	54.00	15.10	150	128	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

After the pretest, 115C Antenna was selected as the worst antenna and recorded in the report.

Antenna: 115C



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	48.6091	12.06	-16.11	49.54	37.48	200	118	Vertical	PASS
2	136.420	13.14	-16.76	53.98	40.84	100	136	Vertical	PASS
3	276.764	12.59	-16.75	56.90	44.31	200	185	Vertical	PASS
4	470.609	17.93	-11.61	56.90	38.97	200	326	Vertical	PASS
5	652.048	22.85	-7.78	56.90	34.05	100	260	Vertical	PASS
6	935.255	29.11	-1.78	56.90	27.79	100	112	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	33.1015	11.61	-16.28	49.54	37.93	100	275	Horizontal	PASS
2	51.5168	12.59	-16.26	49.54	36.95	100	206	Horizontal	PASS
3	149.796	13.14	-15.92	53.98	40.84	100	185	Horizontal	PASS
4	327.358	14.08	-15.04	56.90	42.82	100	292	Horizontal	PASS
5	604.168	22.62	-8.79	56.90	34.28	200	144	Horizontal	PASS
6	953.089	28.88	-1.26	56.90	28.02	200	11	Horizontal	PASS

Mode:	BLE 1M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4803.75	-14.54	57.1	42.56	74.00	31.44	54.90	40.36	54.00	13.64	150	71	Horizontal	PASS
2	6354.75	-10.39	53.08	42.69	74.00	31.31	46.42	36.03	54.00	17.97	150	0	Horizontal	PASS
3	8424.75	-7.15	51.77	44.62	74.00	29.38	47.76	40.61	54.00	13.39	150	71	Horizontal	PASS
4	9463.5	-5.27	50.42	45.15	74.00	28.85	46.24	40.97	54.00	13.03	150	116	Horizontal	PASS
5	12008.25	-1.77	52.29	50.52	74.00	23.48	49.16	47.39	54.00	6.61	150	2	Horizontal	PASS
6	13649.25	1.05	47.52	48.57	74.00	25.43	45.44	46.49	54.00	7.51	150	138	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3633.75	-19.31	56.27	36.96	74.00	37.04	51.85	32.54	54.00	21.46	150	95	Vertical	PASS
2	4907.25	-13.23	55.16	41.93	74.00	32.07	51.02	37.79	54.00	16.21	150	20	Vertical	PASS
3	7017.75	-9.45	51.85	42.40	74.00	31.60	49.38	39.93	54.00	14.07	150	20	Vertical	PASS
4	9651.75	-4.73	50.44	45.71	74.00	28.29	46.76	42.03	54.00	11.97	150	60	Vertical	PASS
5	12008.25	-1.77	50.05	48.28	74.00	25.72	48.28	46.51	54.00	7.49	150	113	Vertical	PASS
6	13883.25	0.96	48.43	49.39	74.00	24.61	44.41	45.37	54.00	8.63	150	49	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Mode:	BLE 1M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4245.75	-16.94	54.98	38.04	74.00	35.96	51.91	34.97	54.00	19.03	150	36	Horizontal	PASS
2	4879.5	-14.09	58.55	44.46	74.00	29.54	55.71	41.62	54.00	12.38	150	42	Horizontal	PASS
3	6462.75	-10.00	52.87	42.87	74.00	31.13	46.61	36.61	54.00	17.39	150	49	Horizontal	PASS
4	7986	-7.33	51.33	44.00	74.00	30.00	47.28	39.95	54.00	14.05	150	20	Horizontal	PASS
5	9678	-4.67	51.28	46.61	74.00	27.39	45.80	41.13	54.00	12.87	150	42	Horizontal	PASS
6	14307	1.38	48.41	49.79	74.00	24.21	44.54	45.92	54.00	8.08	150	20	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3867.75	-17.99	56.4	38.41	74.00	35.59	50.26	32.27	54.00	21.73	150	130	Vertical	PASS
2	5171.25	-12.89	52.88	39.99	74.00	34.01	49.16	36.27	54.00	17.73	150	130	Vertical	PASS
3	6423	-10.52	53.57	43.05	74.00	30.95	50.48	39.96	54.00	14.04	150	52	Vertical	PASS
4	8018.25	-7.40	50.87	43.47	74.00	30.53	47.03	39.63	54.00	14.37	150	111	Vertical	PASS
5	9296.25	-5.51	52.22	46.71	74.00	27.29	47.63	42.12	54.00	11.88	150	1	Vertical	PASS
6	12198.75	-1.59	51.31	49.72	74.00	24.28	47.89	46.30	54.00	7.70	150	111	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3812.25	-18.28	55.57	37.29	74.00	36.71	53.41	35.13	54.00	18.87	150	138	Horizontal	PASS
2	4959	-14.74	57.34	42.60	74.00	31.40	54.94	40.20	54.00	13.80	150	44	Horizontal	PASS
3	7595.25	-9.33	53.29	43.96	74.00	30.04	50.12	40.79	54.00	13.21	150	138	Horizontal	PASS
4	9666	-4.71	50.51	45.80	74.00	28.20	43.52	38.81	54.00	15.19	150	0	Horizontal	PASS
5	11668.5	-2.09	48.98	46.89	74.00	27.11	43.64	41.55	54.00	12.45	150	116	Horizontal	PASS
6	13887.75	0.86	48.12	48.98	74.00	25.02	43.26	44.12	54.00	9.88	150	138	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4293	-16.18	56.15	39.97	74.00	34.03	51.00	34.82	54.00	19.18	150	3	Vertical	PASS
2	6240	-10.03	52.09	42.06	74.00	31.94	46.88	36.85	54.00	17.15	150	78	Vertical	PASS
3	7986.75	-7.32	54.37	47.05	74.00	26.95	52.40	45.08	54.00	8.92	150	116	Vertical	PASS
4	9240.75	-4.92	50.64	45.72	74.00	28.28	46.51	41.59	54.00	12.41	150	0	Vertical	PASS
5	12152.25	-1.20	48.43	47.23	74.00	26.77	44.00	42.80	54.00	11.20	150	16	Vertical	PASS
6	13401	0.10	48.13	48.23	74.00	25.77	45.57	45.67	54.00	8.33	150	65	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2402
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3603	-19.36	56.64	37.28	74.00	36.72	51.72	32.36	54.00	21.64	150	10	Horizontal	PASS
2	4803.75	-14.54	56.89	42.35	74.00	31.65	54.90	40.36	54.00	13.64	150	82	Horizontal	PASS
3	6284.25	-10.88	53.29	42.41	74.00	31.59	47.78	36.90	54.00	17.10	150	322	Horizontal	PASS
4	9370.5	-5.12	50.2	45.08	74.00	28.92	44.81	39.69	54.00	14.31	150	10	Horizontal	PASS
5	12012	-1.79	49.61	47.82	74.00	26.18	46.06	44.27	54.00	9.73	150	88	Horizontal	PASS
6	15917.25	2.97	48.63	51.60	74.00	22.40	43.80	46.77	54.00	7.23	150	252	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3242.25	-19.93	57.15	37.22	74.00	36.78	52.86	32.93	54.00	21.07	150	146	Vertical	PASS
2	4929	-13.91	53.95	40.04	74.00	33.96	51.98	38.07	54.00	15.93	150	30	Vertical	PASS
3	6382.5	-10.20	52.63	42.43	74.00	31.57	47.54	37.34	54.00	16.66	150	199	Vertical	PASS
4	8034.75	-7.76	51.76	44.00	74.00	30.00	49.37	41.61	54.00	12.39	150	354	Vertical	PASS
5	9637.5	-4.77	49.9	45.13	74.00	28.87	47.14	42.37	54.00	11.63	150	41	Vertical	PASS
6	15966.75	3.49	48.94	52.43	74.00	21.57	45.86	49.35	54.00	4.65	150	238	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2440
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3766.5	-18.77	55.89	37.12	74.00	36.88	53.60	34.83	54.00	19.17	150	123	Horizontal	PASS
2	4980	-13.58	59.37	45.79	74.00	28.21	56.42	42.84	54.00	11.16	150	80	Horizontal	PASS
3	6215.25	-10.71	52.25	41.54	74.00	32.46	49.77	39.06	54.00	14.94	150	162	Horizontal	PASS
4	8655.75	-7.05	52	44.95	74.00	29.05	47.44	40.39	54.00	13.61	150	123	Horizontal	PASS
5	11298.75	-2.93	49.37	46.44	74.00	27.56	46.23	43.30	54.00	10.70	150	144	Horizontal	PASS
6	15323.25	2.61	48.71	51.32	74.00	22.68	45.13	47.74	54.00	6.26	150	358	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3539.25	-19.85	57.11	37.26	74.00	36.74	53.96	34.11	54.00	19.89	150	49	Vertical	PASS
2	4309.5	-16.36	55.21	38.85	74.00	35.15	50.73	34.37	54.00	19.63	150	201	Vertical	PASS
3	5786.25	-12.28	53.8	41.52	74.00	32.48	48.59	36.31	54.00	17.69	150	312	Vertical	PASS
4	6320.25	-10.75	53.52	42.77	74.00	31.23	48.61	37.86	54.00	16.14	150	350	Vertical	PASS
5	9046.5	-6.19	51.71	45.52	74.00	28.48	48.33	42.14	54.00	11.86	150	30	Vertical	PASS
6	13837.5	0.97	49.27	50.24	74.00	23.76	42.50	43.47	54.00	10.53	150	326	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	BLE 2M-2480
-------	-------------

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3444.75	-20.28	57.45	37.17	74.00	36.83	50.47	30.19	54.00	23.81	150	317	Horizontal	PASS
2	4959.75	-14.81	59.95	45.14	74.00	28.86	57.25	42.44	54.00	11.56	150	52	Horizontal	PASS
3	6426	-10.55	52.95	42.40	74.00	31.60	50.56	40.01	54.00	13.99	150	221	Horizontal	PASS
4	8424.75	-7.15	51.45	44.30	74.00	29.70	47.79	40.64	54.00	13.36	150	185	Horizontal	PASS
5	9639	-4.74	51.07	46.33	74.00	27.67	48.97	44.23	54.00	9.77	150	100	Horizontal	PASS
6	13797.75	1.15	48.39	49.54	74.00	24.46	44.95	46.10	54.00	7.90	150	167	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3633	-19.30	56.6	37.30	74.00	36.70	53.88	34.58	54.00	19.42	150	30	Vertical	PASS
2	4930.5	-13.95	54.06	40.11	74.00	33.89	51.52	37.57	54.00	16.43	150	360	Vertical	PASS
3	6216.75	-10.67	53.47	42.80	74.00	31.20	49.91	39.24	54.00	14.76	150	18	Vertical	PASS
4	8047.5	-7.95	52.07	44.12	74.00	29.88	48.78	40.83	54.00	13.17	150	320	Vertical	PASS
5	11659.5	-2.19	48.89	46.70	74.00	27.30	45.65	43.46	54.00	10.54	150	82	Vertical	PASS
6	14721	1.73	47.65	49.38	74.00	24.62	42.89	44.62	54.00	9.38	150	160	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level