


# Human Exposure Report

**Application No.:** SZCR2508003632AT  
**Applicant:** Ugreen Group Limited  
**Address of Applicant:** Ugreen Building, Longcheng Industrial Park, Longguanxi Road, Longhua, Shenzhen, China  
**Manufacturer:** Ugreen Group Limited  
**Address of Manufacturer:** Ugreen Building, Longcheng Industrial Park, Longguanxi Road, Longhua, Shenzhen, China  
**Factory:** Huizhou Zhize Technology Co., Ltd  
**Address of Factory:** No.1, Nantang Road, Chenjiang Street, Zhongkai High-tech Zone, Huizhou City (Factory Building No.5)  
**Equipment Under Test (EUT):**  
**EUT Name:** Magnetic Wireless Charger  
**Model No.:** W753  
**P/N Code:** 55959, 55959P, 55959X, 55959A, 55959B, 55959U, 55959JP, 55959ZD, 55959T, KC-55959  
**Trade Mark:** UGREEN  
**FCC ID:** 2AQI5-W753A  
**Standards:** 47 CFR PART 1, Subpart I, Section 1.1310  
47 CFR PART 2, Subpart J, Section 2.1091  
KDB 680106 D01 Wireless Power Transfer v04  
**Date of Receipt:** 2025-08-18  
**Date of Test:** 2025-08-19 to 2025-08-21  
**Date of Issue:** 2025-08-25

|                      |              |
|----------------------|--------------|
| <b>Test Result :</b> | <b>Pass*</b> |
|----------------------|--------------|

\* In the configuration tested, the EUT complied with the standards specified above



Keny Xu  
EMC Laboratory Manager




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

| Revision Record |         |            |          |          |
|-----------------|---------|------------|----------|----------|
| Version         | Chapter | Date       | Modifier | Remark   |
| 01              |         | 2025-08-25 |          | Original |
|                 |         |            |          |          |
|                 |         |            |          |          |

|                          |  |                                                                                    |  |  |
|--------------------------|--|------------------------------------------------------------------------------------|--|--|
| Authorized for issue by: |  |                                                                                    |  |  |
|                          |  |   |  |  |
|                          |  | Bill Chen/Project Engineer                                                         |  |  |
|                          |  |  |  |  |
|                          |  | Eric Fu/Reviewer                                                                   |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Center Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 2 Contents

|       |                                              |    |
|-------|----------------------------------------------|----|
| 1     | Cover Page .....                             | 1  |
| 2     | Contents .....                               | 3  |
| 3     | General Information .....                    | 4  |
| 3.1   | Details of E.U.T. ....                       | 4  |
| 3.2   | Description of Support Units .....           | 5  |
| 3.3   | Test Location .....                          | 6  |
| 3.4   | Test Facility .....                          | 6  |
| 3.5   | Deviation from Standards .....               | 6  |
| 3.6   | Abnormalities from Standard Conditions ..... | 6  |
| 4     | Equipments Used during Test .....            | 7  |
| 5     | Test Mode Description .....                  | 9  |
| 6     | Test Block Diagram .....                     | 10 |
| 7     | Test Results .....                           | 11 |
| 7.1   | RF Exposure test .....                       | 11 |
| 7.1.1 | E.U.T. Operation .....                       | 12 |
| 7.1.2 | Measurement Data .....                       | 12 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 3 General Information

#### 3.1 Details of E.U.T.

|                      |                                                                                                     |
|----------------------|-----------------------------------------------------------------------------------------------------|
| Power supply:        | Input:DC 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A,<br>Wireless charging Output power:25.0W(Max) |
| Cable(s):            | Type C cable:150cm unshielded                                                                       |
| Operation frequency: | 127.8kHz & 360kHz                                                                                   |
| Modulation type:     | Load modulation                                                                                     |
| Antenna type:        | Loop Antenna                                                                                        |

Remark : The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Remark 2: when this device output 5/7.5/10W, the operation frequency is 127.8kHz; when this device output 15W/25W, the operation frequency is 360kHz.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 3.2 Description of Support Units

| Description  | Manufacturer    | Model No.    | Serial No.        |
|--------------|-----------------|--------------|-------------------|
| Adapter      | HONOR           | HN-200500CP0 | REF. No.SEA05R03H |
| Mobile Phone | HUAWEI          | LYA-AL00     | REF. No.SEA16C00  |
| iphone 16pro | Apple           | MYLU3CH/A    | REF. No.SEA16Q03  |
| Mobile Phone | SAMSUNG         | SM-S9060     | REF. No.SEA16K02  |
| E-loading    | Supplied by SGS | N/A          | REF. No.SEA42A00  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch  
Shenzhen Branch EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 3.3 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

#### • VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd.

Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

#### • FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

### 3.5 Deviation from Standards

None.

### 3.6 Abnormalities from Standard Conditions

None.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch EMC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 4 Equipments Used during Test

| Item | Test Equipment            | Manufacturer | Model No. | Inventory No. | Cal. Due date |
|------|---------------------------|--------------|-----------|---------------|---------------|
| 1    | 3m Fully-Anechoic Chamber | AUDIX        | N/A       | SEM001-02     | 2026/05/09    |
| 2    | MAGPy-8H3D+E3D            | SPEAG        | MAGPy     | SEM060-31     | 2026/02/04    |
| 3    | MAGPy-DAS                 | SPEAG        | MAGPy     | SEM060-32     | 2026/02/04    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Center Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Probe parameter:

| Parameter                           | Specs                                                                                       |
|-------------------------------------|---------------------------------------------------------------------------------------------|
| <b>PROBE DESIGN</b>                 |                                                                                             |
| Diameter                            | 60 mm                                                                                       |
| 8 isotropic <i>H</i> -field sensors | concentric loops of 1 cm <sup>2</sup> arranged at the corner of a cube of 22 mm side length |
| 1 isotropic <i>E</i> -field sensor  | orthogonal dipole/monopole (arm length: 50 mm)                                              |
| Measurement center                  | 18.5 mm from the probe tip                                                                  |
| Temperature range                   | 0-40 °C                                                                                     |
| Dimensions                          | 110 × 635 × 35 mm<br>(MAGPy-8H3D+E3D V2 & MAGPy-DAS V2)                                     |
| <b><i>H</i>-FIELD SPECIFICATION</b> |                                                                                             |
| Frequency range                     | 3 kHz-10 MHz                                                                                |
| Measurement range                   | 0.1-3200 A/m, 0.12 μT-4 mT                                                                  |
| Gradient range                      | 0-80 T/m/T                                                                                  |
| <b><i>E</i>-FIELD SPECIFICATION</b> |                                                                                             |
| Frequency range                     | 3 kHz-10 MHz                                                                                |
| Measurement range                   | 0.08-2000 V/m                                                                               |



### 5 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description                                |
|--------------------------|--------------|--------------------------------------------|
| Pre-scan                 | 00           | Charge mode_Keep the EUT charging(5W)      |
| Pre-scan                 | 01           | Charging mode_Keep the EUT charging (7.5W) |
| Final test               | 02           | Charge mode_Keep the EUT charging(10W)     |
| Final test               | 03           | Charge mode_Keep the EUT charging(15W)     |
| Pre-scan                 | 04           | Charge mode_Keep the EUT charging(25W)     |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Center EEC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 6 Test Block Diagram



### Remark:

- 1 The RF exposure test is performed in the anechoic chamber.
- 2 The test distance is 20cm from the center of the probe along all three axes of the device.

## 7 Test Results

### 7.1 RF Exposure test

Test Requirement: 47 CFR PART 1, Subpart I, Section 1.1310

Measurement Distance: 20cm

Limit:

| Frequency range (MHz)                                          | Electric field strength (V/m) | Magnetic field strength (A/m) | Power density (mW/cm <sup>2</sup> ) | Averaging time (minutes) |
|----------------------------------------------------------------|-------------------------------|-------------------------------|-------------------------------------|--------------------------|
| <b>(A) Limits for Occupational/Controlled Exposures</b>        |                               |                               |                                     |                          |
| 0.3-3.0                                                        | 614                           | 1.63                          | *(100)                              | 6                        |
| 3.0-30                                                         | 1842/f                        | 4.89/f                        | *(900/f <sup>2</sup> )              | 6                        |
| 30-300                                                         | 61.4                          | 0.163                         | 1.0                                 | 6                        |
| 300-1500                                                       | /                             | /                             | f/300                               | 6                        |
| 1500-100,000                                                   | /                             | /                             | 5                                   | 6                        |
| <b>(B) Limits for General Population/Uncontrolled Exposure</b> |                               |                               |                                     |                          |
| 0.3-1.34                                                       | 614                           | 1.63                          | *(100)                              | 30                       |
| 1.34-30                                                        | 824/f                         | 2.19/f                        | *(180/f <sup>2</sup> )              | 30                       |
| 30-300                                                         | 27.5                          | 0.073                         | 0.2                                 | 30                       |
| 300-1500                                                       | /                             | /                             | f/1500                              | 30                       |
| 1500-100,000                                                   | /                             | /                             | 1.0                                 | 30                       |

F=frequency in MHz  
 \*=Plane-wave equivalent power density  
 RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
 Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 7.1.1 E.U.T. Operation

#### Operating Environment:

Temperature: 22.3 °C Humidity: 52.9 % RH Atmospheric Pressure: 1020 mbar

### 7.1.2 Measurement Data

Test mode: 02

#### Magnetic Field Emissions

| Operation Frequency                                                     | Test Distance (cm) | Test Position | Probe Measure Result (A/m) |                     |             | 50 % Limit (A/m) |
|-------------------------------------------------------------------------|--------------------|---------------|----------------------------|---------------------|-------------|------------------|
|                                                                         |                    |               | Zero Charge                | Intermediate Charge | Full Charge |                  |
| 128 kHz<br>which is the worst case within the operation frequency range | 20                 | Side 1        | 0.030                      | 0.074               | 0.088       | 0.815            |
|                                                                         |                    | Side 2        | 0.040                      | 0.042               | 0.051       |                  |
|                                                                         |                    | Side 3        | 0.048                      | 0.056               | 0.062       |                  |
|                                                                         |                    | Side 4        | 0.036                      | 0.046               | 0.057       |                  |
|                                                                         |                    | Top           | 0.040                      | 0.035               | 0.042       |                  |

#### Electric Field Emissions

| Operation Frequency                                                     | Test Distance (cm) | Test Position | Probe Measure Result (V/m) |                     |             | 50 % Limit (V/m) |
|-------------------------------------------------------------------------|--------------------|---------------|----------------------------|---------------------|-------------|------------------|
|                                                                         |                    |               | Zero Charge                | Intermediate Charge | Full Charge |                  |
| 128 kHz<br>which is the worst case within the operation frequency range | 20                 | Side 1        | 0.069                      | 0.058               | 0.033       | 307              |
|                                                                         |                    | Side 2        | 0.040                      | 0.034               | 0.020       |                  |
|                                                                         |                    | Side 3        | 0.052                      | 0.044               | 0.026       |                  |
|                                                                         |                    | Side 4        | 0.041                      | 0.034               | 0.018       |                  |
|                                                                         |                    | Top           | 0.033                      | 0.027               | 0.015       |                  |

Test mode: 03



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### Magnetic Field Emissions

| Operation Frequency                                                     | Test Distance (cm) | Test Position | Probe Measure Result (A/m) |                     |             | 50 % Limit (A/m) |
|-------------------------------------------------------------------------|--------------------|---------------|----------------------------|---------------------|-------------|------------------|
|                                                                         |                    |               | Zero Charge                | Intermediate Charge | Full Charge |                  |
| 360 kHz<br>which is the worst case within the operation frequency range | 20                 | Side 1        | 0.036                      | 0.046               | 0.050       | 0.815            |
|                                                                         |                    | Side 2        | 0.024                      | 0.034               | 0.035       |                  |
|                                                                         |                    | Side 3        | 0.027                      | 0.033               | 0.040       |                  |
|                                                                         |                    | Side 4        | 0.027                      | 0.037               | 0.043       |                  |
|                                                                         |                    | Top           | 0.026                      | 0.031               | 0.038       |                  |

### Electric Field Emissions

| Operation Frequency                                                     | Test Distance (cm) | Test Position | Probe Measure Result (V/m) |                     |             | 50 % Limit (V/m) |
|-------------------------------------------------------------------------|--------------------|---------------|----------------------------|---------------------|-------------|------------------|
|                                                                         |                    |               | Zero Charge                | Intermediate Charge | Full Charge |                  |
| 360 kHz<br>which is the worst case within the operation frequency range | 20                 | Side 1        | 0.069                      | 0.058               | 0.033       | 307              |
|                                                                         |                    | Side 2        | 0.040                      | 0.034               | 0.020       |                  |
|                                                                         |                    | Side 3        | 0.052                      | 0.044               | 0.026       |                  |
|                                                                         |                    | Side 4        | 0.041                      | 0.034               | 0.018       |                  |
|                                                                         |                    | Top           | 0.033                      | 0.027               | 0.015       |                  |

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com