


Human Exposure Report

Application No.: SZCR2603001071AT
Applicant: Ugreen Group Limited
Address of Applicant: UGREEN Building, Longcheng Industrial Park Longguanxi Road, Longhua, ShenZhen, 518000 China
Manufacturer: Ugreen Group Limited
Address of Manufacturer: Ugreen Building, Longcheng Industrial Park, Longguanxi Road, Longhua, Shenzhen, China
Factory: Shenzhen Powerqi Technology Co., Ltd.
Address of Factory: Room 201, 302, 401 of A4 Building, Block A, Fangxing Science and Technology Park, No.13 of Baonan Road, Longgang Community, Longgang Street, Longgang District, Shenzhen City, Guangdong Province, P.R.China
Equipment Under Test (EUT):
EUT Name: 2-in-1 Magnetic Wireless Charger
Model No.: W776
P/N Code: 75248, 75248P, 75248X, 75248A, 75248B, 75248U, 75248P, 75248ZD, 75248T UGREEN
FCC ID: 2AQI5-W776
Standards: 47 CFR PART 1, Subpart I, Section 1.1310
47 CFR PART 2, Subpart J, Section 2.1091
KDB 680106 D01 Wireless Power Transfer v04
Date of Receipt: 2026-03-19
Date of Test: 2026-03-31 to 2026-04-23
Date of Issue: 2026-06-08

Test Result :	Pass*
----------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above



Keny Xu
EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300107103

Page: 2 of 14

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2026-06-08		Original

Authorized for issue by:				
		Ryong		
		Ryan Yang/Project Engineer		
		Eric Fu		
		Eric Fu/Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2 Contents

1	Cover Page	1
2	Contents	3
3	General Information.....	4
3.1	Details of E.U.T.	4
3.2	Description of Support Units	5
3.3	Test Location	6
3.4	Test Facility.....	6
3.5	Deviation from Standards	6
3.6	Abnormalities from Standard Conditions	6
4	Equipments Used during Test	7
5	Test Mode Description	9
6	Test Block Diagram	10
7	Test Results.....	11
7.1	RF Exposure test	11
7.1.1	E.U.T. Operation	11
7.1.2	Measurement Data.....	12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3 General Information

3.1 Details of E.U.T.

Power supply:	Input: 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A Wireless Charging Output Power: iPhone 25.0W Max, AirPods 5.0W Max Wireless Charging Total Output Power: 30.0W Max if input 5V, no wireless output if input 9V/12V(PD20W): iPhone 5W/7.5W/10W/15W single / AirPods 5W single if input 9V(PD27W): iPhone 5W/7.5W/10W/15W single / AirPods 5W single / iPhone 15W+AirPods 2.5W dual if input 12V(PD30W): iPhone 5W/7.5W/10W/15W single / AirPods 5W single / iPhone 15W+AirPods 5W dual if input 12V(PD36W): iPhone 5W/7.5W/10W/15W single / AirPods 5W single / iPhone 20W+AirPods 2.5W dual if input 15V(PD45W): iPhone 5W/7.5W/10W/15W/25W single / AirPods 5W single / iPhone 25W+AirPods 2.5W dual
Cable(s):	Type-C to Type-C 102cm
Operation frequency:	Output 1: 128.00-130.00 kHz for 5W/7.5W/10W 356.64-369.84 kHz for 15W/25W Output 2: 114.20-147.40 kHz for 2.5W/5W
Modulation type:	Load modulation
Antenna type:	Loop Antenna

Remark : The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

3.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Type-C Cable	SGS	N/A	REF. No.SEA07B00
USB Cable	PHILIPS	SWR2101	REF. No.SEA07C00
Earphone	SENNHEISER	MX 375 EAST	REF. No.SEA10B01
Load Resistor	SGS	N/A	REF. No.SEA06A00
Mobile Phone	Xiaomi	2201122C	REF. No.SEA16N01
Adapter	HONOR	HN-200500CP0	REF. No.SEA05R03H
Watch	Apple	Series 5	REF. No.SEA32A00
Watch	Apple	A2474	REF. No.SEA32A01

3.3 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

3.5 Deviation from Standards

None.

3.6 Abnormalities from Standard Conditions

None.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区W-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4 Equipments Used during Test

Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Due date
1	3m Fully-Anechoic Chamber	AUDIX	N/A	SEM001-02	2026/05/09
2	MAGPy-8H3D+E3D	SPEAG	MAGPy	SEM060-31	2027/03/15
3	MAGPy-DAS	SPEAG	MAGPy	SEM060-32	2027/03/15

Probe parameter:


Parameter	Specs
PROBE DESIGN	
Diameter	60 mm
8 isotropic <i>H</i> -field sensors	concentric loops of 1 cm ² arranged at the corner of a cube of 22 mm side length
1 isotropic <i>E</i> -field sensor	orthogonal dipole/monopole (arm length: 50 mm)
Measurement center	18.5 mm from the probe tip
Temperature range	0-40 °C
Dimensions	110 × 635 × 35 mm (MAGPy-8H3D+E3D V2 & MAGPy-DAS V2)
<i>H</i>-FIELD SPECIFICATION	
Frequency range	3 kHz-10 MHz
Measurement range	0.1-3200 A/m, 0.12 μT-4 mT
Gradient range	0-80 T/m/T
<i>E</i>-FIELD SPECIFICATION	
Frequency range	3 kHz-10 MHz
Measurement range	0.08-2000 V/m



5 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	00	input 5V Operation:No wireless output, verify no RF emission
Pre-scan	01	input 9V/12V Operation:Keep the EUT pairing with iPhone(Output 1 :5W).
Pre-scan	02	input 9V/12V Operation:Keep the EUT pairing with iPhone(Output 1 :7.5W).
Pre-scan	03	input 9V/12V Operation:Keep the EUT pairing with iPhone(Output 1 :10W).
Pre-scan	04	input 9V/12V Operation:Keep the EUT pairing with iPhone(Output 1 :15W).
Pre-scan	05	input 15V Operation:Keep the EUT pairing with iPhone(Output 1 :25W).
Pre-scan	06	input 9V/12V/15V Operation:Keep the EUT pairing with AirPods(Output 2 :2.5W).
Pre-scan	07	input 9V/12V/15V Operation:Keep the EUT pairing with AirPods(Output 2 :5W).
Pre-scan	08	input 9V(PD27W) Operation:Keep the EUT pairing with iPhone(5W/7.5W/10W/15W)+AirPods(Output 2 :2.5W).
Pre-scan	09	input 12V(PD30W) Operation:Keep the EUT pairing with iPhone(5W/7.5W/10W/15W)+AirPods(Output 2 :5W).
Pre-scan	10	input 12V(PD36W) Operation:Keep the EUT pairing with iPhone(5W/7.5W/10W/15W/20W)+AirPods(Output 2 :2.5W).
Final test	11	input 15V(PD45W) Operation:Keep the EUT pairing with iPhone(5W/7.5W/10W/15W/20W/25W)+AirPods(Output 2 :5W).
Pre-scan	12	Standby mode Keep the EUT standby(Operation)

6 Test Block Diagram



Remark:

- 1 The RF exposure test is performed in the anechoic chamber.
- 2 The test distance is 20cm from the center of the probe along all three axes of the device.

7 Test Results

7.1 RF Exposure test

Test Requirement: 47 CFR PART 1, Subpart I, Section 1.1310

Measurement Distance: 20cm

Test Engineer: Roger Chen

Limit:

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(A) Limits for Occupational/Controlled Exposures				
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/f	4.89/f	*(900/f ²)	6
30-300	61.4	0.163	1.0	6
300-1500	/	/	f/300	6
1500-100,000	/	/	5	6
(B) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

F=frequency in MHz
*=Plane-wave equivalent power density
RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300KHz in Table 1 of 1.1310(use the 300KHz limits for 150KHz:614V/m,1.63A/m).

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 42.3 % RH Atmospheric Pressure: 1020 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.1.2 Measurement Data

Operating Frequency: 0.129MHz

Electric Field Emissions

Operation Frequency (KHz)	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	Limit (V/m)	Verdict
129.00	20	Side 1	0.740	614.000	Pass
129.00		Side 2	1.520	614.000	Pass
129.00		Side 3	0.580	614.000	Pass
129.00		Side 4	0.720	614.000	Pass
129.00		Top	2.970	614.000	Pass

Magnetic Field Emissions

Operation Frequency (KHz)	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	Limit (A/m)	Verdict
129.00	20	Side 1	0.030	1.630	Pass
129.00		Side 2	0.030	1.630	Pass
129.00		Side 3	0.036	1.630	Pass
129.00		Side 4	0.031	1.630	Pass
129.00		Top	0.080	1.630	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/2

Report No.: SZCR260300107103

Page: 13 of 14

Operating Frequency: 0.147MHz

Electric Field Emissions

Operation Frequency (KHz)	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	Limit (V/m)	Verdict
147.00	20	Side 1	0.500	614.000	Pass
147.00		Side 2	0.640	614.000	Pass
147.00		Side 3	0.330	614.000	Pass
147.00		Side 4	0.360	614.000	Pass
147.00		Top	1.010	614.000	Pass

Magnetic Field Emissions

Operation Frequency (KHz)	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	Limit (A/m)	Verdict
147.00	20	Side 1	0.030	1.630	Pass
147.00		Side 2	0.020	1.630	Pass
147.00		Side 3	0.020	1.630	Pass
147.00		Side 4	0.021	1.630	Pass
147.00		Top	0.050	1.630	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Operating Frequency: 0.360MHz

Electric Field Emissions

Operation Frequency (KHz)	Test Distance (cm)	Test Position	Probe Measure Result (V/m)	Limit (V/m)	Verdict
360.00	20	Side 1	0.610	614.000	Pass
360.00		Side 2	0.480	614.000	Pass
360.00		Side 3	0.790	614.000	Pass
360.00		Side 4	0.650	614.000	Pass
360.00		Top	1.150	614.000	Pass

Magnetic Field Emissions

Operation Frequency (KHz)	Test Distance (cm)	Test Position	Probe Measure Result (A/m)	Limit (A/m)	Verdict
360.00	20	Side 1	0.004	1.630	Pass
360.00		Side 2	0.003	1.630	Pass
360.00		Side 3	0.005	1.630	Pass
360.00		Side 4	0.005	1.630	Pass
360.00		Top	0.005	1.630	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com