


30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	44.744	16.63	-24.47	40.0	23.37	Peak	336.20	100	Vertical	Pass
2	66.715	15.87	-27.14	40.0	24.13	Peak	172.00	100	Vertical	Pass
3	82.089	19.39	-30.24	40.0	20.61	Peak	134.60	100	Vertical	Pass
4	125.011	16.84	-27.76	43.5	26.66	Peak	179.00	100	Vertical	Pass
5	249.996	23.30	-22.80	46.0	22.70	Peak	126.20	100	Vertical	Pass
6	375.029	22.95	-19.33	46.0	23.05	Peak	179.00	100	Vertical	Pass


Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

Left Ear

GFSK (BLE 1Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.300	44.98	74.0	29.02	Peak	320.00	300	Horizontal	Pass
1**	1436.300	34.71	54.0	19.29	AV	320.00	300	Horizontal	Pass
2	2402.000	97.85	74.0	-23.85	Peak	22.00	200	Horizontal	N/A
2**	2402.000	96.81	54.0	-42.81	AV	22.00	200	Horizontal	N/A
3	4949.000	49.72	74.0	24.28	Peak	360.00	100	Horizontal	Pass
3**	4949.000	40.93	54.0	13.07	AV	360.00	100	Horizontal	Pass
4	7991.750	55.53	74.0	18.47	Peak	31.00	400	Horizontal	Pass
4**	7991.750	46.77	54.0	7.23	AV	31.00	400	Horizontal	Pass
5	12327.725	50.81	74.0	23.19	Peak	303.00	400	Horizontal	Pass
5**	12327.725	40.54	54.0	13.46	AV	303.00	400	Horizontal	Pass
6	17334.036	54.18	74.0	19.82	Peak	304.00	400	Horizontal	Pass
6**	17334.036	45.78	54.0	8.22	AV	304.00	400	Horizontal	Pass

GFSK (BLE 1Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.600	52.37	74.0	21.63	Peak	72.00	400	Vertical	Pass
1**	1165.600	37.31	54.0	16.69	AV	72.00	400	Vertical	Pass
2	2402.100	91.17	74.0	-17.17	Peak	93.00	150	Vertical	N/A
2**	2402.100	90.65	54.0	-36.65	AV	93.00	150	Vertical	N/A
3	4980.750	49.57	74.0	24.43	Peak	142.00	100	Vertical	Pass
3**	4980.750	41.44	54.0	12.56	AV	142.00	100	Vertical	Pass
4	7917.000	55.32	74.0	18.68	Peak	173.00	300	Vertical	Pass
4**	7917.000	46.97	54.0	7.03	AV	173.00	300	Vertical	Pass
5	12009.713	50.90	74.0	23.10	Peak	310.00	200	Vertical	Pass
5**	12009.713	43.29	54.0	10.71	AV	310.00	200	Vertical	Pass
6	17439.824	53.66	74.0	20.34	Peak	243.00	100	Vertical	Pass
6**	17439.824	45.24	54.0	8.76	AV	243.00	100	Vertical	Pass

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1274.200	44.76	74.0	29.24	Peak	339.00	300	Horizontal	Pass
1**	1274.200	35.24	54.0	18.76	AV	339.00	300	Horizontal	Pass
2	2440.000	95.23	74.0	-21.23	Peak	21.00	150	Horizontal	N/A
2**	2440.000	94.44	54.0	-40.44	AV	21.00	150	Horizontal	N/A
3	4866.500	50.27	74.0	23.73	Peak	305.00	100	Horizontal	Pass
3**	4866.500	41.12	54.0	12.88	AV	305.00	100	Horizontal	Pass
4	7930.500	56.06	74.0	17.94	Peak	99.00	300	Horizontal	Pass
4**	7930.500	45.11	54.0	8.89	AV	99.00	300	Horizontal	Pass
5	12430.088	49.77	74.0	24.23	Peak	207.00	400	Horizontal	Pass
5**	12430.088	39.61	54.0	14.39	AV	207.00	400	Horizontal	Pass
6	17351.625	53.49	74.0	20.51	Peak	271.00	200	Horizontal	Pass
6**	17351.625	44.73	54.0	9.27	AV	271.00	200	Horizontal	Pass

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.100	49.99	74.0	24.01	Peak	65.00	200	Vertical	Pass
1**	1163.100	42.31	54.0	11.69	AV	65.00	200	Vertical	Pass
2	2439.800	89.31	74.0	-15.31	Peak	122.00	150	Vertical	N/A
2**	2439.800	88.22	54.0	-34.22	AV	122.00	150	Vertical	N/A
3	4844.250	49.63	74.0	24.37	Peak	141.00	200	Vertical	Pass
3**	4844.250	40.62	54.0	13.38	AV	141.00	200	Vertical	Pass
4	7794.250	55.55	74.0	18.45	Peak	315.00	400	Vertical	Pass
4**	7794.250	45.97	54.0	8.03	AV	315.00	400	Vertical	Pass
5	12710.100	50.23	74.0	23.77	Peak	323.00	300	Vertical	Pass
5**	12710.100	40.59	54.0	13.41	AV	323.00	300	Vertical	Pass
6	17348.739	54.05	74.0	19.95	Peak	224.00	300	Vertical	Pass
6**	17348.739	44.57	54.0	9.43	AV	224.00	300	Vertical	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1018.100	44.96	74.0	29.04	Peak	127.00	400	Horizontal	Pass
1**	1018.100	35.57	54.0	18.43	AV	127.00	400	Horizontal	Pass
2	2480.200	93.30	74.0	-19.30	Peak	23.00	100	Horizontal	N/A
2**	2480.200	92.56	54.0	-38.56	AV	23.00	100	Horizontal	N/A
3	4714.750	49.67	74.0	24.33	Peak	305.00	100	Horizontal	Pass
3**	4714.750	40.25	54.0	13.75	AV	305.00	100	Horizontal	Pass
4	7871.000	55.71	74.0	18.29	Peak	86.00	200	Horizontal	Pass
4**	7871.000	46.13	54.0	7.87	AV	86.00	200	Horizontal	Pass
5	12358.838	51.17	74.0	22.83	Peak	8.00	300	Horizontal	Pass
5**	12358.838	40.32	54.0	13.68	AV	8.00	300	Horizontal	Pass
6	17330.362	53.64	74.0	20.36	Peak	290.00	100	Horizontal	Pass
6**	17330.362	43.75	54.0	10.25	AV	290.00	100	Horizontal	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.500	50.12	74.0	23.88	Peak	42.00	100	Vertical	Pass
1**	1162.500	36.79	54.0	17.21	AV	42.00	100	Vertical	Pass
2	2479.800	90.49	74.0	-16.49	Peak	96.00	150	Vertical	N/A
2**	2479.800	89.05	54.0	-35.05	AV	96.00	150	Vertical	N/A
3	4900.500	49.62	74.0	24.38	Peak	135.00	200	Vertical	Pass
3**	4900.500	39.84	54.0	14.16	AV	135.00	200	Vertical	Pass
4	7871.750	55.41	74.0	18.59	Peak	249.00	300	Vertical	Pass
4**	7871.750	45.42	54.0	8.58	AV	249.00	300	Vertical	Pass
5	12564.750	49.85	74.0	24.15	Peak	220.00	300	Vertical	Pass
5**	12564.750	40.13	54.0	13.87	AV	220.00	300	Vertical	Pass
6	17346.114	54.56	74.0	19.44	Peak	110.00	200	Vertical	Pass
6**	17346.114	44.72	54.0	9.28	AV	110.00	200	Vertical	Pass

GFSK (BLE 2Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	47.01	74.0	26.99	Peak	140.00	150	Horizontal	Pass
1**	1000.000	40.14	54.0	13.86	AV	140.00	150	Horizontal	Pass
2	2403.500	97.35	74.0	-23.35	Peak	21.00	100	Horizontal	N/A
2**	2403.500	93.24	54.0	-39.24	AV	21.00	100	Horizontal	N/A
3	4628.000	49.78	74.0	24.22	Peak	208.00	150	Horizontal	Pass
3**	4628.000	39.09	54.0	14.91	AV	208.00	150	Horizontal	Pass
4	7610.000	55.35	74.0	18.65	Peak	189.00	200	Horizontal	Pass
4**	7610.000	46.07	54.0	7.93	AV	189.00	200	Horizontal	Pass
5	11792.638	49.96	74.0	24.04	Peak	331.00	300	Horizontal	Pass
5**	11792.638	40.35	54.0	13.65	AV	331.00	300	Horizontal	Pass
6	17361.338	53.32	74.0	20.68	Peak	241.00	100	Horizontal	Pass
6**	17361.338	44.69	54.0	9.31	AV	241.00	100	Horizontal	Pass

GFSK (BLE 2Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.700	49.64	74.0	24.36	Peak	45.00	300	Vertical	Pass
1**	1162.700	39.49	54.0	14.51	AV	45.00	300	Vertical	Pass
2	2404.300	92.35	74.0	-18.35	Peak	98.00	150	Vertical	N/A
2**	2404.300	89.56	54.0	-35.56	AV	98.00	150	Vertical	N/A
3	4759.500	50.11	74.0	23.89	Peak	356.00	150	Vertical	Pass
3**	4759.500	40.60	54.0	13.40	AV	356.00	150	Vertical	Pass
4	7986.250	55.63	74.0	18.37	Peak	360.00	100	Vertical	Pass
4**	7986.250	47.52	54.0	6.48	AV	360.00	100	Vertical	Pass
5	9990.487	51.44	74.0	22.56	Peak	107.00	400	Vertical	Pass
5**	9990.487	38.99	54.0	15.01	AV	107.00	400	Vertical	Pass
6	17069.176	53.31	74.0	20.69	Peak	94.00	200	Vertical	Pass
6**	17069.176	43.91	54.0	10.09	AV	94.00	200	Vertical	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	45.12	74.0	28.88	Peak	358.00	400	Horizontal	Pass
1**	1329.400	36.24	54.0	17.76	AV	358.00	400	Horizontal	Pass
2	2439.500	95.14	74.0	-21.14	Peak	21.00	100	Horizontal	N/A
2**	2439.500	92.12	54.0	-38.12	AV	21.00	100	Horizontal	N/A
3	4978.500	50.34	74.0	23.66	Peak	243.00	100	Horizontal	Pass
3**	4978.500	41.18	54.0	12.82	AV	243.00	100	Horizontal	Pass
4	7907.750	55.60	74.0	18.40	Peak	325.00	100	Horizontal	Pass
4**	7907.750	46.41	54.0	7.59	AV	325.00	100	Horizontal	Pass
5	12171.450	49.85	74.0	24.15	Peak	107.00	300	Horizontal	Pass
5**	12171.450	41.30	54.0	12.70	AV	107.00	300	Horizontal	Pass
6	17447.963	53.42	74.0	20.58	Peak	47.00	300	Horizontal	Pass
6**	17447.963	45.05	54.0	8.95	AV	47.00	300	Horizontal	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD), FCC Part 15C, FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.800	50.95	74.0	23.05	Peak	65.00	300	Vertical	Pass
1**	1166.800	38.77	54.0	15.23	AV	65.00	300	Vertical	Pass
2	2440.500	89.46	74.0	-15.46	Peak	96.00	150	Vertical	N/A
2**	2440.500	87.10	54.0	-33.10	AV	96.00	150	Vertical	N/A
3	4911.500	49.98	74.0	24.02	Peak	1.00	100	Vertical	Pass
3**	4911.500	40.13	54.0	13.87	AV	1.00	100	Vertical	Pass
4	7922.500	55.62	74.0	18.38	Peak	115.00	100	Vertical	Pass
4**	7922.500	46.36	54.0	7.64	AV	115.00	100	Vertical	Pass
5	9998.325	52.93	74.0	21.07	Peak	107.00	400	Vertical	Pass
5**	9998.325	39.08	54.0	14.92	AV	107.00	400	Vertical	Pass
6	17455.575	53.15	74.0	20.85	Peak	323.00	200	Vertical	Pass
6**	17455.575	44.11	54.0	9.89	AV	323.00	200	Vertical	Pass

GFSK (BLE 2Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.600	45.80	74.0	28.20	Peak	334.00	300	Horizontal	Pass
1**	1568.600	35.08	54.0	18.92	AV	334.00	300	Horizontal	Pass
2	2477.600	93.26	74.0	-19.26	Peak	36.00	200	Horizontal	N/A
2**	2477.600	90.59	54.0	-36.59	AV	36.00	200	Horizontal	N/A
3	4885.000	49.57	74.0	24.43	Peak	201.00	100	Horizontal	Pass
3**	4885.000	40.08	54.0	13.92	AV	201.00	100	Horizontal	Pass
4	7680.500	55.71	74.0	18.29	Peak	170.00	100	Horizontal	Pass
4**	7680.500	46.88	54.0	7.12	AV	170.00	100	Horizontal	Pass
5	11695.974	50.27	74.0	23.73	Peak	0.00	200	Horizontal	Pass
5**	11695.974	40.05	54.0	13.95	AV	0.00	200	Horizontal	Pass
6	17379.975	53.62	74.0	20.38	Peak	81.00	100	Horizontal	Pass
6**	17379.975	43.50	54.0	10.50	AV	81.00	100	Horizontal	Pass

GFSK (BLE 2Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT V

RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	49.73	74.0	24.27	Peak	111.00	200	Vertical	Pass
1**	1328.800	42.20	54.0	11.80	AV	111.00	200	Vertical	Pass
2	2478.000	90.45	74.0	-16.45	Peak	126.00	200	Vertical	N/A
2**	2478.000	88.46	54.0	-34.46	AV	126.00	200	Vertical	N/A
3	4904.250	49.63	74.0	24.37	Peak	16.00	200	Vertical	Pass
3**	4904.250	39.98	54.0	14.02	AV	16.00	200	Vertical	Pass
4	7916.750	55.57	74.0	18.43	Peak	357.00	200	Vertical	Pass
4**	7916.750	46.77	54.0	7.23	AV	357.00	200	Vertical	Pass
5	11756.300	50.10	74.0	23.90	Peak	244.00	300	Vertical	Pass
5**	11756.300	39.94	54.0	14.06	AV	244.00	300	Vertical	Pass
6	17354.512	54.39	74.0	19.61	Peak	8.00	300	Vertical	Pass
6**	17354.512	44.99	54.0	9.01	AV	8.00	300	Vertical	Pass

Right Ear

GFSK (BLE 1Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.300	46.10	74.0	27.90	Peak	130.00	200	Horizontal	Pass
1**	1000.300	34.78	54.0	19.22	AV	130.00	200	Horizontal	Pass
2	2402.200	92.28	74.0	-18.28	Peak	287.00	100	Horizontal	N/A
2**	2402.200	91.38	54.0	-37.38	AV	287.00	100	Horizontal	N/A
3	4964.750	49.70	74.0	24.30	Peak	359.00	200	Horizontal	Pass
3**	4964.750	40.67	54.0	13.33	AV	359.00	200	Horizontal	Pass
4	7939.750	55.65	74.0	18.35	Peak	148.00	400	Horizontal	Pass
4**	7939.750	46.19	54.0	7.81	AV	148.00	400	Horizontal	Pass
5	12175.487	50.69	74.0	23.31	Peak	235.00	100	Horizontal	Pass
5**	12175.487	41.17	54.0	12.83	AV	235.00	100	Horizontal	Pass
6	17350.050	53.00	74.0	21.00	Peak	234.00	400	Horizontal	Pass
6**	17350.050	44.58	54.0	9.42	AV	234.00	400	Horizontal	Pass

GFSK (BLE 1Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.100	50.54	74.0	23.46	Peak	21.00	100	Vertical	Pass
1**	1165.100	41.95	54.0	12.05	AV	21.00	100	Vertical	Pass
2	2401.700	85.92	74.0	-11.92	Peak	125.00	100	Vertical	N/A
2**	2401.700	83.82	54.0	-29.82	AV	125.00	100	Vertical	N/A
3	4903.000	50.15	74.0	23.85	Peak	340.00	200	Vertical	Pass
3**	4903.000	40.20	54.0	13.80	AV	340.00	200	Vertical	Pass
4	7609.750	56.34	74.0	17.66	Peak	115.00	300	Vertical	Pass
4**	7609.750	45.93	54.0	8.07	AV	115.00	300	Vertical	Pass
5	9961.750	52.75	74.0	21.25	Peak	112.00	200	Vertical	Pass
5**	9961.750	39.86	54.0	14.14	AV	112.00	200	Vertical	Pass
6	17498.100	54.33	74.0	19.67	Peak	182.00	300	Vertical	Pass
6**	17498.100	44.24	54.0	9.76	AV	182.00	300	Vertical	Pass

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1269.100	44.71	74.0	29.29	Peak	326.00	100	Horizontal	Pass
1**	1269.100	35.38	54.0	18.62	AV	326.00	100	Horizontal	Pass
2	2440.000	89.62	74.0	-15.62	Peak	289.00	200	Horizontal	N/A
2**	2440.000	88.46	54.0	-34.46	AV	289.00	200	Horizontal	N/A
3	4984.250	49.88	74.0	24.12	Peak	156.00	200	Horizontal	Pass
3**	4984.250	41.42	54.0	12.58	AV	156.00	200	Horizontal	Pass
4	7994.000	56.30	74.0	17.70	Peak	207.00	300	Horizontal	Pass
4**	7994.000	46.56	54.0	7.44	AV	207.00	300	Horizontal	Pass
5	12447.901	50.24	74.0	23.76	Peak	209.00	200	Horizontal	Pass
5**	12447.901	40.63	54.0	13.37	AV	209.00	200	Horizontal	Pass
6	17357.400	53.43	74.0	20.57	Peak	170.00	300	Horizontal	Pass
6**	17357.400	44.66	54.0	9.34	AV	170.00	300	Horizontal	Pass

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.500	48.96	74.0	25.04	Peak	58.00	100	Vertical	Pass
1**	1166.500	39.40	54.0	14.60	AV	58.00	100	Vertical	Pass
2	2439.800	81.17	74.0	-7.17	Peak	339.00	200	Vertical	N/A
2**	2439.800	79.43	54.0	-25.43	AV	339.00	200	Vertical	N/A
3	5064.750	51.28	74.0	22.72	Peak	44.00	150	Vertical	Pass
3**	5064.750	41.07	54.0	12.93	AV	44.00	150	Vertical	Pass
4	7988.750	56.36	74.0	17.64	Peak	358.00	200	Vertical	Pass
4**	7988.750	47.09	54.0	6.91	AV	358.00	200	Vertical	Pass
5	12462.151	50.05	74.0	23.95	Peak	197.00	400	Vertical	Pass
5**	12462.151	40.22	54.0	13.78	AV	197.00	400	Vertical	Pass
6	17350.838	53.09	74.0	20.91	Peak	350.00	300	Vertical	Pass
6**	17350.838	44.69	54.0	9.31	AV	350.00	300	Vertical	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1030.700	44.86	74.0	29.14	Peak	124.00	300	Horizontal	Pass
1**	1030.700	33.47	54.0	20.53	AV	124.00	300	Horizontal	Pass
2	2480.000	89.91	74.0	-15.91	Peak	65.00	150	Horizontal	N/A
2**	2480.000	89.02	54.0	-35.02	AV	65.00	150	Horizontal	N/A
3	4983.000	50.67	74.0	23.33	Peak	10.00	200	Horizontal	Pass
3**	4983.000	41.56	54.0	12.44	AV	10.00	200	Horizontal	Pass
4	7986.250	55.19	74.0	18.81	Peak	67.00	300	Horizontal	Pass
4**	7986.250	46.78	54.0	7.22	AV	67.00	300	Horizontal	Pass
5	12153.875	50.45	74.0	23.55	Peak	39.00	300	Horizontal	Pass
5**	12153.875	41.36	54.0	12.64	AV	39.00	300	Horizontal	Pass
6	17350.838	53.80	74.0	20.20	Peak	237.00	400	Horizontal	Pass
6**	17350.838	45.01	54.0	8.99	AV	237.00	400	Horizontal	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.600	49.20	74.0	24.80	Peak	35.00	200	Vertical	Pass
1**	1163.600	38.92	54.0	15.08	AV	35.00	200	Vertical	Pass
2	2480.200	84.57	74.0	-10.57	Peak	132.00	200	Vertical	N/A
2**	2480.200	83.63	54.0	-29.63	AV	132.00	200	Vertical	N/A
3	4993.750	49.91	74.0	24.09	Peak	129.00	100	Vertical	Pass
3**	4993.750	40.88	54.0	13.12	AV	129.00	100	Vertical	Pass
4	7939.750	55.82	74.0	18.18	Peak	274.00	300	Vertical	Pass
4**	7939.750	45.94	54.0	8.06	AV	274.00	300	Vertical	Pass
5	12152.925	50.33	74.0	23.67	Peak	132.00	100	Vertical	Pass
5**	12152.925	40.93	54.0	13.07	AV	132.00	100	Vertical	Pass
6	17454.787	53.63	74.0	20.37	Peak	103.00	300	Vertical	Pass
6**	17454.787	44.65	54.0	9.35	AV	103.00	300	Vertical	Pass

GFSK (BLE 2Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1428.300	44.39	74.0	29.61	Peak	279.00	200	Horizontal	Pass
1**	1428.300	34.92	54.0	19.08	AV	279.00	200	Horizontal	Pass
2	2404.400	91.76	74.0	-17.76	Peak	13.00	200	Horizontal	N/A
2**	2404.400	89.22	54.0	-35.22	AV	13.00	200	Horizontal	N/A
3	4989.000	49.40	74.0	24.60	Peak	284.00	200	Horizontal	Pass
3**	4989.000	40.55	54.0	13.45	AV	284.00	200	Horizontal	Pass
4	7244.750	54.69	74.0	19.31	Peak	122.00	150	Horizontal	Pass
4**	7244.750	45.31	54.0	8.69	AV	122.00	150	Horizontal	Pass
5	12345.538	50.50	74.0	23.50	Peak	168.00	100	Horizontal	Pass
5**	12345.538	40.59	54.0	13.41	AV	168.00	100	Horizontal	Pass
6	17342.964	53.48	74.0	20.52	Peak	283.00	200	Horizontal	Pass
6**	17342.964	43.75	54.0	10.25	AV	283.00	200	Horizontal	Pass

GFSK (BLE 2Mbps) LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.300	49.16	74.0	24.84	Peak	73.00	300	Vertical	Pass
1**	1162.300	38.50	54.0	15.50	AV	73.00	300	Vertical	Pass
2	2404.100	84.49	74.0	-10.49	Peak	346.00	100	Vertical	N/A
2**	2404.100	83.86	54.0	-29.86	AV	346.00	100	Vertical	N/A
3	4973.250	49.90	74.0	24.10	Peak	24.00	200	Vertical	Pass
3**	4973.250	41.03	54.0	12.97	AV	24.00	200	Vertical	Pass
4	7996.000	55.36	74.0	18.64	Peak	108.00	100	Vertical	Pass
4**	7996.000	46.36	54.0	7.64	AV	108.00	100	Vertical	Pass
5	12236.526	50.37	74.0	23.63	Peak	238.00	100	Vertical	Pass
5**	12236.526	41.15	54.0	12.85	AV	238.00	100	Vertical	Pass
6	17466.599	53.74	74.0	20.26	Peak	9.00	300	Vertical	Pass
6**	17466.599	44.56	54.0	9.44	AV	9.00	300	Vertical	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1385.700	45.02	74.0	28.98	Peak	145.00	400	Horizontal	Pass
1**	1385.700	35.30	54.0	18.70	AV	145.00	400	Horizontal	Pass
2	2440.400	89.06	74.0	-15.06	Peak	315.00	150	Horizontal	N/A
2**	2440.400	86.66	54.0	-32.66	AV	315.00	150	Horizontal	N/A
3	4974.000	49.71	74.0	24.29	Peak	1.00	150	Horizontal	Pass
3**	4974.000	40.35	54.0	13.65	AV	1.00	150	Horizontal	Pass
4	7322.750	54.59	74.0	19.41	Peak	91.00	150	Horizontal	Pass
4**	7322.750	45.21	54.0	8.79	AV	91.00	150	Horizontal	Pass
5	12565.463	50.24	74.0	23.76	Peak	340.00	300	Horizontal	Pass
5**	12565.463	40.66	54.0	13.34	AV	340.00	300	Horizontal	Pass
6	17365.012	52.49	74.0	21.51	Peak	264.00	100	Horizontal	Pass
6**	17365.012	43.74	54.0	10.26	AV	264.00	100	Horizontal	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD), FCC Part 15C, FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.100	50.53	74.0	23.47	Peak	230.00	400	Vertical	Pass
1**	1166.100	36.91	54.0	17.09	AV	230.00	400	Vertical	Pass
2	2440.400	84.29	74.0	-10.29	Peak	290.00	200	Vertical	N/A
2**	2440.400	82.25	54.0	-28.25	AV	290.00	200	Vertical	N/A
3	4960.000	49.36	74.0	24.64	Peak	168.00	150	Vertical	Pass
3**	4960.000	40.74	54.0	13.26	AV	168.00	150	Vertical	Pass
4	7989.250	55.14	74.0	18.86	Peak	360.00	400	Vertical	Pass
4**	7989.250	46.30	54.0	7.70	AV	360.00	400	Vertical	Pass
5	9970.775	51.84	74.0	22.16	Peak	114.00	300	Vertical	Pass
5**	9970.775	38.78	54.0	15.22	AV	114.00	300	Vertical	Pass
6	17347.949	53.26	74.0	20.74	Peak	60.00	100	Vertical	Pass
6**	17347.949	44.00	54.0	10.00	AV	60.00	100	Vertical	Pass

GFSK (BLE 2Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.000	44.59	74.0	29.41	Peak	86.00	400	Horizontal	Pass
1**	1590.000	35.01	54.0	18.99	AV	86.00	400	Horizontal	Pass
2	2478.100	89.20	74.0	-15.20	Peak	19.00	100	Horizontal	N/A
2**	2478.100	87.73	54.0	-33.73	AV	19.00	100	Horizontal	N/A
3	4880.000	50.04	74.0	23.96	Peak	184.00	200	Horizontal	Pass
3**	4880.000	39.73	54.0	14.27	AV	184.00	200	Horizontal	Pass
4	7368.500	54.77	74.0	19.23	Peak	72.00	150	Horizontal	Pass
4**	7368.500	45.38	54.0	8.62	AV	72.00	150	Horizontal	Pass
5	12393.275	50.39	74.0	23.61	Peak	176.00	300	Horizontal	Pass
5**	12393.275	40.20	54.0	13.80	AV	176.00	300	Horizontal	Pass
6	17349.526	52.75	74.0	21.25	Peak	178.00	100	Horizontal	Pass
6**	17349.526	43.89	54.0	10.11	AV	178.00	100	Horizontal	Pass

GFSK (BLE 2Mbps) HIGH CHANNEL 1 GHz to 18 GHz, ANT V

RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.100	50.36	74.0	23.64	Peak	57.00	100	Vertical	Pass
1**	1164.100	39.80	54.0	14.20	AV	57.00	100	Vertical	Pass
2	2477.900	84.46	74.0	-10.46	Peak	126.00	200	Vertical	N/A
2**	2477.900	83.71	54.0	-29.71	AV	126.00	200	Vertical	N/A
3	4972.500	49.63	74.0	24.37	Peak	98.00	200	Vertical	Pass
3**	4972.500	41.06	54.0	12.94	AV	98.00	200	Vertical	Pass
4	7924.750	56.10	74.0	17.90	Peak	16.00	200	Vertical	Pass
4**	7924.750	46.61	54.0	7.39	AV	16.00	200	Vertical	Pass
5	9967.450	51.61	74.0	22.39	Peak	112.00	200	Vertical	Pass
5**	9967.450	38.73	54.0	15.27	AV	112.00	200	Vertical	Pass
6	17446.912	53.28	74.0	20.72	Peak	9.00	100	Vertical	Pass
6**	17446.912	44.77	54.0	9.23	AV	9.00	100	Vertical	Pass

5.8 Band Edge (Restricted-band band-edge)

5.8.1 Limit

FCC §15.209&15.247(d)

Radiated emission outside the frequency band attenuation below the general limits specified in FCC section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in FCC section 15.205(a), must also comply with the radiated emission limits specified in FCC section 15.209(a).

5.8.2 Test Setup

See section 4.5.3 to 4.5.5 for test setup description for the antenna port. The photo of test setup please refer to ANNEX A.

5.8.3 Test Procedure

The measurement frequency range is from 9 kHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW $\geq$ RBW

Sweep = auto

Detector function = peak

Trace = max hold

For measurement below 1GHz, If the emission level of the EUT measured by the peak detector is 3 dB lower than the applicable limit, the peak emission level will be reported, Otherwise, the emission measurement will be repeated using the quasi-peak detector and reported.

For transmitters operating above 1 GHz repeat the measurement with an average detector.

5.8.4 Test Result

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Left Ear

GFSK (BLE 1Mbps) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2343.833	56.80	74.0	17.20	Peak	3.00	150	Horizontal	Pass
1**	2343.833	43.84	54.0	10.16	AV	3.00	150	Horizontal	Pass
2	2389.833	54.47	74.0	19.53	Peak	87.00	150	Horizontal	Pass
2**	2389.833	43.70	54.0	10.30	AV	87.00	150	Horizontal	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.65	74.0	19.35	Peak	238.00	150	Horizontal	Pass
1**	2483.500	44.09	54.0	9.91	AV	238.00	150	Horizontal	Pass
2	2497.000	56.09	74.0	17.91	Peak	0.00	150	Horizontal	Pass
2**	2497.000	44.18	54.0	9.82	AV	0.00	150	Horizontal	Pass

GFSK (BLE 2Mbps) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2333.833	55.90	74.0	18.10	Peak	73.00	200	Horizontal	Pass
1**	2333.833	43.59	54.0	10.41	AV	73.00	200	Horizontal	Pass
2	2389.833	54.54	74.0	19.46	Peak	73.00	100	Horizontal	Pass
2**	2389.833	43.67	54.0	10.33	AV	73.00	100	Horizontal	Pass


GFSK (BLE 2Mbps) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	55.18	74.0	18.82	Peak	26.00	100	Horizontal	Pass
1**	2483.550	43.98	54.0	10.02	AV	26.00	100	Horizontal	Pass
2	2485.050	56.62	74.0	17.38	Peak	32.00	200	Horizontal	Pass
2**	2485.050	43.92	54.0	10.08	AV	32.00	200	Horizontal	Pass


Right Ear

GFSK (BLE 1Mbps) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2357.667	56.43	74.0	17.57	Peak	130.00	150	Horizontal	Pass
1**	2357.667	43.67	54.0	10.33	AV	130.00	150	Horizontal	Pass
2	2389.833	55.02	74.0	18.98	Peak	0.00	150	Horizontal	Pass
2**	2389.833	43.66	54.0	10.34	AV	0.00	150	Horizontal	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	55.34	74.0	18.66	Peak	189.00	100	Horizontal	Pass
1**	2483.550	43.78	54.0	10.22	AV	189.00	100	Horizontal	Pass
2	2498.600	56.22	74.0	17.78	Peak	119.00	100	Horizontal	Pass
2**	2498.600	43.91	54.0	10.09	AV	119.00	100	Horizontal	Pass

GFSK (BLE 2Mbps) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2379.833	56.11	74.0	17.89	Peak	266.00	200	Horizontal	Pass
1**	2379.833	43.31	54.0	10.69	AV	266.00	200	Horizontal	Pass
2	2389.833	54.48	74.0	19.52	Peak	109.00	200	Horizontal	Pass
2**	2389.833	43.51	54.0	10.49	AV	109.00	200	Horizontal	Pass

GFSK (BLE 2Mbps) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	54.91	74.0	19.09	Peak	295.00	200	Horizontal	Pass
1**	2483.550	43.97	54.0	10.03	AV	295.00	200	Horizontal	Pass
2	2483.900	55.73	74.0	18.27	Peak	0.00	150	Horizontal	Pass
2**	2483.900	43.84	54.0	10.16	AV	0.00	150	Horizontal	Pass

5.9 Power Spectral density (PSD)

5.9.1 Limit

FCC §15.247(e)

The same method of determining the conducted output power shall be used to determine the power spectral density. If a peak output power is measured, then a peak power spectral density measurement is required. If an average output power is measured, then an average power spectral density measurement should be used.

The transmitter power spectral density conducted from the transmitter to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of Section 5.4(4), (i.e. the power spectral density shall be determined using the same method as is used to determine the conducted output power).

5.9.2 Test Setup

See section 4.5.1 (Diagram 1) for test setup description for the antenna port. The photo of test setup please refer to ANNEX A.

5.9.3 Test Procedure

Set analyzer center frequency to DTS channel center frequency.

Set the span to 1.5 times the DTS bandwidth.

Set the RBW to: $3 \text{ kHz} \leq \text{RBW} \leq 100 \text{ kHz}$.

Set the VBW $\geq 3 \text{ RBW}$.

Detector = peak.

Sweep time = auto couple.

Trace mode = max hold.

Allow trace to fully stabilize.

Use the peak marker function to determine the maximum amplitude level within the RBW.

If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

5.9.4 Test Result

Test DataLeft Ear

GFSK (BLE 1Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low Channel	-12.00	8	Pass
Middle Channel	-11.75	8	Pass
High Channel	-11.67	8	Pass

GFSK (BLE 2Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low Channel	-15.31	8	Pass
Middle Channel	-15.02	8	Pass
High Channel	-15.02	8	Pass

Right Ear

GFSK (BLE 1Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low Channel	-11.38	8	Pass
Middle Channel	-11.08	8	Pass
High Channel	-10.93	8	Pass

GFSK (BLE 2Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low Channel	-14.73	8	Pass
Middle Channel	-14.53	8	Pass
High Channel	-14.35	8	Pass

Test Plots

Left Ear


GFSK (BLE 1Mbps) LOW CHANNEL




GFSK (BLE 1Mbps) MIDDLE CHANNEL




GFSK (BLE 1Mbps) HIGH CHANNEL




GFSK (BLE 2Mbps) LOW CHANNEL



GFSK (BLE 2Mbps) MIDDLE CHANNEL



GFSK (BLE 2Mbps) HIGH CHANNEL



Right Ear

GFSK (BLE 1Mbps) LOW CHANNEL



GFSK (BLE 1Mbps) MIDDLE CHANNEL



GFSK (BLE 1Mbps) HIGH CHANNEL



GFSK (BLE 2Mbps) LOW CHANNEL



GFSK (BLE 2Mbps) MIDDLE CHANNEL



GFSK (BLE 2Mbps) HIGH CHANNEL




ANNEX A TEST SETUP PHOTOS


1 Radiated Test Photo

Left Ear


Below 30MHz




Close-up




30MHz-1GHz




Close-up



Above 1GHz




Close-up




Right Ear


Below 30MHz




Close-up




30MHz-1GHz




Close-up



Above 1GHz



Close-up



2 Conducted Test Photo


Left Ear

Conducted Test



Right Ear

Conducted Test



3 Conducted Emission

Left Ear

Photo 1



Photo 2



Right Ear

Photo 1



Photo 2



ANNEX B EUT EXTERNAL PHOTOS

FRONT VIEW OF EUT



REAR VIEW OF EUT



LEFT VIEW OF EUT



RIGHT VIEW OF EUT




TOP VIEW OF EUT



BOTTOM VIEW OF EUT



Accessory-Type-C Cable



Accessory-Charging Case








ANNEX C EUT INTERNAL PHOTOS

EUT UNCOVER VIEW 1




EUT UNCOVER VIEW 2




EUT UNCOVER VIEW 3



MAIN BOARD TOP VIEW



MAIN BOARD REAR VIEW



Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--