MOTORCYCLE BLUETOOTH INTERCOM



T60R

User Manual

QUICK START GUIDE

A - Volume-

B + Volume+

C Power button

D USB Earphone port(charing)

E Mesh Intercom button

INSTALLATION INSTRUCTIONS

First fix the screws on the base, insert the installed base into the left side of the helmet, use the socket head cap screws Tighten the screws with the knife, and install the main unit on the base.



❶ ❷ ❸ ❹

If there are any problems with mounting tne bracket, you may use the 3M tape bracket.peel off the protective backing sheet of the 3M tape and adhere the bracket onto the helmet.Pressfor15 seconds and glue dry for 24 hours.

❶ ❷

Tear off the rough surface of the left and right speaker Velcro on the headset, and paste them on the left and right ears of the helmet, then After attaching the speaker to the Velcro surface in the helmet, the speaker with short headphone cable is installed in the left ear.
The long horn is mounted on the right ear.
Paste the microphone Velcro on the rough surface of the helmet, and then paste the microphone on the on the Velcro.

TYPE	OPERATION	BUTTON COMMANDS	
Basic Operation	Power On	⏻ + ▭	press for one second
	Power Off	⏻ + ▭	press for one second
	Volume Up	+	press for one second
	Volume Down	-	press for one second
	Check the battery	-	press for 8 second
Mobile Photo	Moblle Phone pairing	⏻	press for 5 second
	Voice Command (Siri/S-Voice)	⏻	quick press twice
	Answer the call	⏻	short press once
	End phone call	⏻	short press once
	Reject phone call	⏻	quick press twice
	Answer third party call	⏻	quick press twice
	Reject third party call	+	quick press twice

TYPE	OPERATION	BUTTON COMMANDS
Pairing With Phone	Moblle Phone Pairing	press for 5 seconds
	When the “T60R ”is power off ,hold down the “center key” for 5 seconds.after “T60R”the paring state,the red and blue lights flashing alternately . turn on the bluetooth of the mobile phone ,search for new devices,and select the connection when “T60R”is found.	
MESH Intercom	Mesh interphone enabled	short press once
	Mesh interphone closed	short press once
	Volume Up	short press once
	Volume Down	short press once
	Reset the MESH Intercom	press for 8 seconds
	While Mesh intercom mode on ,“T60R”will automatically connect to nearby “T60R” users and allow them to support up to 32 rider onlino at the same time through open intercom free conversation. When the headset Mesh is reset,it clears all networking informationand automatically returns to the default channel 4.	

TYPE	OPERATION	BUTTON COMMANDS
Setting Frequency Range	Enter channel setting	press for 2 second
	surfing the channels	quick press twice
	Save channel and exit	press for 2 second
	If another team is using channel 4(the default channel)and the network intercom is being interfered with,it can be changed to another channels 1 to 10	
Bluetooth Intercom	Intercom No1 and No 2 enter into pairing mode	press for 2 second
	Short press one of the intercom is “power”key to search	short press once
	Bluetooth Intercom	press for 2 second
	hang up the Bluetooth intercom	short press once
FM Radio	FM Rideo on	press for 2 second
	FM Rideo off	press for 2 second
	Scan up	quick press twice
	Scan down	quick press twice

TYPE	OPERATION	BUTTON COMMANDS	
Universal Bluetooth Intercom	Intercom No1 and No 2 enter into pairing mode	⏻ + -	press for 2 second
	Short press one of the intercom is “power”key to search	⏻	short press once
	Bluetooth Intercom	+ + -	short press once
	hang up the Bluetooth intercom	+ + -	short press once
Music	Music play	⏻	short press once
	Music pause	⏻	short press once
	Last song	+	quick press twice
	Next song	-	quick press twice
	share the music that is playing	⏻	quick press twice
Restore factory setting	power off, clear set	⏻ + ▭	press for 5 seconds
Technical specifications	Bluetooth suppport:HSP,HFP,A2DP,AVRCP,AGHSP Battery:lithium battery,800mA,3.7v Dimensions:92mm*48mm*26mm Certification:CE/FCC/TELEC/ROHS Charging time:3hours Working time:12-18hours		

WARRANTY CARD

Purchase Date:

Dealer/retailer:

Iten No:

customer Name:

customer Tel:

customer E-mail:

QC
QUALIFIED CERTICI
Passed
06

Product Failure Description

(Please be sure to fill in your related information so that we can better serve you intime)

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
-Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

PHXIN