

Model	European label (Example); Size: 2.6 x 5.9
EZE-L	 SCHWEIZER ELECTRONIC Industriestrasse 3 CH-6260 Reiden CE   IP65 Made in Switzerland Minimel EZE-L A0001 035 01025 Version K RSSI Ohne Distanzanzeige EZG0201H R 1.3.10
EZE-MWA	 SCHWEIZER ELECTRONIC Industriestrasse 3 CH-6260 Reiden CE   IP65 Made in Switzerland EZE-MWA A02280 003 00974 ATWS/LOWIS Version F Mit B-Sound Mit Distanzanzeige R1.3.1
HSF-L	 SCHWEIZER ELECTRONIC Industriestrasse 3 CH-6260 Reiden CE   IP65 Made in Switzerland Minimel HSF-L (FR, F) A0002 049 01771 Version A EZG0201H R1.3.11

EWK-L



EWK-L-A



Additional FCC / CSA Label; Size: 2.6 x 5.9

EZE-L



Includes

FCC ID: 2AQQU-EZG0201H

IC ID: 24176-EZG0201H

HVIN: EZG0201H

7.2 VDC, 1.1A

Ambient: -25°C to +55°C

EZE-MWA



Includes

FCC ID: 2AQQU-EZG0201H

IC ID: 24176-EZG0201H

HVIN: EZG0201H

7.2 VDC, 1.1A

Ambient: -25°C to +55°C

HSF-L



Includes

FCC ID: 2AQQU-EZG0201H

IC ID: 24176-EZG0201H

HVIN: EZG0201H

7.2 VDC, 0.7A

Ambient: -25°C to +55°C

EWK-L



Includes

FCC ID: 2AQQU-EZG0201H

IC ID: 24176-EZG0201H

HVIN: EZG0201H

7.2 VDC, 1.3A

Ambient: -25°C to +55°C

EWK-L-A



Includes

FCC ID: 2AQQU-EZG0201H

IC ID: 24176-EZG0201H

HVIN: EZG0201H

7.2 VDC, 1.3A

Ambient: -20°C to +55°C

Position additional Label




Maintenance date clock





Do not open	Hearing protection
	Not Applicable
	Not Applicable
	Not Applicable



Inspection Label

☒ Inspektion ☐ Inst.-Setzung
Datum: 26.05.2025
Tester: MMH
Version: 011D

☒ Inspektion ☐ Inst.-Setzung
Datum: 26.05.2025
Tester: MMH
Version: 011D

☒ Inspektion ☐ Inst.-Setzung
Datum: 26.05.2025
Tester: MMH
Version: 011D

☒ Inspektion ☐ Inst.-Setzung

Datum: 26.05.2025

Tester: MMH

Version: 011D

☒ Inspektion ☐ Inst.-Setzung

Datum: 26.05.2025

Tester: MMH

Version: 011D