



Radio Test Report

Report No.: STS2602061W01

Issued for

Fujian Morefun Electronic Technology Co., Ltd.

4th Floor, #15 Building, Standard plant, Fuwan, Jinshan
Industry Center Area, #869 Panyu Rd, Gaishan Town,
Cangshan Area, Fuzhou, Fujian, China

Product Name: Smart POS Terminal

Brand Name:  MoreFun

Model Name: SR800

Series Model(s): N/A

FCC ID: 2AQRE-SR800

Test Standards: 47 CFR Part 2, 22H, 24E, 27, 90

The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Shenzhen STS Test Services Co., Ltd.

**TEST REPORT**

Applicant's Name: Fujian Morefun Electronic Technology Co., Ltd.
Address.....: 4th Floor, #15 Building, Standard plant, Fuwan, Jinshan Industry CenterArea, #869 Panyu Rd, Gaishan Town, Cangshan Area, Fuzhou, Fujian, China

Manufacturer's Name: Fujian Morefun Electronic Technology Co., Ltd.
Address.....: 4th Floor, #15 Building, Standard plant, Fuwan, JinshanIndustry CenterArea, #869 Panyu Rd, Gaishan Town, Cangshan Area, Fuzhou, Fujian, China

Product Description

Product Name: Smart POS Terminal
Brand Name:  MoreFun
Model Name.....: SR800
Series Model(s): N/A


Test Standards.....: 47 CFR Part 2, 22H, 24E, 27, 90
Test Procedure: KDB 971168 D01 v03r01,ANSI C63.26(2015)

This device described above has been tested by STS, the test results show that the equipment under test (EUT) is in compliance with the FCC requirements. And it is applicable only to the tested sample identified in the report.
The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Shenzhen STS Test Services Co., Ltd.

Date of Test.....:

Date of receipt of test item: 13 Feb. 2026
Date (s) of performance of tests : 13 Feb. 2026~17 Mar. 2026
Date of Issue: 17 Mar. 2026
Test Result: Pass

Testing Engineer :




(Lenon Hou)

Technical Manager :



(Skylar Li)

Authorized Signatory :



(Bovey Yang)





Table of Contents	Page
1 SUMMARY OF TEST RESULTS	5
1.1 INTRODUCTION	8
2 PRODUCT INFORMATION	9
3 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	15
4 MEASUREMENT INSTRUMENTS	19
5 TEST ITEMS	20
5.1 CONDUCTED OUTPUT POWER&TRANSMITTER RADIATED POWER	20
5.2 PEAK TO AVERAGE RATIO	83
5.3 OCCUPIED BANDWIDTH	84
5.4 FREQUENCY STABILITY	85
5.5 SPURIOUS EMISSIONS AT ANTENNA TERMINALS	100
5.6 BAND EDGE	101
5.7 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	103
APPENDIX-PHOTOS OF TEST SETUP	175

**Revision History**

Rev.	Issue Date	Report No.	Effect Page	Contents
00	17 Mar. 2026	STS2602061W01	ALL	Initial Issue



1 SUMMARY OF TEST RESULTS

Test procedures according to the technical standards:

The radiated emission testing was performed according to the procedures of KDB 971168 D01 v03r01 and ANSI C63.26(2015)

Test Description	FCC Rules	Band	Test Limit	Test Result
Conducted Output Power	2.1046	/	Reporting Only	PASS
Transmitter Radiated Power	22.913	GSM850, WCDMA B5, B26	ERP < 7 Watt	PASS
	24.232(c)	GSM1900, WCDMA B2, B25	EIRP < 2Watt	
	27.50(b)	B13	ERP < 3 Watt	
	27.50(c)	WCDMA B4, B12, B17, B71	ERP < 3 Watt	
	27.50(d)	B4, B66	EIRP < 1Watt	
	27.50(h)	B7, B41	EIRP < 2Watt	
	90.635(b)	B26	ERP < 100Watt	
Peak-to-Average Ratio	22.913(d)	GSM850, WCDMA B5, B26	< 13 dB	PASS
	24.232(d)	GSM1900, WCDMA B2, B25		
	27.50	WCDMA B4, B7, B12, B13, B17, B41, B71		
Occupied Bandwidth	2.1049	/	Reporting Only	PASS
Frequency Stability	2.1055	/	< 2.5 ppm	PASS
	22.355	GSM850, WCDMA B5, B26		
	24.235	GSM1900, WCDMA B2,		



		B2, B25		
	27.54	WCDMAB4, B4, B7, B12, B13, B17, B41, B66, B71		
	90.213	B26		
Spurious Emission at Antenna Terminals	2.1051	/	< 43+10log10(P[Watts])	PASS
	22.917	GSM850, WCDMAB5, B5, B26		
	24.238(a)	GSM1900, WCDMAB2, B2, B25		
	27.53(c)	B13		
	27.53(g)	B12, B17, B71		
	27.53(h)	WCDMAB4, B4, B66		
	90.691	B26		
	27.53(m)	B7, B41	< 55+10log10(P[Watts])	
Band Edge	2.1051	/	Please refer to standard	PASS
	22.917	GSM850, WCDMAB5, B5, B26		
	24.238(a)	GSM1900, WCDMAB2, B2, B25		
	27.53(c)	B13		
	27.53(g)	B12, B17, B71		
	27.53(h)	WCDMAB4, B4, B66		
	27.53(m)	B7, B41		
	90.691	B26		
Field Strength of	2.1053	/	< 43+10log10(P[Watts])	PASS



Spurious Radiation	22.917	GSM850, WCDMAB5, B5, B26		
	24.238(a)	GSM1900, WCDMAB2, B2, B25		
	27.53(c)	B13		
	27.53(g)	B12, B17, B71		
	27.53(h)	WCDMAB4, B4, B66		
	90.691	B26		
	27.53(m)	B7, B41	< 55+10log10(P[Watts])	



1.1 INTRODUCTION

TEST FACTORY

SHENZHEN STS TEST SERVICES CO., LTD

Add. : 101, Building B, Zhuoke Science Park, No.190 Chongqing Road, ZhanChengShequ, Fuhai Sub-District, Bao'an District, Shenzhen, Guang Dong, China

FCC test Firm Registration Number: 625569

IC test Firm Registration Number: 12108A

A2LA Certificate No.: 4338.01

MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement data shown herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

No.	Item	Uncertainty
1	RF output power, conducted	$\pm 0.751\text{dB}$
2	Unwanted Emissions, conducted	$\pm 2.888\text{dB}$
3	All emissions, radiated 9K-30MHz	$\pm 2.48\text{dB}$
4	All emissions, radiated 30M-1GHz	$\pm 2.52\text{dB}$
5	All emissions, radiated 1G-18GHz	$\pm 3.48\text{dB}$
6	All emissions, radiated >18GHz	$\pm 4.18\text{dB}$
7	Conducted Emission (9KHz-150KHz)	$\pm 2.48\text{dB}$
8	Conducted Emission (150KHz-30MHz)	$\pm 2.52\text{dB}$
9	Occupied Channel Bandwidth	$\pm 3.6\%$
10	Power Spectral Density, conducted	$\pm 1.214\text{dB}$
11	Duty Cycle	$\pm 3.2\%$



2 PRODUCT INFORMATION

Product Name	Smart POS Terminal
Brand Name	 MoreFun
Model Name	SR800
Series Model(s)	N/A
Model Difference	N/A
Tx Frequency:	GSM850: 824-849 MHz GSM1900: 1850-1910 MHz WCDMA B2: 1850-1910 MHz WCDMA B5: 824-849 MHz WCDMA B4: 1710-1755 MHz LTE Band 2:1850~1910MHz LTE Band 4:1710~1755MHz LTE Band 5:824~849MHz LTE Band 7:2500~2570MHz LTE Band 12:699~716MHz LTE Band 13:777~787MHz LTE Band 17: 704-716 MHz LTE Band 25:1850~1915MHz LTE Band 26 Part 90:814~824MHz LTE Band 26 Part 22:824-849 MHz LTE Band 41: 2496-2690MHz LTE Band 66:1710~1780MHz LTE Band 71: 663-698 MHz
Rx Frequency:	GSM850: 869-894 MHz GSM1900: 1930-1990 MHz WCDMA B2: 1930-1990 MHz WCDMA B5: 869-894 MHz WCDMA B4: 2110-2155 MHz LTE Band 2:1930 ~1990MHz LTE Band 4:2110~2155MHz LTE Band 5:869~894MHz LTE Band 7:2620~2690MHz LTE Band 12:729~746MHz LTE Band 13:746~756MHz LTE Band 17: 734-746 MHz LTE Band 25:1930~1995MHz LTE Band 26 Part 90:859~869MHz LTE Band 26 Part 22:869-894MHz LTE Band 41: 2496-2690MHz LTE Band 66:2110~2200MHz LTE Band 71: 617-652 MHz
Max RF Output Power:	GSM850:32.9dBm, PCS1900:30.04dBm WCDMA B2:23.8dBm WCDMA B4:23.7dBm WCDMA B5:24.08dBm LTE B2:23.33dBm, LTE B4:23.33dBm, LTE B5:23.93dBm, LTE B7:23.13dBm, LTE B12:24.4dBm, LTE B13:23.89dBm, LTE B17:24.35dBm, LTE B25:23.47dBm, LTE B26 Part 90:24.04dBm, LTE B26 Part 22: 24.09dBm, LTE B41:23.27dBm, LTE B66: 23.56dBm, LTE B71: 24.48dBm,



Modulation Characteristics:	GMSK for GSM/GPRS; GMSK and 8PSK for EDGE WCDMA: QPSK; HSDPA: QPSK/16QAM; HSUPA: BPSK LTE: QPSK /16QAM
SIM Card:	SIM 1 and SIM 2 is a chipset unit and tested as single chipset, SIM 1 is used to tested.
Antenna:	PIFA
Antenna gain:	GSM 850: -1.0 GSM 1900: 0.8dBi WCDMA B2: 0.8 dBi WCDMA B4: 0.8 dBi WCDMA B5: -1.1 dBi LTE B2: 0.8 dBi LTE B4: 0.8 dBi LTE B5: -1.1 dBi LTE B7: 1.2 dBi LTE B12: -2.1 dBi LTE B13: -1.4 dBi LTE B17: -2.1 dBi LTE B25: 0.8 dBi LTE B26: -1.1 dBi LTE B41 1.2 dBi LTE B66: 0.2 dBi LTE B71: -2.5 dBi
GPRS/EDGE Class:	Multi-Class12
Extreme Vol. Limits:	DC 3.465V ~ DC 4.235V (Normal: DC 3.85V)
Extreme Temp. Tolerance:	-10°C~45°C
Power Rating	Input: DC 5V 1A
Adapter	Model: DGL0501000LUS Input: AC 100~240V Output: DC5V 1A
Battery	Model: 572965 Brand: EPT Rated Voltage: 3.85V Charge Limit Voltage: 4.4V Capacity: 1600mAh
Hardware version number:	A20
Software version number:	N/A
** Note: The High Voltage DC 4.235V and Low Voltage DC 3.465V was declared by manufacturer, The EUT couldn't be operate normally with higher or lower voltage, the antenna information refer the manufacturer provide report, applicable only to the tested sample identified in the report.	



Test channel list					
GSM850	Frequency(MHz)	Channel	GSM1900	Frequency(MHz)	Channel
L	824.2	128	L	1850.2	512
M	836.6	190	M	1880	661
H	848.8	251	H	1909.8	810

Test channel list					
Band2	Frequency(MHz)	Channel	Band4	Frequency(MHz)	Channel
L	1852.4	9262	L	1712.6	1313
M	1880	9400	M	1740	1450
H	1907.6	9538	H	1752.4	1512
Band5	Frequency(MHz)	Channel	/	/	/
L	826.4	4132	/	/	/
M	836.6	4183	/	/	/
H	846.6	4233	/	/	/

Test channel list							
Band2	1.9GHz	Frequency(MHz)	Channel	Band4	1.7GHz	Frequency(MHz)	Channel
L	1.4M	1850.7	18607	L	1.4M	1710.7	19957
	3M	1851.5	18615		3M	1711.5	19965
	5M	1852.5	18625		5M	1712.5	19975
	10M	1855	18650		10M	1715	20000
	15M	1857.5	18675		15M	1717.5	20025
	20M	1860	18700		20M	1720	20050
M	1.4/3/5/10/15/20M	1880	18900	M	1.4/3/5/10/15/20M	1732.5	20175
H	1.4M	1909.3	19193	H	1.4M	1754.3	20393
	3M	1908.5	19185		3M	1753.5	20385
	5M	1907.5	19175		5M	1752.5	20375
	10M	1905	19150		10M	1750	20350
	15M	1902.5	19125		15M	1747.5	20325
	20M	1900	19100		20M	1745	20300
Band5	850MHz	Frequency(MHz)	Channel	Band7	2.6GHz	Frequency(MHz)	Channel
L	1.4M	824.7	20407	L	5M	2502.5	20775
	3M	825.5	20415		10M	2505	20800
	5M	826.5	20425		15M	2507.5	20825
	10M	829	20450		20M	2510	20850
M	1.4/3/5/10M	836.5	20525	M	5/10/15/20M	2535	21100
H	1.4M	848.3	20643	H	5M	2567.5	21425
	3M	847.5	20635		10M	2565	21400
	5M	846.5	20625		15M	2562.5	21375
	10M	844	20600		20M	2560	21350
Band12	700MHz	Frequency(MHz)	Channel	Band13	700MHz	Frequency(MHz)	Channel
L	1.4M	699.7	23017	L	5M	779.5	23205
	3M	700.5	23025		10M	782	23230
	5M	701.5	23035	M	5/10M	782	23230
	10M	704	23060	H	5M	784.5	23255
M	1.4/3/5/10M	707.5	23095		10M	782	23230
H	1.4M	715.3	23173	Band17	700MHz	Frequency(MHz)	Channel
	3M	714.5	23165	L	5M	706.5	23755
	5M	713.5	23155		10M	709	23780
	10M	711	23130	M	5/10M	710	23790
Band25	1.9GHz	Frequency(MHz)	Channel	H	5M	713.5	23825
L	1.4M	1850.7	26047		10M	711	23800



	3M	1851.5	26055	Band26 (part 90)	850MHz	Frequency(MHz)	Channel
	5M	1852.5	26065	L	1.4M	814.7	26697
	10M	1855	26090		3M	815.5	26705
	15M	1857.5	26115		5M	816.5	26715
	20M	1860	26140	M	1.4/3/5/10M	819	26740
M	1.4/3/5/10/15/20M	1882.5	26365	H	1.4M	823.3	26783
	1.4M	1914.3	26683		3M	822.5	26775
	3M	1913.5	26675		5M	821.5	26765
	5M	1912.5	26665	Band26 (part 20)	850MHz	Frequency(MHz)	Channel
	10M	1910	26640	L	1.4M	824.7	26797
	15M	1907.5	26615		3M	825.5	26805
	20M	1905	26590		5M	826.5	26815
Band41	2.5GHz	Frequency(MHz)	Channel		10M	829	26840
	5M	2498.5	39675		15M	831.5	26865
	10M	2501	39700	M	1.4/3/5/10/15M	836.5	26915
	15M	2503.5	39725	H	1.4M	848.3	27033
	20M	2506	39750		3M	847.5	27025
M	5/10/15/20M	2593	40620		5M	846.5	27015
	5M	2687.5	41565		10M	844	26990
	10M	2685	41540		15M	841.5	26965
	15M	2682.5	41515	Band66	1.7GHz	Frequency(MHz)	Channel
	20M	2680	41490	L	1.4M	1710.7	131979
Band71	600MHz	Frequency(MHz)	Channel		3M	1711.5	131987
	5	665.5	133147		5M	1712.5	131997
	10	668	133172		10M	1715	132022
	15	670.5	133197		15M	1717.5	132047
	20	673	133222		20M	1720	132072
M	5/10/15/20	680.5	133297	M	1.4/3/5/10/15/20M	1745	132322
	5	695.5	133447	H	1.4M	1779.3	132665
	10	693	133422		3M	1778.5	132657
	15	690.5	133397		5M	1777.5	132647
	20	688	133372		10M	1775	132622
					15M	1772.5	132597
					20M	1770	132572

EMISSION DESIGNATOR

Mode	Emission Designator (99%OBW)
GSM850	249KGXW
GPRS850	248KGXW
EGPRS850	256KG7W
GSM1900	248KGXW
GPRS1900	246KGXW
EGPRS1900	253KG7W
Mode	Emission Designator (99%OBW)
WCDMA Band2	4M18F9W
HSDPA Band2	4M19F9W
HSUPA Band2	4M18F9W
WCDMA Band4	4M18F9W
HSDPA Band4	4M19F9W
HSUPA Band4	4M18F9W
WCDMA Band5	4M20F9W
HSDPA Band5	4M20F9W
HSUPA Band5	4M18F9W

LTE Band 2	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M10G7D	1M10W7D
3	2M70G7D	2M69W7D
5	4M51G7D	4M52W7D
10	8M97G7D	8M99W7D
15	13M4G7D	13M5W7D
20	18M0G7D	18M1W7D
LTE Band 4	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M10G7D	1M10W7D
3	2M70G7D	2M70W7D
5	4M51G7D	4M51W7D
10	8M99G7D	8M99W7D
15	13M5G7D	13M5W7D
20	17M9G7D	18M0W7D
LTE Band 5	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M10G7D	1M10W7D
3	2M70G7D	2M70W7D
5	4M51G7D	4M52W7D
10	9M01G7D	9M00W7D
LTE Band 7	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
5	4M51G7D	4M51W7D
10	8M98G7D	8M99W7D
15	13M5G7D	13M5W7D
20	18M0G7D	18M0W7D
LTE Band 12	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M10G7D	1M10W7D



3	2M70G7D	2M69W7D
5	4M53G7D	4M54W7D
10	9M01G7D	9M01W7D
LTE Band 13	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
5	4M53G7D	4M53W7D
10	9M05G7D	9M03W7D
LTE Band 17	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
5	4M54G7D	4M53W7D
10	9M03G7D	9M03W7D
LTE Band 25	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M10G7D	1M10W7D
3	2M70G7D	2M70W7D
5	4M52G7D	4M54W7D
10	9M01G7D	9M00W7D
15	13M5G7D	13M5W7D
20	18M0G7D	18M0W7D
LTE Band 26 Part22	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M10G7D	1M10W7D
3	2M70G7D	2M70W7D
5	4M52G7D	4M51W7D
10	8M99G7D	9M00W7D
15	13M5G7D	13M5W7D
LTE Band 26 Part90	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M10G7D	1M10W7D
3	2M70G7D	2M69W7D
5	4M51G7D	4M52W7D
10	9M00G7D	8M99W7D
LTE Band 41	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
5	4M52G7D	4M50W7D
10	9M01G7D	9M03W7D
15	13M4G7D	13M5W7D
20	18M0G7D	18M0W7D
LTE Band 66	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
1.4	1M11G7D	1M10W7D
3	2M71G7D	2M69W7D
5	4M52G7D	4M53W7D
10	9M00G7D	9M01W7D
15	13M5G7D	13M5W7D
20	18M0G7D	18M0W7D
LTE Band 71	Emission Designator	Emission Designator
BW(MHz)	(99%OBW)QPSK	(99%OBW)16QAM
5	4M53G7D	4M57W7D
10	9M01G7D	8M99W7D
15	13M5G7D	13M5W7D
20	18M0G7D	18M0W7D



3 TEST CONFIGURATION OF EQUIPMENT UNDER TEST

Antenna port conducted and radiated test items were performed according to KDB 971168 D01 and ANSI C63.26 2015 Power Meas. License Digital Systems with maximum output power.

Radiated measurements were performed with rotating EUT in different three orthogonal test planes to find the maximum emission.

Radiated emissions were investigated as following frequency range:

1. 30 MHz to 10th harmonic for GSM850 and WCDMA Band V.
2. 30 MHz to 10th harmonic for WCDMA Band IV.
3. 30 MHz to 10th harmonic for GSM1900 and WCDMA Band II.

All modes and data rates and positions were investigated.

Test modes are chosen to be reported as the worst case configuration below:

BAND	TEST MODES	
	RADIATED TCS	CONDUCTED TCS
GSM 850	GSM LINK GPRS/EDGE CLASS 12 LINK	GSM LINK GPRS/EDGE CLASS 12 LINK
GSM 1900	GSM LINK GPRS/EDGE CLASS 12 LINK	GSM LINK GPRS/EDGE CLASS 12 LINK
WCDMA BAND V	RMC 12.2KBPS LINK	RMC 12.2KBPS LINK
WCDMA BAND II	RMC 12.2KBPS LINK	RMC 12.2KBPS LINK
WCDMA BAND IV	RMC 12.2KBPS LINK	RMC 12.2KBPS LINK



LTE:

ITEMS	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v			v	v	v	v	v	v	v	v
	7			v	v	v	v	v	v	v	v	v	v	v	v
	12	v	v	v	v			v	v	v	v	v	v	v	v
	13			v	v			v	v	v	v	v		v	
	17			v	v			v	v	v	v	v	v	v	v
	25	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	26	v	v	v	v	v		v	v	v	v	v	v	v	v
	41			v	v	v	v	v	v	v	v	v	v	v	v
	66	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	71			v	v	v	v	v	v	v	v	v	v	v	v
Peak&Avera Ratio	2	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v			v	v	v			v	v	v
	7			v	v	v	v	v	v	v			v	v	v
	12	v	v	v	v			v	v	v			v	v	v
	13			v	v			v	v	v				v	
	17			v	v			v	v	v			v	v	v
	25	v	v	v	v	v	v	v	v	v			v	v	v
	26	v	v	v	v	v		v	v	v			v	v	v
	41			v	v	v	v	v	v	v			v	v	v
	66	v	v	v	v	v	v	v	v	v			v	v	v
	71			v	v	v	v	v	v	v			v	v	v
26dB&99% Bandwidth	2	v	v	v	v	v	v	v	v			v	v	v	v
	4	v	v	v	v	v	v	v	v			v	v	v	v
	5	v	v	v	v			v	v			v	v	v	v
	7			v	v	v	v	v	v			v	v	v	v
	12	v	v	v	v			v	v			v	v	v	v
	13			v	v			v	v			v		v	
	17			v	v			v	v			v	v	v	v
	25	v	v	v	v	v	v	v	v			v	v	v	v
	26	v	v	v	v	v		v	v			v	v	v	v
	41			v	v	v	v	v	v			v	v	v	v
	66	v	v	v	v	v	v	v	v			v	v	v	v
	71			v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	2	v	v	v	v	v	v	v	v			v	v		v
	4	v	v	v	v	v	v	v	v			v	v		v
	5	v	v	v	v			v	v			v	v		v



	7			v	v	v	v	v	v			v	v		v
	12	v	v	v	v			v	v			v	v		v
	13			v	v			v	v			v		v	
	17			v	v			v	v			v	v		v
	25	v	v	v	v	v	v	v	v			v	v		v
	26	v	v	v	v	v		v	v			v	v		v
	41			v	v	v	v	v	v			v	v		v
	66	v	v	v	v	v	v	v	v			v	v		v
	71			v	v	v	v	v	v			v	v		v
Conducted Spurious Emission	2	v	v	v	v	v	v	v	v	v		v	v	v	v
	4	v	v	v	v	v	v	v	v	v		v	v	v	v
	5	v	v	v	v			v	v	v		v	v	v	v
	7			v	v	v	v	v	v	v		v	v	v	v
	12	v	v	v	v			v	v	v		v	v	v	v
	13			v	v			v	v	v		v		v	
	17			v	v			v	v	v		v	v	v	v
	25	v	v	v	v	v	v	v	v	v		v	v	v	v
	26	v	v	v	v	v		v	v	v		v	v	v	v
	41			v	v	v	v	v	v	v		v	v	v	v
	66	v	v	v	v	v	v	v	v	v		v	v	v	v
	71			v	v	v	v	v	v	v		v	v	v	v
Frequency Stability	2				v			v				v		v	
	4				v			v				v		v	
	5				v			v				v		v	
	7				v			v				v		v	
	12				v			v				v		v	
	13				v			v				v		v	
	17				v			v				v		v	
	25				v			v				v		v	
	26				v			v				v		v	
	41				v			v				v		v	
	66				v			v				v		v	
	71				v			v				v		v	
E.R.P.& E.I.R.P.	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v			v	v	v	v	v	v	v	v
	7			v	v	v	v	v	v	v	v	v	v	v	v
	12	v	v	v	v			v	v	v	v	v	v	v	v
	13			v	v			v	v	v	v	v		v	
	17			v	v			v	v	v	v	v	v	v	v
	25	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	26	v	v	v	v	v		v	v	v	v	v	v	v	v
	41			v	v	v	v	v	v	v	v	v	v	v	v



	66	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	71			v	v	v	v	v	v	v	v	v	v	v	v
Radiated Spurious Emission	2	v	v	v	v	v	v	v		v			v	v	v
	4	v	v	v	v	v	v	v		v			v	v	v
	5	v	v	v	v			v		v			v	v	v
	7			v	v	v	v	v		v			v	v	v
	12	v	v	v	v			v		v			v	v	v
	13			v	v			v		v				v	
	17			v	v			v		v			v	v	v
	25	v	v	v	v	v	v	v		v			v	v	v
	26	v	v	v	v	v		v		v			v	v	v
	41			v	v	v	v	v		v			v	v	v
	66	v	v	v	v	v	v	v		v			v	v	v
	71			v	v	v	v	v		v			v	v	v

**4 MEASUREMENT INSTRUMENTS**

RF Radiation Test Equipment					
Kind of Equipment	Manufacturer	Type No.	Serial No.	Last Calibration	Calibrated Until
Temperature & Humidity	TP502V4-P	Toprie	N/A	2025.10.09	2026.10.08
Wireless Communications Test Set	R&S	CMW 500	117239	45926	2026.09.25
Signal Generator	Agilent	83752A	3610A02740	2026.02.04	2027.02.03
Pre-Amplifier(0.1M-3GHz)	EM	EM330	060665	2026.02.05	2027.02.04
Pre-Amplifier (1G-18GHz)	SKET	LNPA-01018G-45	SK2018080901	2025.09.25	2026.09.24
Pre-Amplifier(18G-40GHz)	SKET	LNPA 1840-50	SK2018101801	2026.02.04	2027.02.03
Positioning Controller	MF	MF-7802	MF-780208587	N/A	N/A
Signal Analyzer	R&S	FSV 40-N	101823	2025.09.26	2026.09.25
Switch Control Box	N/A	N/A	N/A	N/A	N/A
Filter Box	BALUN Technology	SU319E	BL-SZ1530051	N/A	N/A
Video Controller	SKET	FCS C-3	N/A	N/A	N/A
Bilog Antenna	TESEQ	CBL6111D	45873	2025.09.21	2026.09.20
Horn Antenna	SCHWARZBECK	BBHA 9120D	9120D-1314	2025.09.27	2027.09.26
Bilog Antenna	TESEQ	CBL6111D	34678	2025.09.27	2027.09.26
Horn Antenna	SCHWARZBECK	BBHA 9120D	02014	2025.09.27	2027.09.26
Horn Antenna	A-INFOMW	LB-180400-KF	J211020657	2025.09.27	2027.09.26
Antenna Mast	MF	MFA-440H	N/A	N/A	N/A
Turn Table	MF	N/A	N/A	N/A	N/A
AC Power Source	APC	KDF-11010G	F214050035	N/A	N/A
DC Power Supply	Zhaoxin	RXN 605D	20R605D11010081	N/A	N/A
Test SW	EMC Test Software	25.5 en			
	EZ-EMC	Ver.STSLAB-03A1 RE			
RF Connected Test Equipment					
Kind of Equipment	Manufacturer	Type No.	Serial No.	Last Calibration	Calibrated Until
Temperature & Humidity	TP502V4-P	Toprie	N/A	2025.10.09	2026.10.08
Wireless Communications Test Set	R&S	CMW 500	131428	2026.02.04	2027.02.03
Signal Analyzer	Agilent	N9020A	MY52440124	2026.02.04	2027.02.03
RF Automatic Test System	Maiwei	MW200-SFCB	N/A	N/A	N/A
Temperature & Humidity Test Chamber	Safety test	AG80L	171200018	2026.02.04	2027.02.03
Programmable Power Supply	Agilent	E3642A	MY40002025	2025.09.26	2026.09.25
POWER DIVIDER	eastsheep	PD-0.5/0.6-2S	N/A	2026.02.24	2027.02.23
Test SW	MTS 8200	2.0.0.0			

5 TEST ITEMS

5.1 CONDUCTED OUTPUT POWER&TRANSMITTER RADIATED POWER

TEST OVERVIEW

CONDUCTED OUTPUT POWER:

A system simulator was used to establish communication with the EUT. Its parameters were set to enforce EUT transmitting at the maximum power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

TRANSMITTER RADIATED POWER (EIRP/ERP)

Determining ERP and/or EIRP from conducted RF output power measurements according to ANSI C63.26 2015 Section 5.2.5.5.

In many cases, RF output power limits are specified in terms of the ERP or the EIRP. Typically, ERP is specified when the operating frequency is less than or equal to 1 GHz and EIRP is specified when the operating frequency is greater than 1 GHz. Both are defined as the product of the power supplied to the antenna and its gain (relative to a dipole antenna in the case of ERP, and relative to an isotropic antenna in the case of EIRP); however, when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts). The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$(1) \text{ ERP or EIRP} = P_{\text{Meas}} + GT$$

$$\text{ERP} = \text{EIRP} - 2.15$$

where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Meas} , e.g., dBm or dBW)

P_{Meas} measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

For devices utilizing multiple antennas, see 6.4 for guidance with respect to determining the effective array transmit antenna gain term to be used in the above equation.

The following equations demonstrate the mathematical relationship between ERP and EIRP:


a) $\text{ERP} = \text{EIRP} - 2.15$, where ERP and EIRP are expressed in consistent units.

b) $\text{EIRP} = \text{ERP} + 2.15$, where ERP and EIRP are expressed in consistent units.

TEST PROCEDURES

1. The transmitter output port was connected to the system simulator.
2. Set eut at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.

TEST SETUP



TEST RESULT

GSM 850							
Mode	Frequency (MHz)	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit (W)	ERP Limit (dBm)	Conclusion
GSM (GMSK,1-Slot)	824.2	32.48	-1.00	29.33	7.00	38.45	PASS
	836.6	32.71	-1.00	29.56	7.00	38.45	PASS
	848.8	32.58	-1.00	29.43	7.00	38.45	PASS
GPRS (GMSK,1-Slot)	824.2	32.74	-1.00	29.59	7.00	38.45	PASS
	836.6	32.90	-1.00	29.75	7.00	38.45	PASS
	848.8	32.75	-1.00	29.60	7.00	38.45	PASS
GPRS (GMSK,2-Slot)	824.2	31.93	-1.00	28.78	7.00	38.45	PASS
	836.6	21.94	-1.00	18.79	7.00	38.45	PASS
	848.8	31.96	-1.00	28.81	7.00	38.45	PASS
GPRS (GMSK,3-Slot)	824.2	29.87	-1.00	26.72	7.00	38.45	PASS
	836.6	30.03	-1.00	26.88	7.00	38.45	PASS
	848.8	29.93	-1.00	26.78	7.00	38.45	PASS
GPRS (GMSK,4-Slot)	824.2	28.60	-1.00	25.45	7.00	38.45	PASS
	836.6	28.80	-1.00	25.65	7.00	38.45	PASS
	848.8	28.65	-1.00	25.50	7.00	38.45	PASS
EGPRS (8PSK,1-Slot)	824.2	28.06	-1.00	24.91	7.00	38.45	PASS
	836.6	28.19	-1.00	25.04	7.00	38.45	PASS
	848.8	28.08	-1.00	24.93	7.00	38.45	PASS
EGPRS (8PSK,2-Slot)	824.2	27.19	-1.00	24.04	7.00	38.45	PASS
	836.6	26.98	-1.00	23.83	7.00	38.45	PASS
	848.8	27.03	-1.00	23.88	7.00	38.45	PASS
EGPRS (8PSK,3-Slot)	824.2	24.75	-1.00	21.60	7.00	38.45	PASS
	836.6	25.10	-1.00	21.95	7.00	38.45	PASS
	848.8	25.26	-1.00	22.11	7.00	38.45	PASS
EGPRS (8PSK,4-Slot)	824.2	23.73	-1.00	20.58	7.00	38.45	PASS
	836.6	24.18	-1.00	21.03	7.00	38.45	PASS
	848.8	23.85	-1.00	20.70	7.00	38.45	PASS



PCS 1900							
Mode	Frequency (MHz)	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit (W)	EIRP Limit (dBm)	Conclusion
GSM (GMSK,1-Slot)	1850.2	29.99	0.80	30.79	2.00	33.01	PASS
	1880.0	29.89	0.80	30.69	2.00	33.01	PASS
	1909.8	29.65	0.80	30.45	2.00	33.01	PASS
GPRS (GMSK,1-Slot)	1850.2	30.04	0.80	30.84	2.00	33.01	PASS
	1880.0	29.97	0.80	30.77	2.00	33.01	PASS
	1909.8	29.71	0.80	30.51	2.00	33.01	PASS
GPRS (GMSK,2-Slot)	1850.2	29.12	0.80	29.92	2.00	33.01	PASS
	1880.0	29.00	0.80	29.80	2.00	33.01	PASS
	1909.8	28.77	0.80	29.57	2.00	33.01	PASS
GPRS (GMSK,3-Slot)	1850.2	27.05	0.80	27.85	2.00	33.01	PASS
	1880.0	26.97	0.80	27.77	2.00	33.01	PASS
	1909.8	26.72	0.80	27.52	2.00	33.01	PASS
GPRS (GMSK,4-Slot)	1850.2	25.74	0.80	26.54	2.00	33.01	PASS
	1880.0	25.67	0.80	26.47	2.00	33.01	PASS
	1909.8	25.51	0.80	26.31	2.00	33.01	PASS
EGPRS (8PSK,1-Slot)	1850.2	27.07	0.80	27.87	2.00	33.01	PASS
	1880.0	26.98	0.80	27.78	2.00	33.01	PASS
	1909.8	26.69	0.80	27.49	2.00	33.01	PASS
EGPRS (8PSK,2-Slot)	1850.2	25.72	0.80	26.52	2.00	33.01	PASS
	1880.0	26.15	0.80	26.95	2.00	33.01	PASS
	1909.8	25.54	0.80	26.34	2.00	33.01	PASS
EGPRS (8PSK,3-Slot)	1850.2	23.81	0.80	24.61	2.00	33.01	PASS
	1880.0	23.91	0.80	24.71	2.00	33.01	PASS
	1909.8	23.47	0.80	24.27	2.00	33.01	PASS
EGPRS (8PSK,4-Slot)	1850.2	22.58	0.80	23.38	2.00	33.01	PASS
	1880.0	23.02	0.80	23.82	2.00	33.01	PASS
	1909.8	22.43	0.80	23.23	2.00	33.01	PASS



Radiated Power (EIRP) for WCDMA Band 2							
Mode	Frequency (MHz)	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit (dBm)	Conclusion
WCDMA	1852.40	23.75	0.80	24.55	2.00	33.01	PASS
	1880.00	23.80	0.80	24.60	2.00	33.01	PASS
	1907.60	23.78	0.80	24.58	2.00	33.01	PASS
HSDPA Subtest 1	1852.40	22.74	0.80	23.54	2.00	33.01	PASS
	1880.00	22.11	0.80	22.91	2.00	33.01	PASS
	1907.60	21.28	0.80	22.08	2.00	33.01	PASS
HSDPA Subtest 2	1852.40	20.95	0.80	21.75	2.00	33.01	PASS
	1880.00	22.79	0.80	23.59	2.00	33.01	PASS
	1907.60	22.44	0.80	23.24	2.00	33.01	PASS
HSDPA Subtest 3	1852.40	21.28	0.80	22.08	2.00	33.01	PASS
	1880.00	21.36	0.80	22.16	2.00	33.01	PASS
	1907.60	22.77	0.80	23.57	2.00	33.01	PASS
HSDPA Subtest 4	1852.40	22.37	0.80	23.17	2.00	33.01	PASS
	1880.00	21.24	0.80	22.04	2.00	33.01	PASS
	1907.60	21.02	0.80	21.82	2.00	33.01	PASS
HSUPA Subtest 1	1852.40	21.52	0.80	22.32	2.00	33.01	PASS
	1880.00	22.50	0.80	23.30	2.00	33.01	PASS
	1907.60	21.20	0.80	22.00	2.00	33.01	PASS
HSUPA Subtest 2	1852.40	22.70	0.80	23.50	2.00	33.01	PASS
	1880.00	21.05	0.80	21.85	2.00	33.01	PASS
	1907.60	22.46	0.80	23.26	2.00	33.01	PASS
HSUPA Subtest 3	1852.40	22.57	0.80	23.37	2.00	33.01	PASS
	1880.00	21.79	0.80	22.59	2.00	33.01	PASS
	1907.60	22.72	0.80	23.52	2.00	33.01	PASS
HSUPA Subtest 4	1852.40	22.10	0.80	22.90	2.00	33.01	PASS
	1880.00	22.50	0.80	23.30	2.00	33.01	PASS
	1907.60	22.64	0.80	23.44	2.00	33.01	PASS
HSUPA Subtest 5	1852.40	21.20	0.80	22.00	2.00	33.01	PASS
	1880.00	22.74	0.80	23.54	2.00	33.01	PASS
	1907.60	21.96	0.80	22.76	2.00	33.01	PASS



Radiated Power (EIRP) for WCDMA Band 4							
Mode	Frequency (MHz)	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit (dBm)	Conclusion
WCDMA	1712.40	23.64	0.80	24.44	1.00	30.00	PASS
	1740.00	23.70	0.80	24.50	1.00	30.00	PASS
	1752.60	23.68	0.80	24.48	1.00	30.00	PASS
HSDPA Subtest 1	1712.40	22.61	0.80	23.41	1.00	30.00	PASS
	1740.00	22.28	0.80	23.08	1.00	30.00	PASS
	1752.60	21.14	0.80	21.94	1.00	30.00	PASS
HSDPA Subtest 2	1712.40	21.12	0.80	21.92	1.00	30.00	PASS
	1740.00	22.69	0.80	23.49	1.00	30.00	PASS
	1752.60	22.41	0.80	23.21	1.00	30.00	PASS
HSDPA Subtest 3	1712.40	21.22	0.80	22.02	1.00	30.00	PASS
	1740.00	21.21	0.80	22.01	1.00	30.00	PASS
	1752.60	22.64	0.80	23.44	1.00	30.00	PASS
HSDPA Subtest 4	1712.40	22.46	0.80	23.26	1.00	30.00	PASS
	1740.00	20.90	0.80	21.70	1.00	30.00	PASS
	1752.60	21.18	0.80	21.98	1.00	30.00	PASS
HSUPA Subtest 1	1712.40	22.34	0.80	23.14	1.00	30.00	PASS
	1740.00	22.46	0.80	23.26	1.00	30.00	PASS
	1752.60	21.30	0.80	22.10	1.00	30.00	PASS
HSUPA Subtest 2	1712.40	22.59	0.80	23.39	1.00	30.00	PASS
	1740.00	21.71	0.80	22.51	1.00	30.00	PASS
	1752.60	22.37	0.80	23.17	1.00	30.00	PASS
HSUPA Subtest 3	1712.40	22.46	0.80	23.26	1.00	30.00	PASS
	1740.00	21.10	0.80	21.90	1.00	30.00	PASS
	1752.60	22.70	0.80	23.50	1.00	30.00	PASS
HSUPA Subtest 4	1712.40	21.76	0.80	22.56	1.00	30.00	PASS
	1740.00	22.37	0.80	23.17	1.00	30.00	PASS
	1752.60	22.45	0.80	23.25	1.00	30.00	PASS
HSUPA Subtest 5	1712.40	21.26	0.80	22.06	1.00	30.00	PASS
	1740.00	22.63	0.80	23.43	1.00	30.00	PASS
	1752.60	21.48	0.80	22.28	1.00	30.00	PASS



Radiated Power (ERP) for WCDMA Band 5							
Mode	Frequency (MHz)	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit (dBm)	Conclusion
WCDMA	826.40	24.08	-1.10	20.83	7.00	38.45	PASS
	836.40	23.92	-1.10	20.67	7.00	38.45	PASS
	846.60	23.77	-1.10	20.52	7.00	38.45	PASS
HSDPA Subtest 1	826.40	23.16	-1.10	19.91	7.00	38.45	PASS
	836.40	22.47	-1.10	19.22	7.00	38.45	PASS
	846.60	21.52	-1.10	18.27	7.00	38.45	PASS
HSDPA Subtest 2	826.40	21.26	-1.10	18.01	7.00	38.45	PASS
	836.40	22.95	-1.10	19.70	7.00	38.45	PASS
	846.60	22.41	-1.10	19.16	7.00	38.45	PASS
HSDPA Subtest 3	826.40	21.09	-1.10	17.84	7.00	38.45	PASS
	836.40	21.52	-1.10	18.27	7.00	38.45	PASS
	846.60	22.78	-1.10	19.53	7.00	38.45	PASS
HSDPA Subtest 4	826.40	22.15	-1.10	18.90	7.00	38.45	PASS
	836.40	21.24	-1.10	17.99	7.00	38.45	PASS
	846.60	21.29	-1.10	18.04	7.00	38.45	PASS
HSUPA Subtest 1	826.40	22.81	-1.10	19.56	7.00	38.45	PASS
	836.40	22.93	-1.10	19.68	7.00	38.45	PASS
	846.60	22.04	-1.10	18.79	7.00	38.45	PASS
HSUPA Subtest 2	826.40	23.04	-1.10	19.79	7.00	38.45	PASS
	836.40	22.55	-1.10	19.30	7.00	38.45	PASS
	846.60	22.58	-1.10	19.33	7.00	38.45	PASS
HSUPA Subtest 3	826.40	22.58	-1.10	19.33	7.00	38.45	PASS
	836.40	21.49	-1.10	18.24	7.00	38.45	PASS
	846.60	22.84	-1.10	19.59	7.00	38.45	PASS
HSUPA Subtest 4	826.40	22.15	-1.10	18.90	7.00	38.45	PASS
	836.40	22.51	-1.10	19.26	7.00	38.45	PASS
	846.60	22.59	-1.10	19.34	7.00	38.45	PASS
HSUPA Subtest 5	826.40	21.12	-1.10	17.87	7.00	38.45	PASS
	836.40	22.69	-1.10	19.44	7.00	38.45	PASS
	846.60	21.95	-1.10	18.70	7.00	38.45	PASS



Radiated Power (EIRP) for LTE Band 2 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	22.89	0.8	23.69	2.00	33.01	PASS
		1	2		23.02	0.8	23.82	2.00	33.01	PASS
		1	5		22.87	0.8	23.67	2.00	33.01	PASS
		3	0		22.92	0.8	23.72	2.00	33.01	PASS
		3	1		22.96	0.8	23.76	2.00	33.01	PASS
		3	2		22.99	0.8	23.79	2.00	33.01	PASS
		6	0		21.91	0.8	22.71	2.00	33.01	PASS
		1	0	16QAM	21.78	0.8	22.58	2.00	33.01	PASS
		1	2		21.91	0.8	22.71	2.00	33.01	PASS
		1	5		21.74	0.8	22.54	2.00	33.01	PASS
		3	0		21.90	0.8	22.70	2.00	33.01	PASS
		3	1		21.95	0.8	22.75	2.00	33.01	PASS
		3	2		21.95	0.8	22.75	2.00	33.01	PASS
		6	0		21.07	0.8	21.87	2.00	33.01	PASS
	Middle	1	0	QPSK	22.86	0.8	23.66	2.00	33.01	PASS
		1	2		23.04	0.8	23.84	2.00	33.01	PASS
		1	5		22.84	0.8	23.64	2.00	33.01	PASS
		3	0		22.97	0.8	23.77	2.00	33.01	PASS
		3	1		23.01	0.8	23.81	2.00	33.01	PASS
		3	2		22.98	0.8	23.78	2.00	33.01	PASS
		6	0		21.92	0.8	22.72	2.00	33.01	PASS
		1	0	16QAM	21.97	0.8	22.77	2.00	33.01	PASS
		1	2		22.14	0.8	22.94	2.00	33.01	PASS
		1	5		21.96	0.8	22.76	2.00	33.01	PASS
		3	0		22.05	0.8	22.85	2.00	33.01	PASS
		3	1		22.06	0.8	22.86	2.00	33.01	PASS
		3	2		22.02	0.8	22.82	2.00	33.01	PASS
		6	0		21.19	0.8	21.99	2.00	33.01	PASS
	Highest	1	0	QPSK	22.90	0.8	23.70	2.00	33.01	PASS
		1	2		23.00	0.8	23.80	2.00	33.01	PASS
		1	5		22.85	0.8	23.65	2.00	33.01	PASS
		3	0		22.92	0.8	23.72	2.00	33.01	PASS
		3	1		22.91	0.8	23.71	2.00	33.01	PASS
		3	2		22.92	0.8	23.72	2.00	33.01	PASS
		6	0		21.92	0.8	22.72	2.00	33.01	PASS
		1	0	16QAM	22.11	0.8	22.91	2.00	33.01	PASS
		1	2		22.27	0.8	23.07	2.00	33.01	PASS
		1	5		22.11	0.8	22.91	2.00	33.01	PASS
		3	0		22.07	0.8	22.87	2.00	33.01	PASS
		3	1		22.07	0.8	22.87	2.00	33.01	PASS
		3	2		22.07	0.8	22.87	2.00	33.01	PASS
		6	0		21.00	0.8	21.80	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 2 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	22.82	0.8	23.62	2.00	33.01	PASS
		1	7		23.22	0.8	24.02	2.00	33.01	PASS
		1	14		22.82	0.8	23.62	2.00	33.01	PASS
		8	0		21.90	0.8	22.70	2.00	33.01	PASS
		8	4		21.90	0.8	22.70	2.00	33.01	PASS
		8	7		21.85	0.8	22.65	2.00	33.01	PASS
		15	0		21.84	0.8	22.64	2.00	33.01	PASS
		1	0	16QAM	21.86	0.8	22.66	2.00	33.01	PASS
		1	7		22.13	0.8	22.93	2.00	33.01	PASS
		1	14		21.86	0.8	22.66	2.00	33.01	PASS
		8	0		20.96	0.8	21.76	2.00	33.01	PASS
		8	4		21.01	0.8	21.81	2.00	33.01	PASS
		8	7		20.96	0.8	21.76	2.00	33.01	PASS
		15	0		20.78	0.8	21.58	2.00	33.01	PASS
	Middle	1	0	QPSK	22.95	0.8	23.75	2.00	33.01	PASS
		1	7		23.24	0.8	24.04	2.00	33.01	PASS
		1	14		23.04	0.8	23.84	2.00	33.01	PASS
		8	0		21.94	0.8	22.74	2.00	33.01	PASS
		8	4		21.98	0.8	22.78	2.00	33.01	PASS
		8	7		21.94	0.8	22.74	2.00	33.01	PASS
		15	0		21.94	0.8	22.74	2.00	33.01	PASS
		1	0	16QAM	22.28	0.8	23.08	2.00	33.01	PASS
		1	7		22.54	0.8	23.34	2.00	33.01	PASS
		1	14		22.24	0.8	23.04	2.00	33.01	PASS
		8	0		20.95	0.8	21.75	2.00	33.01	PASS
		8	4		20.97	0.8	21.77	2.00	33.01	PASS
		8	7		20.96	0.8	21.76	2.00	33.01	PASS
		15	0		21.05	0.8	21.85	2.00	33.01	PASS
	Highest	1	0	QPSK	22.87	0.8	23.67	2.00	33.01	PASS
		1	7		23.13	0.8	23.93	2.00	33.01	PASS
		1	14		22.88	0.8	23.68	2.00	33.01	PASS
		8	0		21.88	0.8	22.68	2.00	33.01	PASS
		8	4		21.92	0.8	22.72	2.00	33.01	PASS
		8	7		21.86	0.8	22.66	2.00	33.01	PASS
		15	0		21.88	0.8	22.68	2.00	33.01	PASS
		1	0	16QAM	22.07	0.8	22.87	2.00	33.01	PASS
		1	7		22.27	0.8	23.07	2.00	33.01	PASS
		1	14		22.08	0.8	22.88	2.00	33.01	PASS
		8	0		20.99	0.8	21.79	2.00	33.01	PASS
		8	4		21.00	0.8	21.80	2.00	33.01	PASS
		8	7		20.97	0.8	21.77	2.00	33.01	PASS
		15	0		20.83	0.8	21.63	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 2 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	22.77	0.8	23.57	2.00	33.01	PASS
		1	12		23.10	0.8	23.90	2.00	33.01	PASS
		1	24		22.75	0.8	23.55	2.00	33.01	PASS
		12	0		21.88	0.8	22.68	2.00	33.01	PASS
		12	6		21.92	0.8	22.72	2.00	33.01	PASS
		12	11		21.79	0.8	22.59	2.00	33.01	PASS
		25	0		21.89	0.8	22.69	2.00	33.01	PASS
		1	0	16QAM	22.08	0.8	22.88	2.00	33.01	PASS
		1	12		22.46	0.8	23.26	2.00	33.01	PASS
		1	24		22.07	0.8	22.87	2.00	33.01	PASS
		12	0		20.85	0.8	21.65	2.00	33.01	PASS
		12	6		20.96	0.8	21.76	2.00	33.01	PASS
		12	11		20.80	0.8	21.60	2.00	33.01	PASS
		25	0		20.92	0.8	21.72	2.00	33.01	PASS
	Middle	1	0	QPSK	22.86	0.8	23.66	2.00	33.01	PASS
		1	12		23.26	0.8	24.06	2.00	33.01	PASS
		1	24		22.81	0.8	23.61	2.00	33.01	PASS
		12	0		21.94	0.8	22.74	2.00	33.01	PASS
		12	6		22.04	0.8	22.84	2.00	33.01	PASS
		12	11		21.96	0.8	22.76	2.00	33.01	PASS
		25	0		21.99	0.8	22.79	2.00	33.01	PASS
		1	0	16QAM	22.00	0.8	22.80	2.00	33.01	PASS
		1	12		22.39	0.8	23.19	2.00	33.01	PASS
		1	24		22.01	0.8	22.81	2.00	33.01	PASS
		12	0		21.08	0.8	21.88	2.00	33.01	PASS
		12	6		21.13	0.8	21.93	2.00	33.01	PASS
		12	11		21.01	0.8	21.81	2.00	33.01	PASS
		25	0		21.00	0.8	21.80	2.00	33.01	PASS
	Highest	1	0	QPSK	22.88	0.8	23.68	2.00	33.01	PASS
		1	12		23.29	0.8	24.09	2.00	33.01	PASS
		1	24		22.90	0.8	23.70	2.00	33.01	PASS
		12	0		21.83	0.8	22.63	2.00	33.01	PASS
		12	6		21.92	0.8	22.72	2.00	33.01	PASS
		12	11		21.85	0.8	22.65	2.00	33.01	PASS
		25	0		21.87	0.8	22.67	2.00	33.01	PASS
		1	0	16QAM	21.91	0.8	22.71	2.00	33.01	PASS
		1	12		22.35	0.8	23.15	2.00	33.01	PASS
		1	24		21.95	0.8	22.75	2.00	33.01	PASS
		12	0		20.97	0.8	21.77	2.00	33.01	PASS
		12	6		21.09	0.8	21.89	2.00	33.01	PASS
		12	11		20.96	0.8	21.76	2.00	33.01	PASS
		25	0		20.90	0.8	21.70	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 2 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	22.83	0.8	23.63	2.00	33.01	PASS
		1	24		22.93	0.8	23.73	2.00	33.01	PASS
		1	49		22.84	0.8	23.64	2.00	33.01	PASS
		25	0		22.02	0.8	22.82	2.00	33.01	PASS
		25	12		21.86	0.8	22.66	2.00	33.01	PASS
		25	24		21.82	0.8	22.62	2.00	33.01	PASS
		50	0		21.91	0.8	22.71	2.00	33.01	PASS
		1	0	16QAM	22.04	0.8	22.84	2.00	33.01	PASS
		1	24		22.11	0.8	22.91	2.00	33.01	PASS
		1	49		22.06	0.8	22.86	2.00	33.01	PASS
		25	0		21.11	0.8	21.91	2.00	33.01	PASS
		25	12		21.01	0.8	21.81	2.00	33.01	PASS
		25	24		20.94	0.8	21.74	2.00	33.01	PASS
		50	0		20.96	0.8	21.76	2.00	33.01	PASS
	Middle	1	0	QPSK	22.94	0.8	23.74	2.00	33.01	PASS
		1	24		23.01	0.8	23.81	2.00	33.01	PASS
		1	49		22.91	0.8	23.71	2.00	33.01	PASS
		25	0		21.98	0.8	22.78	2.00	33.01	PASS
		25	12		22.00	0.8	22.80	2.00	33.01	PASS
		25	24		21.96	0.8	22.76	2.00	33.01	PASS
		50	0		22.02	0.8	22.82	2.00	33.01	PASS
		1	0	16QAM	22.05	0.8	22.85	2.00	33.01	PASS
		1	24		22.11	0.8	22.91	2.00	33.01	PASS
		1	49		22.00	0.8	22.80	2.00	33.01	PASS
		25	0		21.07	0.8	21.87	2.00	33.01	PASS
		25	12		21.10	0.8	21.90	2.00	33.01	PASS
		25	24		21.02	0.8	21.82	2.00	33.01	PASS
		50	0		21.09	0.8	21.89	2.00	33.01	PASS
	Highest	1	0	QPSK	22.92	0.8	23.72	2.00	33.01	PASS
		1	24		23.00	0.8	23.80	2.00	33.01	PASS
		1	49		22.93	0.8	23.73	2.00	33.01	PASS
		25	0		21.82	0.8	22.62	2.00	33.01	PASS
		25	12		21.89	0.8	22.69	2.00	33.01	PASS
		25	24		21.91	0.8	22.71	2.00	33.01	PASS
		50	0		21.88	0.8	22.68	2.00	33.01	PASS
		1	0	16QAM	22.19	0.8	22.99	2.00	33.01	PASS
		1	24		22.33	0.8	23.13	2.00	33.01	PASS
		1	49		22.17	0.8	22.97	2.00	33.01	PASS
		25	0		20.89	0.8	21.69	2.00	33.01	PASS
		25	12		20.97	0.8	21.77	2.00	33.01	PASS
		25	24		20.99	0.8	21.79	2.00	33.01	PASS
		50	0		20.94	0.8	21.74	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 2 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	22.88	0.8	23.68	2.00	33.01	PASS
		1	37		23.33	0.8	24.13	2.00	33.01	PASS
		1	74		22.82	0.8	23.62	2.00	33.01	PASS
		36	0		22.08	0.8	22.88	2.00	33.01	PASS
		36	18		22.00	0.8	22.80	2.00	33.01	PASS
		36	39		21.90	0.8	22.70	2.00	33.01	PASS
		75	0		21.96	0.8	22.76	2.00	33.01	PASS
		1	0	16QAM	21.79	0.8	22.59	2.00	33.01	PASS
		1	37		22.19	0.8	22.99	2.00	33.01	PASS
		1	74		21.83	0.8	22.63	2.00	33.01	PASS
		36	0		21.03	0.8	21.83	2.00	33.01	PASS
		36	18		20.97	0.8	21.77	2.00	33.01	PASS
		36	39		20.89	0.8	21.69	2.00	33.01	PASS
		75	0		20.96	0.8	21.76	2.00	33.01	PASS
	Middle	1	0	QPSK	22.86	0.8	23.66	2.00	33.01	PASS
		1	37		23.17	0.8	23.97	2.00	33.01	PASS
		1	74		22.84	0.8	23.64	2.00	33.01	PASS
		36	0		22.02	0.8	22.82	2.00	33.01	PASS
		36	18		22.05	0.8	22.85	2.00	33.01	PASS
		36	39		21.98	0.8	22.78	2.00	33.01	PASS
		75	0		21.99	0.8	22.79	2.00	33.01	PASS
		1	0	16QAM	22.16	0.8	22.96	2.00	33.01	PASS
		1	37		22.34	0.8	23.14	2.00	33.01	PASS
		1	74		22.04	0.8	22.84	2.00	33.01	PASS
		36	0		21.01	0.8	21.81	2.00	33.01	PASS
		36	18		21.08	0.8	21.88	2.00	33.01	PASS
		36	39		21.00	0.8	21.80	2.00	33.01	PASS
		75	0		21.00	0.8	21.80	2.00	33.01	PASS
	Highest	1	0	QPSK	22.78	0.8	23.58	2.00	33.01	PASS
		1	37		23.25	0.8	24.05	2.00	33.01	PASS
		1	74		22.80	0.8	23.60	2.00	33.01	PASS
		36	0		21.95	0.8	22.75	2.00	33.01	PASS
		36	18		21.99	0.8	22.79	2.00	33.01	PASS
		36	39		22.00	0.8	22.80	2.00	33.01	PASS
		75	0		21.99	0.8	22.79	2.00	33.01	PASS
		1	0	16QAM	21.87	0.8	22.67	2.00	33.01	PASS
		1	37		22.35	0.8	23.15	2.00	33.01	PASS
		1	74		21.87	0.8	22.67	2.00	33.01	PASS
		36	0		20.95	0.8	21.75	2.00	33.01	PASS
		36	18		21.04	0.8	21.84	2.00	33.01	PASS
		36	39		21.01	0.8	21.81	2.00	33.01	PASS
		75	0		20.95	0.8	21.75	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 2 /20M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
20	Lowest	1	0	QPSK	22.67	0.8	23.47	2.00	33.01	PASS
		1	49		23.00	0.8	23.80	2.00	33.01	PASS
		1	99		22.72	0.8	23.52	2.00	33.01	PASS
		50	0		22.10	0.8	22.90	2.00	33.01	PASS
		50	24		21.95	0.8	22.75	2.00	33.01	PASS
		50	49		21.95	0.8	22.75	2.00	33.01	PASS
		100	0		22.04	0.8	22.84	2.00	33.01	PASS
		1	0	16QAM	21.68	0.8	22.48	2.00	33.01	PASS
		1	49		22.01	0.8	22.81	2.00	33.01	PASS
		1	99		21.79	0.8	22.59	2.00	33.01	PASS
		50	0		21.13	0.8	21.93	2.00	33.01	PASS
		50	24		21.02	0.8	21.82	2.00	33.01	PASS
		50	49		21.00	0.8	21.80	2.00	33.01	PASS
		100	0		21.10	0.8	21.90	2.00	33.01	PASS
	Middle	1	0	QPSK	22.75	0.8	23.55	2.00	33.01	PASS
		1	49		23.14	0.8	23.94	2.00	33.01	PASS
		1	99		22.73	0.8	23.53	2.00	33.01	PASS
		50	0		21.88	0.8	22.68	2.00	33.01	PASS
		50	24		22.03	0.8	22.83	2.00	33.01	PASS
		50	49		21.85	0.8	22.65	2.00	33.01	PASS
		100	0		21.83	0.8	22.63	2.00	33.01	PASS
		1	0	16QAM	21.83	0.8	22.63	2.00	33.01	PASS
		1	49		22.16	0.8	22.96	2.00	33.01	PASS
		1	99		21.77	0.8	22.57	2.00	33.01	PASS
		50	0		21.01	0.8	21.81	2.00	33.01	PASS
		50	24		21.15	0.8	21.95	2.00	33.01	PASS
		50	49		20.91	0.8	21.71	2.00	33.01	PASS
		100	0		20.89	0.8	21.69	2.00	33.01	PASS
	Highest	1	0	QPSK	22.61	0.8	23.41	2.00	33.01	PASS
		1	49		22.99	0.8	23.79	2.00	33.01	PASS
		1	99		22.70	0.8	23.50	2.00	33.01	PASS
		50	0		22.02	0.8	22.82	2.00	33.01	PASS
		50	24		21.99	0.8	22.79	2.00	33.01	PASS
		50	49		22.06	0.8	22.86	2.00	33.01	PASS
		100	0		22.04	0.8	22.84	2.00	33.01	PASS
		1	0	16QAM	21.79	0.8	22.59	2.00	33.01	PASS
		1	49		22.21	0.8	23.01	2.00	33.01	PASS
		1	99		21.88	0.8	22.68	2.00	33.01	PASS
		50	0		21.05	0.8	21.85	2.00	33.01	PASS
		50	24		21.08	0.8	21.88	2.00	33.01	PASS
		50	49		21.13	0.8	21.93	2.00	33.01	PASS
		100	0		21.10	0.8	21.90	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 4 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	22.81	0.8	23.61	1.00	30.00	PASS
		1	2		22.96	0.8	23.76	1.00	30.00	PASS
		1	5		22.83	0.8	23.63	1.00	30.00	PASS
		3	0		22.88	0.8	23.68	1.00	30.00	PASS
		3	1		22.86	0.8	23.66	1.00	30.00	PASS
		3	2		22.94	0.8	23.74	1.00	30.00	PASS
		6	0		21.81	0.8	22.61	1.00	30.00	PASS
		1	0	16QAM	21.71	0.8	22.51	1.00	30.00	PASS
		1	2		21.85	0.8	22.65	1.00	30.00	PASS
		1	5		21.69	0.8	22.49	1.00	30.00	PASS
		3	0		21.85	0.8	22.65	1.00	30.00	PASS
		3	1		21.90	0.8	22.70	1.00	30.00	PASS
		3	2		21.90	0.8	22.70	1.00	30.00	PASS
		6	0		20.98	0.8	21.78	1.00	30.00	PASS
	Middle	1	0	QPSK	22.80	0.8	23.60	1.00	30.00	PASS
		1	2		23.00	0.8	23.80	1.00	30.00	PASS
		1	5		22.81	0.8	23.61	1.00	30.00	PASS
		3	0		22.93	0.8	23.73	1.00	30.00	PASS
		3	1		22.96	0.8	23.76	1.00	30.00	PASS
		3	2		22.96	0.8	23.76	1.00	30.00	PASS
		6	0		21.90	0.8	22.70	1.00	30.00	PASS
		1	0	16QAM	21.91	0.8	22.71	1.00	30.00	PASS
		1	2		22.09	0.8	22.89	1.00	30.00	PASS
		1	5		21.94	0.8	22.74	1.00	30.00	PASS
		3	0		22.01	0.8	22.81	1.00	30.00	PASS
		3	1		22.06	0.8	22.86	1.00	30.00	PASS
		3	2		22.02	0.8	22.82	1.00	30.00	PASS
		6	0		21.15	0.8	21.95	1.00	30.00	PASS
	Highest	1	0	QPSK	22.85	0.8	23.65	1.00	30.00	PASS
		1	2		22.96	0.8	23.76	1.00	30.00	PASS
		1	5		22.82	0.8	23.62	1.00	30.00	PASS
		3	0		22.89	0.8	23.69	1.00	30.00	PASS
		3	1		22.88	0.8	23.68	1.00	30.00	PASS
		3	2		22.87	0.8	23.67	1.00	30.00	PASS
		6	0		21.85	0.8	22.65	1.00	30.00	PASS
		1	0	16QAM	22.13	0.8	22.93	1.00	30.00	PASS
		1	2		22.25	0.8	23.05	1.00	30.00	PASS
		1	5		22.10	0.8	22.90	1.00	30.00	PASS
		3	0		22.03	0.8	22.83	1.00	30.00	PASS
		3	1		22.06	0.8	22.86	1.00	30.00	PASS
		3	2		22.04	0.8	22.84	1.00	30.00	PASS
		6	0		20.96	0.8	21.76	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 4 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	22.82	0.8	23.62	1.00	30.00	PASS
		1	7		22.96	0.8	23.76	1.00	30.00	PASS
		1	14		22.74	0.8	23.54	1.00	30.00	PASS
		8	0		21.80	0.8	22.60	1.00	30.00	PASS
		8	4		21.82	0.8	22.62	1.00	30.00	PASS
		8	7		21.82	0.8	22.62	1.00	30.00	PASS
		15	0		21.80	0.8	22.60	1.00	30.00	PASS
		1	0	16QAM	21.89	0.8	22.69	1.00	30.00	PASS
		1	7		22.16	0.8	22.96	1.00	30.00	PASS
		1	14		21.86	0.8	22.66	1.00	30.00	PASS
		8	0		20.88	0.8	21.68	1.00	30.00	PASS
		8	4		20.92	0.8	21.72	1.00	30.00	PASS
		8	7		20.92	0.8	21.72	1.00	30.00	PASS
		15	0		20.74	0.8	21.54	1.00	30.00	PASS
	Middle	1	0	QPSK	22.92	0.8	23.72	1.00	30.00	PASS
		1	7		23.28	0.8	24.08	1.00	30.00	PASS
		1	14		23.00	0.8	23.80	1.00	30.00	PASS
		8	0		21.90	0.8	22.70	1.00	30.00	PASS
		8	4		21.93	0.8	22.73	1.00	30.00	PASS
		8	7		21.91	0.8	22.71	1.00	30.00	PASS
		15	0		21.90	0.8	22.70	1.00	30.00	PASS
		1	0	16QAM	22.26	0.8	23.06	1.00	30.00	PASS
		1	7		22.56	0.8	23.36	1.00	30.00	PASS
		1	14		22.29	0.8	23.09	1.00	30.00	PASS
		8	0		20.93	0.8	21.73	1.00	30.00	PASS
		8	4		20.96	0.8	21.76	1.00	30.00	PASS
		8	7		20.95	0.8	21.75	1.00	30.00	PASS
		15	0		21.04	0.8	21.84	1.00	30.00	PASS
	Highest	1	0	QPSK	22.87	0.8	23.67	1.00	30.00	PASS
		1	7		23.12	0.8	23.92	1.00	30.00	PASS
		1	14		22.84	0.8	23.64	1.00	30.00	PASS
		8	0		21.82	0.8	22.62	1.00	30.00	PASS
		8	4		21.88	0.8	22.68	1.00	30.00	PASS
		8	7		21.84	0.8	22.64	1.00	30.00	PASS
		15	0		21.84	0.8	22.64	1.00	30.00	PASS
		1	0	16QAM	22.09	0.8	22.89	1.00	30.00	PASS
		1	7		22.38	0.8	23.18	1.00	30.00	PASS
		1	14		22.09	0.8	22.89	1.00	30.00	PASS
		8	0		20.91	0.8	21.71	1.00	30.00	PASS
		8	4		20.97	0.8	21.77	1.00	30.00	PASS
		8	7		20.94	0.8	21.74	1.00	30.00	PASS
		15	0		20.81	0.8	21.61	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 4 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	22.73	0.8	23.53	1.00	30.00	PASS
		1	12		23.18	0.8	23.98	1.00	30.00	PASS
		1	24		22.69	0.8	23.49	1.00	30.00	PASS
		12	0		21.78	0.8	22.58	1.00	30.00	PASS
		12	6		21.87	0.8	22.67	1.00	30.00	PASS
		12	11		21.84	0.8	22.64	1.00	30.00	PASS
		25	0		21.86	0.8	22.66	1.00	30.00	PASS
		1	0	16QAM	21.95	0.8	22.75	1.00	30.00	PASS
		1	12		22.30	0.8	23.10	1.00	30.00	PASS
		1	24		21.87	0.8	22.67	1.00	30.00	PASS
		12	0		20.91	0.8	21.71	1.00	30.00	PASS
		12	6		21.01	0.8	21.81	1.00	30.00	PASS
		12	11		20.97	0.8	21.77	1.00	30.00	PASS
		25	0		20.90	0.8	21.70	1.00	30.00	PASS
	Middle	1	0	QPSK	22.90	0.8	23.70	1.00	30.00	PASS
		1	12		23.32	0.8	24.12	1.00	30.00	PASS
		1	24		22.93	0.8	23.73	1.00	30.00	PASS
		12	0		21.91	0.8	22.71	1.00	30.00	PASS
		12	6		21.99	0.8	22.79	1.00	30.00	PASS
		12	11		21.95	0.8	22.75	1.00	30.00	PASS
		25	0		21.93	0.8	22.73	1.00	30.00	PASS
		1	0	16QAM	21.95	0.8	22.75	1.00	30.00	PASS
		1	12		22.43	0.8	23.23	1.00	30.00	PASS
		1	24		22.00	0.8	22.80	1.00	30.00	PASS
		12	0		21.04	0.8	21.84	1.00	30.00	PASS
		12	6		21.14	0.8	21.94	1.00	30.00	PASS
		12	11		21.11	0.8	21.91	1.00	30.00	PASS
		25	0		21.00	0.8	21.80	1.00	30.00	PASS
	Highest	1	0	QPSK	22.77	0.8	23.57	1.00	30.00	PASS
		1	12		23.22	0.8	24.02	1.00	30.00	PASS
		1	24		22.80	0.8	23.60	1.00	30.00	PASS
		12	0		21.86	0.8	22.66	1.00	30.00	PASS
		12	6		21.92	0.8	22.72	1.00	30.00	PASS
		12	11		21.89	0.8	22.69	1.00	30.00	PASS
		25	0		21.89	0.8	22.69	1.00	30.00	PASS
		1	0	16QAM	22.13	0.8	22.93	1.00	30.00	PASS
		1	12		22.57	0.8	23.37	1.00	30.00	PASS
		1	24		22.14	0.8	22.94	1.00	30.00	PASS
		12	0		20.91	0.8	21.71	1.00	30.00	PASS
		12	6		20.94	0.8	21.74	1.00	30.00	PASS
		12	11		20.88	0.8	21.68	1.00	30.00	PASS
		25	0		20.96	0.8	21.76	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 4 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	22.83	0.8	23.63	1.00	30.00	PASS
		1	24		22.96	0.8	23.76	1.00	30.00	PASS
		1	49		22.81	0.8	23.61	1.00	30.00	PASS
		25	0		21.77	0.8	22.57	1.00	30.00	PASS
		25	12		21.78	0.8	22.58	1.00	30.00	PASS
		25	24		21.84	0.8	22.64	1.00	30.00	PASS
		50	0		21.80	0.8	22.60	1.00	30.00	PASS
		1	0	16QAM	22.08	0.8	22.88	1.00	30.00	PASS
		1	24		22.23	0.8	23.03	1.00	30.00	PASS
		1	49		22.10	0.8	22.90	1.00	30.00	PASS
		25	0		20.84	0.8	21.64	1.00	30.00	PASS
		25	12		20.86	0.8	21.66	1.00	30.00	PASS
		25	24		20.89	0.8	21.69	1.00	30.00	PASS
		50	0		20.87	0.8	21.67	1.00	30.00	PASS
	Middle	1	0	QPSK	22.84	0.8	23.64	1.00	30.00	PASS
		1	24		23.03	0.8	23.83	1.00	30.00	PASS
		1	49		22.90	0.8	23.70	1.00	30.00	PASS
		25	0		21.95	0.8	22.75	1.00	30.00	PASS
		25	12		21.95	0.8	22.75	1.00	30.00	PASS
		25	24		22.00	0.8	22.80	1.00	30.00	PASS
		50	0		21.95	0.8	22.75	1.00	30.00	PASS
		1	0	16QAM	22.10	0.8	22.90	1.00	30.00	PASS
		1	24		22.30	0.8	23.10	1.00	30.00	PASS
		1	49		22.14	0.8	22.94	1.00	30.00	PASS
		25	0		21.06	0.8	21.86	1.00	30.00	PASS
		25	12		21.09	0.8	21.89	1.00	30.00	PASS
		25	24		21.06	0.8	21.86	1.00	30.00	PASS
		50	0		21.06	0.8	21.86	1.00	30.00	PASS
	Highest	1	0	QPSK	22.80	0.8	23.60	1.00	30.00	PASS
		1	24		22.92	0.8	23.72	1.00	30.00	PASS
		1	49		22.82	0.8	23.62	1.00	30.00	PASS
		25	0		21.92	0.8	22.72	1.00	30.00	PASS
		25	12		21.87	0.8	22.67	1.00	30.00	PASS
		25	24		21.89	0.8	22.69	1.00	30.00	PASS
		50	0		21.92	0.8	22.72	1.00	30.00	PASS
		1	0	16QAM	21.94	0.8	22.74	1.00	30.00	PASS
		1	24		22.00	0.8	22.80	1.00	30.00	PASS
		1	49		21.88	0.8	22.68	1.00	30.00	PASS
		25	0		20.98	0.8	21.78	1.00	30.00	PASS
		25	12		20.96	0.8	21.76	1.00	30.00	PASS
		25	24		20.95	0.8	21.75	1.00	30.00	PASS
		50	0		20.97	0.8	21.77	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 4 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	22.68	0.8	23.48	1.00	30.00	PASS
		1	37		22.99	0.8	23.79	1.00	30.00	PASS
		1	74		22.79	0.8	23.59	1.00	30.00	PASS
		36	0		21.77	0.8	22.57	1.00	30.00	PASS
		36	18		21.88	0.8	22.68	1.00	30.00	PASS
		36	39		21.85	0.8	22.65	1.00	30.00	PASS
		75	0		21.87	0.8	22.67	1.00	30.00	PASS
		1	0	16QAM	21.83	0.8	22.63	1.00	30.00	PASS
		1	37		22.10	0.8	22.90	1.00	30.00	PASS
		1	74		21.82	0.8	22.62	1.00	30.00	PASS
		36	0		20.81	0.8	21.61	1.00	30.00	PASS
		36	18		20.93	0.8	21.73	1.00	30.00	PASS
		36	39		20.88	0.8	21.68	1.00	30.00	PASS
		75	0		20.88	0.8	21.68	1.00	30.00	PASS
	Middle	1	0	QPSK	22.85	0.8	23.65	1.00	30.00	PASS
		1	37		23.33	0.8	24.13	1.00	30.00	PASS
		1	74		22.87	0.8	23.67	1.00	30.00	PASS
		36	0		21.94	0.8	22.74	1.00	30.00	PASS
		36	18		21.98	0.8	22.78	1.00	30.00	PASS
		36	39		21.94	0.8	22.74	1.00	30.00	PASS
		75	0		21.98	0.8	22.78	1.00	30.00	PASS
		1	0	16QAM	21.80	0.8	22.60	1.00	30.00	PASS
		1	37		22.33	0.8	23.13	1.00	30.00	PASS
		1	74		21.88	0.8	22.68	1.00	30.00	PASS
		36	0		20.96	0.8	21.76	1.00	30.00	PASS
		36	18		20.98	0.8	21.78	1.00	30.00	PASS
		36	39		20.96	0.8	21.76	1.00	30.00	PASS
		75	0		21.00	0.8	21.80	1.00	30.00	PASS
	Highest	1	0	QPSK	22.78	0.8	23.58	1.00	30.00	PASS
		1	37		23.10	0.8	23.90	1.00	30.00	PASS
		1	74		22.75	0.8	23.55	1.00	30.00	PASS
		36	0		21.86	0.8	22.66	1.00	30.00	PASS
		36	18		21.93	0.8	22.73	1.00	30.00	PASS
		36	39		21.87	0.8	22.67	1.00	30.00	PASS
		75	0		21.89	0.8	22.69	1.00	30.00	PASS
		1	0	16QAM	22.02	0.8	22.82	1.00	30.00	PASS
		1	37		22.37	0.8	23.17	1.00	30.00	PASS
		1	74		21.98	0.8	22.78	1.00	30.00	PASS
		36	0		20.89	0.8	21.69	1.00	30.00	PASS
		36	18		20.94	0.8	21.74	1.00	30.00	PASS
		36	39		20.87	0.8	21.67	1.00	30.00	PASS
		75	0		20.91	0.8	21.71	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 4 /20M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
20	Lowest	1	0	QPSK	22.52	0.8	23.32	1.00	30.00	PASS
		1	49		22.92	0.8	23.72	1.00	30.00	PASS
		1	99		22.65	0.8	23.45	1.00	30.00	PASS
		50	0		21.70	0.8	22.50	1.00	30.00	PASS
		50	24		21.84	0.8	22.64	1.00	30.00	PASS
		50	49		21.85	0.8	22.65	1.00	30.00	PASS
		100	0		21.80	0.8	22.60	1.00	30.00	PASS
		1	0	16QAM	21.60	0.8	22.40	1.00	30.00	PASS
		1	49		21.99	0.8	22.79	1.00	30.00	PASS
		1	99		21.74	0.8	22.54	1.00	30.00	PASS
		50	0		20.76	0.8	21.56	1.00	30.00	PASS
		50	24		20.89	0.8	21.69	1.00	30.00	PASS
		50	49		20.90	0.8	21.70	1.00	30.00	PASS
		100	0		20.90	0.8	21.70	1.00	30.00	PASS
	Middle	1	0	QPSK	22.65	0.8	23.45	1.00	30.00	PASS
		1	49		23.10	0.8	23.90	1.00	30.00	PASS
		1	99		22.72	0.8	23.52	1.00	30.00	PASS
		50	0		21.92	0.8	22.72	1.00	30.00	PASS
		50	24		21.97	0.8	22.77	1.00	30.00	PASS
		50	49		21.92	0.8	22.72	1.00	30.00	PASS
		100	0		21.91	0.8	22.71	1.00	30.00	PASS
		1	0	16QAM	21.66	0.8	22.46	1.00	30.00	PASS
		1	49		22.14	0.8	22.94	1.00	30.00	PASS
		1	99		21.70	0.8	22.50	1.00	30.00	PASS
		50	0		20.97	0.8	21.77	1.00	30.00	PASS
		50	24		21.08	0.8	21.88	1.00	30.00	PASS
		50	49		20.99	0.8	21.79	1.00	30.00	PASS
		100	0		21.01	0.8	21.81	1.00	30.00	PASS
	Highest	1	0	QPSK	22.66	0.8	23.46	1.00	30.00	PASS
		1	49		22.96	0.8	23.76	1.00	30.00	PASS
		1	99		22.62	0.8	23.42	1.00	30.00	PASS
		50	0		21.87	0.8	22.67	1.00	30.00	PASS
		50	24		21.87	0.8	22.67	1.00	30.00	PASS
		50	49		21.83	0.8	22.63	1.00	30.00	PASS
		100	0		21.87	0.8	22.67	1.00	30.00	PASS
		1	0	16QAM	21.85	0.8	22.65	1.00	30.00	PASS
		1	49		22.19	0.8	22.99	1.00	30.00	PASS
		1	99		21.76	0.8	22.56	1.00	30.00	PASS
		50	0		20.93	0.8	21.73	1.00	30.00	PASS
		50	24		20.97	0.8	21.77	1.00	30.00	PASS
		50	49		20.94	0.8	21.74	1.00	30.00	PASS
		100	0		20.91	0.8	21.71	1.00	30.00	PASS



Radiated Power (ERP) for LTE Band 5 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	23.56	-1.1	20.31	7.00	38.45	PASS
		1	2		23.74	-1.1	20.49	7.00	38.45	PASS
		1	5		23.60	-1.1	20.35	7.00	38.45	PASS
		3	0		23.56	-1.1	20.31	7.00	38.45	PASS
		3	1		23.63	-1.1	20.38	7.00	38.45	PASS
		3	2		23.62	-1.1	20.37	7.00	38.45	PASS
		6	0		22.57	-1.1	19.32	7.00	38.45	PASS
		1	0	16QAM	22.47	-1.1	19.22	7.00	38.45	PASS
		1	2		22.60	-1.1	19.35	7.00	38.45	PASS
		1	5		22.52	-1.1	19.27	7.00	38.45	PASS
		3	0		22.55	-1.1	19.30	7.00	38.45	PASS
		3	1		22.67	-1.1	19.42	7.00	38.45	PASS
		3	2		22.66	-1.1	19.41	7.00	38.45	PASS
		6	0		21.72	-1.1	18.47	7.00	38.45	PASS
	Middle	1	0	QPSK	23.42	-1.1	20.17	7.00	38.45	PASS
		1	2		23.53	-1.1	20.28	7.00	38.45	PASS
		1	5		23.38	-1.1	20.13	7.00	38.45	PASS
		3	0		23.47	-1.1	20.22	7.00	38.45	PASS
		3	1		23.52	-1.1	20.27	7.00	38.45	PASS
		3	2		23.51	-1.1	20.26	7.00	38.45	PASS
		6	0		22.50	-1.1	19.25	7.00	38.45	PASS
		1	0	16QAM	22.50	-1.1	19.25	7.00	38.45	PASS
		1	2		22.59	-1.1	19.34	7.00	38.45	PASS
		1	5		22.46	-1.1	19.21	7.00	38.45	PASS
		3	0		22.52	-1.1	19.27	7.00	38.45	PASS
		3	1		22.57	-1.1	19.32	7.00	38.45	PASS
		3	2		22.50	-1.1	19.25	7.00	38.45	PASS
		6	0		21.67	-1.1	18.42	7.00	38.45	PASS
	Highest	1	0	QPSK	23.26	-1.1	20.01	7.00	38.45	PASS
		1	2		23.42	-1.1	20.17	7.00	38.45	PASS
		1	5		23.22	-1.1	19.97	7.00	38.45	PASS
		3	0		23.32	-1.1	20.07	7.00	38.45	PASS
		3	1		23.31	-1.1	20.06	7.00	38.45	PASS
		3	2		23.27	-1.1	20.02	7.00	38.45	PASS
		6	0		22.34	-1.1	19.09	7.00	38.45	PASS
		1	0	16QAM	22.52	-1.1	19.27	7.00	38.45	PASS
		1	2		22.64	-1.1	19.39	7.00	38.45	PASS
		1	5		22.52	-1.1	19.27	7.00	38.45	PASS
		3	0		22.47	-1.1	19.22	7.00	38.45	PASS
		3	1		22.46	-1.1	19.21	7.00	38.45	PASS
		3	2		22.40	-1.1	19.15	7.00	38.45	PASS
		6	0		21.40	-1.1	18.15	7.00	38.45	PASS



Radiated Power (ERP) for LTE Band 5 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	23.52	-1.1	20.27	7.00	38.45	PASS
		1	7		23.93	-1.1	20.68	7.00	38.45	PASS
		1	14		23.57	-1.1	20.32	7.00	38.45	PASS
		8	0		22.59	-1.1	19.34	7.00	38.45	PASS
		8	4		22.61	-1.1	19.36	7.00	38.45	PASS
		8	7		22.57	-1.1	19.32	7.00	38.45	PASS
		15	0		22.56	-1.1	19.31	7.00	38.45	PASS
		1	0	16QAM	22.60	-1.1	19.35	7.00	38.45	PASS
		1	7		22.97	-1.1	19.72	7.00	38.45	PASS
		1	14		22.65	-1.1	19.40	7.00	38.45	PASS
		8	0		21.64	-1.1	18.39	7.00	38.45	PASS
		8	4		21.68	-1.1	18.43	7.00	38.45	PASS
		8	7		21.67	-1.1	18.42	7.00	38.45	PASS
		15	0		21.45	-1.1	18.20	7.00	38.45	PASS
	Middle	1	0	QPSK	23.51	-1.1	20.26	7.00	38.45	PASS
		1	7		23.86	-1.1	20.61	7.00	38.45	PASS
		1	14		23.51	-1.1	20.26	7.00	38.45	PASS
		8	0		22.47	-1.1	19.22	7.00	38.45	PASS
		8	4		22.51	-1.1	19.26	7.00	38.45	PASS
		8	7		22.44	-1.1	19.19	7.00	38.45	PASS
		15	0		22.43	-1.1	19.18	7.00	38.45	PASS
		1	0	16QAM	22.81	-1.1	19.56	7.00	38.45	PASS
		1	7		23.07	-1.1	19.82	7.00	38.45	PASS
		1	14		22.73	-1.1	19.48	7.00	38.45	PASS
		8	0		21.43	-1.1	18.18	7.00	38.45	PASS
		8	4		21.46	-1.1	18.21	7.00	38.45	PASS
		8	7		21.43	-1.1	18.18	7.00	38.45	PASS
		15	0		21.54	-1.1	18.29	7.00	38.45	PASS
	Highest	1	0	QPSK	23.34	-1.1	20.09	7.00	38.45	PASS
		1	7		23.46	-1.1	20.21	7.00	38.45	PASS
		1	14		23.23	-1.1	19.98	7.00	38.45	PASS
		8	0		22.29	-1.1	19.04	7.00	38.45	PASS
		8	4		22.34	-1.1	19.09	7.00	38.45	PASS
		8	7		22.33	-1.1	19.08	7.00	38.45	PASS
		15	0		22.30	-1.1	19.05	7.00	38.45	PASS
		1	0	16QAM	22.55	-1.1	19.30	7.00	38.45	PASS
		1	7		22.83	-1.1	19.58	7.00	38.45	PASS
		1	14		22.40	-1.1	19.15	7.00	38.45	PASS
		8	0		21.37	-1.1	18.12	7.00	38.45	PASS
		8	4		21.41	-1.1	18.16	7.00	38.45	PASS
		8	7		21.40	-1.1	18.15	7.00	38.45	PASS
		15	0		21.24	-1.1	17.99	7.00	38.45	PASS



Radiated Power (ERP) for LTE Band 5 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	23.45	-1.1	20.20	7.00	38.45	PASS
		1	12		23.91	-1.1	20.66	7.00	38.45	PASS
		1	24		23.47	-1.1	20.22	7.00	38.45	PASS
		12	0		22.60	-1.1	19.35	7.00	38.45	PASS
		12	6		22.66	-1.1	19.41	7.00	38.45	PASS
		12	11		22.53	-1.1	19.28	7.00	38.45	PASS
		25	0		22.57	-1.1	19.32	7.00	38.45	PASS
		1	0		22.67	-1.1	19.42	7.00	38.45	PASS
		1	12	16QAM	23.07	-1.1	19.82	7.00	38.45	PASS
		1	24		22.63	-1.1	19.38	7.00	38.45	PASS
		12	0		21.72	-1.1	18.47	7.00	38.45	PASS
		12	6		21.75	-1.1	18.50	7.00	38.45	PASS
		12	11		21.61	-1.1	18.36	7.00	38.45	PASS
		25	0		21.59	-1.1	18.34	7.00	38.45	PASS
	Middle	1	0	QPSK	23.53	-1.1	20.28	7.00	38.45	PASS
		1	12		23.75	-1.1	20.50	7.00	38.45	PASS
		1	24		23.42	-1.1	20.17	7.00	38.45	PASS
		12	0		22.36	-1.1	19.11	7.00	38.45	PASS
		12	6		22.52	-1.1	19.27	7.00	38.45	PASS
		12	11		22.50	-1.1	19.25	7.00	38.45	PASS
		25	0		22.52	-1.1	19.27	7.00	38.45	PASS
		1	0	16QAM	22.56	-1.1	19.31	7.00	38.45	PASS
		1	12		22.79	-1.1	19.54	7.00	38.45	PASS
		1	24		22.45	-1.1	19.20	7.00	38.45	PASS
		12	0		21.51	-1.1	18.26	7.00	38.45	PASS
		12	6		21.60	-1.1	18.35	7.00	38.45	PASS
		12	11		21.58	-1.1	18.33	7.00	38.45	PASS
		25	0		21.51	-1.1	18.26	7.00	38.45	PASS
	Highest	1	0	QPSK	23.24	-1.1	19.99	7.00	38.45	PASS
		1	12		23.61	-1.1	20.36	7.00	38.45	PASS
		1	24		23.16	-1.1	19.91	7.00	38.45	PASS
		12	0		22.41	-1.1	19.16	7.00	38.45	PASS
		12	6		22.39	-1.1	19.14	7.00	38.45	PASS
		12	11		22.40	-1.1	19.15	7.00	38.45	PASS
		25	0		22.43	-1.1	19.18	7.00	38.45	PASS
		1	0	16QAM	22.60	-1.1	19.35	7.00	38.45	PASS
		1	12		23.13	-1.1	19.88	7.00	38.45	PASS
		1	24		22.54	-1.1	19.29	7.00	38.45	PASS
		12	0		21.41	-1.1	18.16	7.00	38.45	PASS
		12	6		21.38	-1.1	18.13	7.00	38.45	PASS
		12	11		21.40	-1.1	18.15	7.00	38.45	PASS
		25	0		21.47	-1.1	18.22	7.00	38.45	PASS



Radiated Power (ERP) for LTE Band 5 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	23.53	-1.1	20.28	7.00	38.45	PASS
		1	24		23.66	-1.1	20.41	7.00	38.45	PASS
		1	49		23.55	-1.1	20.30	7.00	38.45	PASS
		25	0		22.74	-1.1	19.49	7.00	38.45	PASS
		25	12		22.60	-1.1	19.35	7.00	38.45	PASS
		25	24		22.70	-1.1	19.45	7.00	38.45	PASS
		50	0		22.69	-1.1	19.44	7.00	38.45	PASS
		1	0	16QAM	22.63	-1.1	19.38	7.00	38.45	PASS
		1	24		22.73	-1.1	19.48	7.00	38.45	PASS
		1	49		22.57	-1.1	19.32	7.00	38.45	PASS
		25	0		21.79	-1.1	18.54	7.00	38.45	PASS
		25	12		21.68	-1.1	18.43	7.00	38.45	PASS
		25	24		21.64	-1.1	18.39	7.00	38.45	PASS
		50	0		21.71	-1.1	18.46	7.00	38.45	PASS
	Middle	1	0	QPSK	23.57	-1.1	20.32	7.00	38.45	PASS
		1	24		23.60	-1.1	20.35	7.00	38.45	PASS
		1	49		23.39	-1.1	20.14	7.00	38.45	PASS
		25	0		22.53	-1.1	19.28	7.00	38.45	PASS
		25	12		22.50	-1.1	19.25	7.00	38.45	PASS
		25	24		22.63	-1.1	19.38	7.00	38.45	PASS
		50	0		22.56	-1.1	19.31	7.00	38.45	PASS
		1	0	16QAM	22.83	-1.1	19.58	7.00	38.45	PASS
		1	24		22.90	-1.1	19.65	7.00	38.45	PASS
		1	49		22.73	-1.1	19.48	7.00	38.45	PASS
		25	0		21.52	-1.1	18.27	7.00	38.45	PASS
		25	12		21.50	-1.1	18.25	7.00	38.45	PASS
		25	24		21.61	-1.1	18.36	7.00	38.45	PASS
		50	0		21.56	-1.1	18.31	7.00	38.45	PASS
	Highest	1	0	QPSK	23.37	-1.1	20.12	7.00	38.45	PASS
		1	24		23.43	-1.1	20.18	7.00	38.45	PASS
		1	49		23.25	-1.1	20.00	7.00	38.45	PASS
		25	0		22.56	-1.1	19.31	7.00	38.45	PASS
		25	12		22.42	-1.1	19.17	7.00	38.45	PASS
		25	24		22.45	-1.1	19.20	7.00	38.45	PASS
		50	0		22.54	-1.1	19.29	7.00	38.45	PASS
		1	0	16QAM	22.63	-1.1	19.38	7.00	38.45	PASS
		1	24		22.71	-1.1	19.46	7.00	38.45	PASS
		1	49		22.48	-1.1	19.23	7.00	38.45	PASS
		25	0		21.66	-1.1	18.41	7.00	38.45	PASS
		25	12		21.49	-1.1	18.24	7.00	38.45	PASS
		25	24		21.51	-1.1	18.26	7.00	38.45	PASS
		50	0		21.55	-1.1	18.30	7.00	38.45	PASS



Radiated Power (EIRP) for LTE Band 7 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	22.65	1.2	23.85	2.00	33.01	PASS
		1	12		23.03	1.2	24.23	2.00	33.01	PASS
		1	24		22.59	1.2	23.79	2.00	33.01	PASS
		12	0		21.64	1.2	22.84	2.00	33.01	PASS
		12	6		21.77	1.2	22.97	2.00	33.01	PASS
		12	11		21.71	1.2	22.91	2.00	33.01	PASS
		25	0		21.68	1.2	22.88	2.00	33.01	PASS
		1	0	16QAM	21.99	1.2	23.19	2.00	33.01	PASS
		1	12		22.33	1.2	23.53	2.00	33.01	PASS
		1	24		21.99	1.2	23.19	2.00	33.01	PASS
		12	0		20.63	1.2	21.83	2.00	33.01	PASS
		12	6		20.74	1.2	21.94	2.00	33.01	PASS
		12	11		20.71	1.2	21.91	2.00	33.01	PASS
		25	0		20.78	1.2	21.98	2.00	33.01	PASS
	Middle	1	0	QPSK	22.82	1.2	24.02	2.00	33.01	PASS
		1	12		23.11	1.2	24.31	2.00	33.01	PASS
		1	24		22.79	1.2	23.99	2.00	33.01	PASS
		12	0		21.88	1.2	23.08	2.00	33.01	PASS
		12	6		21.91	1.2	23.11	2.00	33.01	PASS
		12	11		21.85	1.2	23.05	2.00	33.01	PASS
		25	0		21.89	1.2	23.09	2.00	33.01	PASS
		1	0	16QAM	21.92	1.2	23.12	2.00	33.01	PASS
		1	12		22.25	1.2	23.45	2.00	33.01	PASS
		1	24		21.88	1.2	23.08	2.00	33.01	PASS
		12	0		20.94	1.2	22.14	2.00	33.01	PASS
		12	6		21.02	1.2	22.22	2.00	33.01	PASS
		12	11		20.94	1.2	22.14	2.00	33.01	PASS
		25	0		20.81	1.2	22.01	2.00	33.01	PASS
	Highest	1	0	QPSK	22.65	1.2	23.85	2.00	33.01	PASS
		1	12		23.05	1.2	24.25	2.00	33.01	PASS
		1	24		22.64	1.2	23.84	2.00	33.01	PASS
		12	0		21.64	1.2	22.84	2.00	33.01	PASS
		12	6		21.65	1.2	22.85	2.00	33.01	PASS
		12	11		21.63	1.2	22.83	2.00	33.01	PASS
		25	0		21.63	1.2	22.83	2.00	33.01	PASS
		1	0	16QAM	21.65	1.2	22.85	2.00	33.01	PASS
		1	12		22.16	1.2	23.36	2.00	33.01	PASS
		1	24		21.69	1.2	22.89	2.00	33.01	PASS
		12	0		20.67	1.2	21.87	2.00	33.01	PASS
		12	6		20.75	1.2	21.95	2.00	33.01	PASS
		12	11		20.74	1.2	21.94	2.00	33.01	PASS
		25	0		20.62	1.2	21.82	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 7 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	22.70	1.2	23.90	2.00	33.01	PASS
		1	24		22.74	1.2	23.94	2.00	33.01	PASS
		1	49		22.63	1.2	23.83	2.00	33.01	PASS
		25	0		21.65	1.2	22.85	2.00	33.01	PASS
		25	12		21.66	1.2	22.86	2.00	33.01	PASS
		25	24		21.74	1.2	22.94	2.00	33.01	PASS
		50	0		21.68	1.2	22.88	2.00	33.01	PASS
		1	0	16QAM	21.70	1.2	22.90	2.00	33.01	PASS
		1	24		21.77	1.2	22.97	2.00	33.01	PASS
		1	49		21.61	1.2	22.81	2.00	33.01	PASS
		25	0		20.67	1.2	21.87	2.00	33.01	PASS
		25	12		20.75	1.2	21.95	2.00	33.01	PASS
		25	24		20.81	1.2	22.01	2.00	33.01	PASS
		50	0		20.77	1.2	21.97	2.00	33.01	PASS
	Middle	1	0	QPSK	22.91	1.2	24.11	2.00	33.01	PASS
		1	24		23.09	1.2	24.29	2.00	33.01	PASS
		1	49		22.93	1.2	24.13	2.00	33.01	PASS
		25	0		21.91	1.2	23.11	2.00	33.01	PASS
		25	12		21.89	1.2	23.09	2.00	33.01	PASS
		25	24		21.96	1.2	23.16	2.00	33.01	PASS
		50	0		21.93	1.2	23.13	2.00	33.01	PASS
		1	0	16QAM	22.10	1.2	23.30	2.00	33.01	PASS
		1	24		22.27	1.2	23.47	2.00	33.01	PASS
		1	49		22.14	1.2	23.34	2.00	33.01	PASS
		25	0		20.91	1.2	22.11	2.00	33.01	PASS
		25	12		20.89	1.2	22.09	2.00	33.01	PASS
		25	24		20.99	1.2	22.19	2.00	33.01	PASS
		50	0		20.97	1.2	22.17	2.00	33.01	PASS
	Highest	1	0	QPSK	22.67	1.2	23.87	2.00	33.01	PASS
		1	24		22.77	1.2	23.97	2.00	33.01	PASS
		1	49		22.69	1.2	23.89	2.00	33.01	PASS
		25	0		21.76	1.2	22.96	2.00	33.01	PASS
		25	12		21.67	1.2	22.87	2.00	33.01	PASS
		25	24		21.68	1.2	22.88	2.00	33.01	PASS
		50	0		21.69	1.2	22.89	2.00	33.01	PASS
		1	0	16QAM	21.81	1.2	23.01	2.00	33.01	PASS
		1	24		21.91	1.2	23.11	2.00	33.01	PASS
		1	49		21.84	1.2	23.04	2.00	33.01	PASS
		25	0		20.80	1.2	22.00	2.00	33.01	PASS
		25	12		20.79	1.2	21.99	2.00	33.01	PASS
		25	24		20.78	1.2	21.98	2.00	33.01	PASS
		50	0		20.70	1.2	21.90	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 7 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	22.58	1.2	23.78	2.00	33.01	PASS
		1	37		22.86	1.2	24.06	2.00	33.01	PASS
		1	74		22.51	1.2	23.71	2.00	33.01	PASS
		36	0		21.65	1.2	22.85	2.00	33.01	PASS
		36	18		21.70	1.2	22.90	2.00	33.01	PASS
		36	39		21.75	1.2	22.95	2.00	33.01	PASS
		75	0		21.67	1.2	22.87	2.00	33.01	PASS
		1	0	16QAM	21.77	1.2	22.97	2.00	33.01	PASS
		1	37		22.08	1.2	23.28	2.00	33.01	PASS
		1	74		21.62	1.2	22.82	2.00	33.01	PASS
		36	0		20.61	1.2	21.81	2.00	33.01	PASS
		36	18		20.67	1.2	21.87	2.00	33.01	PASS
		36	39		20.69	1.2	21.89	2.00	33.01	PASS
		75	0		20.65	1.2	21.85	2.00	33.01	PASS
	Middle	1	0	QPSK	22.80	1.2	24.00	2.00	33.01	PASS
		1	37		23.13	1.2	24.33	2.00	33.01	PASS
		1	74		22.75	1.2	23.95	2.00	33.01	PASS
		36	0		21.99	1.2	23.19	2.00	33.01	PASS
		36	18		22.03	1.2	23.23	2.00	33.01	PASS
		36	39		22.02	1.2	23.22	2.00	33.01	PASS
		75	0		22.02	1.2	23.22	2.00	33.01	PASS
		1	0	16QAM	21.77	1.2	22.97	2.00	33.01	PASS
		1	37		22.12	1.2	23.32	2.00	33.01	PASS
		1	74		21.81	1.2	23.01	2.00	33.01	PASS
		36	0		20.93	1.2	22.13	2.00	33.01	PASS
		36	18		20.97	1.2	22.17	2.00	33.01	PASS
		36	39		20.96	1.2	22.16	2.00	33.01	PASS
		75	0		20.95	1.2	22.15	2.00	33.01	PASS
	Highest	1	0	QPSK	22.64	1.2	23.84	2.00	33.01	PASS
		1	37		22.98	1.2	24.18	2.00	33.01	PASS
		1	74		22.67	1.2	23.87	2.00	33.01	PASS
		36	0		21.76	1.2	22.96	2.00	33.01	PASS
		36	18		21.75	1.2	22.95	2.00	33.01	PASS
		36	39		21.79	1.2	22.99	2.00	33.01	PASS
		75	0		21.77	1.2	22.97	2.00	33.01	PASS
		1	0	16QAM	21.58	1.2	22.78	2.00	33.01	PASS
		1	37		21.85	1.2	23.05	2.00	33.01	PASS
		1	74		21.57	1.2	22.77	2.00	33.01	PASS
		36	0		20.67	1.2	21.87	2.00	33.01	PASS
		36	18		20.73	1.2	21.93	2.00	33.01	PASS
		36	39		20.71	1.2	21.91	2.00	33.01	PASS
		75	0		20.72	1.2	21.92	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 7 /20M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
20	Lowest	1	0	QPSK	22.39	1.2	23.59	2.00	33.01	PASS
		1	49		22.67	1.2	23.87	2.00	33.01	PASS
		1	99		22.39	1.2	23.59	2.00	33.01	PASS
		50	0		21.47	1.2	22.67	2.00	33.01	PASS
		50	24		21.60	1.2	22.80	2.00	33.01	PASS
		50	49		21.55	1.2	22.75	2.00	33.01	PASS
		100	0		21.55	1.2	22.75	2.00	33.01	PASS
		1	0	16QAM	21.55	1.2	22.75	2.00	33.01	PASS
		1	49		21.76	1.2	22.96	2.00	33.01	PASS
		1	99		21.47	1.2	22.67	2.00	33.01	PASS
		50	0		20.45	1.2	21.65	2.00	33.01	PASS
		50	24		20.64	1.2	21.84	2.00	33.01	PASS
		50	49		20.59	1.2	21.79	2.00	33.01	PASS
		100	0		20.59	1.2	21.79	2.00	33.01	PASS
	Middle	1	0	QPSK	22.64	1.2	23.84	2.00	33.01	PASS
		1	49		23.01	1.2	24.21	2.00	33.01	PASS
		1	99		22.65	1.2	23.85	2.00	33.01	PASS
		50	0		21.84	1.2	23.04	2.00	33.01	PASS
		50	24		21.91	1.2	23.11	2.00	33.01	PASS
		50	49		21.92	1.2	23.12	2.00	33.01	PASS
		100	0		21.88	1.2	23.08	2.00	33.01	PASS
		1	0	16QAM	21.60	1.2	22.80	2.00	33.01	PASS
		1	49		21.95	1.2	23.15	2.00	33.01	PASS
		1	99		21.69	1.2	22.89	2.00	33.01	PASS
		50	0		20.88	1.2	22.08	2.00	33.01	PASS
		50	24		20.97	1.2	22.17	2.00	33.01	PASS
		50	49		20.96	1.2	22.16	2.00	33.01	PASS
		100	0		20.91	1.2	22.11	2.00	33.01	PASS
	Highest	1	0	QPSK	22.47	1.2	23.67	2.00	33.01	PASS
		1	49		22.90	1.2	24.10	2.00	33.01	PASS
		1	99		22.54	1.2	23.74	2.00	33.01	PASS
		50	0		21.65	1.2	22.85	2.00	33.01	PASS
		50	24		21.73	1.2	22.93	2.00	33.01	PASS
		50	49		21.70	1.2	22.90	2.00	33.01	PASS
		100	0		21.69	1.2	22.89	2.00	33.01	PASS
		1	0	16QAM	21.51	1.2	22.71	2.00	33.01	PASS
		1	49		21.87	1.2	23.07	2.00	33.01	PASS
		1	99		21.55	1.2	22.75	2.00	33.01	PASS
		50	0		20.70	1.2	21.90	2.00	33.01	PASS
		50	24		20.78	1.2	21.98	2.00	33.01	PASS
		50	49		20.72	1.2	21.92	2.00	33.01	PASS
		100	0		20.68	1.2	21.88	2.00	33.01	PASS



Radiated Power (ERP) for LTE Band 12 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	24.14	-2.1	19.89	3.00	34.77	PASS
		1	2		24.25	-2.1	20.00	3.00	34.77	PASS
		1	5		24.14	-2.1	19.89	3.00	34.77	PASS
		3	0		24.17	-2.1	19.92	3.00	34.77	PASS
		3	1		24.14	-2.1	19.89	3.00	34.77	PASS
		3	2		24.21	-2.1	19.96	3.00	34.77	PASS
		6	0		23.13	-2.1	18.88	3.00	34.77	PASS
		1	0	16QAM	23.35	-2.1	19.10	3.00	34.77	PASS
		1	2		23.50	-2.1	19.25	3.00	34.77	PASS
		1	5		23.39	-2.1	19.14	3.00	34.77	PASS
		3	0		23.29	-2.1	19.04	3.00	34.77	PASS
		3	1		23.28	-2.1	19.03	3.00	34.77	PASS
		3	2		23.32	-2.1	19.07	3.00	34.77	PASS
		6	0		22.25	-2.1	18.00	3.00	34.77	PASS
	Middle	1	0	QPSK	24.00	-2.1	19.75	3.00	34.77	PASS
		1	2		24.16	-2.1	19.91	3.00	34.77	PASS
		1	5		24.03	-2.1	19.78	3.00	34.77	PASS
		3	0		24.06	-2.1	19.81	3.00	34.77	PASS
		3	1		24.04	-2.1	19.79	3.00	34.77	PASS
		3	2		24.07	-2.1	19.82	3.00	34.77	PASS
		6	0		23.02	-2.1	18.77	3.00	34.77	PASS
		1	0	16QAM	22.88	-2.1	18.63	3.00	34.77	PASS
		1	2		23.03	-2.1	18.78	3.00	34.77	PASS
		1	5		22.94	-2.1	18.69	3.00	34.77	PASS
		3	0		23.06	-2.1	18.81	3.00	34.77	PASS
		3	1		23.10	-2.1	18.85	3.00	34.77	PASS
		3	2		23.11	-2.1	18.86	3.00	34.77	PASS
		6	0		22.15	-2.1	17.90	3.00	34.77	PASS
	Highest	1	0	QPSK	23.89	-2.1	19.64	3.00	34.77	PASS
		1	2		24.04	-2.1	19.79	3.00	34.77	PASS
		1	5		23.87	-2.1	19.62	3.00	34.77	PASS
		3	0		23.99	-2.1	19.74	3.00	34.77	PASS
		3	1		24.00	-2.1	19.75	3.00	34.77	PASS
		3	2		23.98	-2.1	19.73	3.00	34.77	PASS
		6	0		22.98	-2.1	18.73	3.00	34.77	PASS
		1	0	16QAM	22.96	-2.1	18.71	3.00	34.77	PASS
		1	2		23.07	-2.1	18.82	3.00	34.77	PASS
		1	5		22.90	-2.1	18.65	3.00	34.77	PASS
		3	0		23.00	-2.1	18.75	3.00	34.77	PASS
		3	1		23.03	-2.1	18.78	3.00	34.77	PASS
		3	2		22.96	-2.1	18.71	3.00	34.77	PASS
		6	0		22.17	-2.1	17.92	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 12 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	24.08	-2.1	19.83	3.00	34.77	PASS
		1	7		24.30	-2.1	20.05	3.00	34.77	PASS
		1	14		24.04	-2.1	19.79	3.00	34.77	PASS
		8	0		23.07	-2.1	18.82	3.00	34.77	PASS
		8	4		23.10	-2.1	18.85	3.00	34.77	PASS
		8	7		23.09	-2.1	18.84	3.00	34.77	PASS
		15	0		23.09	-2.1	18.84	3.00	34.77	PASS
		1	0	16QAM	23.31	-2.1	19.06	3.00	34.77	PASS
		1	7		23.64	-2.1	19.39	3.00	34.77	PASS
		1	14		23.33	-2.1	19.08	3.00	34.77	PASS
		8	0		22.17	-2.1	17.92	3.00	34.77	PASS
		8	4		22.25	-2.1	18.00	3.00	34.77	PASS
		8	7		22.26	-2.1	18.01	3.00	34.77	PASS
		15	0		22.10	-2.1	17.85	3.00	34.77	PASS
	Middle	1	0	QPSK	23.97	-2.1	19.72	3.00	34.77	PASS
		1	7		24.25	-2.1	20.00	3.00	34.77	PASS
		1	14		23.96	-2.1	19.71	3.00	34.77	PASS
		8	0		23.01	-2.1	18.76	3.00	34.77	PASS
		8	4		23.04	-2.1	18.79	3.00	34.77	PASS
		8	7		23.02	-2.1	18.77	3.00	34.77	PASS
		15	0		22.99	-2.1	18.74	3.00	34.77	PASS
		1	0	16QAM	23.02	-2.1	18.77	3.00	34.77	PASS
		1	7		23.29	-2.1	19.04	3.00	34.77	PASS
		1	14		23.04	-2.1	18.79	3.00	34.77	PASS
		8	0		22.17	-2.1	17.92	3.00	34.77	PASS
		8	4		22.14	-2.1	17.89	3.00	34.77	PASS
		8	7		22.09	-2.1	17.84	3.00	34.77	PASS
		15	0		21.92	-2.1	17.67	3.00	34.77	PASS
	Highest	1	0	QPSK	23.91	-2.1	19.66	3.00	34.77	PASS
		1	7		24.27	-2.1	20.02	3.00	34.77	PASS
		1	14		23.99	-2.1	19.74	3.00	34.77	PASS
		8	0		22.98	-2.1	18.73	3.00	34.77	PASS
		8	4		22.98	-2.1	18.73	3.00	34.77	PASS
		8	7		22.93	-2.1	18.68	3.00	34.77	PASS
		15	0		22.91	-2.1	18.66	3.00	34.77	PASS
		1	0	16QAM	23.26	-2.1	19.01	3.00	34.77	PASS
		1	7		23.55	-2.1	19.30	3.00	34.77	PASS
		1	14		23.19	-2.1	18.94	3.00	34.77	PASS
		8	0		21.94	-2.1	17.69	3.00	34.77	PASS
		8	4		21.96	-2.1	17.71	3.00	34.77	PASS
		8	7		21.90	-2.1	17.65	3.00	34.77	PASS
		15	0		22.04	-2.1	17.79	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 12 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	23.98	-2.1	19.73	3.00	34.77	PASS
		1	12		24.35	-2.1	20.10	3.00	34.77	PASS
		1	24		23.90	-2.1	19.65	3.00	34.77	PASS
		12	0		22.97	-2.1	18.72	3.00	34.77	PASS
		12	6		23.11	-2.1	18.86	3.00	34.77	PASS
		12	11		23.09	-2.1	18.84	3.00	34.77	PASS
		25	0		23.05	-2.1	18.80	3.00	34.77	PASS
		1	0	16QAM	23.31	-2.1	19.06	3.00	34.77	PASS
		1	12		23.62	-2.1	19.37	3.00	34.77	PASS
		1	24		23.27	-2.1	19.02	3.00	34.77	PASS
		12	0		22.05	-2.1	17.80	3.00	34.77	PASS
		12	6		22.17	-2.1	17.92	3.00	34.77	PASS
		12	11		22.15	-2.1	17.90	3.00	34.77	PASS
		25	0		22.15	-2.1	17.90	3.00	34.77	PASS
	Middle	1	0	QPSK	23.90	-2.1	19.65	3.00	34.77	PASS
		1	12		24.17	-2.1	19.92	3.00	34.77	PASS
		1	24		23.92	-2.1	19.67	3.00	34.77	PASS
		12	0		23.08	-2.1	18.83	3.00	34.77	PASS
		12	6		23.09	-2.1	18.84	3.00	34.77	PASS
		12	11		23.02	-2.1	18.77	3.00	34.77	PASS
		25	0		23.06	-2.1	18.81	3.00	34.77	PASS
		1	0	16QAM	23.06	-2.1	18.81	3.00	34.77	PASS
		1	12		23.44	-2.1	19.19	3.00	34.77	PASS
		1	24		23.09	-2.1	18.84	3.00	34.77	PASS
		12	0		22.20	-2.1	17.95	3.00	34.77	PASS
		12	6		22.16	-2.1	17.91	3.00	34.77	PASS
		12	11		22.12	-2.1	17.87	3.00	34.77	PASS
		25	0		22.06	-2.1	17.81	3.00	34.77	PASS
	Highest	1	0	QPSK	23.90	-2.1	19.65	3.00	34.77	PASS
		1	12		24.40	-2.1	20.15	3.00	34.77	PASS
		1	24		23.92	-2.1	19.67	3.00	34.77	PASS
		12	0		22.87	-2.1	18.62	3.00	34.77	PASS
		12	6		23.00	-2.1	18.75	3.00	34.77	PASS
		12	11		22.82	-2.1	18.57	3.00	34.77	PASS
		25	0		22.93	-2.1	18.68	3.00	34.77	PASS
		1	0	16QAM	22.99	-2.1	18.74	3.00	34.77	PASS
		1	12		23.39	-2.1	19.14	3.00	34.77	PASS
		1	24		23.00	-2.1	18.75	3.00	34.77	PASS
		12	0		22.05	-2.1	17.80	3.00	34.77	PASS
		12	6		22.10	-2.1	17.85	3.00	34.77	PASS
		12	11		21.92	-2.1	17.67	3.00	34.77	PASS
		25	0		21.91	-2.1	17.66	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 12 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	24.01	-2.1	19.76	3.00	34.77	PASS
		1	24		24.11	-2.1	19.86	3.00	34.77	PASS
		1	49		23.94	-2.1	19.69	3.00	34.77	PASS
		25	0		23.00	-2.1	18.75	3.00	34.77	PASS
		25	12		23.01	-2.1	18.76	3.00	34.77	PASS
		25	24		22.90	-2.1	18.65	3.00	34.77	PASS
		50	0		22.95	-2.1	18.70	3.00	34.77	PASS
		1	0	16QAM	23.12	-2.1	18.87	3.00	34.77	PASS
		1	24		23.15	-2.1	18.90	3.00	34.77	PASS
		1	49		23.04	-2.1	18.79	3.00	34.77	PASS
		25	0		22.10	-2.1	17.85	3.00	34.77	PASS
		25	12		22.14	-2.1	17.89	3.00	34.77	PASS
		25	24		22.03	-2.1	17.78	3.00	34.77	PASS
		50	0		22.06	-2.1	17.81	3.00	34.77	PASS
	Middle	1	0	QPSK	24.05	-2.1	19.80	3.00	34.77	PASS
		1	24		24.11	-2.1	19.86	3.00	34.77	PASS
		1	49		24.08	-2.1	19.83	3.00	34.77	PASS
		25	0		23.18	-2.1	18.93	3.00	34.77	PASS
		25	12		23.02	-2.1	18.77	3.00	34.77	PASS
		25	24		23.14	-2.1	18.89	3.00	34.77	PASS
		50	0		23.18	-2.1	18.93	3.00	34.77	PASS
		1	0	16QAM	23.30	-2.1	19.05	3.00	34.77	PASS
		1	24		23.38	-2.1	19.13	3.00	34.77	PASS
		1	49		23.28	-2.1	19.03	3.00	34.77	PASS
		25	0		22.29	-2.1	18.04	3.00	34.77	PASS
		25	12		22.10	-2.1	17.85	3.00	34.77	PASS
		25	24		22.14	-2.1	17.89	3.00	34.77	PASS
		50	0		22.22	-2.1	17.97	3.00	34.77	PASS
	Highest	1	0	QPSK	23.93	-2.1	19.68	3.00	34.77	PASS
		1	24		24.08	-2.1	19.83	3.00	34.77	PASS
		1	49		23.94	-2.1	19.69	3.00	34.77	PASS
		25	0		23.06	-2.1	18.81	3.00	34.77	PASS
		25	12		23.03	-2.1	18.78	3.00	34.77	PASS
		25	24		22.96	-2.1	18.71	3.00	34.77	PASS
		50	0		23.07	-2.1	18.82	3.00	34.77	PASS
		1	0	16QAM	23.15	-2.1	18.90	3.00	34.77	PASS
		1	24		23.32	-2.1	19.07	3.00	34.77	PASS
		1	49		23.20	-2.1	18.95	3.00	34.77	PASS
		25	0		22.16	-2.1	17.91	3.00	34.77	PASS
		25	12		22.14	-2.1	17.89	3.00	34.77	PASS
		25	24		22.06	-2.1	17.81	3.00	34.77	PASS
		50	0		22.05	-2.1	17.80	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 13 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	23.42	-1.4	19.87	3.00	34.77	PASS
		1	12		23.84	-1.4	20.29	3.00	34.77	PASS
		1	24		23.43	-1.4	19.88	3.00	34.77	PASS
		12	0		22.61	-1.4	19.06	3.00	34.77	PASS
		12	6		22.59	-1.4	19.04	3.00	34.77	PASS
		12	11		22.35	-1.4	18.80	3.00	34.77	PASS
		25	0		22.51	-1.4	18.96	3.00	34.77	PASS
		1	0	16QAM	22.71	-1.4	19.16	3.00	34.77	PASS
		1	12		23.23	-1.4	19.68	3.00	34.77	PASS
		1	24		22.76	-1.4	19.21	3.00	34.77	PASS
		12	0		21.60	-1.4	18.05	3.00	34.77	PASS
		12	6		21.56	-1.4	18.01	3.00	34.77	PASS
		12	11		21.40	-1.4	17.85	3.00	34.77	PASS
		25	0		21.57	-1.4	18.02	3.00	34.77	PASS
	Middle	1	0	QPSK	23.43	-1.4	19.88	3.00	34.77	PASS
		1	12		23.61	-1.4	20.06	3.00	34.77	PASS
		1	24		23.47	-1.4	19.92	3.00	34.77	PASS
		12	0		22.65	-1.4	19.10	3.00	34.77	PASS
		12	6		22.63	-1.4	19.08	3.00	34.77	PASS
		12	11		22.56	-1.4	19.01	3.00	34.77	PASS
		25	0		22.64	-1.4	19.09	3.00	34.77	PASS
		1	0	16QAM	22.64	-1.4	19.09	3.00	34.77	PASS
		1	12		22.90	-1.4	19.35	3.00	34.77	PASS
		1	24		22.54	-1.4	18.99	3.00	34.77	PASS
		12	0		21.70	-1.4	18.15	3.00	34.77	PASS
		12	6		21.67	-1.4	18.12	3.00	34.77	PASS
		12	11		21.68	-1.4	18.13	3.00	34.77	PASS
		25	0		21.62	-1.4	18.07	3.00	34.77	PASS
	Highest	1	0	QPSK	23.57	-1.4	20.02	3.00	34.77	PASS
		1	12		23.89	-1.4	20.34	3.00	34.77	PASS
		1	24		23.55	-1.4	20.00	3.00	34.77	PASS
		12	0		22.45	-1.4	18.90	3.00	34.77	PASS
		12	6		22.60	-1.4	19.05	3.00	34.77	PASS
		12	11		22.65	-1.4	19.10	3.00	34.77	PASS
		25	0		22.65	-1.4	19.10	3.00	34.77	PASS
		1	0	16QAM	22.56	-1.4	19.01	3.00	34.77	PASS
		1	12		22.90	-1.4	19.35	3.00	34.77	PASS
		1	24		22.60	-1.4	19.05	3.00	34.77	PASS
		12	0		21.54	-1.4	17.99	3.00	34.77	PASS
		12	6		21.65	-1.4	18.10	3.00	34.77	PASS
		12	11		21.75	-1.4	18.20	3.00	34.77	PASS
		25	0		21.64	-1.4	18.09	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 13 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
10	Middle	1	0	QPSK	23.54	-1.4	19.99	3.00	34.77	PASS
		1	24		23.59	-1.4	20.04	3.00	34.77	PASS
		1	49		23.56	-1.4	20.01	3.00	34.77	PASS
		25	0		22.81	-1.4	19.26	3.00	34.77	PASS
		25	12		22.55	-1.4	19.00	3.00	34.77	PASS
		25	24		22.84	-1.4	19.29	3.00	34.77	PASS
		50	0		22.78	-1.4	19.23	3.00	34.77	PASS
		1	0	16QAM	22.73	-1.4	19.18	3.00	34.77	PASS
		1	24		22.79	-1.4	19.24	3.00	34.77	PASS
		1	49		22.72	-1.4	19.17	3.00	34.77	PASS
		25	0		21.91	-1.4	18.36	3.00	34.77	PASS
		25	12		21.63	-1.4	18.08	3.00	34.77	PASS
		25	24		21.86	-1.4	18.31	3.00	34.77	PASS
		50	0		21.86	-1.4	18.31	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 17 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	23.97	-2.1	19.72	3.00	34.77	PASS
		1	12		24.34	-2.1	20.09	3.00	34.77	PASS
		1	24		23.99	-2.1	19.74	3.00	34.77	PASS
		12	0		23.18	-2.1	18.93	3.00	34.77	PASS
		12	6		23.14	-2.1	18.89	3.00	34.77	PASS
		12	11		23.03	-2.1	18.78	3.00	34.77	PASS
		25	0		23.06	-2.1	18.81	3.00	34.77	PASS
		1	0	16QAM	23.33	-2.1	19.08	3.00	34.77	PASS
		1	12		23.72	-2.1	19.47	3.00	34.77	PASS
		1	24		23.32	-2.1	19.07	3.00	34.77	PASS
		12	0		22.21	-2.1	17.96	3.00	34.77	PASS
		12	6		22.10	-2.1	17.85	3.00	34.77	PASS
		12	11		21.98	-2.1	17.73	3.00	34.77	PASS
		25	0		22.14	-2.1	17.89	3.00	34.77	PASS
	Middle	1	0	QPSK	23.91	-2.1	19.66	3.00	34.77	PASS
		1	12		24.35	-2.1	20.10	3.00	34.77	PASS
		1	24		23.91	-2.1	19.66	3.00	34.77	PASS
		12	0		23.04	-2.1	18.79	3.00	34.77	PASS
		12	6		23.13	-2.1	18.88	3.00	34.77	PASS
		12	11		23.12	-2.1	18.87	3.00	34.77	PASS
		25	0		23.14	-2.1	18.89	3.00	34.77	PASS
		1	0	16QAM	23.16	-2.1	18.91	3.00	34.77	PASS
		1	12		23.53	-2.1	19.28	3.00	34.77	PASS
		1	24		23.09	-2.1	18.84	3.00	34.77	PASS
		12	0		22.19	-2.1	17.94	3.00	34.77	PASS
		12	6		22.22	-2.1	17.97	3.00	34.77	PASS
		12	11		22.19	-2.1	17.94	3.00	34.77	PASS
		25	0		22.09	-2.1	17.84	3.00	34.77	PASS
	Highest	1	0	QPSK	24.00	-2.1	19.75	3.00	34.77	PASS
		1	12		24.34	-2.1	20.09	3.00	34.77	PASS
		1	24		23.96	-2.1	19.71	3.00	34.77	PASS
		12	0		22.93	-2.1	18.68	3.00	34.77	PASS
		12	6		23.04	-2.1	18.79	3.00	34.77	PASS
		12	11		22.88	-2.1	18.63	3.00	34.77	PASS
		25	0		22.91	-2.1	18.66	3.00	34.77	PASS
		1	0	16QAM	23.04	-2.1	18.79	3.00	34.77	PASS
		1	12		23.44	-2.1	19.19	3.00	34.77	PASS
		1	24		23.07	-2.1	18.82	3.00	34.77	PASS
		12	0		22.02	-2.1	17.77	3.00	34.77	PASS
		12	6		22.15	-2.1	17.90	3.00	34.77	PASS
		12	11		21.96	-2.1	17.71	3.00	34.77	PASS
		25	0		21.94	-2.1	17.69	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 17 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	24.03	-2.1	19.78	3.00	34.77	PASS
		1	24		24.15	-2.1	19.90	3.00	34.77	PASS
		1	49		24.06	-2.1	19.81	3.00	34.77	PASS
		25	0		23.22	-2.1	18.97	3.00	34.77	PASS
		25	12		23.06	-2.1	18.81	3.00	34.77	PASS
		25	24		23.25	-2.1	19.00	3.00	34.77	PASS
		50	0		23.23	-2.1	18.98	3.00	34.77	PASS
		1	0	16QAM	23.33	-2.1	19.08	3.00	34.77	PASS
		1	24		23.43	-2.1	19.18	3.00	34.77	PASS
		1	49		23.29	-2.1	19.04	3.00	34.77	PASS
		25	0		22.21	-2.1	17.96	3.00	34.77	PASS
		25	12		22.07	-2.1	17.82	3.00	34.77	PASS
		25	24		22.24	-2.1	17.99	3.00	34.77	PASS
		50	0		22.24	-2.1	17.99	3.00	34.77	PASS
	Middle	1	0	QPSK	24.02	-2.1	19.77	3.00	34.77	PASS
		1	24		24.12	-2.1	19.87	3.00	34.77	PASS
		1	49		24.00	-2.1	19.75	3.00	34.77	PASS
		25	0		23.17	-2.1	18.92	3.00	34.77	PASS
		25	12		23.07	-2.1	18.82	3.00	34.77	PASS
		25	24		23.17	-2.1	18.92	3.00	34.77	PASS
		50	0		23.12	-2.1	18.87	3.00	34.77	PASS
		1	0	16QAM	23.21	-2.1	18.96	3.00	34.77	PASS
		1	24		23.35	-2.1	19.10	3.00	34.77	PASS
		1	49		23.21	-2.1	18.96	3.00	34.77	PASS
		25	0		22.28	-2.1	18.03	3.00	34.77	PASS
		25	12		22.15	-2.1	17.90	3.00	34.77	PASS
		25	24		22.22	-2.1	17.97	3.00	34.77	PASS
		50	0		22.18	-2.1	17.93	3.00	34.77	PASS
	Highest	1	0	QPSK	23.99	-2.1	19.74	3.00	34.77	PASS
		1	24		24.11	-2.1	19.86	3.00	34.77	PASS
		1	49		23.99	-2.1	19.74	3.00	34.77	PASS
		25	0		23.09	-2.1	18.84	3.00	34.77	PASS
		25	12		23.06	-2.1	18.81	3.00	34.77	PASS
		25	24		23.04	-2.1	18.79	3.00	34.77	PASS
		50	0		23.08	-2.1	18.83	3.00	34.77	PASS
		1	0	16QAM	23.08	-2.1	18.83	3.00	34.77	PASS
		1	24		23.19	-2.1	18.94	3.00	34.77	PASS
		1	49		23.04	-2.1	18.79	3.00	34.77	PASS
		25	0		22.12	-2.1	17.87	3.00	34.77	PASS
		25	12		22.08	-2.1	17.83	3.00	34.77	PASS
		25	24		22.07	-2.1	17.82	3.00	34.77	PASS
		50	0		22.12	-2.1	17.87	3.00	34.77	PASS



Radiated Power (EIRP) for LTE Band 25 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	22.98	0.8	23.78	2.00	33.01	PASS
		1	2		23.09	0.8	23.89	2.00	33.01	PASS
		1	5		22.98	0.8	23.78	2.00	33.01	PASS
		3	0		23.02	0.8	23.82	2.00	33.01	PASS
		3	1		22.98	0.8	23.78	2.00	33.01	PASS
		3	2		23.02	0.8	23.82	2.00	33.01	PASS
		6	0		22.05	0.8	22.85	2.00	33.01	PASS
		1	0	16QAM	21.81	0.8	22.61	2.00	33.01	PASS
		1	2		21.95	0.8	22.75	2.00	33.01	PASS
		1	5		21.80	0.8	22.60	2.00	33.01	PASS
		3	0		21.96	0.8	22.76	2.00	33.01	PASS
		3	1		22.01	0.8	22.81	2.00	33.01	PASS
		3	2		21.98	0.8	22.78	2.00	33.01	PASS
		6	0		21.12	0.8	21.92	2.00	33.01	PASS
	Middle	1	0	QPSK	22.99	0.8	23.79	2.00	33.01	PASS
		1	2		23.17	0.8	23.97	2.00	33.01	PASS
		1	5		23.02	0.8	23.82	2.00	33.01	PASS
		3	0		23.07	0.8	23.87	2.00	33.01	PASS
		3	1		23.09	0.8	23.89	2.00	33.01	PASS
		3	2		23.09	0.8	23.89	2.00	33.01	PASS
		6	0		22.10	0.8	22.90	2.00	33.01	PASS
		1	0	16QAM	22.05	0.8	22.85	2.00	33.01	PASS
		1	2		22.18	0.8	22.98	2.00	33.01	PASS
		1	5		22.02	0.8	22.82	2.00	33.01	PASS
		3	0		22.13	0.8	22.93	2.00	33.01	PASS
		3	1		22.15	0.8	22.95	2.00	33.01	PASS
		3	2		22.05	0.8	22.85	2.00	33.01	PASS
		6	0		21.30	0.8	22.10	2.00	33.01	PASS
	Highest	1	0	QPSK	22.97	0.8	23.77	2.00	33.01	PASS
		1	2		23.08	0.8	23.88	2.00	33.01	PASS
		1	5		22.96	0.8	23.76	2.00	33.01	PASS
		3	0		22.96	0.8	23.76	2.00	33.01	PASS
		3	1		23.01	0.8	23.81	2.00	33.01	PASS
		3	2		22.94	0.8	23.74	2.00	33.01	PASS
		6	0		22.03	0.8	22.83	2.00	33.01	PASS
		1	0	16QAM	22.19	0.8	22.99	2.00	33.01	PASS
		1	2		22.30	0.8	23.10	2.00	33.01	PASS
		1	5		22.16	0.8	22.96	2.00	33.01	PASS
		3	0		22.08	0.8	22.88	2.00	33.01	PASS
		3	1		22.07	0.8	22.87	2.00	33.01	PASS
		3	2		22.11	0.8	22.91	2.00	33.01	PASS
		6	0		21.07	0.8	21.87	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 25 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	22.99	0.8	23.79	2.00	33.01	PASS
		1	7		23.26	0.8	24.06	2.00	33.01	PASS
		1	14		23.00	0.8	23.80	2.00	33.01	PASS
		8	0		22.03	0.8	22.83	2.00	33.01	PASS
		8	4		22.04	0.8	22.84	2.00	33.01	PASS
		8	7		22.00	0.8	22.80	2.00	33.01	PASS
		15	0		21.97	0.8	22.77	2.00	33.01	PASS
		1	0	16QAM	21.94	0.8	22.74	2.00	33.01	PASS
		1	7		22.16	0.8	22.96	2.00	33.01	PASS
		1	14		21.94	0.8	22.74	2.00	33.01	PASS
		8	0		21.08	0.8	21.88	2.00	33.01	PASS
		8	4		21.08	0.8	21.88	2.00	33.01	PASS
		8	7		21.02	0.8	21.82	2.00	33.01	PASS
		15	0		20.88	0.8	21.68	2.00	33.01	PASS
	Middle	1	0	QPSK	23.11	0.8	23.91	2.00	33.01	PASS
		1	7		23.36	0.8	24.16	2.00	33.01	PASS
		1	14		23.15	0.8	23.95	2.00	33.01	PASS
		8	0		22.09	0.8	22.89	2.00	33.01	PASS
		8	4		22.12	0.8	22.92	2.00	33.01	PASS
		8	7		22.08	0.8	22.88	2.00	33.01	PASS
		15	0		22.06	0.8	22.86	2.00	33.01	PASS
		1	0	16QAM	22.34	0.8	23.14	2.00	33.01	PASS
		1	7		22.60	0.8	23.40	2.00	33.01	PASS
		1	14		22.31	0.8	23.11	2.00	33.01	PASS
		8	0		21.09	0.8	21.89	2.00	33.01	PASS
		8	4		21.10	0.8	21.90	2.00	33.01	PASS
		8	7		21.09	0.8	21.89	2.00	33.01	PASS
		15	0		21.17	0.8	21.97	2.00	33.01	PASS
	Highest	1	0	QPSK	23.04	0.8	23.84	2.00	33.01	PASS
		1	7		23.34	0.8	24.14	2.00	33.01	PASS
		1	14		22.98	0.8	23.78	2.00	33.01	PASS
		8	0		22.05	0.8	22.85	2.00	33.01	PASS
		8	4		22.05	0.8	22.85	2.00	33.01	PASS
		8	7		21.98	0.8	22.78	2.00	33.01	PASS
		15	0		22.01	0.8	22.81	2.00	33.01	PASS
		1	0	16QAM	22.15	0.8	22.95	2.00	33.01	PASS
		1	7		22.42	0.8	23.22	2.00	33.01	PASS
		1	14		22.15	0.8	22.95	2.00	33.01	PASS
		8	0		21.13	0.8	21.93	2.00	33.01	PASS
		8	4		21.10	0.8	21.90	2.00	33.01	PASS
		8	7		21.12	0.8	21.92	2.00	33.01	PASS
		15	0		20.95	0.8	21.75	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 25 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	22.88	0.8	23.68	2.00	33.01	PASS
		1	12		23.20	0.8	24.00	2.00	33.01	PASS
		1	24		22.88	0.8	23.68	2.00	33.01	PASS
		12	0		21.98	0.8	22.78	2.00	33.01	PASS
		12	6		22.04	0.8	22.84	2.00	33.01	PASS
		12	11		21.89	0.8	22.69	2.00	33.01	PASS
		25	0		21.95	0.8	22.75	2.00	33.01	PASS
		1	0	16QAM	22.18	0.8	22.98	2.00	33.01	PASS
		1	12		22.60	0.8	23.40	2.00	33.01	PASS
		1	24		22.18	0.8	22.98	2.00	33.01	PASS
		12	0		20.94	0.8	21.74	2.00	33.01	PASS
		12	6		21.06	0.8	21.86	2.00	33.01	PASS
		12	11		20.92	0.8	21.72	2.00	33.01	PASS
		25	0		20.99	0.8	21.79	2.00	33.01	PASS
	Middle	1	0	QPSK	23.01	0.8	23.81	2.00	33.01	PASS
		1	12		23.43	0.8	24.23	2.00	33.01	PASS
		1	24		22.98	0.8	23.78	2.00	33.01	PASS
		12	0		22.07	0.8	22.87	2.00	33.01	PASS
		12	6		22.15	0.8	22.95	2.00	33.01	PASS
		12	11		22.09	0.8	22.89	2.00	33.01	PASS
		25	0		22.12	0.8	22.92	2.00	33.01	PASS
		1	0	16QAM	22.13	0.8	22.93	2.00	33.01	PASS
		1	12		22.56	0.8	23.36	2.00	33.01	PASS
		1	24		22.10	0.8	22.90	2.00	33.01	PASS
		12	0		21.21	0.8	22.01	2.00	33.01	PASS
		12	6		21.24	0.8	22.04	2.00	33.01	PASS
		12	11		21.20	0.8	22.00	2.00	33.01	PASS
		25	0		21.12	0.8	21.92	2.00	33.01	PASS
	Highest	1	0	QPSK	23.00	0.8	23.80	2.00	33.01	PASS
		1	12		23.47	0.8	24.27	2.00	33.01	PASS
		1	24		22.97	0.8	23.77	2.00	33.01	PASS
		12	0		22.15	0.8	22.95	2.00	33.01	PASS
		12	6		22.09	0.8	22.89	2.00	33.01	PASS
		12	11		21.92	0.8	22.72	2.00	33.01	PASS
		25	0		22.04	0.8	22.84	2.00	33.01	PASS
		1	0	16QAM	22.04	0.8	22.84	2.00	33.01	PASS
		1	12		22.46	0.8	23.26	2.00	33.01	PASS
		1	24		22.07	0.8	22.87	2.00	33.01	PASS
		12	0		21.22	0.8	22.02	2.00	33.01	PASS
		12	6		21.20	0.8	22.00	2.00	33.01	PASS
		12	11		21.08	0.8	21.88	2.00	33.01	PASS
		25	0		21.07	0.8	21.87	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 25 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	22.98	0.8	23.78	2.00	33.01	PASS
		1	24		23.13	0.8	23.93	2.00	33.01	PASS
		1	49		23.01	0.8	23.81	2.00	33.01	PASS
		25	0		22.07	0.8	22.87	2.00	33.01	PASS
		25	12		21.99	0.8	22.79	2.00	33.01	PASS
		25	24		21.97	0.8	22.77	2.00	33.01	PASS
		50	0		22.00	0.8	22.80	2.00	33.01	PASS
		1	0	16QAM	22.15	0.8	22.95	2.00	33.01	PASS
		1	24		22.29	0.8	23.09	2.00	33.01	PASS
		1	49		22.19	0.8	22.99	2.00	33.01	PASS
		25	0		21.09	0.8	21.89	2.00	33.01	PASS
		25	12		21.04	0.8	21.84	2.00	33.01	PASS
		25	24		20.96	0.8	21.76	2.00	33.01	PASS
		50	0		21.06	0.8	21.86	2.00	33.01	PASS
	Middle	1	0	QPSK	23.04	0.8	23.84	2.00	33.01	PASS
		1	24		23.17	0.8	23.97	2.00	33.01	PASS
		1	49		22.99	0.8	23.79	2.00	33.01	PASS
		25	0		22.10	0.8	22.90	2.00	33.01	PASS
		25	12		22.12	0.8	22.92	2.00	33.01	PASS
		25	24		22.07	0.8	22.87	2.00	33.01	PASS
		50	0		22.10	0.8	22.90	2.00	33.01	PASS
		1	0	16QAM	22.25	0.8	23.05	2.00	33.01	PASS
		1	24		22.36	0.8	23.16	2.00	33.01	PASS
		1	49		22.20	0.8	23.00	2.00	33.01	PASS
		25	0		21.23	0.8	22.03	2.00	33.01	PASS
		25	12		21.19	0.8	21.99	2.00	33.01	PASS
		25	24		21.16	0.8	21.96	2.00	33.01	PASS
		50	0		21.17	0.8	21.97	2.00	33.01	PASS
	Highest	1	0	QPSK	22.93	0.8	23.73	2.00	33.01	PASS
		1	24		23.14	0.8	23.94	2.00	33.01	PASS
		1	49		23.03	0.8	23.83	2.00	33.01	PASS
		25	0		22.06	0.8	22.86	2.00	33.01	PASS
		25	12		22.02	0.8	22.82	2.00	33.01	PASS
		25	24		21.84	0.8	22.64	2.00	33.01	PASS
		50	0		21.94	0.8	22.74	2.00	33.01	PASS
		1	0	16QAM	21.94	0.8	22.74	2.00	33.01	PASS
		1	24		22.11	0.8	22.91	2.00	33.01	PASS
		1	49		22.01	0.8	22.81	2.00	33.01	PASS
		25	0		21.11	0.8	21.91	2.00	33.01	PASS
		25	12		21.06	0.8	21.86	2.00	33.01	PASS
		25	24		20.88	0.8	21.68	2.00	33.01	PASS
		50	0		21.01	0.8	21.81	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 25 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	22.96	0.8	23.76	2.00	33.01	PASS
		1	37		23.20	0.8	24.00	2.00	33.01	PASS
		1	74		22.95	0.8	23.75	2.00	33.01	PASS
		36	0		22.19	0.8	22.99	2.00	33.01	PASS
		36	18		22.16	0.8	22.96	2.00	33.01	PASS
		36	39		22.08	0.8	22.88	2.00	33.01	PASS
		75	0		22.13	0.8	22.93	2.00	33.01	PASS
		1	0	16QAM	22.06	0.8	22.86	2.00	33.01	PASS
		1	37		22.34	0.8	23.14	2.00	33.01	PASS
		1	74		22.15	0.8	22.95	2.00	33.01	PASS
		36	0		21.15	0.8	21.95	2.00	33.01	PASS
		36	18		21.08	0.8	21.88	2.00	33.01	PASS
		36	39		21.07	0.8	21.87	2.00	33.01	PASS
		75	0		21.13	0.8	21.93	2.00	33.01	PASS
	Middle	1	0	QPSK	23.00	0.8	23.80	2.00	33.01	PASS
		1	37		23.46	0.8	24.26	2.00	33.01	PASS
		1	74		22.95	0.8	23.75	2.00	33.01	PASS
		36	0		22.18	0.8	22.98	2.00	33.01	PASS
		36	18		22.22	0.8	23.02	2.00	33.01	PASS
		36	39		22.12	0.8	22.92	2.00	33.01	PASS
		75	0		22.11	0.8	22.91	2.00	33.01	PASS
		1	0	16QAM	22.04	0.8	22.84	2.00	33.01	PASS
		1	37		22.33	0.8	23.13	2.00	33.01	PASS
		1	74		22.00	0.8	22.80	2.00	33.01	PASS
		36	0		21.17	0.8	21.97	2.00	33.01	PASS
		36	18		21.22	0.8	22.02	2.00	33.01	PASS
		36	39		21.07	0.8	21.87	2.00	33.01	PASS
		75	0		21.10	0.8	21.90	2.00	33.01	PASS
	Highest	1	0	QPSK	23.00	0.8	23.80	2.00	33.01	PASS
		1	37		23.27	0.8	24.07	2.00	33.01	PASS
		1	74		23.04	0.8	23.84	2.00	33.01	PASS
		36	0		21.99	0.8	22.79	2.00	33.01	PASS
		36	18		22.18	0.8	22.98	2.00	33.01	PASS
		36	39		22.01	0.8	22.81	2.00	33.01	PASS
		75	0		22.01	0.8	22.81	2.00	33.01	PASS
		1	0	16QAM	21.93	0.8	22.73	2.00	33.01	PASS
		1	37		22.32	0.8	23.12	2.00	33.01	PASS
		1	74		21.95	0.8	22.75	2.00	33.01	PASS
		36	0		20.95	0.8	21.75	2.00	33.01	PASS
		36	18		21.08	0.8	21.88	2.00	33.01	PASS
		36	39		20.94	0.8	21.74	2.00	33.01	PASS
		75	0		20.97	0.8	21.77	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 25 /20M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
20	Lowest	1	0	QPSK	22.75	0.8	23.55	2.00	33.01	PASS
		1	49		23.14	0.8	23.94	2.00	33.01	PASS
		1	99		22.84	0.8	23.64	2.00	33.01	PASS
		50	0		22.19	0.8	22.99	2.00	33.01	PASS
		50	24		22.08	0.8	22.88	2.00	33.01	PASS
		50	49		22.09	0.8	22.89	2.00	33.01	PASS
		100	0		22.14	0.8	22.94	2.00	33.01	PASS
		1	0	16QAM	21.82	0.8	22.62	2.00	33.01	PASS
		1	49		22.24	0.8	23.04	2.00	33.01	PASS
		1	99		22.00	0.8	22.80	2.00	33.01	PASS
		50	0		21.20	0.8	22.00	2.00	33.01	PASS
		50	24		21.12	0.8	21.92	2.00	33.01	PASS
		50	49		21.14	0.8	21.94	2.00	33.01	PASS
		100	0		21.19	0.8	21.99	2.00	33.01	PASS
	Middle	1	0	QPSK	22.88	0.8	23.68	2.00	33.01	PASS
		1	49		23.13	0.8	23.93	2.00	33.01	PASS
		1	99		22.80	0.8	23.60	2.00	33.01	PASS
		50	0		22.03	0.8	22.83	2.00	33.01	PASS
		50	24		22.16	0.8	22.96	2.00	33.01	PASS
		50	49		21.92	0.8	22.72	2.00	33.01	PASS
		100	0		21.93	0.8	22.73	2.00	33.01	PASS
		1	0	16QAM	21.89	0.8	22.69	2.00	33.01	PASS
		1	49		22.22	0.8	23.02	2.00	33.01	PASS
		1	99		21.81	0.8	22.61	2.00	33.01	PASS
		50	0		21.12	0.8	21.92	2.00	33.01	PASS
		50	24		21.19	0.8	21.99	2.00	33.01	PASS
		50	49		20.96	0.8	21.76	2.00	33.01	PASS
		100	0		21.01	0.8	21.81	2.00	33.01	PASS
	Highest	1	0	QPSK	22.78	0.8	23.58	2.00	33.01	PASS
		1	49		23.23	0.8	24.03	2.00	33.01	PASS
		1	99		22.89	0.8	23.69	2.00	33.01	PASS
		50	0		21.90	0.8	22.70	2.00	33.01	PASS
		50	24		22.08	0.8	22.88	2.00	33.01	PASS
		50	49		21.80	0.8	22.60	2.00	33.01	PASS
		100	0		21.84	0.8	22.64	2.00	33.01	PASS
		1	0	16QAM	21.82	0.8	22.62	2.00	33.01	PASS
		1	49		22.21	0.8	23.01	2.00	33.01	PASS
		1	99		21.89	0.8	22.69	2.00	33.01	PASS
		50	0		21.00	0.8	21.80	2.00	33.01	PASS
		50	24		21.15	0.8	21.95	2.00	33.01	PASS
		50	49		20.85	0.8	21.65	2.00	33.01	PASS
		100	0		20.91	0.8	21.71	2.00	33.01	PASS



Part22

Radiated Power (ERP) for LTE Band 26 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	23.66	-1.1	20.41	7.00	38.45	PASS
		1	2		23.81	-1.1	20.56	7.00	38.45	PASS
		1	5		23.66	-1.1	20.41	7.00	38.45	PASS
		3	0		23.69	-1.1	20.44	7.00	38.45	PASS
		3	1		23.72	-1.1	20.47	7.00	38.45	PASS
		3	2		23.70	-1.1	20.45	7.00	38.45	PASS
		6	0		22.67	-1.1	19.42	7.00	38.45	PASS
		1	0	16QAM	22.62	-1.1	19.37	7.00	38.45	PASS
		1	2		22.70	-1.1	19.45	7.00	38.45	PASS
		1	5		22.57	-1.1	19.32	7.00	38.45	PASS
		3	0		22.72	-1.1	19.47	7.00	38.45	PASS
		3	1		22.75	-1.1	19.50	7.00	38.45	PASS
		3	2		22.76	-1.1	19.51	7.00	38.45	PASS
		6	0		21.80	-1.1	18.55	7.00	38.45	PASS
	Middle	1	0	QPSK	23.45	-1.1	20.20	7.00	38.45	PASS
		1	2		23.63	-1.1	20.38	7.00	38.45	PASS
		1	5		23.44	-1.1	20.19	7.00	38.45	PASS
		3	0		23.58	-1.1	20.33	7.00	38.45	PASS
		3	1		23.55	-1.1	20.30	7.00	38.45	PASS
		3	2		23.56	-1.1	20.31	7.00	38.45	PASS
		6	0		22.56	-1.1	19.31	7.00	38.45	PASS
		1	0	16QAM	22.60	-1.1	19.35	7.00	38.45	PASS
		1	2		22.72	-1.1	19.47	7.00	38.45	PASS
		1	5		22.54	-1.1	19.29	7.00	38.45	PASS
		3	0		22.65	-1.1	19.40	7.00	38.45	PASS
		3	1		22.65	-1.1	19.40	7.00	38.45	PASS
		3	2		22.61	-1.1	19.36	7.00	38.45	PASS
		6	0		21.76	-1.1	18.51	7.00	38.45	PASS
	Highest	1	0	QPSK	23.38	-1.1	20.13	7.00	38.45	PASS
		1	2		23.50	-1.1	20.25	7.00	38.45	PASS
		1	5		23.35	-1.1	20.10	7.00	38.45	PASS
		3	0		23.43	-1.1	20.18	7.00	38.45	PASS
		3	1		23.41	-1.1	20.16	7.00	38.45	PASS
		3	2		23.38	-1.1	20.13	7.00	38.45	PASS
		6	0		22.40	-1.1	19.15	7.00	38.45	PASS
		1	0	16QAM	22.60	-1.1	19.35	7.00	38.45	PASS
		1	2		22.76	-1.1	19.51	7.00	38.45	PASS
		1	5		22.66	-1.1	19.41	7.00	38.45	PASS
		3	0		22.57	-1.1	19.32	7.00	38.45	PASS
		3	1		22.53	-1.1	19.28	7.00	38.45	PASS
		3	2		22.53	-1.1	19.28	7.00	38.45	PASS
		6	0		21.49	-1.1	18.24	7.00	38.45	PASS



Radiated Power (ERP) for LTE Band 26 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	23.65	-1.1	20.40	7.00	38.45	PASS
		1	7		24.09	-1.1	20.84	7.00	38.45	PASS
		1	14		23.79	-1.1	20.54	7.00	38.45	PASS
		8	0		22.68	-1.1	19.43	7.00	38.45	PASS
		8	4		22.69	-1.1	19.44	7.00	38.45	PASS
		8	7		22.67	-1.1	19.42	7.00	38.45	PASS
		15	0		22.63	-1.1	19.38	7.00	38.45	PASS
		1	0	16QAM	23.02	-1.1	19.77	7.00	38.45	PASS
		1	7		23.42	-1.1	20.17	7.00	38.45	PASS
		1	14		23.02	-1.1	19.77	7.00	38.45	PASS
		8	0		21.64	-1.1	18.39	7.00	38.45	PASS
		8	4		21.67	-1.1	18.42	7.00	38.45	PASS
		8	7		21.69	-1.1	18.44	7.00	38.45	PASS
		15	0		21.76	-1.1	18.51	7.00	38.45	PASS
	Middle	1	0	QPSK	23.61	-1.1	20.36	7.00	38.45	PASS
		1	7		23.70	-1.1	20.45	7.00	38.45	PASS
		1	14		23.51	-1.1	20.26	7.00	38.45	PASS
		8	0		22.56	-1.1	19.31	7.00	38.45	PASS
		8	4		22.62	-1.1	19.37	7.00	38.45	PASS
		8	7		22.60	-1.1	19.35	7.00	38.45	PASS
		15	0		22.55	-1.1	19.30	7.00	38.45	PASS
		1	0	16QAM	22.83	-1.1	19.58	7.00	38.45	PASS
		1	7		23.09	-1.1	19.84	7.00	38.45	PASS
		1	14		22.76	-1.1	19.51	7.00	38.45	PASS
		8	0		21.61	-1.1	18.36	7.00	38.45	PASS
		8	4		21.69	-1.1	18.44	7.00	38.45	PASS
		8	7		21.65	-1.1	18.40	7.00	38.45	PASS
		15	0		21.49	-1.1	18.24	7.00	38.45	PASS
	Highest	1	0	QPSK	23.38	-1.1	20.13	7.00	38.45	PASS
		1	7		23.62	-1.1	20.37	7.00	38.45	PASS
		1	14		23.38	-1.1	20.13	7.00	38.45	PASS
		8	0		22.45	-1.1	19.20	7.00	38.45	PASS
		8	4		22.47	-1.1	19.22	7.00	38.45	PASS
		8	7		22.50	-1.1	19.25	7.00	38.45	PASS
		15	0		22.43	-1.1	19.18	7.00	38.45	PASS
		1	0	16QAM	22.48	-1.1	19.23	7.00	38.45	PASS
		1	7		22.77	-1.1	19.52	7.00	38.45	PASS
		1	14		22.43	-1.1	19.18	7.00	38.45	PASS
		8	0		21.52	-1.1	18.27	7.00	38.45	PASS
		8	4		21.52	-1.1	18.27	7.00	38.45	PASS
		8	7		21.54	-1.1	18.29	7.00	38.45	PASS
		15	0		21.31	-1.1	18.06	7.00	38.45	PASS



Radiated Power (ERP) for LTE Band 26 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	23.70	-1.1	20.45	7.00	38.45	PASS
		1	12		24.04	-1.1	20.79	7.00	38.45	PASS
		1	24		23.72	-1.1	20.47	7.00	38.45	PASS
		12	0		22.67	-1.1	19.42	7.00	38.45	PASS
		12	6		22.75	-1.1	19.50	7.00	38.45	PASS
		12	11		22.65	-1.1	19.40	7.00	38.45	PASS
		25	0		22.72	-1.1	19.47	7.00	38.45	PASS
		1	0	16QAM	22.73	-1.1	19.48	7.00	38.45	PASS
		1	12		23.18	-1.1	19.93	7.00	38.45	PASS
		1	24		22.79	-1.1	19.54	7.00	38.45	PASS
		12	0		21.85	-1.1	18.60	7.00	38.45	PASS
		12	6		21.88	-1.1	18.63	7.00	38.45	PASS
		12	11		21.83	-1.1	18.58	7.00	38.45	PASS
		25	0		21.75	-1.1	18.50	7.00	38.45	PASS
	Middle	1	0	QPSK	23.51	-1.1	20.26	7.00	38.45	PASS
		1	12		23.77	-1.1	20.52	7.00	38.45	PASS
		1	24		23.43	-1.1	20.18	7.00	38.45	PASS
		12	0		22.59	-1.1	19.34	7.00	38.45	PASS
		12	6		22.63	-1.1	19.38	7.00	38.45	PASS
		12	11		22.62	-1.1	19.37	7.00	38.45	PASS
		25	0		22.62	-1.1	19.37	7.00	38.45	PASS
		1	0	16QAM	22.90	-1.1	19.65	7.00	38.45	PASS
		1	12		23.20	-1.1	19.95	7.00	38.45	PASS
		1	24		22.83	-1.1	19.58	7.00	38.45	PASS
		12	0		21.49	-1.1	18.24	7.00	38.45	PASS
		12	6		21.62	-1.1	18.37	7.00	38.45	PASS
		12	11		21.63	-1.1	18.38	7.00	38.45	PASS
		25	0		21.65	-1.1	18.40	7.00	38.45	PASS
	Highest	1	0	QPSK	23.29	-1.1	20.04	7.00	38.45	PASS
		1	12		23.78	-1.1	20.53	7.00	38.45	PASS
		1	24		23.30	-1.1	20.05	7.00	38.45	PASS
		12	0		22.52	-1.1	19.27	7.00	38.45	PASS
		12	6		22.51	-1.1	19.26	7.00	38.45	PASS
		12	11		22.56	-1.1	19.31	7.00	38.45	PASS
		25	0		22.57	-1.1	19.32	7.00	38.45	PASS
		1	0	16QAM	22.56	-1.1	19.31	7.00	38.45	PASS
		1	12		22.79	-1.1	19.54	7.00	38.45	PASS
		1	24		22.49	-1.1	19.24	7.00	38.45	PASS
		12	0		21.58	-1.1	18.33	7.00	38.45	PASS
		12	6		21.60	-1.1	18.35	7.00	38.45	PASS
		12	11		21.62	-1.1	18.37	7.00	38.45	PASS
		25	0		21.55	-1.1	18.30	7.00	38.45	PASS



Radiated Power (ERP) for LTE Band 26 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	23.68	-1.1	20.43	7.00	38.45	PASS
		1	24		23.85	-1.1	20.60	7.00	38.45	PASS
		1	49		23.62	-1.1	20.37	7.00	38.45	PASS
		25	0		22.84	-1.1	19.59	7.00	38.45	PASS
		25	12		22.74	-1.1	19.49	7.00	38.45	PASS
		25	24		22.77	-1.1	19.52	7.00	38.45	PASS
		50	0		22.82	-1.1	19.57	7.00	38.45	PASS
		1	0	16QAM	22.99	-1.1	19.74	7.00	38.45	PASS
		1	24		23.15	-1.1	19.90	7.00	38.45	PASS
		1	49		22.88	-1.1	19.63	7.00	38.45	PASS
		25	0		21.87	-1.1	18.62	7.00	38.45	PASS
		25	12		21.74	-1.1	18.49	7.00	38.45	PASS
		25	24		21.77	-1.1	18.52	7.00	38.45	PASS
		50	0		21.87	-1.1	18.62	7.00	38.45	PASS
	Middle	1	0	QPSK	23.68	-1.1	20.43	7.00	38.45	PASS
		1	24		23.68	-1.1	20.43	7.00	38.45	PASS
		1	49		23.48	-1.1	20.23	7.00	38.45	PASS
		25	0		22.67	-1.1	19.42	7.00	38.45	PASS
		25	12		22.63	-1.1	19.38	7.00	38.45	PASS
		25	24		22.72	-1.1	19.47	7.00	38.45	PASS
		50	0		22.65	-1.1	19.40	7.00	38.45	PASS
		1	0	16QAM	22.90	-1.1	19.65	7.00	38.45	PASS
		1	24		22.92	-1.1	19.67	7.00	38.45	PASS
		1	49		22.76	-1.1	19.51	7.00	38.45	PASS
		25	0		21.71	-1.1	18.46	7.00	38.45	PASS
		25	12		21.67	-1.1	18.42	7.00	38.45	PASS
		25	24		21.81	-1.1	18.56	7.00	38.45	PASS
		50	0		21.69	-1.1	18.44	7.00	38.45	PASS
	Highest	1	0	QPSK	23.40	-1.1	20.15	7.00	38.45	PASS
		1	24		23.54	-1.1	20.29	7.00	38.45	PASS
		1	49		23.38	-1.1	20.13	7.00	38.45	PASS
		25	0		22.68	-1.1	19.43	7.00	38.45	PASS
		25	12		22.49	-1.1	19.24	7.00	38.45	PASS
		25	24		22.51	-1.1	19.26	7.00	38.45	PASS
		50	0		22.62	-1.1	19.37	7.00	38.45	PASS
		1	0	16QAM	22.55	-1.1	19.30	7.00	38.45	PASS
		1	24		22.59	-1.1	19.34	7.00	38.45	PASS
		1	49		22.46	-1.1	19.21	7.00	38.45	PASS
		25	0		21.73	-1.1	18.48	7.00	38.45	PASS
		25	12		21.55	-1.1	18.30	7.00	38.45	PASS
		25	24		21.55	-1.1	18.30	7.00	38.45	PASS
		50	0		21.69	-1.1	18.44	7.00	38.45	PASS



Radiated Power (ERP) for LTE Band 26 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	23.62	-1.1	20.37	7.00	38.45	PASS
		1	24		23.90	-1.1	20.65	7.00	38.45	PASS
		1	49		23.45	-1.1	20.20	7.00	38.45	PASS
		25	0		22.80	-1.1	19.55	7.00	38.45	PASS
		25	12		22.75	-1.1	19.50	7.00	38.45	PASS
		25	24		22.80	-1.1	19.55	7.00	38.45	PASS
		50	0		22.85	-1.1	19.60	7.00	38.45	PASS
		1	0	16QAM	22.67	-1.1	19.42	7.00	38.45	PASS
		1	24		22.99	-1.1	19.74	7.00	38.45	PASS
		1	49		22.55	-1.1	19.30	7.00	38.45	PASS
		25	0		21.82	-1.1	18.57	7.00	38.45	PASS
		25	12		21.75	-1.1	18.50	7.00	38.45	PASS
		25	24		21.74	-1.1	18.49	7.00	38.45	PASS
		50	0		21.71	-1.1	18.46	7.00	38.45	PASS
	Middle	1	0	QPSK	23.68	-1.1	20.43	7.00	38.45	PASS
		1	24		23.80	-1.1	20.55	7.00	38.45	PASS
		1	49		23.44	-1.1	20.19	7.00	38.45	PASS
		25	0		22.62	-1.1	19.37	7.00	38.45	PASS
		25	12		22.64	-1.1	19.39	7.00	38.45	PASS
		25	24		22.58	-1.1	19.33	7.00	38.45	PASS
		50	0		22.67	-1.1	19.42	7.00	38.45	PASS
		1	0	16QAM	22.72	-1.1	19.47	7.00	38.45	PASS
		1	24		22.82	-1.1	19.57	7.00	38.45	PASS
		1	49		22.46	-1.1	19.21	7.00	38.45	PASS
		25	0		21.60	-1.1	18.35	7.00	38.45	PASS
		25	12		21.55	-1.1	18.30	7.00	38.45	PASS
		25	24		21.52	-1.1	18.27	7.00	38.45	PASS
		50	0		21.63	-1.1	18.38	7.00	38.45	PASS
	Highest	1	0	QPSK	23.52	-1.1	20.27	7.00	38.45	PASS
		1	24		23.74	-1.1	20.49	7.00	38.45	PASS
		1	49		23.35	-1.1	20.10	7.00	38.45	PASS
		25	0		22.47	-1.1	19.22	7.00	38.45	PASS
		25	12		22.54	-1.1	19.29	7.00	38.45	PASS
		25	24		22.45	-1.1	19.20	7.00	38.45	PASS
		50	0		22.47	-1.1	19.22	7.00	38.45	PASS
		1	0	16QAM	22.76	-1.1	19.51	7.00	38.45	PASS
		1	24		22.87	-1.1	19.62	7.00	38.45	PASS
		1	49		22.53	-1.1	19.28	7.00	38.45	PASS
		25	0		21.43	-1.1	18.18	7.00	38.45	PASS
		25	12		21.52	-1.1	18.27	7.00	38.45	PASS
		25	24		21.42	-1.1	18.17	7.00	38.45	PASS
		50	0		21.48	-1.1	18.23	7.00	38.45	PASS



Part90

Radiated Power (ERP) for LTE Band 26 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	23.65	-1.1	20.40	100.00	50.00	PASS
		1	2		23.78	-1.1	20.53	100.00	50.00	PASS
		1	5		23.63	-1.1	20.38	100.00	50.00	PASS
		3	0		23.67	-1.1	20.42	100.00	50.00	PASS
		3	1		23.70	-1.1	20.45	100.00	50.00	PASS
		3	2		23.64	-1.1	20.39	100.00	50.00	PASS
		6	0		22.65	-1.1	19.40	100.00	50.00	PASS
		1	0	16QAM	22.97	-1.1	19.72	100.00	50.00	PASS
		1	2		23.05	-1.1	19.80	100.00	50.00	PASS
		1	5		22.92	-1.1	19.67	100.00	50.00	PASS
		3	0		22.83	-1.1	19.58	100.00	50.00	PASS
		3	1		22.82	-1.1	19.57	100.00	50.00	PASS
		3	2		22.82	-1.1	19.57	100.00	50.00	PASS
		6	0		21.79	-1.1	18.54	100.00	50.00	PASS
	Middle	1	0	QPSK	23.68	-1.1	20.43	100.00	50.00	PASS
		1	2		23.81	-1.1	20.56	100.00	50.00	PASS
		1	5		23.65	-1.1	20.40	100.00	50.00	PASS
		3	0		23.71	-1.1	20.46	100.00	50.00	PASS
		3	1		23.72	-1.1	20.47	100.00	50.00	PASS
		3	2		23.71	-1.1	20.46	100.00	50.00	PASS
		6	0		22.69	-1.1	19.44	100.00	50.00	PASS
		1	0	16QAM	22.56	-1.1	19.31	100.00	50.00	PASS
		1	2		22.68	-1.1	19.43	100.00	50.00	PASS
		1	5		22.56	-1.1	19.31	100.00	50.00	PASS
		3	0		22.70	-1.1	19.45	100.00	50.00	PASS
		3	1		22.74	-1.1	19.49	100.00	50.00	PASS
		3	2		22.74	-1.1	19.49	100.00	50.00	PASS
		6	0		21.81	-1.1	18.56	100.00	50.00	PASS
	Highest	1	0	QPSK	23.59	-1.1	20.34	100.00	50.00	PASS
		1	2		23.76	-1.1	20.51	100.00	50.00	PASS
		1	5		23.53	-1.1	20.28	100.00	50.00	PASS
		3	0		23.66	-1.1	20.41	100.00	50.00	PASS
		3	1		23.68	-1.1	20.43	100.00	50.00	PASS
		3	2		23.69	-1.1	20.44	100.00	50.00	PASS
		6	0		22.66	-1.1	19.41	100.00	50.00	PASS
		1	0	16QAM	22.73	-1.1	19.48	100.00	50.00	PASS
		1	2		22.78	-1.1	19.53	100.00	50.00	PASS
		1	5		22.68	-1.1	19.43	100.00	50.00	PASS
		3	0		22.75	-1.1	19.50	100.00	50.00	PASS
		3	1		22.75	-1.1	19.50	100.00	50.00	PASS
		3	2		22.74	-1.1	19.49	100.00	50.00	PASS
		6	0		21.88	-1.1	18.63	100.00	50.00	PASS



Radiated Power (ERP) for LTE Band 26 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	23.73	-1.1	20.48	100.00	50.00	PASS
		1	7		23.98	-1.1	20.73	100.00	50.00	PASS
		1	14		23.77	-1.1	20.52	100.00	50.00	PASS
		8	0		22.72	-1.1	19.47	100.00	50.00	PASS
		8	4		22.67	-1.1	19.42	100.00	50.00	PASS
		8	7		22.66	-1.1	19.41	100.00	50.00	PASS
		15	0		22.69	-1.1	19.44	100.00	50.00	PASS
		1	0	16QAM	23.02	-1.1	19.77	100.00	50.00	PASS
		1	7		23.28	-1.1	20.03	100.00	50.00	PASS
		1	14		22.91	-1.1	19.66	100.00	50.00	PASS
		8	0		21.69	-1.1	18.44	100.00	50.00	PASS
		8	4		21.67	-1.1	18.42	100.00	50.00	PASS
		8	7		21.65	-1.1	18.40	100.00	50.00	PASS
		15	0		21.74	-1.1	18.49	100.00	50.00	PASS
	Middle	1	0	QPSK	23.70	-1.1	20.45	100.00	50.00	PASS
		1	7		24.04	-1.1	20.79	100.00	50.00	PASS
		1	14		23.64	-1.1	20.39	100.00	50.00	PASS
		8	0		22.66	-1.1	19.41	100.00	50.00	PASS
		8	4		22.68	-1.1	19.43	100.00	50.00	PASS
		8	7		22.68	-1.1	19.43	100.00	50.00	PASS
		15	0		22.64	-1.1	19.39	100.00	50.00	PASS
		1	0	16QAM	22.88	-1.1	19.63	100.00	50.00	PASS
		1	7		23.12	-1.1	19.87	100.00	50.00	PASS
		1	14		22.91	-1.1	19.66	100.00	50.00	PASS
		8	0		21.69	-1.1	18.44	100.00	50.00	PASS
		8	4		21.70	-1.1	18.45	100.00	50.00	PASS
		8	7		21.77	-1.1	18.52	100.00	50.00	PASS
		15	0		21.61	-1.1	18.36	100.00	50.00	PASS
	Highest	1	0	QPSK	23.65	-1.1	20.40	100.00	50.00	PASS
		1	7		24.01	-1.1	20.76	100.00	50.00	PASS
		1	14		23.68	-1.1	20.43	100.00	50.00	PASS
		8	0		22.67	-1.1	19.42	100.00	50.00	PASS
		8	4		22.67	-1.1	19.42	100.00	50.00	PASS
		8	7		22.69	-1.1	19.44	100.00	50.00	PASS
		15	0		22.64	-1.1	19.39	100.00	50.00	PASS
		1	0	16QAM	22.75	-1.1	19.50	100.00	50.00	PASS
		1	7		23.05	-1.1	19.80	100.00	50.00	PASS
		1	14		22.75	-1.1	19.50	100.00	50.00	PASS
		8	0		21.72	-1.1	18.47	100.00	50.00	PASS
		8	4		21.77	-1.1	18.52	100.00	50.00	PASS
		8	7		21.74	-1.1	18.49	100.00	50.00	PASS
		15	0		21.58	-1.1	18.33	100.00	50.00	PASS



Radiated Power (ERP) for LTE Band 26 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	23.66	-1.1	20.41	100.00	50.00	PASS
		1	12		23.99	-1.1	20.74	100.00	50.00	PASS
		1	24		23.59	-1.1	20.34	100.00	50.00	PASS
		12	0		22.77	-1.1	19.52	100.00	50.00	PASS
		12	6		22.71	-1.1	19.46	100.00	50.00	PASS
		12	11		22.76	-1.1	19.51	100.00	50.00	PASS
		25	0		22.72	-1.1	19.47	100.00	50.00	PASS
		1	0	16QAM	22.97	-1.1	19.72	100.00	50.00	PASS
		1	12		23.38	-1.1	20.13	100.00	50.00	PASS
		1	24		22.96	-1.1	19.71	100.00	50.00	PASS
		12	0		21.71	-1.1	18.46	100.00	50.00	PASS
		12	6		21.71	-1.1	18.46	100.00	50.00	PASS
		12	11		21.68	-1.1	18.43	100.00	50.00	PASS
		25	0		21.77	-1.1	18.52	100.00	50.00	PASS
	Middle	1	0	QPSK	23.55	-1.1	20.30	100.00	50.00	PASS
		1	12		24.00	-1.1	20.75	100.00	50.00	PASS
		1	24		23.57	-1.1	20.32	100.00	50.00	PASS
		12	0		22.61	-1.1	19.36	100.00	50.00	PASS
		12	6		22.72	-1.1	19.47	100.00	50.00	PASS
		12	11		22.71	-1.1	19.46	100.00	50.00	PASS
		25	0		22.74	-1.1	19.49	100.00	50.00	PASS
		1	0	16QAM	22.72	-1.1	19.47	100.00	50.00	PASS
		1	12		23.05	-1.1	19.80	100.00	50.00	PASS
		1	24		22.77	-1.1	19.52	100.00	50.00	PASS
		12	0		21.63	-1.1	18.38	100.00	50.00	PASS
		12	6		21.83	-1.1	18.58	100.00	50.00	PASS
		12	11		21.78	-1.1	18.53	100.00	50.00	PASS
		25	0		21.70	-1.1	18.45	100.00	50.00	PASS
	Highest	1	0	QPSK	23.71	-1.1	20.46	100.00	50.00	PASS
		1	12		24.01	-1.1	20.76	100.00	50.00	PASS
		1	24		23.69	-1.1	20.44	100.00	50.00	PASS
		12	0		22.64	-1.1	19.39	100.00	50.00	PASS
		12	6		22.72	-1.1	19.47	100.00	50.00	PASS
		12	11		22.63	-1.1	19.38	100.00	50.00	PASS
		25	0		22.66	-1.1	19.41	100.00	50.00	PASS
		1	0	16QAM	22.77	-1.1	19.52	100.00	50.00	PASS
		1	12		23.14	-1.1	19.89	100.00	50.00	PASS
		1	24		22.75	-1.1	19.50	100.00	50.00	PASS
		12	0		21.72	-1.1	18.47	100.00	50.00	PASS
		12	6		21.83	-1.1	18.58	100.00	50.00	PASS
		12	11		21.76	-1.1	18.51	100.00	50.00	PASS
		25	0		21.69	-1.1	18.44	100.00	50.00	PASS



Radiated Power (ERP) for LTE Band 26 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
10	Middle	1	0	QPSK	23.65	-1.1	20.40	100.00	50.00	PASS
		1	24		23.79	-1.1	20.54	100.00	50.00	PASS
		1	49		23.61	-1.1	20.36	100.00	50.00	PASS
		25	0		22.65	-1.1	19.40	100.00	50.00	PASS
		25	12		22.73	-1.1	19.48	100.00	50.00	PASS
		25	24		22.83	-1.1	19.58	100.00	50.00	PASS
		50	0		22.77	-1.1	19.52	100.00	50.00	PASS
		1	0		22.87	-1.1	19.62	100.00	50.00	PASS
		1	24	16QAM	22.99	-1.1	19.74	100.00	50.00	PASS
		1	49		22.88	-1.1	19.63	100.00	50.00	PASS
		25	0		21.77	-1.1	18.52	100.00	50.00	PASS
		25	12		21.77	-1.1	18.52	100.00	50.00	PASS
		25	24		21.90	-1.1	18.65	100.00	50.00	PASS
		50	0		21.77	-1.1	18.52	100.00	50.00	PASS



Radiated Power (EIRP) for LTE Band 41 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	22.91	1.2	24.11	2.00	33.01	PASS
		1	12		23.21	1.2	24.41	2.00	33.01	PASS
		1	24		22.97	1.2	24.17	2.00	33.01	PASS
		12	0		21.88	1.2	23.08	2.00	33.01	PASS
		12	6		21.99	1.2	23.19	2.00	33.01	PASS
		12	11		21.93	1.2	23.13	2.00	33.01	PASS
		25	0		21.92	1.2	23.12	2.00	33.01	PASS
		1	0	16QAM	22.16	1.2	23.36	2.00	33.01	PASS
		1	12		22.44	1.2	23.64	2.00	33.01	PASS
		1	24		22.20	1.2	23.40	2.00	33.01	PASS
		12	0		20.86	1.2	22.06	2.00	33.01	PASS
		12	6		20.95	1.2	22.15	2.00	33.01	PASS
		12	11		20.91	1.2	22.11	2.00	33.01	PASS
		25	0		20.92	1.2	22.12	2.00	33.01	PASS
	Middle	1	0	QPSK	22.74	1.2	23.94	2.00	33.01	PASS
		1	12		23.03	1.2	24.23	2.00	33.01	PASS
		1	24		22.70	1.2	23.90	2.00	33.01	PASS
		12	0		21.77	1.2	22.97	2.00	33.01	PASS
		12	6		21.84	1.2	23.04	2.00	33.01	PASS
		12	11		21.77	1.2	22.97	2.00	33.01	PASS
		25	0		21.78	1.2	22.98	2.00	33.01	PASS
		1	0	16QAM	21.71	1.2	22.91	2.00	33.01	PASS
		1	12		21.99	1.2	23.19	2.00	33.01	PASS
		1	24		21.67	1.2	22.87	2.00	33.01	PASS
		12	0		20.86	1.2	22.06	2.00	33.01	PASS
		12	6		20.92	1.2	22.12	2.00	33.01	PASS
		12	11		20.86	1.2	22.06	2.00	33.01	PASS
		25	0		20.71	1.2	21.91	2.00	33.01	PASS
	Highest	1	0	QPSK	22.65	1.2	23.85	2.00	33.01	PASS
		1	12		22.93	1.2	24.13	2.00	33.01	PASS
		1	24		22.60	1.2	23.80	2.00	33.01	PASS
		12	0		21.69	1.2	22.89	2.00	33.01	PASS
		12	6		21.67	1.2	22.87	2.00	33.01	PASS
		12	11		21.64	1.2	22.84	2.00	33.01	PASS
		25	0		21.68	1.2	22.88	2.00	33.01	PASS
		1	0	16QAM	21.62	1.2	22.82	2.00	33.01	PASS
		1	12		21.98	1.2	23.18	2.00	33.01	PASS
		1	24		21.69	1.2	22.89	2.00	33.01	PASS
		12	0		20.72	1.2	21.92	2.00	33.01	PASS
		12	6		20.75	1.2	21.95	2.00	33.01	PASS
		12	11		20.70	1.2	21.90	2.00	33.01	PASS
		25	0		20.70	1.2	21.90	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 41 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	22.92	1.2	24.12	2.00	33.01	PASS
		1	24		23.11	1.2	24.31	2.00	33.01	PASS
		1	49		22.93	1.2	24.13	2.00	33.01	PASS
		25	0		21.89	1.2	23.09	2.00	33.01	PASS
		25	12		21.93	1.2	23.13	2.00	33.01	PASS
		25	24		21.95	1.2	23.15	2.00	33.01	PASS
		50	0		21.91	1.2	23.11	2.00	33.01	PASS
		1	0	16QAM	22.19	1.2	23.39	2.00	33.01	PASS
		1	24		22.37	1.2	23.57	2.00	33.01	PASS
		1	49		22.22	1.2	23.42	2.00	33.01	PASS
		25	0		20.94	1.2	22.14	2.00	33.01	PASS
		25	12		20.92	1.2	22.12	2.00	33.01	PASS
		25	24		20.98	1.2	22.18	2.00	33.01	PASS
		50	0		20.94	1.2	22.14	2.00	33.01	PASS
	Middle	1	0	QPSK	22.77	1.2	23.97	2.00	33.01	PASS
		1	24		22.92	1.2	24.12	2.00	33.01	PASS
		1	49		22.77	1.2	23.97	2.00	33.01	PASS
		25	0		21.82	1.2	23.02	2.00	33.01	PASS
		25	12		21.82	1.2	23.02	2.00	33.01	PASS
		25	24		21.85	1.2	23.05	2.00	33.01	PASS
		50	0		21.85	1.2	23.05	2.00	33.01	PASS
		1	0	16QAM	22.10	1.2	23.30	2.00	33.01	PASS
		1	24		22.26	1.2	23.46	2.00	33.01	PASS
		1	49		22.08	1.2	23.28	2.00	33.01	PASS
		25	0		20.89	1.2	22.09	2.00	33.01	PASS
		25	12		20.90	1.2	22.10	2.00	33.01	PASS
		25	24		20.93	1.2	22.13	2.00	33.01	PASS
		50	0		20.83	1.2	22.03	2.00	33.01	PASS
	Highest	1	0	QPSK	22.55	1.2	23.75	2.00	33.01	PASS
		1	24		22.79	1.2	23.99	2.00	33.01	PASS
		1	49		22.58	1.2	23.78	2.00	33.01	PASS
		25	0		21.75	1.2	22.95	2.00	33.01	PASS
		25	12		21.68	1.2	22.88	2.00	33.01	PASS
		25	24		21.63	1.2	22.83	2.00	33.01	PASS
		50	0		21.69	1.2	22.89	2.00	33.01	PASS
		1	0	16QAM	21.52	1.2	22.72	2.00	33.01	PASS
		1	24		21.74	1.2	22.94	2.00	33.01	PASS
		1	49		21.53	1.2	22.73	2.00	33.01	PASS
		25	0		20.75	1.2	21.95	2.00	33.01	PASS
		25	12		20.68	1.2	21.88	2.00	33.01	PASS
		25	24		20.66	1.2	21.86	2.00	33.01	PASS
		50	0		20.67	1.2	21.87	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 41 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	22.91	1.2	24.11	2.00	33.01	PASS
		1	37		23.27	1.2	24.47	2.00	33.01	PASS
		1	74		22.94	1.2	24.14	2.00	33.01	PASS
		36	0		21.99	1.2	23.19	2.00	33.01	PASS
		36	18		22.06	1.2	23.26	2.00	33.01	PASS
		36	39		22.05	1.2	23.25	2.00	33.01	PASS
		75	0		22.04	1.2	23.24	2.00	33.01	PASS
		1	0	16QAM	21.82	1.2	23.02	2.00	33.01	PASS
		1	37		22.18	1.2	23.38	2.00	33.01	PASS
		1	74		21.88	1.2	23.08	2.00	33.01	PASS
		36	0		20.91	1.2	22.11	2.00	33.01	PASS
		36	18		20.99	1.2	22.19	2.00	33.01	PASS
		36	39		20.99	1.2	22.19	2.00	33.01	PASS
		75	0		21.00	1.2	22.20	2.00	33.01	PASS
	Middle	1	0	QPSK	22.71	1.2	23.91	2.00	33.01	PASS
		1	37		22.98	1.2	24.18	2.00	33.01	PASS
		1	74		22.59	1.2	23.79	2.00	33.01	PASS
		36	0		21.90	1.2	23.10	2.00	33.01	PASS
		36	18		21.91	1.2	23.11	2.00	33.01	PASS
		36	39		21.91	1.2	23.11	2.00	33.01	PASS
		75	0		21.93	1.2	23.13	2.00	33.01	PASS
		1	0	16QAM	22.06	1.2	23.26	2.00	33.01	PASS
		1	37		22.32	1.2	23.52	2.00	33.01	PASS
		1	74		21.99	1.2	23.19	2.00	33.01	PASS
		36	0		20.87	1.2	22.07	2.00	33.01	PASS
		36	18		20.84	1.2	22.04	2.00	33.01	PASS
		36	39		20.85	1.2	22.05	2.00	33.01	PASS
		75	0		20.87	1.2	22.07	2.00	33.01	PASS
	Highest	1	0	QPSK	22.45	1.2	23.65	2.00	33.01	PASS
		1	37		22.76	1.2	23.96	2.00	33.01	PASS
		1	74		22.44	1.2	23.64	2.00	33.01	PASS
		36	0		21.73	1.2	22.93	2.00	33.01	PASS
		36	18		21.77	1.2	22.97	2.00	33.01	PASS
		36	39		21.64	1.2	22.84	2.00	33.01	PASS
		75	0		21.73	1.2	22.93	2.00	33.01	PASS
		1	0	16QAM	21.45	1.2	22.65	2.00	33.01	PASS
		1	37		21.76	1.2	22.96	2.00	33.01	PASS
		1	74		21.45	1.2	22.65	2.00	33.01	PASS
		36	0		20.67	1.2	21.87	2.00	33.01	PASS
		36	18		20.73	1.2	21.93	2.00	33.01	PASS
		36	39		20.65	1.2	21.85	2.00	33.01	PASS
		75	0		20.64	1.2	21.84	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 41 /20M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
20	Lowest	1	0	QPSK	22.71	1.2	23.91	2.00	33.01	PASS
		1	49		23.15	1.2	24.35	2.00	33.01	PASS
		1	99		22.75	1.2	23.95	2.00	33.01	PASS
		50	0		21.79	1.2	22.99	2.00	33.01	PASS
		50	24		21.93	1.2	23.13	2.00	33.01	PASS
		50	49		21.92	1.2	23.12	2.00	33.01	PASS
		100	0		21.88	1.2	23.08	2.00	33.01	PASS
		1	0	16QAM	21.65	1.2	22.85	2.00	33.01	PASS
		1	49		22.07	1.2	23.27	2.00	33.01	PASS
		1	99		21.70	1.2	22.90	2.00	33.01	PASS
		50	0		20.85	1.2	22.05	2.00	33.01	PASS
		50	24		20.98	1.2	22.18	2.00	33.01	PASS
		50	49		20.97	1.2	22.17	2.00	33.01	PASS
		100	0		20.86	1.2	22.06	2.00	33.01	PASS
	Middle	1	0	QPSK	22.58	1.2	23.78	2.00	33.01	PASS
		1	49		22.98	1.2	24.18	2.00	33.01	PASS
		1	99		22.51	1.2	23.71	2.00	33.01	PASS
		50	0		21.67	1.2	22.87	2.00	33.01	PASS
		50	24		21.83	1.2	23.03	2.00	33.01	PASS
		50	49		21.79	1.2	22.99	2.00	33.01	PASS
		100	0		21.77	1.2	22.97	2.00	33.01	PASS
		1	0	16QAM	21.57	1.2	22.77	2.00	33.01	PASS
		1	49		22.02	1.2	23.22	2.00	33.01	PASS
		1	99		21.61	1.2	22.81	2.00	33.01	PASS
		50	0		20.68	1.2	21.88	2.00	33.01	PASS
		50	24		20.86	1.2	22.06	2.00	33.01	PASS
		50	49		20.80	1.2	22.00	2.00	33.01	PASS
		100	0		20.75	1.2	21.95	2.00	33.01	PASS
	Highest	1	0	QPSK	22.52	1.2	23.72	2.00	33.01	PASS
		1	49		22.92	1.2	24.12	2.00	33.01	PASS
		1	99		22.54	1.2	23.74	2.00	33.01	PASS
		50	0		21.59	1.2	22.79	2.00	33.01	PASS
		50	24		21.64	1.2	22.84	2.00	33.01	PASS
		50	49		21.56	1.2	22.76	2.00	33.01	PASS
		100	0		21.60	1.2	22.80	2.00	33.01	PASS
		1	0	16QAM	21.39	1.2	22.59	2.00	33.01	PASS
		1	49		21.83	1.2	23.03	2.00	33.01	PASS
		1	99		21.44	1.2	22.64	2.00	33.01	PASS
		50	0		20.62	1.2	21.82	2.00	33.01	PASS
		50	24		20.67	1.2	21.87	2.00	33.01	PASS
		50	49		20.57	1.2	21.77	2.00	33.01	PASS
		100	0		20.52	1.2	21.72	2.00	33.01	PASS



Radiated Power (EIRP) for LTE Band 66 /1.4M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
1.4	Lowest	1	0	QPSK	22.91	0.2	23.11	1.00	30.00	PASS
		1	2		23.08	0.2	23.28	1.00	30.00	PASS
		1	5		22.91	0.2	23.11	1.00	30.00	PASS
		3	0		23.00	0.2	23.20	1.00	30.00	PASS
		3	1		22.98	0.2	23.18	1.00	30.00	PASS
		3	2		22.98	0.2	23.18	1.00	30.00	PASS
		6	0		21.90	0.2	22.10	1.00	30.00	PASS
		1	0	16QAM	21.84	0.2	22.04	1.00	30.00	PASS
		1	2		21.95	0.2	22.15	1.00	30.00	PASS
		1	5		21.81	0.2	22.01	1.00	30.00	PASS
		3	0		21.97	0.2	22.17	1.00	30.00	PASS
		3	1		22.01	0.2	22.21	1.00	30.00	PASS
		3	2		21.98	0.2	22.18	1.00	30.00	PASS
		6	0		21.11	0.2	21.31	1.00	30.00	PASS
	Middle	1	0	QPSK	22.85	0.2	23.05	1.00	30.00	PASS
		1	2		23.02	0.2	23.22	1.00	30.00	PASS
		1	5		22.85	0.2	23.05	1.00	30.00	PASS
		3	0		22.98	0.2	23.18	1.00	30.00	PASS
		3	1		22.99	0.2	23.19	1.00	30.00	PASS
		3	2		23.01	0.2	23.21	1.00	30.00	PASS
		6	0		21.93	0.2	22.13	1.00	30.00	PASS
		1	0	16QAM	21.96	0.2	22.16	1.00	30.00	PASS
		1	2		22.15	0.2	22.35	1.00	30.00	PASS
		1	5		21.95	0.2	22.15	1.00	30.00	PASS
		3	0		22.04	0.2	22.24	1.00	30.00	PASS
		3	1		22.11	0.2	22.31	1.00	30.00	PASS
		3	2		22.03	0.2	22.23	1.00	30.00	PASS
		6	0		21.19	0.2	21.39	1.00	30.00	PASS
	Highest	1	0	QPSK	22.97	0.2	23.17	1.00	30.00	PASS
		1	2		23.09	0.2	23.29	1.00	30.00	PASS
		1	5		22.98	0.2	23.18	1.00	30.00	PASS
		3	0		23.03	0.2	23.23	1.00	30.00	PASS
		3	1		23.07	0.2	23.27	1.00	30.00	PASS
		3	2		23.05	0.2	23.25	1.00	30.00	PASS
		6	0		22.00	0.2	22.20	1.00	30.00	PASS
		1	0	16QAM	22.22	0.2	22.42	1.00	30.00	PASS
		1	2		22.37	0.2	22.57	1.00	30.00	PASS
		1	5		22.23	0.2	22.43	1.00	30.00	PASS
		3	0		22.16	0.2	22.36	1.00	30.00	PASS
		3	1		22.16	0.2	22.36	1.00	30.00	PASS
		3	2		22.17	0.2	22.37	1.00	30.00	PASS
		6	0		21.13	0.2	21.33	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 66 /3M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
3	Lowest	1	0	QPSK	22.91	0.2	23.11	1.00	30.00	PASS
		1	7		23.19	0.2	23.39	1.00	30.00	PASS
		1	14		22.98	0.2	23.18	1.00	30.00	PASS
		8	0		21.91	0.2	22.11	1.00	30.00	PASS
		8	4		21.93	0.2	22.13	1.00	30.00	PASS
		8	7		21.92	0.2	22.12	1.00	30.00	PASS
		15	0		21.91	0.2	22.11	1.00	30.00	PASS
		1	0	16QAM	22.23	0.2	22.43	1.00	30.00	PASS
		1	7		22.39	0.2	22.59	1.00	30.00	PASS
		1	14		22.26	0.2	22.46	1.00	30.00	PASS
		8	0		20.93	0.2	21.13	1.00	30.00	PASS
		8	4		20.96	0.2	21.16	1.00	30.00	PASS
		8	7		20.94	0.2	21.14	1.00	30.00	PASS
		15	0		21.07	0.2	21.27	1.00	30.00	PASS
	Middle	1	0	QPSK	22.98	0.2	23.18	1.00	30.00	PASS
		1	7		23.23	0.2	23.43	1.00	30.00	PASS
		1	14		22.86	0.2	23.06	1.00	30.00	PASS
		8	0		21.94	0.2	22.14	1.00	30.00	PASS
		8	4		21.98	0.2	22.18	1.00	30.00	PASS
		8	7		21.97	0.2	22.17	1.00	30.00	PASS
		15	0		21.97	0.2	22.17	1.00	30.00	PASS
		1	0	16QAM	22.21	0.2	22.41	1.00	30.00	PASS
		1	7		22.49	0.2	22.69	1.00	30.00	PASS
		1	14		22.22	0.2	22.42	1.00	30.00	PASS
		8	0		21.02	0.2	21.22	1.00	30.00	PASS
		8	4		21.11	0.2	21.31	1.00	30.00	PASS
		8	7		21.06	0.2	21.26	1.00	30.00	PASS
		15	0		20.92	0.2	21.12	1.00	30.00	PASS
	Highest	1	0	QPSK	23.03	0.2	23.23	1.00	30.00	PASS
		1	7		23.28	0.2	23.48	1.00	30.00	PASS
		1	14		23.01	0.2	23.21	1.00	30.00	PASS
		8	0		22.07	0.2	22.27	1.00	30.00	PASS
		8	4		22.05	0.2	22.25	1.00	30.00	PASS
		8	7		22.01	0.2	22.21	1.00	30.00	PASS
		15	0		22.02	0.2	22.22	1.00	30.00	PASS
		1	0	16QAM	22.13	0.2	22.33	1.00	30.00	PASS
		1	7		22.34	0.2	22.54	1.00	30.00	PASS
		1	14		22.02	0.2	22.22	1.00	30.00	PASS
		8	0		21.17	0.2	21.37	1.00	30.00	PASS
		8	4		21.14	0.2	21.34	1.00	30.00	PASS
		8	7		21.12	0.2	21.32	1.00	30.00	PASS
		15	0		20.98	0.2	21.18	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 66 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	22.87	0.2	23.07	1.00	30.00	PASS
		1	12		23.26	0.2	23.46	1.00	30.00	PASS
		1	24		22.86	0.2	23.06	1.00	30.00	PASS
		12	0		21.95	0.2	22.15	1.00	30.00	PASS
		12	6		21.98	0.2	22.18	1.00	30.00	PASS
		12	11		22.01	0.2	22.21	1.00	30.00	PASS
		25	0		21.97	0.2	22.17	1.00	30.00	PASS
		1	0	16QAM	22.25	0.2	22.45	1.00	30.00	PASS
		1	12		22.55	0.2	22.75	1.00	30.00	PASS
		1	24		22.21	0.2	22.41	1.00	30.00	PASS
		12	0		20.95	0.2	21.15	1.00	30.00	PASS
		12	6		21.01	0.2	21.21	1.00	30.00	PASS
		12	11		20.97	0.2	21.17	1.00	30.00	PASS
		25	0		21.04	0.2	21.24	1.00	30.00	PASS
	Middle	1	0	QPSK	22.88	0.2	23.08	1.00	30.00	PASS
		1	12		23.21	0.2	23.41	1.00	30.00	PASS
		1	24		22.84	0.2	23.04	1.00	30.00	PASS
		12	0		22.01	0.2	22.21	1.00	30.00	PASS
		12	6		22.03	0.2	22.23	1.00	30.00	PASS
		12	11		22.01	0.2	22.21	1.00	30.00	PASS
		25	0		21.98	0.2	22.18	1.00	30.00	PASS
		1	0	16QAM	22.08	0.2	22.28	1.00	30.00	PASS
		1	12		22.34	0.2	22.54	1.00	30.00	PASS
		1	24		22.05	0.2	22.25	1.00	30.00	PASS
		12	0		21.08	0.2	21.28	1.00	30.00	PASS
		12	6		21.17	0.2	21.37	1.00	30.00	PASS
		12	11		21.11	0.2	21.31	1.00	30.00	PASS
		25	0		20.99	0.2	21.19	1.00	30.00	PASS
	Highest	1	0	QPSK	23.05	0.2	23.25	1.00	30.00	PASS
		1	12		23.56	0.2	23.76	1.00	30.00	PASS
		1	24		23.01	0.2	23.21	1.00	30.00	PASS
		12	0		22.10	0.2	22.30	1.00	30.00	PASS
		12	6		22.12	0.2	22.32	1.00	30.00	PASS
		12	11		22.02	0.2	22.22	1.00	30.00	PASS
		25	0		22.09	0.2	22.29	1.00	30.00	PASS
		1	0	16QAM	22.09	0.2	22.29	1.00	30.00	PASS
		1	12		22.64	0.2	22.84	1.00	30.00	PASS
		1	24		22.09	0.2	22.29	1.00	30.00	PASS
		12	0		21.20	0.2	21.40	1.00	30.00	PASS
		12	6		21.26	0.2	21.46	1.00	30.00	PASS
		12	11		21.18	0.2	21.38	1.00	30.00	PASS
		25	0		21.15	0.2	21.35	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 66 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	22.86	0.2	23.06	1.00	30.00	PASS
		1	24		23.02	0.2	23.22	1.00	30.00	PASS
		1	49		22.83	0.2	23.03	1.00	30.00	PASS
		25	0		21.92	0.2	22.12	1.00	30.00	PASS
		25	12		21.95	0.2	22.15	1.00	30.00	PASS
		25	24		22.00	0.2	22.20	1.00	30.00	PASS
		50	0		21.95	0.2	22.15	1.00	30.00	PASS
		1	0	16QAM	22.10	0.2	22.30	1.00	30.00	PASS
		1	24		22.28	0.2	22.48	1.00	30.00	PASS
		1	49		22.12	0.2	22.32	1.00	30.00	PASS
		25	0		21.04	0.2	21.24	1.00	30.00	PASS
		25	12		21.10	0.2	21.30	1.00	30.00	PASS
		25	24		21.10	0.2	21.30	1.00	30.00	PASS
		50	0		21.04	0.2	21.24	1.00	30.00	PASS
	Middle	1	0	QPSK	22.93	0.2	23.13	1.00	30.00	PASS
		1	24		23.06	0.2	23.26	1.00	30.00	PASS
		1	49		22.92	0.2	23.12	1.00	30.00	PASS
		25	0		21.99	0.2	22.19	1.00	30.00	PASS
		25	12		21.98	0.2	22.18	1.00	30.00	PASS
		25	24		22.06	0.2	22.26	1.00	30.00	PASS
		50	0		22.06	0.2	22.26	1.00	30.00	PASS
		1	0	16QAM	22.03	0.2	22.23	1.00	30.00	PASS
		1	24		22.16	0.2	22.36	1.00	30.00	PASS
		1	49		21.99	0.2	22.19	1.00	30.00	PASS
		25	0		21.08	0.2	21.28	1.00	30.00	PASS
		25	12		21.11	0.2	21.31	1.00	30.00	PASS
		25	24		21.11	0.2	21.31	1.00	30.00	PASS
		50	0		21.10	0.2	21.30	1.00	30.00	PASS
	Highest	1	0	QPSK	23.04	0.2	23.24	1.00	30.00	PASS
		1	24		23.23	0.2	23.43	1.00	30.00	PASS
		1	49		23.03	0.2	23.23	1.00	30.00	PASS
		25	0		22.09	0.2	22.29	1.00	30.00	PASS
		25	12		22.09	0.2	22.29	1.00	30.00	PASS
		25	24		22.11	0.2	22.31	1.00	30.00	PASS
		50	0		22.13	0.2	22.33	1.00	30.00	PASS
		1	0	16QAM	22.31	0.2	22.51	1.00	30.00	PASS
		1	24		22.47	0.2	22.67	1.00	30.00	PASS
		1	49		22.27	0.2	22.47	1.00	30.00	PASS
		25	0		21.19	0.2	21.39	1.00	30.00	PASS
		25	12		21.14	0.2	21.34	1.00	30.00	PASS
		25	24		21.13	0.2	21.33	1.00	30.00	PASS
		50	0		21.18	0.2	21.38	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 66 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	22.88	0.2	23.08	1.00	30.00	PASS
		1	37		23.29	0.2	23.49	1.00	30.00	PASS
		1	74		22.90	0.2	23.10	1.00	30.00	PASS
		36	0		21.84	0.2	22.04	1.00	30.00	PASS
		36	18		21.95	0.2	22.15	1.00	30.00	PASS
		36	39		21.99	0.2	22.19	1.00	30.00	PASS
		75	0		21.96	0.2	22.16	1.00	30.00	PASS
		1	0	16QAM	21.92	0.2	22.12	1.00	30.00	PASS
		1	37		22.19	0.2	22.39	1.00	30.00	PASS
		1	74		21.94	0.2	22.14	1.00	30.00	PASS
		36	0		20.86	0.2	21.06	1.00	30.00	PASS
		36	18		20.96	0.2	21.16	1.00	30.00	PASS
		36	39		20.99	0.2	21.19	1.00	30.00	PASS
		75	0		21.03	0.2	21.23	1.00	30.00	PASS
	Middle	1	0	QPSK	22.85	0.2	23.05	1.00	30.00	PASS
		1	37		23.21	0.2	23.41	1.00	30.00	PASS
		1	74		22.84	0.2	23.04	1.00	30.00	PASS
		36	0		21.98	0.2	22.18	1.00	30.00	PASS
		36	18		22.03	0.2	22.23	1.00	30.00	PASS
		36	39		22.04	0.2	22.24	1.00	30.00	PASS
		75	0		22.02	0.2	22.22	1.00	30.00	PASS
		1	0	16QAM	22.18	0.2	22.38	1.00	30.00	PASS
		1	37		22.40	0.2	22.60	1.00	30.00	PASS
		1	74		22.07	0.2	22.27	1.00	30.00	PASS
		36	0		21.03	0.2	21.23	1.00	30.00	PASS
		36	18		21.08	0.2	21.28	1.00	30.00	PASS
		36	39		21.03	0.2	21.23	1.00	30.00	PASS
		75	0		21.05	0.2	21.25	1.00	30.00	PASS
	Highest	1	0	QPSK	22.88	0.2	23.08	1.00	30.00	PASS
		1	37		23.16	0.2	23.36	1.00	30.00	PASS
		1	74		22.92	0.2	23.12	1.00	30.00	PASS
		36	0		22.12	0.2	22.32	1.00	30.00	PASS
		36	18		22.17	0.2	22.37	1.00	30.00	PASS
		36	39		22.13	0.2	22.33	1.00	30.00	PASS
		75	0		22.16	0.2	22.36	1.00	30.00	PASS
		1	0	16QAM	21.97	0.2	22.17	1.00	30.00	PASS
		1	37		22.42	0.2	22.62	1.00	30.00	PASS
		1	74		21.99	0.2	22.19	1.00	30.00	PASS
		36	0		21.11	0.2	21.31	1.00	30.00	PASS
		36	18		21.16	0.2	21.36	1.00	30.00	PASS
		36	39		21.14	0.2	21.34	1.00	30.00	PASS
		75	0		21.14	0.2	21.34	1.00	30.00	PASS



Radiated Power (EIRP) for LTE Band 66 /20M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	EIRP (dBm)	EIRP Limit(W)	EIRP Limit(dBm)	Verdict
20	Lowest	1	0	QPSK	22.64	0.2	22.84	1.00	30.00	PASS
		1	49		22.97	0.2	23.17	1.00	30.00	PASS
		1	99		22.79	0.2	22.99	1.00	30.00	PASS
		50	0		21.84	0.2	22.04	1.00	30.00	PASS
		50	24		21.95	0.2	22.15	1.00	30.00	PASS
		50	49		21.91	0.2	22.11	1.00	30.00	PASS
		100	0		21.90	0.2	22.10	1.00	30.00	PASS
		1	0	16QAM	21.82	0.2	22.02	1.00	30.00	PASS
		1	49		22.17	0.2	22.37	1.00	30.00	PASS
		1	99		21.96	0.2	22.16	1.00	30.00	PASS
		50	0		20.91	0.2	21.11	1.00	30.00	PASS
		50	24		21.01	0.2	21.21	1.00	30.00	PASS
		50	49		21.00	0.2	21.20	1.00	30.00	PASS
		100	0		20.93	0.2	21.13	1.00	30.00	PASS
	Middle	1	0	QPSK	22.75	0.2	22.95	1.00	30.00	PASS
		1	49		23.03	0.2	23.23	1.00	30.00	PASS
		1	99		22.67	0.2	22.87	1.00	30.00	PASS
		50	0		22.00	0.2	22.20	1.00	30.00	PASS
		50	24		22.00	0.2	22.20	1.00	30.00	PASS
		50	49		21.96	0.2	22.16	1.00	30.00	PASS
		100	0		21.99	0.2	22.19	1.00	30.00	PASS
		1	0	16QAM	21.87	0.2	22.07	1.00	30.00	PASS
		1	49		22.13	0.2	22.33	1.00	30.00	PASS
		1	99		21.75	0.2	21.95	1.00	30.00	PASS
		50	0		21.03	0.2	21.23	1.00	30.00	PASS
		50	24		21.13	0.2	21.33	1.00	30.00	PASS
		50	49		20.99	0.2	21.19	1.00	30.00	PASS
		100	0		21.02	0.2	21.22	1.00	30.00	PASS
	Highest	1	0	QPSK	22.68	0.2	22.88	1.00	30.00	PASS
		1	49		23.20	0.2	23.40	1.00	30.00	PASS
		1	99		22.82	0.2	23.02	1.00	30.00	PASS
		50	0		22.01	0.2	22.21	1.00	30.00	PASS
		50	24		22.05	0.2	22.25	1.00	30.00	PASS
		50	49		22.03	0.2	22.23	1.00	30.00	PASS
		100	0		21.99	0.2	22.19	1.00	30.00	PASS
		1	0	16QAM	21.72	0.2	21.92	1.00	30.00	PASS
		1	49		22.23	0.2	22.43	1.00	30.00	PASS
		1	99		21.83	0.2	22.03	1.00	30.00	PASS
		50	0		21.07	0.2	21.27	1.00	30.00	PASS
		50	24		21.17	0.2	21.37	1.00	30.00	PASS
		50	49		21.13	0.2	21.33	1.00	30.00	PASS
		100	0		21.07	0.2	21.27	1.00	30.00	PASS



Radiated Power (ERP) for LTE Band 71 /5M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
5	Lowest	1	0	QPSK	24.05	-2.5	19.40	3.00	34.77	PASS
		1	12		24.44	-2.5	19.79	3.00	34.77	PASS
		1	24		24.04	-2.5	19.39	3.00	34.77	PASS
		12	0		22.93	-2.5	18.28	3.00	34.77	PASS
		12	6		23.12	-2.5	18.47	3.00	34.77	PASS
		12	11		23.05	-2.5	18.40	3.00	34.77	PASS
		25	0		22.98	-2.5	18.33	3.00	34.77	PASS
		1	0	16QAM	23.28	-2.5	18.63	3.00	34.77	PASS
		1	12		23.57	-2.5	18.92	3.00	34.77	PASS
		1	24		23.34	-2.5	18.69	3.00	34.77	PASS
		12	0		21.92	-2.5	17.27	3.00	34.77	PASS
		12	6		22.13	-2.5	17.48	3.00	34.77	PASS
		12	11		22.07	-2.5	17.42	3.00	34.77	PASS
		25	0		22.07	-2.5	17.42	3.00	34.77	PASS
	Middle	1	0	QPSK	23.98	-2.5	19.33	3.00	34.77	PASS
		1	12		24.39	-2.5	19.74	3.00	34.77	PASS
		1	24		24.04	-2.5	19.39	3.00	34.77	PASS
		12	0		23.12	-2.5	18.47	3.00	34.77	PASS
		12	6		23.16	-2.5	18.51	3.00	34.77	PASS
		12	11		23.09	-2.5	18.44	3.00	34.77	PASS
		25	0		23.10	-2.5	18.45	3.00	34.77	PASS
		1	0	16QAM	23.10	-2.5	18.45	3.00	34.77	PASS
		1	12		23.47	-2.5	18.82	3.00	34.77	PASS
		1	24		23.20	-2.5	18.55	3.00	34.77	PASS
		12	0		22.23	-2.5	17.58	3.00	34.77	PASS
		12	6		22.26	-2.5	17.61	3.00	34.77	PASS
		12	11		22.15	-2.5	17.50	3.00	34.77	PASS
		25	0		22.14	-2.5	17.49	3.00	34.77	PASS
	Highest	1	0	QPSK	24.16	-2.5	19.51	3.00	34.77	PASS
		1	12		24.47	-2.5	19.82	3.00	34.77	PASS
		1	24		24.09	-2.5	19.44	3.00	34.77	PASS
		12	0		23.17	-2.5	18.52	3.00	34.77	PASS
		12	6		23.19	-2.5	18.54	3.00	34.77	PASS
		12	11		23.27	-2.5	18.62	3.00	34.77	PASS
		25	0		23.25	-2.5	18.60	3.00	34.77	PASS
		1	0	16QAM	23.23	-2.5	18.58	3.00	34.77	PASS
		1	12		23.63	-2.5	18.98	3.00	34.77	PASS
		1	24		23.17	-2.5	18.52	3.00	34.77	PASS
		12	0		22.34	-2.5	17.69	3.00	34.77	PASS
		12	6		22.35	-2.5	17.70	3.00	34.77	PASS
		12	11		22.44	-2.5	17.79	3.00	34.77	PASS
		25	0		22.28	-2.5	17.63	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 71 /10M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
10	Lowest	1	0	QPSK	24.19	-2.5	19.54	3.00	34.77	PASS
		1	24		24.21	-2.5	19.56	3.00	34.77	PASS
		1	49		24.11	-2.5	19.46	3.00	34.77	PASS
		25	0		23.07	-2.5	18.42	3.00	34.77	PASS
		25	12		23.10	-2.5	18.45	3.00	34.77	PASS
		25	24		23.19	-2.5	18.54	3.00	34.77	PASS
		50	0		23.07	-2.5	18.42	3.00	34.77	PASS
		1	0	16QAM	23.20	-2.5	18.55	3.00	34.77	PASS
		1	24		23.39	-2.5	18.74	3.00	34.77	PASS
		1	49		23.28	-2.5	18.63	3.00	34.77	PASS
		25	0		22.20	-2.5	17.55	3.00	34.77	PASS
		25	12		22.24	-2.5	17.59	3.00	34.77	PASS
		25	24		22.29	-2.5	17.64	3.00	34.77	PASS
		50	0		22.15	-2.5	17.50	3.00	34.77	PASS
	Middle	1	0	QPSK	24.00	-2.5	19.35	3.00	34.77	PASS
		1	24		24.19	-2.5	19.54	3.00	34.77	PASS
		1	49		24.17	-2.5	19.52	3.00	34.77	PASS
		25	0		23.17	-2.5	18.52	3.00	34.77	PASS
		25	12		23.12	-2.5	18.47	3.00	34.77	PASS
		25	24		23.11	-2.5	18.46	3.00	34.77	PASS
		50	0		23.12	-2.5	18.47	3.00	34.77	PASS
		1	0	16QAM	23.05	-2.5	18.40	3.00	34.77	PASS
		1	24		23.21	-2.5	18.56	3.00	34.77	PASS
		1	49		23.20	-2.5	18.55	3.00	34.77	PASS
		25	0		22.23	-2.5	17.58	3.00	34.77	PASS
		25	12		22.23	-2.5	17.58	3.00	34.77	PASS
		25	24		22.16	-2.5	17.51	3.00	34.77	PASS
		50	0		22.19	-2.5	17.54	3.00	34.77	PASS
	Highest	1	0	QPSK	24.19	-2.5	19.54	3.00	34.77	PASS
		1	24		24.33	-2.5	19.68	3.00	34.77	PASS
		1	49		24.21	-2.5	19.56	3.00	34.77	PASS
		25	0		23.25	-2.5	18.60	3.00	34.77	PASS
		25	12		23.24	-2.5	18.59	3.00	34.77	PASS
		25	24		23.26	-2.5	18.61	3.00	34.77	PASS
		50	0		23.23	-2.5	18.58	3.00	34.77	PASS
		1	0	16QAM	23.46	-2.5	18.81	3.00	34.77	PASS
		1	24		23.56	-2.5	18.91	3.00	34.77	PASS
		1	49		23.40	-2.5	18.75	3.00	34.77	PASS
		25	0		22.34	-2.5	17.69	3.00	34.77	PASS
		25	12		22.27	-2.5	17.62	3.00	34.77	PASS
		25	24		22.28	-2.5	17.63	3.00	34.77	PASS
		50	0		22.32	-2.5	17.67	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 71 /15M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
15	Lowest	1	0	QPSK	24.20	-2.5	19.55	3.00	34.77	PASS
		1	37		24.48	-2.5	19.83	3.00	34.77	PASS
		1	74		24.11	-2.5	19.46	3.00	34.77	PASS
		36	0		23.24	-2.5	18.59	3.00	34.77	PASS
		36	18		23.23	-2.5	18.58	3.00	34.77	PASS
		36	39		23.31	-2.5	18.66	3.00	34.77	PASS
		75	0		23.30	-2.5	18.65	3.00	34.77	PASS
		1	0	16QAM	22.86	-2.5	18.21	3.00	34.77	PASS
		1	37		23.37	-2.5	18.72	3.00	34.77	PASS
		1	74		23.05	-2.5	18.40	3.00	34.77	PASS
		36	0		22.22	-2.5	17.57	3.00	34.77	PASS
		36	18		22.17	-2.5	17.52	3.00	34.77	PASS
		36	39		22.27	-2.5	17.62	3.00	34.77	PASS
		75	0		22.33	-2.5	17.68	3.00	34.77	PASS
	Middle	1	0	QPSK	23.96	-2.5	19.31	3.00	34.77	PASS
		1	37		24.40	-2.5	19.75	3.00	34.77	PASS
		1	74		24.22	-2.5	19.57	3.00	34.77	PASS
		36	0		23.15	-2.5	18.50	3.00	34.77	PASS
		36	18		23.24	-2.5	18.59	3.00	34.77	PASS
		36	39		23.18	-2.5	18.53	3.00	34.77	PASS
		75	0		23.17	-2.5	18.52	3.00	34.77	PASS
		1	0	16QAM	23.19	-2.5	18.54	3.00	34.77	PASS
		1	37		23.52	-2.5	18.87	3.00	34.77	PASS
		1	74		23.37	-2.5	18.72	3.00	34.77	PASS
		36	0		22.11	-2.5	17.46	3.00	34.77	PASS
		36	18		22.24	-2.5	17.59	3.00	34.77	PASS
		36	39		22.20	-2.5	17.55	3.00	34.77	PASS
		75	0		22.20	-2.5	17.55	3.00	34.77	PASS
	Highest	1	0	QPSK	24.05	-2.5	19.40	3.00	34.77	PASS
		1	37		24.39	-2.5	19.74	3.00	34.77	PASS
		1	74		24.10	-2.5	19.45	3.00	34.77	PASS
		36	0		23.34	-2.5	18.69	3.00	34.77	PASS
		36	18		23.37	-2.5	18.72	3.00	34.77	PASS
		36	39		23.32	-2.5	18.67	3.00	34.77	PASS
		75	0		23.37	-2.5	18.72	3.00	34.77	PASS
		1	0	16QAM	23.10	-2.5	18.45	3.00	34.77	PASS
		1	37		23.48	-2.5	18.83	3.00	34.77	PASS
		1	74		23.10	-2.5	18.45	3.00	34.77	PASS
		36	0		22.27	-2.5	17.62	3.00	34.77	PASS
		36	18		22.38	-2.5	17.73	3.00	34.77	PASS
		36	39		22.38	-2.5	17.73	3.00	34.77	PASS
		75	0		22.36	-2.5	17.71	3.00	34.77	PASS



Radiated Power (ERP) for LTE Band 71 /20M										
BW (MHz)	UL Channel	RB Size	RB offset	Modulation	Conduction AVG Power(dBm)	Ant Gain (dBi)	ERP (dBm)	ERP Limit(W)	ERP Limit(dBm)	Verdict
20	Lowest	1	0	QPSK	23.88	-2.5	19.23	3.00	34.77	PASS
		1	49		24.21	-2.5	19.56	3.00	34.77	PASS
		1	99		23.98	-2.5	19.33	3.00	34.77	PASS
		50	0		23.12	-2.5	18.47	3.00	34.77	PASS
		50	24		23.13	-2.5	18.48	3.00	34.77	PASS
		50	49		23.12	-2.5	18.47	3.00	34.77	PASS
		100	0		23.09	-2.5	18.44	3.00	34.77	PASS
		1	0	16QAM	22.78	-2.5	18.13	3.00	34.77	PASS
		1	49		23.23	-2.5	18.58	3.00	34.77	PASS
		1	99		22.96	-2.5	18.31	3.00	34.77	PASS
		50	0		22.18	-2.5	17.53	3.00	34.77	PASS
		50	24		22.19	-2.5	17.54	3.00	34.77	PASS
		50	49		22.15	-2.5	17.50	3.00	34.77	PASS
		100	0		22.17	-2.5	17.52	3.00	34.77	PASS
	Middle	1	0	QPSK	23.89	-2.5	19.24	3.00	34.77	PASS
		1	49		24.25	-2.5	19.60	3.00	34.77	PASS
		1	99		24.03	-2.5	19.38	3.00	34.77	PASS
		50	0		22.96	-2.5	18.31	3.00	34.77	PASS
		50	24		23.16	-2.5	18.51	3.00	34.77	PASS
		50	49		23.09	-2.5	18.44	3.00	34.77	PASS
		100	0		22.99	-2.5	18.34	3.00	34.77	PASS
		1	0	16QAM	22.87	-2.5	18.22	3.00	34.77	PASS
		1	49		23.26	-2.5	18.61	3.00	34.77	PASS
		1	99		23.09	-2.5	18.44	3.00	34.77	PASS
		50	0		22.04	-2.5	17.39	3.00	34.77	PASS
		50	24		22.28	-2.5	17.63	3.00	34.77	PASS
		50	49		22.14	-2.5	17.49	3.00	34.77	PASS
		100	0		22.08	-2.5	17.43	3.00	34.77	PASS
	Highest	1	0	QPSK	23.79	-2.5	19.14	3.00	34.77	PASS
		1	49		24.32	-2.5	19.67	3.00	34.77	PASS
		1	99		23.97	-2.5	19.32	3.00	34.77	PASS
		50	0		23.34	-2.5	18.69	3.00	34.77	PASS
		50	24		23.25	-2.5	18.60	3.00	34.77	PASS
		50	49		23.25	-2.5	18.60	3.00	34.77	PASS
		100	0		23.27	-2.5	18.62	3.00	34.77	PASS
		1	0	16QAM	22.94	-2.5	18.29	3.00	34.77	PASS
		1	49		23.46	-2.5	18.81	3.00	34.77	PASS
		1	99		23.08	-2.5	18.43	3.00	34.77	PASS
		50	0		22.45	-2.5	17.80	3.00	34.77	PASS
		50	24		22.35	-2.5	17.70	3.00	34.77	PASS
		50	49		22.35	-2.5	17.70	3.00	34.77	PASS
		100	0		22.36	-2.5	17.71	3.00	34.77	PASS

5.2 PEAK TO AVERAGE RATIO


TEST OVERVIEW

According to §24.232(d), power measurements for transmissions by stations authorized under this section may be made either in accordance with a commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 db.

TEST PROCEDURES

1. The testing follows FCC KDB 971168 v03r01 section.
2. The eut was connected to the peak and av system simulator& spectrum analyzer.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Set the test probe and measure average power of the spectrum analysis,

TEST SETUP



TEST RESULT

Note: The test data please reference to attachment “STS2602061W01_Appendix GSM” , “STS2602061W01_Appendix WCDMA” and “STS2602061W01_Appendix LTE”.

5.3 OCCUPIED BANDWIDTH

TEST OVERVIEW

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured.


The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

All modes of operation were investigated and the worst case configuration results are reported in this section.

TEST PROCEDURE

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. $RBW = 1 - 5\%$ of the expected OBW
3. $VBW \geq 3 \times RBW$
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

TEST SETUP



TEST RESULT

Note: The test data please reference to attachment "STS2602061W01_Appendix GSM", "STS2602061W01_Appendix WCDMA" and "STS2602061W01_Appendix LTE".

5.4 FREQUENCY STABILITY

TEST OVERVIEW

Frequency stability testing is performed in accordance with the guidelines of ANSI C63.26 2015.

The frequency stability of the transmitter is measured by:

- a.) Temperature: The temperature is varied from -30°C to $+50^{\circ}\text{C}$ in 10°C increments using an environmental chamber.
- b.) Primary Supply Voltage: The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency. For Part 24 the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

TEST PROCEDURE


Temperature Variation

1. The testing follows FCC KDB 971168 D01 section 9.0
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C steps up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

Voltage Variation

1. The testing follows FCC KDB 971168 D01 Section 9.0.
2. The EUT was placed in a temperature chamber at $25 \pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
4. The variation in frequency was measured for the worst case.

TEST SETUP



TEST RESULT

GSM 850 /836.6MHz					
Temperature (°C)	Voltage (Volt)	Freq. Dev. (Hz)	Freq. Dev. (ppm)	Limit	Result
50	Normal Voltage	19.88	0.024	2.5ppm	PASS
40		18.90	0.023		
30		30.36	0.036		
20		14.85	0.018		
10		13.62	0.016		
0		29.37	0.035		
-10		12.42	0.015		
-20		12.03	0.014		
-30		36.24	0.043		
20	Maximum Voltage	19.97	0.024		
20	BEP	21.59	0.026		

GPRS 850 /836.6MHz					
Temperature (°C)	Voltage (Volt)	Freq. Dev. (Hz)	Freq. Dev. (ppm)	Limit	Result
50	Normal Voltage	22.81	0.027	2.5ppm	PASS
40		18.42	0.022		
30		18.45	0.022		
20		31.05	0.037		
10		35.70	0.043		
0		23.00	0.027		
-10		12.28	0.015		
-20		31.35	0.037		
-30		33.06	0.040		
20	Maximum Voltage	15.19	0.018		
20	BEP	25.46	0.030		

EGPRS 850 /836.6MHz					
Temperature (°C)	Voltage (Volt)	Freq. Dev. (Hz)	Freq. Dev. (ppm)	Limit	Result
50	Normal Voltage	27.59	0.033	2.5ppm	PASS
40		12.26	0.015		
30		13.56	0.016		
20		20.38	0.024		
10		36.43	0.044		
0		15.99	0.019		
-10		26.33	0.031		
-20		13.14	0.016		
-30		34.32	0.041		
20	Maximum Voltage	25.14	0.030		
20	BEP	26.86	0.032		



GSM 1900 / 1880MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	20.70	0.011	Within Authorized Band	PASS
40		27.89	0.015		
30		32.85	0.017		
20		14.39	0.008		
10		12.15	0.006		
0		31.74	0.017		
-10		13.76	0.007		
-20		22.48	0.012		
-30		18.93	0.010		
20	Maximum Voltage	36.34	0.019		
20	BEP	31.56	0.017		

GPRS 1900 / 1880MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	17.42	0.009	Within Authorized Band	PASS
40		15.81	0.008		
30		20.79	0.011		
20		23.00	0.012		
10		16.40	0.009		
0		18.08	0.010		
-10		31.01	0.016		
-20		12.77	0.007		
-30		21.80	0.012		
20	Maximum Voltage	32.55	0.017		
20	BEP	22.78	0.012		

EGPRS 1900 / 1880MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	29.39	0.016	Within Authorized Band	PASS
40		22.57	0.012		
30		25.29	0.013		
20		30.87	0.016		
10		12.39	0.007		
0		32.66	0.017		
-10		35.71	0.019		
-20		28.51	0.015		
-30		15.68	0.008		
20	Maximum Voltage	32.85	0.017		
20	BEP	17.52	0.009		



UMTS Band 2 /1880MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	22.66	0.012	Within Authorized Band	PASS
40		13.40	0.007		
30		36.38	0.019		
20		26.16	0.014		
10		25.61	0.014		
0		26.44	0.014		
-10		24.18	0.013		
-20		24.86	0.013		
-30		34.75	0.018		
20	Maximum Voltage	29.25	0.016		
20	BEP	36.48	0.019		

HSDPA Band 2 /1880MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	15.39	0.008	Within Authorized Band	PASS
40		23.64	0.013		
30		32.59	0.017		
20		14.58	0.008		
10		16.60	0.009		
0		31.88	0.017		
-10		11.85	0.006		
-20		17.50	0.009		
-30		28.74	0.015		
20	Maximum Voltage	15.64	0.008		
20	BEP	13.56	0.007		

HSUPA Band 2 /1880MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	35.83	0.019	Within Authorized Band	PASS
40		27.30	0.015		
30		35.86	0.019		
20		34.06	0.018		
10		14.29	0.008		
0		28.50	0.015		
-10		35.33	0.019		
-20		26.84	0.014		
-30		16.07	0.009		
20	Maximum Voltage	16.57	0.009		
20	BEP	17.88	0.010		



UMTS Band 4 /1740MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	12.45	0.007	Within Authorized Band	PASS
40		23.91	0.013		
30		21.73	0.012		
20		21.33	0.011		
10		26.34	0.014		
0		19.04	0.010		
-10		31.00	0.016		
-20		27.82	0.015		
-30		29.28	0.016		
20	Maximum Voltage	24.27	0.013		
20	BEP	13.69	0.007		

HSDPA Band 4 /1740MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	16.68	0.009	Within Authorized Band	PASS
40		34.82	0.019		
30		27.61	0.015		
20		15.70	0.008		
10		27.01	0.014		
0		21.94	0.012		
-10		20.29	0.011		
-20		23.13	0.012		
-30		16.09	0.009		
20	Maximum Voltage	30.55	0.016		
20	BEP	16.26	0.009		

HSUPA Band 4 /1740MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	29.40	0.016	Within Authorized Band	PASS
40		17.12	0.009		
30		35.92	0.019		
20		29.75	0.016		
10		25.05	0.013		
0		36.29	0.019		
-10		22.55	0.012		
-20		18.68	0.010		
-30		29.95	0.016		
20	Maximum Voltage	20.19	0.011		
20	BEP	29.64	0.016		



UMTS Band 5 / 836.4MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	11.75	0.014	2.5ppm	PASS
40		13.20	0.016		
30		18.44	0.022		
20		22.77	0.027		
10		23.66	0.028		
0		12.02	0.014		
-10		28.21	0.034		
-20		30.79	0.037		
-30		16.52	0.020		
20	Maximum Voltage	33.53	0.040		
20	BEP	29.39	0.035		

HSDPA Band 5 / 836.4MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	22.44	0.027	2.5ppm	PASS
40		11.60	0.014		
30		12.86	0.015		
20		14.04	0.017		
10		25.85	0.031		
0		14.37	0.017		
-10		27.17	0.032		
-20		31.71	0.038		
-30		13.96	0.017		
20	Maximum Voltage	26.62	0.032		
20	BEP	29.19	0.035		

HSUPA Band 5 / 836.4MHz					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	26.11	0.031	2.5ppm	PASS
40		28.40	0.034		
30		20.42	0.024		
20		27.23	0.033		
10		35.83	0.043		
0		22.89	0.027		
-10		31.44	0.038		
-20		16.00	0.019		
-30		16.18	0.019		
20	Maximum Voltage	13.94	0.017		
20	BEP	29.41	0.035		