




BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008





BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02




Band25-15MHz-QPSK-26115-1RB#0-30~1000-PASS

Band25-15MHz-QPSK-26115-1RB#0-1000~3000-PASS



Band25-15MHz-QPSK-26115-1RB#0-3000~20000-PASS

Band25-15MHz-QPSK-26365-1RB#0-30~1000-PASS



Band25-15MHz-QPSK-26365-1RB#0-1000~3000-PASS

Band25-15MHz-QPSK-26365-1RB#0-3000~20000-PASS

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008



BUREAU VERITAS Test Report No.: PSU-QBJ2512030110RF02

FREQUENCY STABILITY

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band25	10MHz	QPSK	26090	50RB#0	VN	NT	40.00	0.021563	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	VL	NT	2060.00	1.110512	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	VH	NT	3170.00	1.708895	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	VN	NT	-2880.00	-1.507853	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	VL	NT	-2140.00	-1.120419	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	VH	NT	-2610.00	-1.366492	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band25	10MHz	QPSK	26090	50RB#0	NV	-30	2820.00	1.520216	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	-20	-2100.00	-1.132075	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	-10	2440.00	1.315364	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	0	-1360.00	-0.733154	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	10	650.00	0.350404	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	20	1590.00	0.857143	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	30	3030.00	1.633423	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	40	1490.00	0.803235	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	50	1140.00	0.614555	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	-30	-2930.00	-1.534031	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	-20	-3480.00	-1.821990	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	-10	-2780.00	-1.455497	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	0	-940.00	-0.492147	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	10	-2210.00	-1.157068	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	20	-1150.00	-0.602094	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	30	-2020.00	-1.057592	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	40	-2650.00	-1.387435	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	50	-2840.00	-1.486911	±2.5	PASS



BUREAU VERITAS Test Report No.: PSU-QBJ2512030110RF02

FCC-SA-N25 (INCLUDING N2)

Peak-to-Average Ratio for SA


Peak-to-Average Ratio(CCDF)


Test Result


Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Result (dB)	Limit	Verdict
n25	15	5	DFT-QPSK	L	Edge 1RB Left	4.68	≤13dB	PASS
n25	15	5	DFT-QPSK	L	Outer Full	5.08	≤13dB	PASS
n25	15	5	DFT-QPSK	M	Edge 1RB Left	5.01	≤13dB	PASS
n25	15	5	DFT-QPSK	M	Outer Full	4.5	≤13dB	PASS
n25	15	5	DFT-QPSK	H	Edge 1RB Left	5.13	≤13dB	PASS
n25	15	5	DFT-QPSK	H	Outer Full	4.76	≤13dB	PASS
n25	15	10	DFT-QPSK	L	Edge 1RB Left	4.64	≤13dB	PASS
n25	15	10	DFT-QPSK	L	Outer Full	5.23	≤13dB	PASS
n25	15	10	DFT-QPSK	M	Edge 1RB Left	4.55	≤13dB	PASS
n25	15	10	DFT-QPSK	M	Outer Full	5.23	≤13dB	PASS
n25	15	10	DFT-QPSK	H	Edge 1RB Left	5.22	≤13dB	PASS
n25	15	10	DFT-QPSK	H	Outer Full	5.25	≤13dB	PASS
n25	15	15	DFT-QPSK	L	Edge 1RB Left	4.65	≤13dB	PASS
n25	15	15	DFT-QPSK	L	Outer Full	5	≤13dB	PASS
n25	15	15	DFT-QPSK	M	Edge 1RB Left	4.8	≤13dB	PASS
n25	15	15	DFT-QPSK	M	Outer Full	5.29	≤13dB	PASS
n25	15	15	DFT-QPSK	H	Edge 1RB Left	5.07	≤13dB	PASS
n25	15	15	DFT-QPSK	H	Outer Full	5.07	≤13dB	PASS
n25	15	20	DFT-QPSK	L	Edge 1RB Left	3.69	≤13dB	PASS
n25	15	20	DFT-QPSK	L	Outer Full	5.1	≤13dB	PASS
n25	15	20	DFT-QPSK	M	Edge 1RB Left	4.19	≤13dB	PASS
n25	15	20	DFT-QPSK	M	Outer Full	5.17	≤13dB	PASS
n25	15	20	DFT-QPSK	H	Edge 1RB Left	4.58	≤13dB	PASS
n25	15	20	DFT-QPSK	H	Outer Full	4.32	≤13dB	PASS




Test Graphs













BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02









BUREAU VERITAS Test Report No.: PSU-QBJ2512030110RF02

26dB Bandwidth and Occupied Bandwidth for SA

Test Result


Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	OBW (MHz)	EBW (MHz)	Verdict
n25	15	5	DFT-BPSK	M	Outer_Full	4.5634	5.310	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	4.5633	5.312	PASS
n25	15	5	DFT-16QAM	M	Outer_Full	4.5636	5.297	PASS
n25	15	5	DFT-64QAM	M	Outer_Full	4.5398	5.321	PASS
n25	15	5	DFT-256QAM	M	Outer_Full	4.5557	5.277	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	9.0196	9.902	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	9.0196	9.895	PASS
n25	15	10	DFT-16QAM	M	Outer_Full	9.0200	9.905	PASS
n25	15	10	DFT-64QAM	M	Outer_Full	8.9914	9.814	PASS
n25	15	10	DFT-256QAM	M	Outer_Full	9.0095	9.886	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	13.414	14.42	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	13.412	14.42	PASS
n25	15	15	DFT-16QAM	M	Outer_Full	13.411	14.42	PASS
n25	15	15	DFT-64QAM	M	Outer_Full	13.411	14.34	PASS
n25	15	15	DFT-256QAM	M	Outer_Full	13.490	14.34	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	17.893	18.99	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	17.898	19.00	PASS
n25	15	20	DFT-16QAM	M	Outer_Full	17.895	18.98	PASS
n25	15	20	DFT-64QAM	M	Outer_Full	17.849	19.04	PASS
n25	15	20	DFT-256QAM	M	Outer_Full	17.878	18.96	PASS





BUREAU
VERITAS


Test Report No.: PSU-QBJ2512030110RF02

Test Graphs












BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02






Band Edge for SA

Test Result

Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Result (dBm)	Verdict
n25	15	5	DFT-QPSK	L	Edge_1RB_Left	-15.28	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	-24.97	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	-19.76	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	-29.17	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	-13.60	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	-29.70	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	-17.71	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	-36.64	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	-17.46	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	-31.10	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	-19.74	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	-37.24	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Left	-17.00	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	-32.93	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	-20.26	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	-38.01	PASS


Test Graphs





BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02





BUREAU
VERITAS

Test Report No.: PSU-QBJ2512030110RF02

