

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 15k\_SISO\_5MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 5MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|-----------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                   |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                   | 1712.5          | Edge_1RB_Left   | 18.59                | /    | /   | 19.67     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 18.53                | /    | /   | 19.61     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 18.57                | /    | /   | 19.65     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 19.69                | /    | /   | 20.77     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 19.60                | /    | /   | 20.68     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 19.57                | /    | /   | 20.65     | /    | /   | <=30  | Pass    |
|                                   | 1745            | Edge_1RB_Left   | 17.80                | /    | /   | 18.88     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 17.68                | /    | /   | 18.76     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 17.81                | /    | /   | 18.89     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 19.12                | /    | /   | 20.20     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 18.60                | /    | /   | 19.68     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 18.50                | /    | /   | 19.58     | /    | /   | <=30  | Pass    |
|                                   | 1777.5          | Edge_1RB_Left   | 16.25                | /    | /   | 17.33     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 16.19                | /    | /   | 17.27     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 16.79                | /    | /   | 17.87     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 17.92                | /    | /   | 19.00     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 17.20                | /    | /   | 18.28     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 17.17                | /    | /   | 18.25     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                 | 1712.5          | Edge_1RB_Left   | 17.81                | /    | /   | 18.89     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 17.76                | /    | /   | 18.84     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 17.71                | /    | /   | 18.79     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 18.76                | /    | /   | 19.84     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 18.66                | /    | /   | 19.74     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 18.75                | /    | /   | 19.83     | /    | /   | <=30  | Pass    |
|                                   | 1745            | Edge_1RB_Left   | 16.83                | /    | /   | 17.91     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 16.68                | /    | /   | 17.76     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 17.20                | /    | /   | 18.28     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 18.16                | /    | /   | 19.24     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 17.74                | /    | /   | 18.82     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 17.66                | /    | /   | 18.74     | /    | /   | <=30  | Pass    |
|                                   | 1777.5          | Edge_1RB_Left   | 14.91                | /    | /   | 15.99     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 15.21                | /    | /   | 16.29     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 15.92                | /    | /   | 17.00     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 16.94                | /    | /   | 18.02     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 16.32                | /    | /   | 17.40     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 16.27                | /    | /   | 17.35     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 64 QAM                 | 1712.5          | Edge_1RB_Left   | 17.45                | /    | /   | 18.53     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 17.61                | /    | /   | 18.69     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 17.24                | /    | /   | 18.32     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 17.23                | /    | /   | 18.31     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 17.51                | /    | /   | 18.59     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 17.38                | /    | /   | 18.46     | /    | /   | <=30  | Pass    |
|                                   | 1745            | Edge_1RB_Left   | 16.38                | /    | /   | 17.46     | /    | /   | <=30  | Pass    |
|                                   |                 | Edge_1RB_Right  | 16.31                | /    | /   | 17.39     | /    | /   | <=30  | Pass    |
|                                   |                 | Outer_Full      | 16.78                | /    | /   | 17.86     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_Full      | 16.72                | /    | /   | 17.80     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Left  | 16.35                | /    | /   | 17.43     | /    | /   | <=30  | Pass    |
|                                   |                 | Inner_1RB_Right | 16.35                | /    | /   | 17.43     | /    | /   | <=30  | Pass    |
|                                   | 1777.5          | Edge_1RB_Left   | 15.23                | /    | /   | 16.31     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |        | Edge_1RB_Right  | 15.12 | / | / | 16.20 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.50 | / | / | 16.58 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.57 | / | / | 16.65 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.22 | / | / | 16.30 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.22 | / | / | 16.30 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1712.5 | Edge_1RB_Left   | 15.20 | / | / | 16.28 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.12 | / | / | 16.20 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.24 | / | / | 16.32 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.24 | / | / | 16.32 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.16 | / | / | 16.24 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 14.92 | / | / | 16.00 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.64 | / | / | 15.72 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.61 | / | / | 15.69 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.61 | / | / | 15.69 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.89 | / | / | 15.97 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.75 | / | / | 15.83 | / | / | <=30 | Pass |
|                    | 1777.5 | Edge_1RB_Left   | 13.52 | / | / | 14.60 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.49 | / | / | 14.57 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.21 | / | / | 14.29 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.37 | / | / | 14.45 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 13.57 | / | / | 14.65 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.43 | / | / | 14.51 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1712.5 | Edge_1RB_Left   | 16.82 | / | / | 17.90 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.85 | / | / | 17.93 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.67 | / | / | 17.75 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.13 | / | / | 19.21 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 18.37 | / | / | 19.45 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 18.26 | / | / | 19.34 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 15.83 | / | / | 16.91 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.65 | / | / | 16.73 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.08 | / | / | 17.16 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.63 | / | / | 18.71 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.28 | / | / | 18.36 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.10 | / | / | 18.18 | / | / | <=30 | Pass |
|                    | 1777.5 | Edge_1RB_Left   | 14.48 | / | / | 15.56 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.40 | / | / | 15.48 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.81 | / | / | 15.89 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.37 | / | / | 17.45 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.11 | / | / | 17.19 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.92 | / | / | 17.00 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM     | 1712.5 | Edge_1RB_Left   | 16.83 | / | / | 17.91 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.75 | / | / | 17.83 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.64 | / | / | 17.72 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.71 | / | / | 18.79 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.92 | / | / | 19.00 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.89 | / | / | 18.97 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 15.68 | / | / | 16.76 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.56 | / | / | 16.64 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.10 | / | / | 17.18 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.06 | / | / | 18.14 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.64 | / | / | 17.72 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.49 | / | / | 17.57 | / | / | <=30 | Pass |
|                    | 1777.5 | Edge_1RB_Left   | 14.37 | / | / | 15.45 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.36 | / | / | 15.44 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.04 | / | / | 16.12 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.91 | / | / | 16.99 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.32 | / | / | 16.40 | / | / | <=30 | Pass |

|                                                                                 |        |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
| CP-OFDM 64 QAM                                                                  | 1712.5 | Edge_1RB_Left   | 16.29 | / | / | 17.37 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 16.33 | / | / | 17.41 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 16.12 | / | / | 17.20 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 16.17 | / | / | 17.25 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 16.29 | / | / | 17.37 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 16.28 | / | / | 17.36 | / | / | <=30 | Pass |
|                                                                                 | 1745   | Edge_1RB_Left   | 15.23 | / | / | 16.31 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 15.11 | / | / | 16.19 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 15.58 | / | / | 16.66 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 15.58 | / | / | 16.66 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 15.24 | / | / | 16.32 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 15.10 | / | / | 16.18 | / | / | <=30 | Pass |
|                                                                                 | 1777.5 | Edge_1RB_Left   | 14.03 | / | / | 15.11 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 14.02 | / | / | 15.10 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 14.43 | / | / | 15.51 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 14.46 | / | / | 15.54 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 14.05 | / | / | 15.13 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 13.97 | / | / | 15.05 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM                                                                 | 1712.5 | Edge_1RB_Left   | 13.09 | / | / | 14.17 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 13.01 | / | / | 14.09 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 13.01 | / | / | 14.09 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 13.05 | / | / | 14.13 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 12.98 | / | / | 14.06 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 13.01 | / | / | 14.09 | / | / | <=30 | Pass |
|                                                                                 | 1745   | Edge_1RB_Left   | 12.65 | / | / | 13.73 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 12.55 | / | / | 13.63 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 12.47 | / | / | 13.55 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 12.45 | / | / | 13.53 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 12.71 | / | / | 13.79 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 12.52 | / | / | 13.60 | / | / | <=30 | Pass |
|                                                                                 | 1777.5 | Edge_1RB_Left   | 11.43 | / | / | 12.51 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 11.50 | / | / | 12.58 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 11.39 | / | / | 12.47 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 11.35 | / | / | 12.43 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 11.44 | / | / | 12.52 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 11.50 | / | / | 12.58 | / | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |        |                 |       |   |   |       |   |   |      |      |

### 1.1.2 15k\_SISO\_10MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 10MHz NTNv |                 |                 |                      |      |     |           |      |     |       |         |
|-------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                     |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                     | 1715            | Edge_1RB_Left   | 18.09                | /    | /   | 19.17     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 17.99                | /    | /   | 19.07     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 18.37                | /    | /   | 19.45     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 19.56                | /    | /   | 20.64     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 18.93                | /    | /   | 20.01     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 18.90                | /    | /   | 19.98     | /    | /   | <=30  | Pass    |
|                                     | 1745            | Edge_1RB_Left   | 17.61                | /    | /   | 18.69     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 17.44                | /    | /   | 18.52     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 17.72                | /    | /   | 18.80     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 19.01                | /    | /   | 20.09     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 18.43                | /    | /   | 19.51     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 18.21                | /    | /   | 19.29     | /    | /   | <=30  | Pass    |
|                                     | 1775            | Edge_1RB_Left   | 16.42                | /    | /   | 17.50     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 16.04                | /    | /   | 17.12     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |      | Outer_Full      | 16.89 | / | / | 17.97 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.89 | / | / | 18.97 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.43 | / | / | 18.51 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.10 | / | / | 18.18 | / | / | <=30 | Pass |
| DFT-s-OFDM 16 QAM  | 1715 | Edge_1RB_Left   | 17.23 | / | / | 18.31 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 17.15 | / | / | 18.23 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.67 | / | / | 18.75 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.59 | / | / | 19.67 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 18.27 | / | / | 19.35 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 18.11 | / | / | 19.19 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Left   | 16.57 | / | / | 17.65 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.37 | / | / | 17.45 | / | / | <=30 | Pass |
|                    | 1745 | Outer_Full      | 17.10 | / | / | 18.18 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.96 | / | / | 19.04 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.65 | / | / | 18.73 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.37 | / | / | 18.45 | / | / | <=30 | Pass |
|                    | 1775 | Edge_1RB_Left   | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.13 | / | / | 16.21 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.92 | / | / | 17.00 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.79 | / | / | 17.87 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.06 | / | / | 17.14 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Left   | 16.73 | / | / | 17.81 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.82 | / | / | 17.90 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1715 | Outer_Full      | 17.08 | / | / | 18.16 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.17 | / | / | 18.25 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.76 | / | / | 17.84 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.83 | / | / | 17.91 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.21 | / | / | 17.29 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.13 | / | / | 17.21 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.56 | / | / | 17.64 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.58 | / | / | 17.66 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.20 | / | / | 17.28 | / | / | <=30 | Pass |
|                    | 1775 | Edge_1RB_Left   | 15.07 | / | / | 16.15 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.86 | / | / | 15.94 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.25 | / | / | 16.33 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.34 | / | / | 16.42 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 15.03 | / | / | 16.11 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.88 | / | / | 15.96 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1715 | Edge_1RB_Left   | 15.41 | / | / | 16.49 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.09 | / | / | 16.17 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.14 | / | / | 16.22 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.16 | / | / | 16.24 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 15.37 | / | / | 16.45 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.19 | / | / | 16.27 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 14.73 | / | / | 15.81 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.64 | / | / | 15.72 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.53 | / | / | 15.61 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.56 | / | / | 15.64 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.85 | / | / | 15.93 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.60 | / | / | 15.68 | / | / | <=30 | Pass |
|                    | 1775 | Edge_1RB_Left   | 13.54 | / | / | 14.62 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.16 | / | / | 14.24 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 13.21 | / | / | 14.29 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 13.23 | / | / | 14.31 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 13.40 | / | / | 14.48 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.19 | / | / | 14.27 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1715 | Edge_1RB_Left   | 16.30 | / | / | 17.38 | / | / | <=30 | Pass |

|                 |      |                 |       |   |   |       |   |   |      |      |
|-----------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                 |      | Edge_1RB_Right  | 16.22 | / | / | 17.30 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 16.57 | / | / | 17.65 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 18.21 | / | / | 19.29 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 17.75 | / | / | 18.83 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 17.67 | / | / | 18.75 | / | / | <=30 | Pass |
|                 | 1745 | Edge_1RB_Left   | 15.62 | / | / | 16.70 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 15.42 | / | / | 16.50 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.99 | / | / | 17.07 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 17.45 | / | / | 18.53 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 17.14 | / | / | 18.22 | / | / | <=30 | Pass |
|                 | 1775 | Inner_1RB_Right | 16.94 | / | / | 18.02 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Left   | 14.46 | / | / | 15.54 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 14.20 | / | / | 15.28 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 14.54 | / | / | 15.62 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 16.13 | / | / | 17.21 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM  |      | Inner_1RB_Left  | 15.90 | / | / | 16.98 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 15.68 | / | / | 16.76 | / | / | <=30 | Pass |
|                 | 1715 | Edge_1RB_Left   | 16.23 | / | / | 17.31 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 16.12 | / | / | 17.20 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 16.59 | / | / | 17.67 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 17.62 | / | / | 18.70 | / | / | <=30 | Pass |
|                 | 1745 | Inner_1RB_Left  | 17.20 | / | / | 18.28 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 17.08 | / | / | 18.16 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Left   | 15.51 | / | / | 16.59 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 15.29 | / | / | 16.37 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.88 | / | / | 16.96 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM  |      | Inner_Full      | 16.91 | / | / | 17.99 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 16.49 | / | / | 17.57 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 16.27 | / | / | 17.35 | / | / | <=30 | Pass |
|                 | 1775 | Edge_1RB_Left   | 14.31 | / | / | 15.39 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 14.11 | / | / | 15.19 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM |      | Outer_Full      | 14.61 | / | / | 15.69 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 15.68 | / | / | 16.76 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 15.32 | / | / | 16.40 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 15.11 | / | / | 16.19 | / | / | <=30 | Pass |
|                 | 1715 | Edge_1RB_Left   | 15.79 | / | / | 16.87 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 15.78 | / | / | 16.86 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 16.12 | / | / | 17.20 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 16.16 | / | / | 17.24 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 15.77 | / | / | 16.85 | / | / | <=30 | Pass |
|                 | 1745 | Inner_1RB_Right | 15.68 | / | / | 16.76 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Left   | 15.10 | / | / | 16.18 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 14.84 | / | / | 15.92 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.36 | / | / | 16.44 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                 | 1775 | Inner_1RB_Left  | 15.10 | / | / | 16.18 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 14.87 | / | / | 15.95 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Left   | 13.94 | / | / | 15.02 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 13.62 | / | / | 14.70 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 14.06 | / | / | 15.14 | / | / | <=30 | Pass |
|                 | 1715 | Inner_Full      | 14.17 | / | / | 15.25 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 13.88 | / | / | 14.96 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 13.62 | / | / | 14.70 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Left   | 13.32 | / | / | 14.40 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 13.23 | / | / | 14.31 | / | / | <=30 | Pass |
|                 | 1715 | Outer_Full      | 13.04 | / | / | 14.12 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 13.08 | / | / | 14.16 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 13.23 | / | / | 14.31 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 13.32 | / | / | 14.40 | / | / | <=30 | Pass |

|                                                                                 |      |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 | 1745 | Edge_1RB_Left   | 12.52 | / | / | 13.60 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 12.43 | / | / | 13.51 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 12.30 | / | / | 13.38 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 12.38 | / | / | 13.46 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.71 | / | / | 13.79 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 12.36 | / | / | 13.44 | / | / | <=30 | Pass |
|                                                                                 | 1775 | Edge_1RB_Left   | 11.44 | / | / | 12.52 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 11.28 | / | / | 12.36 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 11.00 | / | / | 12.08 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 11.04 | / | / | 12.12 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 11.35 | / | / | 12.43 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 11.22 | / | / | 12.30 | / | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |      |                 |       |   |   |       |   |   |      |      |

### 1.1.3 15k\_SISO\_15MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 15MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1717.5          | Edge_1RB_Left   | 18.17                | /    | /   | 19.25     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.07                | /    | /   | 19.15     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.56                | /    | /   | 19.64     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.68                | /    | /   | 20.76     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.05                | /    | /   | 20.13     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.84                | /    | /   | 19.92     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.91                | /    | /   | 18.99     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.46                | /    | /   | 18.54     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.09                | /    | /   | 19.17     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.21                | /    | /   | 20.29     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.70                | /    | /   | 19.78     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.32                | /    | /   | 19.40     | /    | /   | <=30  | Pass    |
|                                    | 1772.5          | Edge_1RB_Left   | 16.67                | /    | /   | 17.75     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.28                | /    | /   | 17.36     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.00                | /    | /   | 18.08     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.34                | /    | /   | 19.42     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.67                | /    | /   | 18.75     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.22                | /    | /   | 18.30     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1717.5          | Edge_1RB_Left   | 17.30                | /    | /   | 18.38     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.20                | /    | /   | 18.28     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.74                | /    | /   | 18.82     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.72                | /    | /   | 19.80     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.25                | /    | /   | 19.33     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.10                | /    | /   | 19.18     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.01                | /    | /   | 18.09     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.49                | /    | /   | 17.57     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.20                | /    | /   | 18.28     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.19                | /    | /   | 19.27     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.99                | /    | /   | 19.07     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.63                | /    | /   | 18.71     | /    | /   | <=30  | Pass    |
|                                    | 1772.5          | Edge_1RB_Left   | 15.90                | /    | /   | 16.98     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.63                | /    | /   | 16.71     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.25                | /    | /   | 17.33     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.21                | /    | /   | 18.29     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.77                | /    | /   | 17.85     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.43                | /    | /   | 17.51     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 64 QAM                  | 1717.5          | Edge_1RB_Left   | 16.90                | /    | /   | 17.98     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.86                | /    | /   | 17.94     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |        | Outer_Full      | 17.25 | / | / | 18.33 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.28 | / | / | 18.36 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.86 | / | / | 17.94 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.73 | / | / | 17.81 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.56 | / | / | 17.64 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.34 | / | / | 17.42 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.73 | / | / | 17.81 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.74 | / | / | 17.82 | / | / | <=30 | Pass |
|                    | 1772.5 | Inner_1RB_Left  | 16.49 | / | / | 17.57 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.22 | / | / | 17.30 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.06 | / | / | 16.14 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.73 | / | / | 16.81 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.58 | / | / | 16.66 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.29 | / | / | 16.37 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.07 | / | / | 16.15 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1717.5 | Edge_1RB_Left   | 15.47 | / | / | 16.55 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.11 | / | / | 16.19 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.21 | / | / | 16.29 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.26 | / | / | 16.34 | / | / | <=30 | Pass |
|                    | 1745   | Inner_1RB_Left  | 15.46 | / | / | 16.54 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 14.90 | / | / | 15.98 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.40 | / | / | 15.48 | / | / | <=30 | Pass |
|                    | 1772.5 | Outer_Full      | 14.66 | / | / | 15.74 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.60 | / | / | 15.68 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.01 | / | / | 16.09 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.43 | / | / | 15.51 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 13.81 | / | / | 14.89 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.36 | / | / | 14.44 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.55 | / | / | 14.63 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.50 | / | / | 14.58 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1717.5 | Inner_1RB_Left  | 13.74 | / | / | 14.82 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.49 | / | / | 14.57 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.41 | / | / | 17.49 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    | 1745   | Outer_Full      | 16.67 | / | / | 17.75 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.33 | / | / | 19.41 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.96 | / | / | 19.04 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.63 | / | / | 18.71 | / | / | <=30 | Pass |
|                    | 1772.5 | Edge_1RB_Left   | 15.83 | / | / | 16.91 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.56 | / | / | 16.64 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.05 | / | / | 17.13 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.70 | / | / | 18.78 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.34 | / | / | 18.42 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.87 | / | / | 17.95 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 14.76 | / | / | 15.84 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.34 | / | / | 15.42 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM     | 1717.5 | Outer_Full      | 14.97 | / | / | 16.05 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.48 | / | / | 17.56 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.33 | / | / | 17.41 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.83 | / | / | 16.91 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.16 | / | / | 17.24 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.02 | / | / | 17.10 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.63 | / | / | 17.71 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.80 | / | / | 18.88 | / | / | <=30 | Pass |
|                    | 1745   | Inner_1RB_Left  | 17.23 | / | / | 18.31 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.98 | / | / | 18.06 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 15.82 | / | / | 16.90 | / | / | <=30 | Pass |

|                                                                                 |                |                 |               |       |   |       |       |   |      |      |
|---------------------------------------------------------------------------------|----------------|-----------------|---------------|-------|---|-------|-------|---|------|------|
|                                                                                 |                | Edge_1RB_Right  | 15.35         | /     | / | 16.43 | /     | / | <=30 | Pass |
|                                                                                 |                | Outer_Full      | 16.08         | /     | / | 17.16 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_Full      | 17.19         | /     | / | 18.27 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Left  | 16.84         | /     | / | 17.92 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Right | 16.25         | /     | / | 17.33 | /     | / | <=30 | Pass |
|                                                                                 | 1772.5         | Edge_1RB_Left   | 14.67         | /     | / | 15.75 | /     | / | <=30 | Pass |
|                                                                                 |                | Edge_1RB_Right  | 14.22         | /     | / | 15.30 | /     | / | <=30 | Pass |
|                                                                                 |                | Outer_Full      | 14.93         | /     | / | 16.01 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_Full      | 16.11         | /     | / | 17.19 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Left  | 15.68         | /     | / | 16.76 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Right | 15.15         | /     | / | 16.23 | /     | / | <=30 | Pass |
|                                                                                 | CP-OFDM 64 QAM | 1717.5          | Edge_1RB_Left | 15.81 | / | /     | 16.89 | / | /    | <=30 |
| Edge_1RB_Right                                                                  |                |                 | 15.71         | /     | / | 16.79 | /     | / | <=30 | Pass |
| Outer_Full                                                                      |                |                 | 16.16         | /     | / | 17.24 | /     | / | <=30 | Pass |
| Inner_Full                                                                      |                |                 | 16.35         | /     | / | 17.43 | /     | / | <=30 | Pass |
| Inner_1RB_Left                                                                  |                |                 | 15.83         | /     | / | 16.91 | /     | / | <=30 | Pass |
| Inner_1RB_Right                                                                 |                |                 | 15.65         | /     | / | 16.73 | /     | / | <=30 | Pass |
| 1745                                                                            |                | Edge_1RB_Left   | 15.42         | /     | / | 16.50 | /     | / | <=30 | Pass |
|                                                                                 |                | Edge_1RB_Right  | 14.95         | /     | / | 16.03 | /     | / | <=30 | Pass |
|                                                                                 |                | Outer_Full      | 15.51         | /     | / | 16.59 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_Full      | 15.66         | /     | / | 16.74 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Left  | 15.58         | /     | / | 16.66 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Right | 14.87         | /     | / | 15.95 | /     | / | <=30 | Pass |
| 1772.5                                                                          |                | Edge_1RB_Left   | 14.26         | /     | / | 15.34 | /     | / | <=30 | Pass |
|                                                                                 |                | Edge_1RB_Right  | 13.88         | /     | / | 14.96 | /     | / | <=30 | Pass |
|                                                                                 |                | Outer_Full      | 14.40         | /     | / | 15.48 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_Full      | 14.55         | /     | / | 15.63 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Left  | 14.33         | /     | / | 15.41 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Right | 13.83         | /     | / | 14.91 | /     | / | <=30 | Pass |
| CP-OFDM 256 QAM                                                                 | 1717.5         | Edge_1RB_Left   | 13.35         | /     | / | 14.43 | /     | / | <=30 | Pass |
|                                                                                 |                | Edge_1RB_Right  | 13.29         | /     | / | 14.37 | /     | / | <=30 | Pass |
|                                                                                 |                | Outer_Full      | 13.13         | /     | / | 14.21 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_Full      | 13.16         | /     | / | 14.24 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Left  | 13.23         | /     | / | 14.31 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Right | 13.13         | /     | / | 14.21 | /     | / | <=30 | Pass |
|                                                                                 | 1745           | Edge_1RB_Left   | 12.93         | /     | / | 14.01 | /     | / | <=30 | Pass |
|                                                                                 |                | Edge_1RB_Right  | 12.37         | /     | / | 13.45 | /     | / | <=30 | Pass |
|                                                                                 |                | Outer_Full      | 12.55         | /     | / | 13.63 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_Full      | 12.57         | /     | / | 13.65 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Left  | 12.88         | /     | / | 13.96 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Right | 12.32         | /     | / | 13.40 | /     | / | <=30 | Pass |
|                                                                                 | 1772.5         | Edge_1RB_Left   | 11.78         | /     | / | 12.86 | /     | / | <=30 | Pass |
|                                                                                 |                | Edge_1RB_Right  | 11.45         | /     | / | 12.53 | /     | / | <=30 | Pass |
|                                                                                 |                | Outer_Full      | 11.43         | /     | / | 12.51 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_Full      | 11.50         | /     | / | 12.58 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Left  | 11.76         | /     | / | 12.84 | /     | / | <=30 | Pass |
|                                                                                 |                | Inner_1RB_Right | 11.26         | /     | / | 12.34 | /     | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |                |                 |               |       |   |       |       |   |      |      |

#### 1.1.4 15k\_SISO\_20MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 20MHz NTN |                 |                |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation  | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1720            | Edge_1RB_Left  | 18.20                | /    | /   | 19.28     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right | 17.92                | /    | /   | 19.00     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full     | 18.53                | /    | /   | 19.61     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |      | Inner_Full      | 19.67 | / | / | 20.75 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 19.06 | / | / | 20.14 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 18.79 | / | / | 19.87 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 17.73 | / | / | 18.81 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 17.07 | / | / | 18.15 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 18.00 | / | / | 19.08 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 19.00 | / | / | 20.08 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 18.58 | / | / | 19.66 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 18.08 | / | / | 19.16 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Left   | 16.82 | / | / | 17.90 | / | / | <=30 | Pass |
|                    | 1770 | Edge_1RB_Right  | 16.22 | / | / | 17.30 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.11 | / | / | 18.19 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.33 | / | / | 19.41 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.90 | / | / | 18.98 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.25 | / | / | 18.33 | / | / | <=30 | Pass |
| DFT-s-OFDM 16 QAM  | 1720 | Edge_1RB_Left   | 17.25 | / | / | 18.33 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 17.04 | / | / | 18.12 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.72 | / | / | 18.80 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.75 | / | / | 19.83 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 18.22 | / | / | 19.30 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 18.08 | / | / | 19.16 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.82 | / | / | 17.90 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.99 | / | / | 18.07 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.03 | / | / | 19.11 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.78 | / | / | 18.86 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.10 | / | / | 18.18 | / | / | <=30 | Pass |
|                    | 1770 | Edge_1RB_Left   | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.14 | / | / | 16.22 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.27 | / | / | 17.35 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.01 | / | / | 18.09 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.62 | / | / | 17.70 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.05 | / | / | 17.13 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1720 | Edge_1RB_Left   | 16.88 | / | / | 17.96 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.64 | / | / | 17.72 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.21 | / | / | 18.29 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.26 | / | / | 18.34 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.87 | / | / | 17.95 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.65 | / | / | 17.73 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.32 | / | / | 17.40 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.96 | / | / | 17.04 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.46 | / | / | 17.54 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.68 | / | / | 17.76 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.34 | / | / | 17.42 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.02 | / | / | 17.10 | / | / | <=30 | Pass |
|                    | 1770 | Edge_1RB_Left   | 15.30 | / | / | 16.38 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.83 | / | / | 15.91 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.41 | / | / | 16.49 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.48 | / | / | 16.56 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 15.35 | / | / | 16.43 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.82 | / | / | 15.90 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1720 | Edge_1RB_Left   | 15.36 | / | / | 16.44 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.16 | / | / | 16.24 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.17 | / | / | 16.25 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.34 | / | / | 16.42 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 15.36 | / | / | 16.44 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.16 | / | / | 16.24 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 15.02 | / | / | 16.10 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.34 | / | / | 15.42 | / | / | <=30 | Pass |

|                |      |                 |       |   |   |       |   |   |      |      |
|----------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                |      | Outer_Full      | 14.47 | / | / | 15.55 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 14.64 | / | / | 15.72 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 15.05 | / | / | 16.13 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 14.36 | / | / | 15.44 | / | / | <=30 | Pass |
|                | 1770 | Edge_1RB_Left   | 13.95 | / | / | 15.03 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 13.19 | / | / | 14.27 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 13.22 | / | / | 14.30 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 13.47 | / | / | 14.55 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 13.77 | / | / | 14.85 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 13.21 | / | / | 14.29 | / | / | <=30 | Pass |
| CP-OFDM QPSK   | 1720 | Edge_1RB_Left   | 16.32 | / | / | 17.40 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 16.17 | / | / | 17.25 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 16.60 | / | / | 17.68 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 18.32 | / | / | 19.40 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 17.77 | / | / | 18.85 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 17.61 | / | / | 18.69 | / | / | <=30 | Pass |
|                | 1745 | Edge_1RB_Left   | 15.85 | / | / | 16.93 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.42 | / | / | 16.50 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.93 | / | / | 17.01 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 17.62 | / | / | 18.70 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 17.37 | / | / | 18.45 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 16.81 | / | / | 17.89 | / | / | <=30 | Pass |
|                | 1770 | Edge_1RB_Left   | 14.85 | / | / | 15.93 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 14.31 | / | / | 15.39 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 14.83 | / | / | 15.91 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 16.43 | / | / | 17.51 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 16.39 | / | / | 17.47 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 15.73 | / | / | 16.81 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM | 1720 | Edge_1RB_Left   | 16.27 | / | / | 17.35 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 16.17 | / | / | 17.25 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 16.57 | / | / | 17.65 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 17.90 | / | / | 18.98 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 17.23 | / | / | 18.31 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 16.97 | / | / | 18.05 | / | / | <=30 | Pass |
|                | 1745 | Edge_1RB_Left   | 15.77 | / | / | 16.85 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.29 | / | / | 16.37 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.87 | / | / | 16.95 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 17.14 | / | / | 18.22 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 16.80 | / | / | 17.88 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 16.13 | / | / | 17.21 | / | / | <=30 | Pass |
|                | 1770 | Edge_1RB_Left   | 14.79 | / | / | 15.87 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 14.21 | / | / | 15.29 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 14.87 | / | / | 15.95 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 16.11 | / | / | 17.19 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 15.73 | / | / | 16.81 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 15.06 | / | / | 16.14 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM | 1720 | Edge_1RB_Left   | 15.79 | / | / | 16.87 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.66 | / | / | 16.74 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 16.13 | / | / | 17.21 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 15.82 | / | / | 16.90 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 15.60 | / | / | 16.68 | / | / | <=30 | Pass |
|                | 1745 | Edge_1RB_Left   | 15.30 | / | / | 16.38 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 14.81 | / | / | 15.89 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.44 | / | / | 16.52 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 15.62 | / | / | 16.70 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 15.37 | / | / | 16.45 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 14.82 | / | / | 15.90 | / | / | <=30 | Pass |
|                | 1770 | Edge_1RB_Left   | 14.32 | / | / | 15.40 | / | / | <=30 | Pass |

|                                                                                 |                 |                 |                 |       |       |       |       |      |      |      |      |
|---------------------------------------------------------------------------------|-----------------|-----------------|-----------------|-------|-------|-------|-------|------|------|------|------|
| CP-OFDM 256 QAM                                                                 |                 | Edge_1RB_Right  | 13.81           | /     | /     | 14.89 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 14.38           | /     | /     | 15.46 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 14.51           | /     | /     | 15.59 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 14.39           | /     | /     | 15.47 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 13.69           | /     | /     | 14.77 | /     | /    | <=30 | Pass |      |
|                                                                                 | 1720            | Edge_1RB_Left   | 13.23           | /     | /     | 14.31 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 13.07           | /     | /     | 14.15 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 13.08           | /     | /     | 14.16 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 13.22           | /     | /     | 14.30 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 13.21           | /     | /     | 14.29 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 13.20           | /     | /     | 14.28 | /     | /    | <=30 | Pass |      |
|                                                                                 |                 | 1745            | Edge_1RB_Left   | 12.93 | /     | /     | 14.01 | /    | /    | <=30 | Pass |
|                                                                                 |                 |                 | Edge_1RB_Right  | 12.42 | /     | /     | 13.50 | /    | /    | <=30 | Pass |
|                                                                                 |                 |                 | Outer_Full      | 12.34 | /     | /     | 13.42 | /    | /    | <=30 | Pass |
|                                                                                 |                 |                 | Inner_Full      | 12.53 | /     | /     | 13.61 | /    | /    | <=30 | Pass |
|                                                                                 |                 |                 | Inner_1RB_Left  | 13.05 | /     | /     | 14.13 | /    | /    | <=30 | Pass |
|                                                                                 |                 | 1770            | Inner_1RB_Right | 12.34 | /     | /     | 13.42 | /    | /    | <=30 | Pass |
|                                                                                 |                 |                 | Edge_1RB_Left   | 11.91 | /     | /     | 12.99 | /    | /    | <=30 | Pass |
|                                                                                 |                 |                 | Edge_1RB_Right  | 11.35 | /     | /     | 12.43 | /    | /    | <=30 | Pass |
|                                                                                 |                 |                 | Outer_Full      | 11.37 | /     | /     | 12.45 | /    | /    | <=30 | Pass |
| Inner_Full                                                                      | 11.48           |                 | /               | /     | 12.56 | /     | /     | <=30 | Pass |      |      |
|                                                                                 | Inner_1RB_Left  | 11.87           | /               | /     | 12.95 | /     | /     | <=30 | Pass |      |      |
|                                                                                 | Inner_1RB_Right | 11.11           | /               | /     | 12.19 | /     | /     | <=30 | Pass |      |      |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |                 |                 |                 |       |       |       |       |      |      |      |      |

### 1.1.5 15k\_SISO\_25MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 25MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1722.5          | Edge_1RB_Left   | 18.01                | /    | /   | 19.09     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.65                | /    | /   | 18.73     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.34                | /    | /   | 19.42     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.61                | /    | /   | 20.69     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.93                | /    | /   | 20.01     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.59                | /    | /   | 19.67     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.80                | /    | /   | 18.88     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.02                | /    | /   | 18.10     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.95                | /    | /   | 19.03     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.13                | /    | /   | 20.21     | /    | /   | <=30  | Pass    |
|                                    | 1767.5          | Inner_1RB_Left  | 18.59                | /    | /   | 19.67     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.12                | /    | /   | 19.20     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Left   | 17.17                | /    | /   | 18.25     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.56                | /    | /   | 17.64     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.10                | /    | /   | 18.18     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.89                | /    | /   | 18.97     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1722.5          | Inner_1RB_Left  | 18.07                | /    | /   | 19.15     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.19                | /    | /   | 18.27     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Left   | 17.09                | /    | /   | 18.17     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.81                | /    | /   | 17.89     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.67                | /    | /   | 18.75     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.69                | /    | /   | 19.77     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Inner_1RB_Left  | 18.13                | /    | /   | 19.21     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.83                | /    | /   | 18.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Left   | 16.97                | /    | /   | 18.05     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.27                | /    | /   | 17.35     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.11                | /    | /   | 18.19     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |        | Inner_Full      | 18.05 | / | / | 19.13 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.91 | / | / | 18.99 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.16 | / | / | 18.24 | / | / | <=30 | Pass |
|                    | 1767.5 | Edge_1RB_Left   | 16.08 | / | / | 17.16 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.43 | / | / | 16.51 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.68 | / | / | 17.76 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.49 | / | / | 17.57 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.82 | / | / | 16.90 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1722.5 | Edge_1RB_Left   | 16.66 | / | / | 17.74 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.35 | / | / | 17.43 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 17.17 | / | / | 18.25 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.25 | / | / | 18.33 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.74 | / | / | 17.82 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.37 | / | / | 17.45 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.40 | / | / | 17.48 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.85 | / | / | 16.93 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.46 | / | / | 17.54 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.63 | / | / | 17.71 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.68 | / | / | 16.76 | / | / | <=30 | Pass |
|                    | 1767.5 | Edge_1RB_Left   | 15.80 | / | / | 16.88 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.44 | / | / | 16.52 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.24 | / | / | 16.32 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.79 | / | / | 16.87 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.00 | / | / | 17.08 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.52 | / | / | 16.60 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1722.5 | Edge_1RB_Left   | 15.14 | / | / | 16.22 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.73 | / | / | 15.81 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.16 | / | / | 16.24 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.17 | / | / | 16.25 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.16 | / | / | 16.24 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.76 | / | / | 15.84 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 14.72 | / | / | 15.80 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.91 | / | / | 14.99 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.42 | / | / | 15.50 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.23 | / | / | 15.31 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.74 | / | / | 15.82 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.94 | / | / | 15.02 | / | / | <=30 | Pass |
|                    | 1767.5 | Edge_1RB_Left   | 13.93 | / | / | 15.01 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.30 | / | / | 14.38 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.68 | / | / | 14.76 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.65 | / | / | 14.73 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.04 | / | / | 15.12 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.43 | / | / | 14.51 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1722.5 | Edge_1RB_Left   | 16.15 | / | / | 17.23 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.74 | / | / | 16.82 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.57 | / | / | 17.65 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.03 | / | / | 19.11 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.61 | / | / | 18.69 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.32 | / | / | 18.40 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.26 | / | / | 17.34 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.60 | / | / | 16.68 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.67 | / | / | 16.75 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.43 | / | / | 18.51 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.72 | / | / | 18.80 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.16 | / | / | 18.24 | / | / | <=30 | Pass |
|                    | 1767.5 | Edge_1RB_Left   | 15.42 | / | / | 16.50 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.57 | / | / | 15.65 | / | / | <=30 | Pass |

|                 |        |                 |       |   |   |       |   |   |      |      |
|-----------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                 |        | Outer_Full      | 15.18 | / | / | 16.26 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.27 | / | / | 17.35 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 16.58 | / | / | 17.66 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.58 | / | / | 16.66 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM  | 1722.5 | Edge_1RB_Left   | 16.04 | / | / | 17.12 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 15.54 | / | / | 16.62 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 16.53 | / | / | 17.61 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 17.61 | / | / | 18.69 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 17.03 | / | / | 18.11 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.78 | / | / | 17.86 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 16.10 | / | / | 17.18 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 15.48 | / | / | 16.56 | / | / | <=30 | Pass |
|                 | 1745   | Outer_Full      | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.96 | / | / | 18.04 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 17.14 | / | / | 18.22 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.43 | / | / | 17.51 | / | / | <=30 | Pass |
|                 | 1767.5 | Edge_1RB_Left   | 14.91 | / | / | 15.99 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.28 | / | / | 15.36 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.72 | / | / | 15.80 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.92 | / | / | 17.00 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.30 | / | / | 16.38 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.67 | / | / | 16.75 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 15.25 | / | / | 16.33 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM  | 1722.5 | Outer_Full      | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.13 | / | / | 17.21 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.61 | / | / | 16.69 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.31 | / | / | 16.39 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 15.65 | / | / | 16.73 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.99 | / | / | 16.07 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.28 | / | / | 16.36 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 15.43 | / | / | 16.51 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.64 | / | / | 16.72 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.05 | / | / | 16.13 | / | / | <=30 | Pass |
|                 | 1767.5 | Edge_1RB_Left   | 14.50 | / | / | 15.58 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 13.77 | / | / | 14.85 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.20 | / | / | 15.28 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 14.31 | / | / | 15.39 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 14.50 | / | / | 15.58 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 13.78 | / | / | 14.86 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM | 1722.5 | Edge_1RB_Left   | 13.04 | / | / | 14.12 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 12.76 | / | / | 13.84 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 13.02 | / | / | 14.10 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 13.11 | / | / | 14.19 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 13.08 | / | / | 14.16 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 12.92 | / | / | 14.00 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 12.76 | / | / | 13.84 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 11.99 | / | / | 13.07 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 12.23 | / | / | 13.31 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 12.36 | / | / | 13.44 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 12.73 | / | / | 13.81 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 12.19 | / | / | 13.27 | / | / | <=30 | Pass |
|                 | 1767.5 | Edge_1RB_Left   | 11.42 | / | / | 12.50 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 10.84 | / | / | 11.92 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 11.20 | / | / | 12.28 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 11.30 | / | / | 12.38 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 11.42 | / | / | 12.50 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 10.91 | / | / | 11.99 | / | / | <=30 | Pass |

Note1: Antenna Gain: Ant1: 1.08dBi;

Note2: EIRP=Conducted Power+Antenna Gain

### 1.1.6 15k\_SISO\_30MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 30MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1725            | Edge_1RB_Left   | 18.02                | /    | /   | 19.10     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.61                | /    | /   | 18.69     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.25                | /    | /   | 19.33     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.29                | /    | /   | 20.37     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.97                | /    | /   | 20.05     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.59                | /    | /   | 19.67     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.89                | /    | /   | 18.97     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.16                | /    | /   | 18.24     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.51                | /    | /   | 18.59     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.63                | /    | /   | 19.71     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.86                | /    | /   | 19.94     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.01                | /    | /   | 19.09     | /    | /   | <=30  | Pass    |
|                                    | 1765            | Edge_1RB_Left   | 17.04                | /    | /   | 18.12     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.30                | /    | /   | 17.38     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.11                | /    | /   | 18.19     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.66                | /    | /   | 18.74     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.10                | /    | /   | 19.18     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.09                | /    | /   | 18.17     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1725            | Edge_1RB_Left   | 17.24                | /    | /   | 18.32     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.83                | /    | /   | 17.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.33                | /    | /   | 18.41     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.33                | /    | /   | 19.41     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.20                | /    | /   | 19.28     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.62                | /    | /   | 18.70     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 16.96                | /    | /   | 18.04     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.31                | /    | /   | 17.39     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.52                | /    | /   | 17.60     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.80                | /    | /   | 18.88     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.83                | /    | /   | 18.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.17                | /    | /   | 18.25     | /    | /   | <=30  | Pass    |
|                                    | 1765            | Edge_1RB_Left   | 15.89                | /    | /   | 16.97     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.19                | /    | /   | 16.27     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 15.87                | /    | /   | 16.95     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 16.79                | /    | /   | 17.87     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.78                | /    | /   | 17.86     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.00                | /    | /   | 17.08     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 64 QAM                  | 1725            | Edge_1RB_Left   | 16.83                | /    | /   | 17.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.27                | /    | /   | 17.35     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.87                | /    | /   | 17.95     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 16.92                | /    | /   | 18.00     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.83                | /    | /   | 17.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.30                | /    | /   | 17.38     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 16.54                | /    | /   | 17.62     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.95                | /    | /   | 17.03     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.19                | /    | /   | 17.27     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 16.48                | /    | /   | 17.56     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.59                | /    | /   | 17.67     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 15.93                | /    | /   | 17.01     | /    | /   | <=30  | Pass    |
|                                    | 1765            | Edge_1RB_Left   | 15.66                | /    | /   | 16.74     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 14.83                | /    | /   | 15.91     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |      | Outer_Full      | 15.48 | / | / | 16.56 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.39 | / | / | 16.47 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 15.54 | / | / | 16.62 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.84 | / | / | 15.92 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1725 | Edge_1RB_Left   | 14.80 | / | / | 15.88 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.48 | / | / | 15.56 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.87 | / | / | 15.95 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.89 | / | / | 15.97 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.87 | / | / | 15.95 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.39 | / | / | 15.47 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Left   | 14.34 | / | / | 15.42 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.72 | / | / | 14.80 | / | / | <=30 | Pass |
|                    | 1745 | Outer_Full      | 14.21 | / | / | 15.29 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.11 | / | / | 15.19 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.40 | / | / | 15.48 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.73 | / | / | 14.81 | / | / | <=30 | Pass |
|                    | 1765 | Edge_1RB_Left   | 13.42 | / | / | 14.50 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 12.63 | / | / | 13.71 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 13.50 | / | / | 14.58 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 13.25 | / | / | 14.33 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 13.46 | / | / | 14.54 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 12.73 | / | / | 13.81 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Left   | 16.43 | / | / | 17.51 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.83 | / | / | 16.91 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1725 | Outer_Full      | 16.27 | / | / | 17.35 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.77 | / | / | 18.85 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.65 | / | / | 18.73 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.23 | / | / | 18.31 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 15.92 | / | / | 17.00 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.43 | / | / | 16.51 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.29 | / | / | 18.37 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.47 | / | / | 18.55 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.86 | / | / | 17.94 | / | / | <=30 | Pass |
|                    | 1765 | Edge_1RB_Left   | 14.97 | / | / | 16.05 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.33 | / | / | 15.41 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.92 | / | / | 16.00 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.86 | / | / | 17.94 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.93 | / | / | 18.01 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.08 | / | / | 17.16 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM     | 1725 | Edge_1RB_Left   | 16.16 | / | / | 17.24 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.76 | / | / | 16.84 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.24 | / | / | 18.32 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.22 | / | / | 18.30 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.71 | / | / | 17.79 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.45 | / | / | 16.53 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.56 | / | / | 16.64 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.89 | / | / | 17.97 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.08 | / | / | 18.16 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.41 | / | / | 17.49 | / | / | <=30 | Pass |
|                    | 1765 | Edge_1RB_Left   | 15.36 | / | / | 16.44 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.65 | / | / | 15.73 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.48 | / | / | 16.56 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.30 | / | / | 17.38 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.43 | / | / | 17.51 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.65 | / | / | 16.73 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM     | 1725 | Edge_1RB_Left   | 15.68 | / | / | 16.76 | / | / | <=30 | Pass |

|                                                                                 |                 |                 |                 |       |   |       |       |   |      |      |      |
|---------------------------------------------------------------------------------|-----------------|-----------------|-----------------|-------|---|-------|-------|---|------|------|------|
|                                                                                 |                 | Edge_1RB_Right  | 15.28           | /     | / | 16.36 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 15.73           | /     | / | 16.81 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 15.82           | /     | / | 16.90 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 15.75           | /     | / | 16.83 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 15.25           | /     | / | 16.33 | /     | / | <=30 | Pass |      |
|                                                                                 | 1745            | Edge_1RB_Left   | 15.59           | /     | / | 16.67 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 15.01           | /     | / | 16.09 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 15.22           | /     | / | 16.30 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 15.47           | /     | / | 16.55 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 15.60           | /     | / | 16.68 | /     | / | <=30 | Pass |      |
|                                                                                 | 1765            | Inner_1RB_Right | 14.98           | /     | / | 16.06 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Left   | 14.91           | /     | / | 15.99 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 14.23           | /     | / | 15.31 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 14.95           | /     | / | 16.03 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 14.75           | /     | / | 15.83 | /     | / | <=30 | Pass |      |
|                                                                                 | CP-OFDM 256 QAM | 1725            | Inner_1RB_Left  | 15.03 | / | /     | 16.11 | / | /    | <=30 | Pass |
|                                                                                 |                 |                 | Inner_1RB_Right | 14.00 | / | /     | 15.08 | / | /    | <=30 | Pass |
|                                                                                 |                 |                 | Edge_1RB_Left   | 12.82 | / | /     | 13.90 | / | /    | <=30 | Pass |
|                                                                                 |                 |                 | Edge_1RB_Right  | 12.37 | / | /     | 13.45 | / | /    | <=30 | Pass |
|                                                                                 |                 |                 | Outer_Full      | 12.68 | / | /     | 13.76 | / | /    | <=30 | Pass |
|                                                                                 |                 |                 | Inner_Full      | 12.77 | / | /     | 13.85 | / | /    | <=30 | Pass |
| 1745                                                                            |                 | Inner_1RB_Left  | 12.81           | /     | / | 13.89 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 12.40           | /     | / | 13.48 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Left   | 12.54           | /     | / | 13.62 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 11.87           | /     | / | 12.95 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 12.17           | /     | / | 13.25 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 12.13           | /     | / | 13.21 | /     | / | <=30 | Pass |      |
| 1765                                                                            |                 | Inner_1RB_Left  | 12.42           | /     | / | 13.50 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 11.81           | /     | / | 12.89 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Left   | 11.83           | /     | / | 12.91 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 11.19           | /     | / | 12.27 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 11.78           | /     | / | 12.86 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 11.81           | /     | / | 12.89 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 11.85           | /     | / | 12.93 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 11.14           | /     | / | 12.22 | /     | / | <=30 | Pass |      |
|                                                                                 |                 |                 |                 |       |   |       |       |   |      |      |      |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |                 |                 |                 |       |   |       |       |   |      |      |      |

### 1.1.7 15k\_SISO\_35MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 35MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     | Limit | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum |       |         |
| DFT-s-OFDM QPSK                    | 1727.5          | Edge_1RB_Left   | 17.82                | /    | /   | 18.90     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.25                | /    | /   | 18.33     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.30                | /    | /   | 19.38     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.26                | /    | /   | 20.34     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.88                | /    | /   | 19.96     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.22                | /    | /   | 19.30     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.82                | /    | /   | 18.90     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.73                | /    | /   | 17.81     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.45                | /    | /   | 18.53     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.72                | /    | /   | 19.80     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.37                | /    | /   | 19.45     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.57                | /    | /   | 18.65     | /    | /   | <=30  | Pass    |
|                                    | 1762.5          | Edge_1RB_Left   | 17.34                | /    | /   | 18.42     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.38                | /    | /   | 17.46     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.53                | /    | /   | 18.61     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |        | Inner_Full      | 18.62 | / | / | 19.70 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 18.12 | / | / | 19.20 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.23 | / | / | 18.31 | / | / | <=30 | Pass |
| DFT-s-OFDM 16 QAM  | 1727.5 | Edge_1RB_Left   | 17.09 | / | / | 18.17 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 17.35 | / | / | 18.43 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.17 | / | / | 19.25 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.93 | / | / | 19.01 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.30 | / | / | 18.38 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.97 | / | / | 18.05 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Right  | 16.11 | / | / | 17.19 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.56 | / | / | 17.64 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.70 | / | / | 18.78 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.80 | / | / | 18.88 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.93 | / | / | 18.01 | / | / | <=30 | Pass |
|                    | 1762.5 | Edge_1RB_Left   | 16.22 | / | / | 17.30 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.85 | / | / | 17.93 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.36 | / | / | 18.44 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.25 | / | / | 18.33 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.21 | / | / | 17.29 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.60 | / | / | 17.68 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1727.5 | Edge_1RB_Right  | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.87 | / | / | 17.95 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.85 | / | / | 17.93 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.60 | / | / | 17.68 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.00 | / | / | 17.08 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.02 | / | / | 17.10 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.18 | / | / | 16.26 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.81 | / | / | 16.89 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.04 | / | / | 17.12 | / | / | <=30 | Pass |
|                    | 1762.5 | Inner_1RB_Right | 15.19 | / | / | 16.27 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.03 | / | / | 17.11 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.17 | / | / | 16.25 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.11 | / | / | 17.19 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.97 | / | / | 17.05 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1727.5 | Inner_1RB_Left  | 16.11 | / | / | 17.19 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.13 | / | / | 16.21 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 14.65 | / | / | 15.73 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.00 | / | / | 15.08 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.89 | / | / | 15.97 | / | / | <=30 | Pass |
|                    | 1745   | Inner_Full      | 14.85 | / | / | 15.93 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.78 | / | / | 15.86 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.06 | / | / | 15.14 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 14.10 | / | / | 15.18 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.12 | / | / | 14.20 | / | / | <=30 | Pass |
|                    | 1762.5 | Outer_Full      | 13.58 | / | / | 14.66 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.89 | / | / | 14.97 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.14 | / | / | 15.22 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.22 | / | / | 14.30 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 13.86 | / | / | 14.94 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1727.5 | Edge_1RB_Right  | 13.12 | / | / | 14.20 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.16 | / | / | 15.24 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.11 | / | / | 15.19 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 13.97 | / | / | 15.05 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.02 | / | / | 14.10 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.15 | / | / | 17.23 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.61 | / | / | 16.69 | / | / | <=30 | Pass |

|                 |        |                 |       |   |   |       |   |   |      |      |
|-----------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                 |        | Outer_Full      | 16.28 | / | / | 17.36 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 17.65 | / | / | 18.73 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 17.71 | / | / | 18.79 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 17.05 | / | / | 18.13 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 15.62 | / | / | 16.70 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.75 | / | / | 15.83 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.07 | / | / | 16.15 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.94 | / | / | 18.02 | / | / | <=30 | Pass |
|                 | 1762.5 | Inner_1RB_Left  | 17.15 | / | / | 18.23 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.50 | / | / | 16.58 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.61 | / | / | 15.69 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM  | 1727.5 | Outer_Full      | 15.54 | / | / | 16.62 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 17.10 | / | / | 18.18 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 17.18 | / | / | 18.26 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.25 | / | / | 17.33 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 16.06 | / | / | 17.14 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 15.38 | / | / | 16.46 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 16.28 | / | / | 17.36 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 17.19 | / | / | 18.27 | / | / | <=30 | Pass |
|                 | 1762.5 | Inner_1RB_Left  | 17.09 | / | / | 18.17 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.49 | / | / | 17.57 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 15.08 | / | / | 16.16 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM  | 1727.5 | Outer_Full      | 15.15 | / | / | 16.23 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.32 | / | / | 17.40 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 17.04 | / | / | 18.12 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.18 | / | / | 17.26 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 15.50 | / | / | 16.58 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.65 | / | / | 15.73 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.53 | / | / | 17.61 | / | / | <=30 | Pass |
|                 | 1762.5 | Inner_1RB_Left  | 16.53 | / | / | 17.61 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.73 | / | / | 16.81 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.60 | / | / | 16.68 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.96 | / | / | 16.04 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM | 1727.5 | Outer_Full      | 15.76 | / | / | 16.84 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 15.78 | / | / | 16.86 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.61 | / | / | 16.69 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.05 | / | / | 16.13 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 14.98 | / | / | 16.06 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.13 | / | / | 15.21 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.57 | / | / | 15.65 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 14.82 | / | / | 15.90 | / | / | <=30 | Pass |
|                 | 1762.5 | Inner_1RB_Left  | 15.01 | / | / | 16.09 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 14.27 | / | / | 15.35 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.13 | / | / | 16.21 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.19 | / | / | 15.27 | / | / | <=30 | Pass |
|                 | 1727.5 | Outer_Full      | 15.19 | / | / | 16.27 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 15.07 | / | / | 16.15 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.12 | / | / | 16.20 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 14.26 | / | / | 15.34 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 12.57 | / | / | 13.65 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 11.96 | / | / | 13.04 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 12.73 | / | / | 13.81 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 12.66 | / | / | 13.74 | / | / | <=30 | Pass |
|                 | 1745   | Inner_1RB_Left  | 12.56 | / | / | 13.64 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 12.01 | / | / | 13.09 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 12.69 | / | / | 13.77 | / | / | <=30 | Pass |

|                                                                                 |        |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 |        | Edge_1RB_Right  | 11.85 | / | / | 12.93 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 11.50 | / | / | 12.58 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 12.38 | / | / | 13.46 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 12.77 | / | / | 13.85 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 12.05 | / | / | 13.13 | / | / | <=30 | Pass |
|                                                                                 | 1762.5 | Edge_1RB_Left   | 11.87 | / | / | 12.95 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 10.98 | / | / | 12.06 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 12.13 | / | / | 13.21 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 11.78 | / | / | 12.86 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 11.92 | / | / | 13.00 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 11.02 | / | / | 12.10 | / | / | <=30 | Pass |
|                                                                                 |        |                 |       |   |   |       |   |   |      |      |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |        |                 |       |   |   |       |   |   |      |      |

### 1.1.8 15k\_SISO\_40MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 40MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1730            | Edge_1RB_Left   | 17.20                | /    | /   | 18.28     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.02                | /    | /   | 18.10     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.65                | /    | /   | 18.73     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.32                | /    | /   | 20.40     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.83                | /    | /   | 19.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.08                | /    | /   | 19.16     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.09                | /    | /   | 18.17     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.43                | /    | /   | 17.51     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.47                | /    | /   | 18.55     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.79                | /    | /   | 19.87     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.54                | /    | /   | 19.62     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.26                | /    | /   | 18.34     | /    | /   | <=30  | Pass    |
|                                    | 1760            | Edge_1RB_Left   | 17.25                | /    | /   | 18.33     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.08                | /    | /   | 17.16     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.40                | /    | /   | 18.48     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.77                | /    | /   | 19.85     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.94                | /    | /   | 19.02     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.09                | /    | /   | 18.17     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1730            | Edge_1RB_Left   | 17.13                | /    | /   | 18.21     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.28                | /    | /   | 17.36     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.54                | /    | /   | 18.62     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.34                | /    | /   | 19.42     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.99                | /    | /   | 19.07     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.19                | /    | /   | 18.27     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.08                | /    | /   | 18.16     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.06                | /    | /   | 17.14     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.60                | /    | /   | 17.68     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.98                | /    | /   | 19.06     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.93                | /    | /   | 19.01     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.98                | /    | /   | 18.06     | /    | /   | <=30  | Pass    |
|                                    | 1760            | Edge_1RB_Left   | 16.14                | /    | /   | 17.22     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 14.95                | /    | /   | 16.03     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.90                | /    | /   | 17.98     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.59                | /    | /   | 18.67     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.10                | /    | /   | 18.18     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 15.86                | /    | /   | 16.94     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 64 QAM                  | 1730            | Edge_1RB_Left   | 16.67                | /    | /   | 17.75     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.90                | /    | /   | 16.98     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.02                | /    | /   | 18.10     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |      | Inner_Full      | 16.93 | / | / | 18.01 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.65 | / | / | 17.73 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.89 | / | / | 16.97 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.63 | / | / | 17.71 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.52 | / | / | 16.60 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.21 | / | / | 17.29 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.41 | / | / | 17.49 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.69 | / | / | 17.77 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.51 | / | / | 16.59 | / | / | <=30 | Pass |
|                    | 1760 | Edge_1RB_Left   | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.16 | / | / | 16.24 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.23 | / | / | 17.31 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.42 | / | / | 17.50 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.15 | / | / | 17.23 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1730 | Edge_1RB_Left   | 14.69 | / | / | 15.77 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.83 | / | / | 14.91 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.01 | / | / | 16.09 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.92 | / | / | 16.00 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.68 | / | / | 15.76 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.95 | / | / | 15.03 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 14.70 | / | / | 15.78 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.76 | / | / | 14.84 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.06 | / | / | 15.14 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.57 | / | / | 15.65 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.81 | / | / | 15.89 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.83 | / | / | 14.91 | / | / | <=30 | Pass |
|                    | 1760 | Edge_1RB_Left   | 14.28 | / | / | 15.36 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.36 | / | / | 14.44 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.36 | / | / | 15.44 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.35 | / | / | 15.43 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.32 | / | / | 15.40 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.38 | / | / | 14.46 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1730 | Edge_1RB_Left   | 16.17 | / | / | 17.25 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.76 | / | / | 15.84 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.47 | / | / | 17.55 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.84 | / | / | 18.92 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.44 | / | / | 18.52 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.83 | / | / | 17.91 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.18 | / | / | 16.26 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.71 | / | / | 16.79 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.47 | / | / | 18.55 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.64 | / | / | 18.72 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.61 | / | / | 17.69 | / | / | <=30 | Pass |
|                    | 1760 | Edge_1RB_Left   | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.92 | / | / | 16.00 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.34 | / | / | 18.42 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.29 | / | / | 18.37 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM     | 1730 | Edge_1RB_Left   | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.26 | / | / | 16.34 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.40 | / | / | 17.48 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.33 | / | / | 18.41 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.10 | / | / | 18.18 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.24 | / | / | 17.32 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 15.99 | / | / | 17.07 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.95 | / | / | 16.03 | / | / | <=30 | Pass |

|                                                                                 |      |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 |      | Outer_Full      | 15.56 | / | / | 16.64 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 16.90 | / | / | 17.98 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 17.08 | / | / | 18.16 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 15.96 | / | / | 17.04 | / | / | <=30 | Pass |
|                                                                                 | 1760 | Edge_1RB_Left   | 15.73 | / | / | 16.81 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 14.69 | / | / | 15.77 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 16.87 | / | / | 17.95 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 16.74 | / | / | 17.82 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 15.70 | / | / | 16.78 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM                                                                  | 1730 | Edge_1RB_Left   | 15.60 | / | / | 16.68 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 14.83 | / | / | 15.91 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 15.93 | / | / | 17.01 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 15.84 | / | / | 16.92 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 15.64 | / | / | 16.72 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 14.80 | / | / | 15.88 | / | / | <=30 | Pass |
|                                                                                 | 1745 | Edge_1RB_Left   | 15.53 | / | / | 16.61 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 14.53 | / | / | 15.61 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 15.05 | / | / | 16.13 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 15.39 | / | / | 16.47 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 15.60 | / | / | 16.68 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 14.48 | / | / | 15.56 | / | / | <=30 | Pass |
|                                                                                 | 1760 | Edge_1RB_Left   | 15.28 | / | / | 16.36 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 14.25 | / | / | 15.33 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 15.29 | / | / | 16.37 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 15.29 | / | / | 16.37 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 14.18 | / | / | 15.26 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM                                                                 | 1730 | Edge_1RB_Left   | 12.57 | / | / | 13.65 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 11.78 | / | / | 12.86 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 12.94 | / | / | 14.02 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 12.84 | / | / | 13.92 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.60 | / | / | 13.68 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 11.79 | / | / | 12.87 | / | / | <=30 | Pass |
|                                                                                 | 1745 | Edge_1RB_Left   | 12.38 | / | / | 13.46 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 11.35 | / | / | 12.43 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 12.02 | / | / | 13.10 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 12.23 | / | / | 13.31 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.45 | / | / | 13.53 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 11.39 | / | / | 12.47 | / | / | <=30 | Pass |
|                                                                                 | 1760 | Edge_1RB_Left   | 12.13 | / | / | 13.21 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 11.21 | / | / | 12.29 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 12.29 | / | / | 13.37 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 12.25 | / | / | 13.33 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.40 | / | / | 13.48 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 11.25 | / | / | 12.33 | / | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |      |                 |       |   |   |       |   |   |      |      |

### 1.1.9 15k\_SISO\_45MHz\_NTNV\_EIRP

| 5G NR n66 SCS=15kHz SISO 45MHz NTN |                 |                |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation  | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1732.5          | Edge_1RB_Left  | 18.37                | /    | /   | 19.45     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right | 16.77                | /    | /   | 17.85     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full     | 18.20                | /    | /   | 19.28     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full     | 19.35                | /    | /   | 20.43     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |        | Inner_1RB_Left  | 18.61 | / | / | 19.69 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 18.38 | / | / | 19.46 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 17.85 | / | / | 18.93 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.82 | / | / | 17.90 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 17.08 | / | / | 18.16 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.90 | / | / | 19.98 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 18.77 | / | / | 19.85 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.52 | / | / | 18.60 | / | / | <=30 | Pass |
|                    | 1757.5 | Edge_1RB_Left   | 17.79 | / | / | 18.87 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.54 | / | / | 17.62 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 17.45 | / | / | 18.53 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.83 | / | / | 19.91 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 18.28 | / | / | 19.36 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.03 | / | / | 18.11 | / | / | <=30 | Pass |
| DFT-s-OFDM 16 QAM  | 1732.5 | Edge_1RB_Left   | 17.52 | / | / | 18.60 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.77 | / | / | 17.85 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 17.42 | / | / | 18.50 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.35 | / | / | 19.43 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 18.47 | / | / | 19.55 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.55 | / | / | 18.63 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.89 | / | / | 17.97 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.69 | / | / | 16.77 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.82 | / | / | 17.90 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.05 | / | / | 19.13 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.91 | / | / | 18.99 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.97 | / | / | 18.05 | / | / | <=30 | Pass |
|                    | 1757.5 | Edge_1RB_Left   | 16.61 | / | / | 17.69 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.76 | / | / | 17.84 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.68 | / | / | 18.76 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.60 | / | / | 18.68 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.17 | / | / | 17.25 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1732.5 | Edge_1RB_Left   | 17.11 | / | / | 18.19 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.37 | / | / | 17.45 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.97 | / | / | 18.05 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.89 | / | / | 17.97 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.12 | / | / | 18.20 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.32 | / | / | 17.40 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 17.33 | / | / | 18.41 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.78 | / | / | 16.86 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.47 | / | / | 17.55 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.58 | / | / | 17.66 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.68 | / | / | 17.76 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.47 | / | / | 16.55 | / | / | <=30 | Pass |
|                    | 1757.5 | Edge_1RB_Left   | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.34 | / | / | 16.42 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.33 | / | / | 17.41 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.39 | / | / | 17.47 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.23 | / | / | 17.31 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.19 | / | / | 16.27 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1732.5 | Edge_1RB_Left   | 15.22 | / | / | 16.30 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.28 | / | / | 15.36 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.02 | / | / | 16.10 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.01 | / | / | 16.09 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.13 | / | / | 16.21 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.37 | / | / | 15.45 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 15.15 | / | / | 16.23 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.78 | / | / | 14.86 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.49 | / | / | 15.57 | / | / | <=30 | Pass |

|                |        |                 |       |   |   |       |   |   |      |      |
|----------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                |        | Inner_Full      | 14.58 | / | / | 15.66 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 14.98 | / | / | 16.06 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 13.94 | / | / | 15.02 | / | / | <=30 | Pass |
|                | 1757.5 | Edge_1RB_Left   | 14.68 | / | / | 15.76 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 13.76 | / | / | 14.84 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 14.31 | / | / | 15.39 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 14.49 | / | / | 15.57 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 14.78 | / | / | 15.86 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 13.50 | / | / | 14.58 | / | / | <=30 | Pass |
| CP-OFDM QPSK   | 1732.5 | Edge_1RB_Left   | 16.58 | / | / | 17.66 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 15.77 | / | / | 16.85 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 16.44 | / | / | 17.52 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 17.93 | / | / | 19.01 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 18.13 | / | / | 19.21 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 17.33 | / | / | 18.41 | / | / | <=30 | Pass |
|                | 1745   | Edge_1RB_Left   | 16.59 | / | / | 17.67 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 15.48 | / | / | 16.56 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 15.91 | / | / | 16.99 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 17.65 | / | / | 18.73 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 18.14 | / | / | 19.22 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 16.99 | / | / | 18.07 | / | / | <=30 | Pass |
|                | 1757.5 | Edge_1RB_Left   | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 14.88 | / | / | 15.96 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 15.76 | / | / | 16.84 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 17.37 | / | / | 18.45 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 17.57 | / | / | 18.65 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 16.10 | / | / | 17.18 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM | 1732.5 | Edge_1RB_Left   | 16.52 | / | / | 17.60 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 16.46 | / | / | 17.54 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 17.41 | / | / | 18.49 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 17.53 | / | / | 18.61 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 16.73 | / | / | 17.81 | / | / | <=30 | Pass |
|                | 1745   | Edge_1RB_Left   | 16.54 | / | / | 17.62 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 15.93 | / | / | 17.01 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 17.07 | / | / | 18.15 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 17.50 | / | / | 18.58 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 16.46 | / | / | 17.54 | / | / | <=30 | Pass |
|                | 1757.5 | Edge_1RB_Left   | 16.13 | / | / | 17.21 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 15.02 | / | / | 16.10 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 15.74 | / | / | 16.82 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 16.88 | / | / | 17.96 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 17.14 | / | / | 18.22 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 15.95 | / | / | 17.03 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM | 1732.5 | Edge_1RB_Left   | 16.06 | / | / | 17.14 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 15.22 | / | / | 16.30 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 15.97 | / | / | 17.05 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 15.96 | / | / | 17.04 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 16.07 | / | / | 17.15 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 15.25 | / | / | 16.33 | / | / | <=30 | Pass |
|                | 1745   | Edge_1RB_Left   | 15.91 | / | / | 16.99 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 14.74 | / | / | 15.82 | / | / | <=30 | Pass |
|                |        | Outer_Full      | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                |        | Inner_Full      | 15.46 | / | / | 16.54 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Left  | 15.97 | / | / | 17.05 | / | / | <=30 | Pass |
|                |        | Inner_1RB_Right | 14.71 | / | / | 15.79 | / | / | <=30 | Pass |
|                | 1757.5 | Edge_1RB_Left   | 15.66 | / | / | 16.74 | / | / | <=30 | Pass |
|                |        | Edge_1RB_Right  | 14.50 | / | / | 15.58 | / | / | <=30 | Pass |

|                 |                                                                                 |                 |                 |       |   |       |       |   |      |      |      |
|-----------------|---------------------------------------------------------------------------------|-----------------|-----------------|-------|---|-------|-------|---|------|------|------|
| CP-OFDM 256 QAM |                                                                                 | Outer_Full      | 15.19           | /     | / | 16.27 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_Full      | 15.35           | /     | / | 16.43 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_1RB_Left  | 15.70           | /     | / | 16.78 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_1RB_Right | 14.45           | /     | / | 15.53 | /     | / | <=30 | Pass |      |
|                 | 1732.5                                                                          | Edge_1RB_Left   | 13.08           | /     | / | 14.16 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Edge_1RB_Right  | 12.21           | /     | / | 13.29 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Outer_Full      | 12.93           | /     | / | 14.01 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_Full      | 12.87           | /     | / | 13.95 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_1RB_Left  | 13.08           | /     | / | 14.16 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_1RB_Right | 12.28           | /     | / | 13.36 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Edge_1RB_Left   | 13.05           | /     | / | 14.13 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Edge_1RB_Right  | 11.81           | /     | / | 12.89 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Outer_Full      | 12.26           | /     | / | 13.34 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_Full      | 12.42           | /     | / | 13.50 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_1RB_Left  | 12.95           | /     | / | 14.03 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | Inner_1RB_Right | 11.86           | /     | / | 12.94 | /     | / | <=30 | Pass |      |
|                 |                                                                                 | 1745            | Edge_1RB_Left   | 12.76 | / | /     | 13.84 | / | /    | <=30 | Pass |
|                 |                                                                                 |                 | Edge_1RB_Right  | 11.42 | / | /     | 12.50 | / | /    | <=30 | Pass |
|                 |                                                                                 |                 | Outer_Full      | 12.16 | / | /     | 13.24 | / | /    | <=30 | Pass |
|                 |                                                                                 |                 | Inner_Full      | 12.29 | / | /     | 13.37 | / | /    | <=30 | Pass |
|                 |                                                                                 |                 | Inner_1RB_Left  | 12.68 | / | /     | 13.76 | / | /    | <=30 | Pass |
|                 |                                                                                 |                 | Inner_1RB_Right | 11.47 | / | /     | 12.55 | / | /    | <=30 | Pass |
| 1757.5          | Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |                 |                 |       |   |       |       |   |      |      |      |

### 1.1.10 30k\_SISO\_10MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 10MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1715            | Edge_1RB_Left   | 18.52                | /    | /   | 19.60     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.55                | /    | /   | 19.63     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.52                | /    | /   | 19.60     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.60                | /    | /   | 20.68     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.56                | /    | /   | 20.64     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 19.41                | /    | /   | 20.49     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.98                | /    | /   | 19.06     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.83                | /    | /   | 18.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.93                | /    | /   | 19.01     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.00                | /    | /   | 20.08     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.00                | /    | /   | 20.08     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.81                | /    | /   | 19.89     | /    | /   | <=30  | Pass    |
|                                    | 1775            | Edge_1RB_Left   | 16.79                | /    | /   | 17.87     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.60                | /    | /   | 17.68     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.67                | /    | /   | 17.75     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.82                | /    | /   | 18.90     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.74                | /    | /   | 18.82     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.50                | /    | /   | 18.58     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1715            | Edge_1RB_Left   | 17.86                | /    | /   | 18.94     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.91                | /    | /   | 18.99     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.72                | /    | /   | 18.80     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.71                | /    | /   | 19.79     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.86                | /    | /   | 19.94     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.69                | /    | /   | 19.77     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.02                | /    | /   | 18.10     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.73                | /    | /   | 17.81     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.08                | /    | /   | 18.16     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.91                | /    | /   | 18.99     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |      | Inner_1RB_Left  | 17.87 | / | / | 18.95 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.58 | / | / | 18.66 | / | / | <=30 | Pass |
|                    | 1775 | Edge_1RB_Left   | 15.93 | / | / | 17.01 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.71 | / | / | 16.79 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.83 | / | / | 16.91 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.80 | / | / | 17.88 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.72 | / | / | 17.80 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.48 | / | / | 17.56 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1715 | Edge_1RB_Left   | 17.57 | / | / | 18.65 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 17.77 | / | / | 18.85 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.24 | / | / | 18.32 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.35 | / | / | 18.43 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.59 | / | / | 18.67 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.72 | / | / | 18.80 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.49 | / | / | 17.57 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.56 | / | / | 17.64 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.45 | / | / | 17.53 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.40 | / | / | 17.48 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.55 | / | / | 17.63 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.40 | / | / | 17.48 | / | / | <=30 | Pass |
|                    | 1775 | Edge_1RB_Left   | 15.95 | / | / | 17.03 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.05 | / | / | 17.13 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.39 | / | / | 16.47 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.62 | / | / | 16.70 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.07 | / | / | 17.15 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1715 | Edge_1RB_Left   | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.21 | / | / | 16.29 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 15.17 | / | / | 16.25 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.19 | / | / | 16.27 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 14.44 | / | / | 15.52 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.12 | / | / | 15.20 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.29 | / | / | 15.37 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.51 | / | / | 15.59 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.26 | / | / | 15.34 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.18 | / | / | 15.26 | / | / | <=30 | Pass |
|                    | 1775 | Edge_1RB_Left   | 13.36 | / | / | 14.44 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.21 | / | / | 14.29 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 13.35 | / | / | 14.43 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 13.49 | / | / | 14.57 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 13.49 | / | / | 14.57 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.19 | / | / | 14.27 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1715 | Edge_1RB_Left   | 16.79 | / | / | 17.87 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.62 | / | / | 17.70 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.68 | / | / | 17.76 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.24 | / | / | 19.32 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 18.25 | / | / | 19.33 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 18.08 | / | / | 19.16 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.07 | / | / | 17.15 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.87 | / | / | 16.95 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.54 | / | / | 18.62 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.57 | / | / | 18.65 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.39 | / | / | 18.47 | / | / | <=30 | Pass |
|                    | 1775 | Edge_1RB_Left   | 15.08 | / | / | 16.16 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.82 | / | / | 15.90 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.76 | / | / | 15.84 | / | / | <=30 | Pass |



### 1.1.11 30k\_SISO\_15MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 15MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1717.5          | Edge_1RB_Left   | 18.35                | /    | /   | 19.43     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.37                | /    | /   | 19.45     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.38                | /    | /   | 19.46     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.63                | /    | /   | 20.71     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.43                | /    | /   | 20.51     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 19.34                | /    | /   | 20.42     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 18.04                | /    | /   | 19.12     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.66                | /    | /   | 18.74     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.81                | /    | /   | 18.89     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.88                | /    | /   | 19.96     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.97                | /    | /   | 20.05     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.53                | /    | /   | 19.61     | /    | /   | <=30  | Pass    |
|                                    | 1772.5          | Edge_1RB_Left   | 16.91                | /    | /   | 17.99     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.44                | /    | /   | 17.52     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.77                | /    | /   | 17.85     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.02                | /    | /   | 19.10     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.43                | /    | /   | 18.51     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.96                | /    | /   | 18.04     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1717.5          | Edge_1RB_Left   | 17.77                | /    | /   | 18.85     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.53                | /    | /   | 18.61     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.69                | /    | /   | 18.77     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.50                | /    | /   | 19.58     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.46                | /    | /   | 19.54     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.47                | /    | /   | 19.55     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.03                | /    | /   | 18.11     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.53                | /    | /   | 17.61     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.89                | /    | /   | 17.97     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.86                | /    | /   | 18.94     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.83                | /    | /   | 18.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.39                | /    | /   | 18.47     | /    | /   | <=30  | Pass    |
|                                    | 1772.5          | Edge_1RB_Left   | 15.86                | /    | /   | 16.94     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.32                | /    | /   | 16.40     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.02                | /    | /   | 17.10     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 16.99                | /    | /   | 18.07     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.73                | /    | /   | 17.81     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.31                | /    | /   | 17.39     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 64 QAM                  | 1717.5          | Edge_1RB_Left   | 17.54                | /    | /   | 18.62     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.51                | /    | /   | 18.59     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.10                | /    | /   | 18.18     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.12                | /    | /   | 18.20     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.57                | /    | /   | 18.65     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.61                | /    | /   | 18.69     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 16.76                | /    | /   | 17.84     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.38                | /    | /   | 17.46     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.40                | /    | /   | 17.48     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 16.43                | /    | /   | 17.51     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.76                | /    | /   | 17.84     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.51                | /    | /   | 17.59     | /    | /   | <=30  | Pass    |
|                                    | 1772.5          | Edge_1RB_Left   | 15.48                | /    | /   | 16.56     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.36                | /    | /   | 16.44     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 15.56                | /    | /   | 16.64     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 15.57                | /    | /   | 16.65     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |        | Inner_1RB_Left  | 15.65 | / | / | 16.73 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.48 | / | / | 16.56 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1717.5 | Edge_1RB_Left   | 15.08 | / | / | 16.16 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.94 | / | / | 16.02 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.04 | / | / | 16.12 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.09 | / | / | 16.17 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.14 | / | / | 16.22 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.00 | / | / | 16.08 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 14.64 | / | / | 15.72 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.20 | / | / | 15.28 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.39 | / | / | 15.47 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.43 | / | / | 15.51 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.51 | / | / | 15.59 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.16 | / | / | 15.24 | / | / | <=30 | Pass |
|                    | 1772.5 | Edge_1RB_Left   | 13.58 | / | / | 14.66 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.27 | / | / | 14.35 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.47 | / | / | 14.55 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.56 | / | / | 14.64 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 13.65 | / | / | 14.73 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.24 | / | / | 14.32 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1717.5 | Edge_1RB_Left   | 16.67 | / | / | 17.75 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.47 | / | / | 17.55 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.51 | / | / | 17.59 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.02 | / | / | 19.10 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 18.15 | / | / | 19.23 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.95 | / | / | 19.03 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.74 | / | / | 16.82 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.90 | / | / | 16.98 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.40 | / | / | 18.48 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.61 | / | / | 18.69 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.24 | / | / | 18.32 | / | / | <=30 | Pass |
|                    | 1772.5 | Edge_1RB_Left   | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.88 | / | / | 15.96 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.95 | / | / | 16.03 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.26 | / | / | 17.34 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.62 | / | / | 17.70 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.14 | / | / | 17.22 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM     | 1717.5 | Edge_1RB_Left   | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.29 | / | / | 17.37 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.51 | / | / | 17.59 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.65 | / | / | 18.73 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.40 | / | / | 18.48 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.34 | / | / | 18.42 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.02 | / | / | 17.10 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.54 | / | / | 16.62 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.91 | / | / | 16.99 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.95 | / | / | 18.03 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.96 | / | / | 18.04 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.45 | / | / | 17.53 | / | / | <=30 | Pass |
|                    | 1772.5 | Edge_1RB_Left   | 15.07 | / | / | 16.15 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.64 | / | / | 15.72 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.94 | / | / | 16.02 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.94 | / | / | 17.02 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.89 | / | / | 16.97 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.35 | / | / | 16.43 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM     | 1717.5 | Edge_1RB_Left   | 16.34 | / | / | 17.42 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.34 | / | / | 17.42 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.98 | / | / | 17.06 | / | / | <=30 | Pass |

|                                                                                 |        |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 |        | Inner_Full      | 16.10 | / | / | 17.18 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 16.42 | / | / | 17.50 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 16.30 | / | / | 17.38 | / | / | <=30 | Pass |
|                                                                                 | 1745   | Edge_1RB_Left   | 15.92 | / | / | 17.00 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 15.37 | / | / | 16.45 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 15.38 | / | / | 16.46 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 15.45 | / | / | 16.53 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 15.84 | / | / | 16.92 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 15.51 | / | / | 16.59 | / | / | <=30 | Pass |
|                                                                                 | 1772.5 | Edge_1RB_Left   | 14.97 | / | / | 16.05 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 14.49 | / | / | 15.57 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 14.33 | / | / | 15.41 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 14.49 | / | / | 15.57 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 14.82 | / | / | 15.90 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 14.41 | / | / | 15.49 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM                                                                 | 1717.5 | Edge_1RB_Left   | 13.04 | / | / | 14.12 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 12.94 | / | / | 14.02 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 12.91 | / | / | 13.99 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 13.00 | / | / | 14.08 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 12.98 | / | / | 14.06 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 12.78 | / | / | 13.86 | / | / | <=30 | Pass |
|                                                                                 | 1745   | Edge_1RB_Left   | 12.54 | / | / | 13.62 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 12.00 | / | / | 13.08 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 12.28 | / | / | 13.36 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 12.33 | / | / | 13.41 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 12.51 | / | / | 13.59 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 11.96 | / | / | 13.04 | / | / | <=30 | Pass |
|                                                                                 | 1772.5 | Edge_1RB_Left   | 11.49 | / | / | 12.57 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 11.16 | / | / | 12.24 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 11.33 | / | / | 12.41 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 11.30 | / | / | 12.38 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 11.53 | / | / | 12.61 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 11.14 | / | / | 12.22 | / | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |        |                 |       |   |   |       |   |   |      |      |

### 1.1.12 30k\_SISO\_20MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 20MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1720            | Edge_1RB_Left   | 18.25                | /    | /   | 19.33     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 18.02                | /    | /   | 19.10     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.29                | /    | /   | 19.37     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.41                | /    | /   | 20.49     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.26                | /    | /   | 20.34     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 19.10                | /    | /   | 20.18     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 18.05                | /    | /   | 19.13     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.49                | /    | /   | 18.57     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.68                | /    | /   | 18.76     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.84                | /    | /   | 19.92     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.91                | /    | /   | 19.99     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.55                | /    | /   | 19.63     | /    | /   | <=30  | Pass    |
|                                    | 1770            | Edge_1RB_Left   | 17.15                | /    | /   | 18.23     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.56                | /    | /   | 17.64     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.86                | /    | /   | 17.94     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.06                | /    | /   | 19.14     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.11                | /    | /   | 19.19     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |      | Inner_1RB_Right | 17.53 | / | / | 18.61 | / | / | <=30 | Pass |
| DFT-s-OFDM 16 QAM  | 1720 | Edge_1RB_Left   | 17.54 | / | / | 18.62 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 17.24 | / | / | 18.32 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.35 | / | / | 18.43 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.43 | / | / | 19.51 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 18.29 | / | / | 19.37 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 18.09 | / | / | 19.17 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.89 | / | / | 17.97 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.44 | / | / | 17.52 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.86 | / | / | 17.94 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.91 | / | / | 18.99 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.90 | / | / | 18.98 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.40 | / | / | 18.48 | / | / | <=30 | Pass |
|                    | 1770 | Edge_1RB_Left   | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.77 | / | / | 16.85 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.11 | / | / | 18.19 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.27 | / | / | 18.35 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.62 | / | / | 17.70 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1720 | Edge_1RB_Left   | 17.36 | / | / | 18.44 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 17.23 | / | / | 18.31 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.95 | / | / | 18.03 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.11 | / | / | 18.19 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.34 | / | / | 18.42 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.17 | / | / | 18.25 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.57 | / | / | 17.65 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.37 | / | / | 17.45 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.29 | / | / | 17.37 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.42 | / | / | 17.50 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.60 | / | / | 17.68 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.23 | / | / | 17.31 | / | / | <=30 | Pass |
|                    | 1770 | Edge_1RB_Left   | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.61 | / | / | 16.69 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.63 | / | / | 16.71 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.70 | / | / | 16.78 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 15.99 | / | / | 17.07 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.65 | / | / | 16.73 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1720 | Edge_1RB_Left   | 14.82 | / | / | 15.90 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.71 | / | / | 15.79 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.92 | / | / | 16.00 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.04 | / | / | 16.12 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.77 | / | / | 15.85 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.74 | / | / | 15.82 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 14.57 | / | / | 15.65 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.11 | / | / | 15.19 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.33 | / | / | 15.41 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.42 | / | / | 15.50 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.63 | / | / | 15.71 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.11 | / | / | 15.19 | / | / | <=30 | Pass |
|                    | 1770 | Edge_1RB_Left   | 13.90 | / | / | 14.98 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.24 | / | / | 14.32 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 13.66 | / | / | 14.74 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 13.60 | / | / | 14.68 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 13.91 | / | / | 14.99 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.35 | / | / | 14.43 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1720 | Edge_1RB_Left   | 16.49 | / | / | 17.57 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.20 | / | / | 17.28 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.34 | / | / | 17.42 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.96 | / | / | 19.04 | / | / | <=30 | Pass |

|                 |      |                 |       |   |   |       |   |   |      |      |
|-----------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                 |      | Inner_1RB_Left  | 17.90 | / | / | 18.98 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 17.77 | / | / | 18.85 | / | / | <=30 | Pass |
|                 | 1745 | Edge_1RB_Left   | 16.16 | / | / | 17.24 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 15.69 | / | / | 16.77 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.79 | / | / | 16.87 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 17.47 | / | / | 18.55 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 17.61 | / | / | 18.69 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 17.03 | / | / | 18.11 | / | / | <=30 | Pass |
|                 | 1770 | Edge_1RB_Left   | 15.42 | / | / | 16.50 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 14.74 | / | / | 15.82 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.09 | / | / | 16.17 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 16.28 | / | / | 17.36 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 16.68 | / | / | 17.76 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 16.03 | / | / | 17.11 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM  | 1720 | Edge_1RB_Left   | 16.32 | / | / | 17.40 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 16.29 | / | / | 17.37 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 16.32 | / | / | 17.40 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 17.62 | / | / | 18.70 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 17.31 | / | / | 18.39 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 17.23 | / | / | 18.31 | / | / | <=30 | Pass |
|                 | 1745 | Edge_1RB_Left   | 15.96 | / | / | 17.04 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 15.49 | / | / | 16.57 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.78 | / | / | 16.86 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 17.00 | / | / | 18.08 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 17.02 | / | / | 18.10 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 16.29 | / | / | 17.37 | / | / | <=30 | Pass |
|                 | 1770 | Edge_1RB_Left   | 14.62 | / | / | 15.70 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 13.85 | / | / | 14.93 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 14.78 | / | / | 15.86 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 15.65 | / | / | 16.73 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 15.51 | / | / | 16.59 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 14.92 | / | / | 16.00 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM  | 1720 | Edge_1RB_Left   | 16.33 | / | / | 17.41 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 15.98 | / | / | 17.06 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.84 | / | / | 16.92 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 16.03 | / | / | 17.11 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 16.15 | / | / | 17.23 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 16.11 | / | / | 17.19 | / | / | <=30 | Pass |
|                 | 1745 | Edge_1RB_Left   | 15.90 | / | / | 16.98 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 15.23 | / | / | 16.31 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 15.24 | / | / | 16.32 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 15.38 | / | / | 16.46 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 15.74 | / | / | 16.82 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 15.39 | / | / | 16.47 | / | / | <=30 | Pass |
|                 | 1770 | Edge_1RB_Left   | 14.79 | / | / | 15.87 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 14.08 | / | / | 15.16 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 14.11 | / | / | 15.19 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 14.37 | / | / | 15.45 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 14.67 | / | / | 15.75 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 14.18 | / | / | 15.26 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM | 1720 | Edge_1RB_Left   | 12.93 | / | / | 14.01 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 12.69 | / | / | 13.77 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 12.76 | / | / | 13.84 | / | / | <=30 | Pass |
|                 |      | Inner_Full      | 12.89 | / | / | 13.97 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Left  | 12.90 | / | / | 13.98 | / | / | <=30 | Pass |
|                 |      | Inner_1RB_Right | 12.77 | / | / | 13.85 | / | / | <=30 | Pass |
|                 | 1745 | Edge_1RB_Left   | 12.50 | / | / | 13.58 | / | / | <=30 | Pass |
|                 |      | Edge_1RB_Right  | 11.94 | / | / | 13.02 | / | / | <=30 | Pass |
|                 |      | Outer_Full      | 12.12 | / | / | 13.20 | / | / | <=30 | Pass |

|                                                                                 |      |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 |      | Inner_Full      | 12.36 | / | / | 13.44 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.40 | / | / | 13.48 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 11.88 | / | / | 12.96 | / | / | <=30 | Pass |
|                                                                                 | 1770 | Edge_1RB_Left   | 11.64 | / | / | 12.72 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 10.93 | / | / | 12.01 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 11.30 | / | / | 12.38 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 11.50 | / | / | 12.58 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 11.58 | / | / | 12.66 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 10.97 | / | / | 12.05 | / | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |      |                 |       |   |   |       |   |   |      |      |

### 1.1.13 30k\_SISO\_25MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 25MHz NTNv |                 |                 |                      |      |     |           |      |     |       |         |
|-------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                     |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                     | 1722.5          | Edge_1RB_Left   | 18.29                | /    | /   | 19.37     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 17.87                | /    | /   | 18.95     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 18.27                | /    | /   | 19.35     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 19.54                | /    | /   | 20.62     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 19.15                | /    | /   | 20.23     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 18.69                | /    | /   | 19.77     | /    | /   | <=30  | Pass    |
|                                     | 1745            | Edge_1RB_Left   | 17.91                | /    | /   | 18.99     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 17.24                | /    | /   | 18.32     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 17.68                | /    | /   | 18.76     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 18.83                | /    | /   | 19.91     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 18.91                | /    | /   | 19.99     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 18.27                | /    | /   | 19.35     | /    | /   | <=30  | Pass    |
|                                     | 1767.5          | Edge_1RB_Left   | 17.13                | /    | /   | 18.21     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 16.34                | /    | /   | 17.42     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 17.01                | /    | /   | 18.09     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 17.97                | /    | /   | 19.05     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 18.16                | /    | /   | 19.24     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 17.43                | /    | /   | 18.51     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                   | 1722.5          | Edge_1RB_Left   | 17.39                | /    | /   | 18.47     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 16.95                | /    | /   | 18.03     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 17.50                | /    | /   | 18.58     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 18.43                | /    | /   | 19.51     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 18.24                | /    | /   | 19.32     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 17.64                | /    | /   | 18.72     | /    | /   | <=30  | Pass    |
|                                     | 1745            | Edge_1RB_Left   | 16.96                | /    | /   | 18.04     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 16.38                | /    | /   | 17.46     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 16.78                | /    | /   | 17.86     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 17.83                | /    | /   | 18.91     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 17.98                | /    | /   | 19.06     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 17.28                | /    | /   | 18.36     | /    | /   | <=30  | Pass    |
|                                     | 1767.5          | Edge_1RB_Left   | 16.08                | /    | /   | 17.16     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 15.41                | /    | /   | 16.49     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 16.05                | /    | /   | 17.13     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 17.08                | /    | /   | 18.16     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 17.08                | /    | /   | 18.16     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Right | 16.19                | /    | /   | 17.27     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 64 QAM                   | 1722.5          | Edge_1RB_Left   | 17.11                | /    | /   | 18.19     | /    | /   | <=30  | Pass    |
|                                     |                 | Edge_1RB_Right  | 16.65                | /    | /   | 17.73     | /    | /   | <=30  | Pass    |
|                                     |                 | Outer_Full      | 16.99                | /    | /   | 18.07     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_Full      | 17.04                | /    | /   | 18.12     | /    | /   | <=30  | Pass    |
|                                     |                 | Inner_1RB_Left  | 17.16                | /    | /   | 18.24     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    |        | Inner_1RB_Right | 16.75 | / | / | 17.83 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.76 | / | / | 17.84 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.17 | / | / | 17.25 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.39 | / | / | 17.47 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.60 | / | / | 17.68 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.08 | / | / | 17.16 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 15.81 | / | / | 16.89 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.41 | / | / | 16.49 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.61 | / | / | 16.69 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.53 | / | / | 16.61 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.16 | / | / | 17.24 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.70 | / | / | 16.78 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 14.90 | / | / | 15.98 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.45 | / | / | 15.53 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1722.5 | Outer_Full      | 14.88 | / | / | 15.96 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.99 | / | / | 16.07 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.78 | / | / | 15.86 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.46 | / | / | 15.54 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 14.66 | / | / | 15.74 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.94 | / | / | 15.02 | / | / | <=30 | Pass |
|                    | 1745   | Outer_Full      | 14.24 | / | / | 15.32 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.39 | / | / | 15.47 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.54 | / | / | 15.62 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.86 | / | / | 14.94 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 13.69 | / | / | 14.77 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 12.82 | / | / | 13.90 | / | / | <=30 | Pass |
|                    | 1767.5 | Outer_Full      | 13.52 | / | / | 14.60 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.59 | / | / | 14.67 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 13.57 | / | / | 14.65 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 12.93 | / | / | 14.01 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.46 | / | / | 17.54 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.05 | / | / | 17.13 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1722.5 | Outer_Full      | 16.36 | / | / | 17.44 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 18.00 | / | / | 19.08 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.92 | / | / | 19.00 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.57 | / | / | 18.65 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.11 | / | / | 17.19 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                    | 1745   | Outer_Full      | 15.67 | / | / | 16.75 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.41 | / | / | 18.49 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.60 | / | / | 18.68 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.95 | / | / | 18.03 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 15.26 | / | / | 16.34 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.47 | / | / | 15.55 | / | / | <=30 | Pass |
|                    | 1767.5 | Outer_Full      | 15.00 | / | / | 16.08 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.55 | / | / | 17.63 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.76 | / | / | 17.84 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.85 | / | / | 16.93 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.36 | / | / | 17.44 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.04 | / | / | 17.12 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM     | 1722.5 | Outer_Full      | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.48 | / | / | 18.56 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.33 | / | / | 18.41 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.06 | / | / | 18.14 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 15.90 | / | / | 16.98 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.01 | / | / | 16.09 | / | / | <=30 | Pass |
|                    | 1745   | Outer_Full      | 15.72 | / | / | 16.80 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.78 | / | / | 17.86 | / | / | <=30 | Pass |

|                                                                                 |                 |                 |                |       |   |       |       |   |      |      |      |
|---------------------------------------------------------------------------------|-----------------|-----------------|----------------|-------|---|-------|-------|---|------|------|------|
|                                                                                 |                 | Inner_1RB_Left  | 16.75          | /     | / | 17.83 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 16.14          | /     | / | 17.22 | /     | / | <=30 | Pass |      |
|                                                                                 | 1767.5          | Edge_1RB_Left   | 15.29          | /     | / | 16.37 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 14.23          | /     | / | 15.31 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 15.03          | /     | / | 16.11 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 16.03          | /     | / | 17.11 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 16.05          | /     | / | 17.13 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 15.26          | /     | / | 16.34 | /     | / | <=30 | Pass |      |
| CP-OFDM 64 QAM                                                                  | 1722.5          | Edge_1RB_Left   | 16.22          | /     | / | 17.30 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 15.89          | /     | / | 16.97 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 15.90          | /     | / | 16.98 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 16.08          | /     | / | 17.16 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 16.21          | /     | / | 17.29 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 15.88          | /     | / | 16.96 | /     | / | <=30 | Pass |      |
|                                                                                 | 1745            | Edge_1RB_Left   | 15.84          | /     | / | 16.92 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 15.05          | /     | / | 16.13 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 15.10          | /     | / | 16.18 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 15.28          | /     | / | 16.36 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 15.60          | /     | / | 16.68 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 14.98          | /     | / | 16.06 | /     | / | <=30 | Pass |      |
|                                                                                 | 1767.5          | Edge_1RB_Left   | 15.16          | /     | / | 16.24 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 14.20          | /     | / | 15.28 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 14.54          | /     | / | 15.62 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 14.52          | /     | / | 15.60 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 14.91          | /     | / | 15.99 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 14.17          | /     | / | 15.25 | /     | / | <=30 | Pass |      |
|                                                                                 | CP-OFDM 256 QAM | 1722.5          | Edge_1RB_Left  | 12.82 | / | /     | 13.90 | / | /    | <=30 | Pass |
|                                                                                 |                 |                 | Edge_1RB_Right | 12.51 | / | /     | 13.59 | / | /    | <=30 | Pass |
| Outer_Full                                                                      |                 |                 | 12.90          | /     | / | 13.98 | /     | / | <=30 | Pass |      |
| Inner_Full                                                                      |                 |                 | 12.98          | /     | / | 14.06 | /     | / | <=30 | Pass |      |
| Inner_1RB_Left                                                                  |                 |                 | 12.85          | /     | / | 13.93 | /     | / | <=30 | Pass |      |
| Inner_1RB_Right                                                                 |                 |                 | 12.59          | /     | / | 13.67 | /     | / | <=30 | Pass |      |
| 1745                                                                            |                 | Edge_1RB_Left   | 12.51          | /     | / | 13.59 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 11.69          | /     | / | 12.77 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 12.16          | /     | / | 13.24 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 12.36          | /     | / | 13.44 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 12.50          | /     | / | 13.58 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 11.80          | /     | / | 12.88 | /     | / | <=30 | Pass |      |
| 1767.5                                                                          |                 | Edge_1RB_Left   | 11.70          | /     | / | 12.78 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Edge_1RB_Right  | 10.86          | /     | / | 11.94 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Outer_Full      | 11.50          | /     | / | 12.58 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_Full      | 11.52          | /     | / | 12.60 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Left  | 11.65          | /     | / | 12.73 | /     | / | <=30 | Pass |      |
|                                                                                 |                 | Inner_1RB_Right | 10.98          | /     | / | 12.06 | /     | / | <=30 | Pass |      |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |                 |                 |                |       |   |       |       |   |      |      |      |

#### 1.1.14 30k\_SISO\_30MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 30MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1725            | Edge_1RB_Left   | 17.99                | /    | /   | 19.07     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.62                | /    | /   | 18.70     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.26                | /    | /   | 19.34     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.37                | /    | /   | 20.45     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 19.06                | /    | /   | 20.14     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.05                | /    | /   | 19.13     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                    | 1745 | Edge_1RB_Left   | 17.82 | / | / | 18.90 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 17.01 | / | / | 18.09 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.58 | / | / | 18.66 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.80 | / | / | 19.88 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 18.71 | / | / | 19.79 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.65 | / | / | 18.73 | / | / | <=30 | Pass |
|                    | 1765 | Edge_1RB_Left   | 17.13 | / | / | 18.21 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.28 | / | / | 18.36 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.30 | / | / | 19.38 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 18.36 | / | / | 19.44 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.31 | / | / | 18.39 | / | / | <=30 | Pass |
| DFT-s-OFDM 16 QAM  | 1725 | Edge_1RB_Left   | 17.06 | / | / | 18.14 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.59 | / | / | 17.67 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 17.36 | / | / | 18.44 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 18.41 | / | / | 19.49 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.92 | / | / | 19.00 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.41 | / | / | 18.49 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.93 | / | / | 18.01 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.19 | / | / | 17.27 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.72 | / | / | 17.80 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.72 | / | / | 18.80 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.99 | / | / | 19.07 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 17.10 | / | / | 18.18 | / | / | <=30 | Pass |
|                    | 1765 | Edge_1RB_Left   | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.61 | / | / | 16.69 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.54 | / | / | 17.62 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.32 | / | / | 18.40 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.25 | / | / | 18.33 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.62 | / | / | 17.70 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1725 | Edge_1RB_Left   | 16.90 | / | / | 17.98 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.20 | / | / | 17.28 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.89 | / | / | 17.97 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.99 | / | / | 18.07 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.87 | / | / | 17.95 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.50 | / | / | 17.58 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 16.68 | / | / | 17.76 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 16.25 | / | / | 17.33 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.24 | / | / | 17.32 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.35 | / | / | 17.43 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.88 | / | / | 17.96 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.20 | / | / | 17.28 | / | / | <=30 | Pass |
|                    | 1765 | Edge_1RB_Left   | 16.17 | / | / | 17.25 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 15.24 | / | / | 16.32 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.73 | / | / | 16.81 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.10 | / | / | 17.18 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.23 | / | / | 16.31 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1725 | Edge_1RB_Left   | 14.85 | / | / | 15.93 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.39 | / | / | 15.47 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.90 | / | / | 15.98 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.92 | / | / | 16.00 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.73 | / | / | 15.81 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.25 | / | / | 15.33 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 14.44 | / | / | 15.52 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.69 | / | / | 14.77 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.05 | / | / | 15.13 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.35 | / | / | 15.43 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.55 | / | / | 15.63 | / | / | <=30 | Pass |

|                |      |                 |       |   |   |       |   |   |      |      |
|----------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                | 1765 | Inner_1RB_Right | 13.55 | / | / | 14.63 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Left   | 13.85 | / | / | 14.93 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 12.89 | / | / | 13.97 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 13.77 | / | / | 14.85 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 13.73 | / | / | 14.81 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 13.85 | / | / | 14.93 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 12.87 | / | / | 13.95 | / | / | <=30 | Pass |
| CP-OFDM QPSK   | 1725 | Edge_1RB_Left   | 16.27 | / | / | 17.35 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.70 | / | / | 16.78 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 16.35 | / | / | 17.43 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 17.94 | / | / | 19.02 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 17.76 | / | / | 18.84 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 17.38 | / | / | 18.46 | / | / | <=30 | Pass |
|                | 1745 | Edge_1RB_Left   | 15.94 | / | / | 17.02 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.13 | / | / | 16.21 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.53 | / | / | 16.61 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 17.27 | / | / | 18.35 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 17.36 | / | / | 18.44 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 16.71 | / | / | 17.79 | / | / | <=30 | Pass |
|                | 1765 | Edge_1RB_Left   | 15.35 | / | / | 16.43 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 14.43 | / | / | 15.51 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.23 | / | / | 16.31 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 16.75 | / | / | 17.83 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 16.81 | / | / | 17.89 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM | 1725 | Edge_1RB_Left   | 16.32 | / | / | 17.40 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 16.34 | / | / | 17.42 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 17.48 | / | / | 18.56 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 17.25 | / | / | 18.33 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 16.92 | / | / | 18.00 | / | / | <=30 | Pass |
|                | 1745 | Edge_1RB_Left   | 15.66 | / | / | 16.74 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.00 | / | / | 16.08 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.54 | / | / | 16.62 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 16.75 | / | / | 17.83 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 16.61 | / | / | 17.69 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 15.98 | / | / | 17.06 | / | / | <=30 | Pass |
|                | 1765 | Edge_1RB_Left   | 15.05 | / | / | 16.13 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 14.17 | / | / | 15.25 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 16.25 | / | / | 17.33 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 16.14 | / | / | 17.22 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 15.28 | / | / | 16.36 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM | 1725 | Edge_1RB_Left   | 16.16 | / | / | 17.24 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 15.62 | / | / | 16.70 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.88 | / | / | 16.96 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 16.02 | / | / | 17.10 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 16.18 | / | / | 17.26 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 15.67 | / | / | 16.75 | / | / | <=30 | Pass |
|                | 1745 | Edge_1RB_Left   | 15.10 | / | / | 16.18 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 14.14 | / | / | 15.22 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 15.01 | / | / | 16.09 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 15.08 | / | / | 16.16 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Left  | 15.10 | / | / | 16.18 | / | / | <=30 | Pass |
|                |      | Inner_1RB_Right | 14.41 | / | / | 15.49 | / | / | <=30 | Pass |
|                | 1765 | Edge_1RB_Left   | 15.20 | / | / | 16.28 | / | / | <=30 | Pass |
|                |      | Edge_1RB_Right  | 14.26 | / | / | 15.34 | / | / | <=30 | Pass |
|                |      | Outer_Full      | 14.77 | / | / | 15.85 | / | / | <=30 | Pass |
|                |      | Inner_Full      | 14.73 | / | / | 15.81 | / | / | <=30 | Pass |

|                                                                                 |      |                 |       |   |       |       |   |      |      |      |
|---------------------------------------------------------------------------------|------|-----------------|-------|---|-------|-------|---|------|------|------|
|                                                                                 |      | Inner_1RB_Left  | 15.05 | / | /     | 16.13 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 14.22 | / | /     | 15.30 | / | /    | <=30 | Pass |
| CP-OFDM 256 QAM                                                                 | 1725 | Edge_1RB_Left   | 12.74 | / | /     | 13.82 | / | /    | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 12.21 | / | /     | 13.29 | / | /    | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 12.80 | / | /     | 13.88 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 12.87 | / | /     | 13.95 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.69 | / | /     | 13.77 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 12.27 | / | /     | 13.35 | / | /    | <=30 | Pass |
|                                                                                 | 1745 | Edge_1RB_Left   | 12.47 | / | /     | 13.55 | / | /    | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 11.64 | / | /     | 12.72 | / | /    | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 11.60 | / | /     | 12.68 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 12.34 | / | /     | 13.42 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.46 | / | /     | 13.54 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 11.79 | / | /     | 12.87 | / | /    | <=30 | Pass |
|                                                                                 | 1765 | Edge_1RB_Left   | 11.69 | / | /     | 12.77 | / | /    | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 10.79 | / | /     | 11.87 | / | /    | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 11.84 | / | /     | 12.92 | / | /    | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 11.66 | / | /     | 12.74 | / | /    | <=30 | Pass |
| Inner_1RB_Left                                                                  |      | 11.65           | /     | / | 12.73 | /     | / | <=30 | Pass |      |
| Inner_1RB_Right                                                                 |      | 10.86           | /     | / | 11.94 | /     | / | <=30 | Pass |      |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |      |                 |       |   |       |       |   |      |      |      |

### 1.1.15 30k\_SISO\_35MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 35MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1727.5          | Edge_1RB_Left   | 18.04                | /    | /   | 19.12     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 17.34                | /    | /   | 18.42     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 18.23                | /    | /   | 19.31     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 19.23                | /    | /   | 20.31     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.94                | /    | /   | 20.02     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.36                | /    | /   | 19.44     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.89                | /    | /   | 18.97     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.98                | /    | /   | 18.06     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.47                | /    | /   | 18.55     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.75                | /    | /   | 19.83     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.88                | /    | /   | 19.96     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 18.02                | /    | /   | 19.10     | /    | /   | <=30  | Pass    |
|                                    | 1762.5          | Edge_1RB_Left   | 17.23                | /    | /   | 18.31     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.27                | /    | /   | 17.35     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.43                | /    | /   | 18.51     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.28                | /    | /   | 19.36     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.24                | /    | /   | 19.32     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.32                | /    | /   | 18.40     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1727.5          | Edge_1RB_Left   | 17.08                | /    | /   | 18.16     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.46                | /    | /   | 17.54     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.31                | /    | /   | 18.39     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.28                | /    | /   | 19.36     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.17                | /    | /   | 19.25     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.56                | /    | /   | 18.64     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 16.92                | /    | /   | 18.00     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.85                | /    | /   | 16.93     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.62                | /    | /   | 17.70     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.73                | /    | /   | 18.81     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.81                | /    | /   | 18.89     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.95                | /    | /   | 18.03     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                    | 1762.5 | Edge_1RB_Left   | 15.93 | / | / | 17.01 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.09 | / | / | 16.17 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.55 | / | / | 17.63 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.24 | / | / | 18.32 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.08 | / | / | 18.16 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.20 | / | / | 17.28 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1727.5 | Edge_1RB_Left   | 16.69 | / | / | 17.77 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 16.22 | / | / | 17.30 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.90 | / | / | 17.98 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.81 | / | / | 17.89 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.73 | / | / | 17.81 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.25 | / | / | 17.33 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.20 | / | / | 17.28 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.42 | / | / | 16.50 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.28 | / | / | 17.36 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.43 | / | / | 17.51 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.53 | / | / | 16.61 | / | / | <=30 | Pass |
|                    | 1762.5 | Edge_1RB_Left   | 15.47 | / | / | 16.55 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.59 | / | / | 15.67 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.94 | / | / | 17.02 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.88 | / | / | 16.96 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.51 | / | / | 16.59 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.94 | / | / | 16.02 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1727.5 | Edge_1RB_Left   | 14.69 | / | / | 15.77 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.04 | / | / | 15.12 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.83 | / | / | 15.91 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.76 | / | / | 15.84 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.53 | / | / | 15.61 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.97 | / | / | 15.05 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 14.40 | / | / | 15.48 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.57 | / | / | 14.65 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.96 | / | / | 15.04 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.31 | / | / | 15.39 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.47 | / | / | 15.55 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.54 | / | / | 14.62 | / | / | <=30 | Pass |
|                    | 1762.5 | Edge_1RB_Left   | 13.67 | / | / | 14.75 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 12.87 | / | / | 13.95 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.91 | / | / | 14.99 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.66 | / | / | 14.74 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 13.84 | / | / | 14.92 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 12.90 | / | / | 13.98 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1727.5 | Edge_1RB_Left   | 16.02 | / | / | 17.10 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.55 | / | / | 16.63 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.83 | / | / | 18.91 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.64 | / | / | 18.72 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 17.15 | / | / | 18.23 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.10 | / | / | 16.18 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.53 | / | / | 16.61 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.33 | / | / | 18.41 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.50 | / | / | 18.58 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.60 | / | / | 17.68 | / | / | <=30 | Pass |
|                    | 1762.5 | Edge_1RB_Left   | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.45 | / | / | 15.53 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.34 | / | / | 16.42 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 16.84 | / | / | 17.92 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.76 | / | / | 17.84 | / | / | <=30 | Pass |

|                 |        |                 |       |   |   |       |   |   |      |      |
|-----------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
| CP-OFDM 16 QAM  | 1727.5 | Inner_1RB_Right | 15.98 | / | / | 17.06 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.90 | / | / | 16.98 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 15.35 | / | / | 16.43 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 17.29 | / | / | 18.37 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 16.80 | / | / | 17.88 | / | / | <=30 | Pass |
|                 | 1745   | Inner_1RB_Right | 16.31 | / | / | 17.39 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.89 | / | / | 15.97 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.53 | / | / | 16.61 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.78 | / | / | 17.86 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 16.86 | / | / | 17.94 | / | / | <=30 | Pass |
|                 | 1762.5 | Inner_1RB_Right | 15.76 | / | / | 16.84 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 14.89 | / | / | 15.97 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.18 | / | / | 15.26 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.39 | / | / | 16.47 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.29 | / | / | 17.37 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM  | 1727.5 | Inner_1RB_Right | 15.18 | / | / | 16.26 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.78 | / | / | 16.86 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.95 | / | / | 16.03 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.83 | / | / | 16.91 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.74 | / | / | 16.82 | / | / | <=30 | Pass |
|                 | 1745   | Inner_1RB_Right | 14.93 | / | / | 16.01 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 15.36 | / | / | 16.44 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.69 | / | / | 15.77 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.95 | / | / | 16.03 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.28 | / | / | 16.36 | / | / | <=30 | Pass |
|                 | 1762.5 | Inner_1RB_Right | 14.40 | / | / | 15.48 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 14.95 | / | / | 16.03 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 13.80 | / | / | 14.88 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.89 | / | / | 15.97 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 14.82 | / | / | 15.90 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 14.62 | / | / | 15.70 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM | 1727.5 | Inner_1RB_Right | 13.78 | / | / | 14.86 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 12.42 | / | / | 13.50 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 11.92 | / | / | 13.00 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 12.71 | / | / | 13.79 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 12.73 | / | / | 13.81 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 12.37 | / | / | 13.45 | / | / | <=30 | Pass |
|                 | 1745   | Inner_1RB_Right | 11.97 | / | / | 13.05 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 12.56 | / | / | 13.64 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 11.66 | / | / | 12.74 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 11.99 | / | / | 13.07 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 12.30 | / | / | 13.38 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 12.34 | / | / | 13.42 | / | / | <=30 | Pass |
|                 | 1762.5 | Inner_1RB_Right | 11.61 | / | / | 12.69 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Left   | 11.67 | / | / | 12.75 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 10.84 | / | / | 11.92 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 11.90 | / | / | 12.98 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 11.79 | / | / | 12.87 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 11.82 | / | / | 12.90 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 10.91 | / | / | 11.99 | / | / | <=30 | Pass |

Note1: Antenna Gain: Ant1: 1.08dBi;

Note2: EIRP=Conducted Power+Antenna Gain

# 1.1.16 30k\_SISO\_40MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 40MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1730            | Edge_1RB_Left   | 17.59                | /    | /   | 18.67     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.57                | /    | /   | 17.65     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.92                | /    | /   | 19.00     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.72                | /    | /   | 19.80     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.53                | /    | /   | 19.61     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.66                | /    | /   | 18.74     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.39                | /    | /   | 18.47     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.24                | /    | /   | 17.32     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.98                | /    | /   | 18.06     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.24                | /    | /   | 19.32     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.35                | /    | /   | 19.43     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.27                | /    | /   | 18.35     | /    | /   | <=30  | Pass    |
|                                    | 1760            | Edge_1RB_Left   | 16.83                | /    | /   | 17.91     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.59                | /    | /   | 16.67     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.94                | /    | /   | 18.02     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.90                | /    | /   | 18.98     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.82                | /    | /   | 18.90     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.76                | /    | /   | 17.84     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16 QAM                  | 1730            | Edge_1RB_Left   | 16.70                | /    | /   | 17.78     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.73                | /    | /   | 16.81     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.95                | /    | /   | 18.03     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.74                | /    | /   | 18.82     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.73                | /    | /   | 18.81     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.73                | /    | /   | 17.81     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 16.37                | /    | /   | 17.45     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.27                | /    | /   | 16.35     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.05                | /    | /   | 17.13     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 17.20                | /    | /   | 18.28     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 17.50                | /    | /   | 18.58     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.33                | /    | /   | 17.41     | /    | /   | <=30  | Pass    |
|                                    | 1760            | Edge_1RB_Left   | 15.94                | /    | /   | 17.02     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 14.79                | /    | /   | 15.87     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.04                | /    | /   | 17.12     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 16.86                | /    | /   | 17.94     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.94                | /    | /   | 18.02     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 15.76                | /    | /   | 16.84     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 64 QAM                  | 1730            | Edge_1RB_Left   | 16.04                | /    | /   | 17.12     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 14.97                | /    | /   | 16.05     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.48                | /    | /   | 17.56     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 16.34                | /    | /   | 17.42     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 16.03                | /    | /   | 17.11     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 14.97                | /    | /   | 16.05     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 15.79                | /    | /   | 16.87     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 14.67                | /    | /   | 15.75     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 15.57                | /    | /   | 16.65     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 15.78                | /    | /   | 16.86     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 15.73                | /    | /   | 16.81     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 14.69                | /    | /   | 15.77     | /    | /   | <=30  | Pass    |
|                                    | 1760            | Edge_1RB_Left   | 15.18                | /    | /   | 16.26     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 14.05                | /    | /   | 15.13     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 15.56                | /    | /   | 16.64     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 15.45                | /    | /   | 16.53     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 15.15                | /    | /   | 16.23     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 14.06                | /    | /   | 15.14     | /    | /   | <=30  | Pass    |

|                    |      |                 |       |   |   |       |   |   |      |      |
|--------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
| DFT-s-OFDM 256 QAM | 1730 | Edge_1RB_Left   | 14.04 | / | / | 15.12 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.09 | / | / | 14.17 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.36 | / | / | 15.44 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 14.35 | / | / | 15.43 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.08 | / | / | 15.16 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 13.11 | / | / | 14.19 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 13.93 | / | / | 15.01 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 12.71 | / | / | 13.79 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 13.51 | / | / | 14.59 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 13.80 | / | / | 14.88 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 13.95 | / | / | 15.03 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 12.77 | / | / | 13.85 | / | / | <=30 | Pass |
|                    | 1760 | Edge_1RB_Left   | 13.34 | / | / | 14.42 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 12.13 | / | / | 13.21 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 13.48 | / | / | 14.56 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 13.43 | / | / | 14.51 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 13.31 | / | / | 14.39 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 12.15 | / | / | 13.23 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1730 | Edge_1RB_Left   | 15.63 | / | / | 16.71 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.62 | / | / | 15.70 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.89 | / | / | 16.97 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 17.32 | / | / | 18.40 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 17.07 | / | / | 18.15 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 16.04 | / | / | 17.12 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 15.45 | / | / | 16.53 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.38 | / | / | 15.46 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.91 | / | / | 15.99 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.80 | / | / | 17.88 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.83 | / | / | 17.91 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.76 | / | / | 16.84 | / | / | <=30 | Pass |
|                    | 1760 | Edge_1RB_Left   | 14.88 | / | / | 15.96 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.59 | / | / | 14.67 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.93 | / | / | 16.01 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.42 | / | / | 17.50 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.30 | / | / | 17.38 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.00 | / | / | 16.08 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM     | 1730 | Edge_1RB_Left   | 15.77 | / | / | 16.85 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.77 | / | / | 15.85 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.86 | / | / | 16.94 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.83 | / | / | 17.91 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.73 | / | / | 17.81 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.75 | / | / | 16.83 | / | / | <=30 | Pass |
|                    | 1745 | Edge_1RB_Left   | 15.40 | / | / | 16.48 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 14.22 | / | / | 15.30 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.96 | / | / | 16.04 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 16.26 | / | / | 17.34 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 15.20 | / | / | 16.28 | / | / | <=30 | Pass |
|                    | 1760 | Edge_1RB_Left   | 15.06 | / | / | 16.14 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.84 | / | / | 14.92 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 14.96 | / | / | 16.04 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.92 | / | / | 17.00 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 16.02 | / | / | 17.10 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Right | 14.80 | / | / | 15.88 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM     | 1730 | Edge_1RB_Left   | 15.03 | / | / | 16.11 | / | / | <=30 | Pass |
|                    |      | Edge_1RB_Right  | 13.94 | / | / | 15.02 | / | / | <=30 | Pass |
|                    |      | Outer_Full      | 15.39 | / | / | 16.47 | / | / | <=30 | Pass |
|                    |      | Inner_Full      | 15.32 | / | / | 16.40 | / | / | <=30 | Pass |
|                    |      | Inner_1RB_Left  | 14.96 | / | / | 16.04 | / | / | <=30 | Pass |

|                                                                                 |      |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 | 1745 | Inner_1RB_Right | 14.00 | / | / | 15.08 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Left   | 14.83 | / | / | 15.91 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 13.66 | / | / | 14.74 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 14.44 | / | / | 15.52 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 14.80 | / | / | 15.88 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 14.83 | / | / | 15.91 | / | / | <=30 | Pass |
|                                                                                 | 1760 | Inner_1RB_Right | 13.61 | / | / | 14.69 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Left   | 14.27 | / | / | 15.35 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 12.99 | / | / | 14.07 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 14.41 | / | / | 15.49 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 14.42 | / | / | 15.50 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 14.24 | / | / | 15.32 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM                                                                 | 1730 | Inner_1RB_Right | 12.99 | / | / | 14.07 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Left   | 11.98 | / | / | 13.06 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 11.09 | / | / | 12.17 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 12.39 | / | / | 13.47 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 12.35 | / | / | 13.43 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 11.95 | / | / | 13.03 | / | / | <=30 | Pass |
|                                                                                 | 1745 | Inner_1RB_Right | 11.10 | / | / | 12.18 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Left   | 12.08 | / | / | 13.16 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 10.76 | / | / | 11.84 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 11.41 | / | / | 12.49 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 11.71 | / | / | 12.79 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 12.02 | / | / | 13.10 | / | / | <=30 | Pass |
|                                                                                 | 1760 | Inner_1RB_Right | 10.79 | / | / | 11.87 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Left   | 11.35 | / | / | 12.43 | / | / | <=30 | Pass |
|                                                                                 |      | Edge_1RB_Right  | 10.09 | / | / | 11.17 | / | / | <=30 | Pass |
|                                                                                 |      | Outer_Full      | 11.46 | / | / | 12.54 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_Full      | 11.42 | / | / | 12.50 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Left  | 11.21 | / | / | 12.29 | / | / | <=30 | Pass |
|                                                                                 |      | Inner_1RB_Right | 10.02 | / | / | 11.10 | / | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |      |                 |       |   |   |       |   |   |      |      |

### 1.1.17 30k\_SISO\_45MHz\_NTNV\_EIRP

| 5G NR n66 SCS=30kHz SISO 45MHz NTN |                 |                 |                      |      |     |           |      |     |       |         |
|------------------------------------|-----------------|-----------------|----------------------|------|-----|-----------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation   | Conducted Power(dBm) |      |     | EIRP(dBm) |      |     |       | Verdict |
|                                    |                 |                 | Ant1                 | Ant2 | Sum | Ant1      | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1732.5          | Edge_1RB_Left   | 17.77                | /    | /   | 18.85     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.72                | /    | /   | 17.80     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.77                | /    | /   | 18.85     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.71                | /    | /   | 19.79     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.78                | /    | /   | 19.86     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.68                | /    | /   | 18.76     | /    | /   | <=30  | Pass    |
|                                    | 1745            | Edge_1RB_Left   | 17.68                | /    | /   | 18.76     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 16.43                | /    | /   | 17.51     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 17.09                | /    | /   | 18.17     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.38                | /    | /   | 19.46     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.71                | /    | /   | 19.79     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 17.51                | /    | /   | 18.59     | /    | /   | <=30  | Pass    |
|                                    | 1757.5          | Edge_1RB_Left   | 17.18                | /    | /   | 18.26     | /    | /   | <=30  | Pass    |
|                                    |                 | Edge_1RB_Right  | 15.93                | /    | /   | 17.01     | /    | /   | <=30  | Pass    |
|                                    |                 | Outer_Full      | 16.90                | /    | /   | 17.98     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_Full      | 18.15                | /    | /   | 19.23     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Left  | 18.19                | /    | /   | 19.27     | /    | /   | <=30  | Pass    |
|                                    |                 | Inner_1RB_Right | 16.90                | /    | /   | 17.98     | /    | /   | <=30  | Pass    |
| DFT-s-OFDM 16                      | 1732.5          | Edge_1RB_Left   | 17.05                | /    | /   | 18.13     | /    | /   | <=30  | Pass    |

|                    |        |                 |       |   |   |       |   |   |      |      |
|--------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
| QAM                |        | Edge_1RB_Right  | 15.98 | / | / | 17.06 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.89 | / | / | 17.97 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.77 | / | / | 18.85 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.96 | / | / | 19.04 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.84 | / | / | 17.92 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 17.02 | / | / | 18.10 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.72 | / | / | 16.80 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.40 | / | / | 17.48 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.24 | / | / | 18.32 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.77 | / | / | 18.85 | / | / | <=30 | Pass |
|                    | 1757.5 | Inner_1RB_Right | 16.40 | / | / | 17.48 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.62 | / | / | 17.70 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.20 | / | / | 16.28 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.16 | / | / | 17.24 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.06 | / | / | 18.14 | / | / | <=30 | Pass |
| DFT-s-OFDM 64 QAM  | 1732.5 | Inner_1RB_Left  | 17.35 | / | / | 18.43 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.12 | / | / | 17.20 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.44 | / | / | 17.52 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 15.34 | / | / | 16.42 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 16.36 | / | / | 17.44 | / | / | <=30 | Pass |
|                    | 1745   | Inner_Full      | 16.38 | / | / | 17.46 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.35 | / | / | 17.43 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 15.25 | / | / | 16.33 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.35 | / | / | 17.43 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.89 | / | / | 15.97 | / | / | <=30 | Pass |
|                    | 1757.5 | Outer_Full      | 15.81 | / | / | 16.89 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.91 | / | / | 16.99 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 16.24 | / | / | 17.32 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.96 | / | / | 16.04 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 15.82 | / | / | 16.90 | / | / | <=30 | Pass |
| DFT-s-OFDM 256 QAM | 1732.5 | Edge_1RB_Right  | 14.51 | / | / | 15.59 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 15.56 | / | / | 16.64 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 15.65 | / | / | 16.73 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 15.78 | / | / | 16.86 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 14.51 | / | / | 15.59 | / | / | <=30 | Pass |
|                    | 1745   | Edge_1RB_Left   | 14.63 | / | / | 15.71 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.58 | / | / | 14.66 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 14.34 | / | / | 15.42 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 14.37 | / | / | 15.45 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 14.65 | / | / | 15.73 | / | / | <=30 | Pass |
|                    | 1757.5 | Inner_1RB_Right | 13.33 | / | / | 14.41 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 14.56 | / | / | 15.64 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 13.15 | / | / | 14.23 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.78 | / | / | 14.86 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 13.87 | / | / | 14.95 | / | / | <=30 | Pass |
| CP-OFDM QPSK       | 1732.5 | Inner_1RB_Left  | 14.54 | / | / | 15.62 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 13.20 | / | / | 14.28 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 13.88 | / | / | 14.96 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 12.52 | / | / | 13.60 | / | / | <=30 | Pass |
|                    |        | Outer_Full      | 13.51 | / | / | 14.59 | / | / | <=30 | Pass |
|                    | 1745   | Inner_Full      | 13.66 | / | / | 14.74 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 13.88 | / | / | 14.96 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 12.51 | / | / | 13.59 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Right  | 14.83 | / | / | 15.91 | / | / | <=30 | Pass |
|                    | 1757.5 | Outer_Full      | 15.76 | / | / | 16.84 | / | / | <=30 | Pass |
|                    |        | Inner_Full      | 17.26 | / | / | 18.34 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Left  | 17.37 | / | / | 18.45 | / | / | <=30 | Pass |
|                    |        | Inner_1RB_Right | 16.30 | / | / | 17.38 | / | / | <=30 | Pass |
|                    |        | Edge_1RB_Left   | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |

|                 |        |                 |       |   |   |       |   |   |      |      |
|-----------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                 | 1745   | Edge_1RB_Left   | 15.87 | / | / | 16.95 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.54 | / | / | 15.62 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.17 | / | / | 16.25 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.83 | / | / | 17.91 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 17.19 | / | / | 18.27 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.09 | / | / | 17.17 | / | / | <=30 | Pass |
|                 | 1757.5 | Edge_1RB_Left   | 15.49 | / | / | 16.57 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 13.96 | / | / | 15.04 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.93 | / | / | 16.01 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.57 | / | / | 17.65 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 16.86 | / | / | 17.94 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.38 | / | / | 16.46 | / | / | <=30 | Pass |
| CP-OFDM 16 QAM  | 1732.5 | Edge_1RB_Left   | 16.12 | / | / | 17.20 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.95 | / | / | 16.03 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.76 | / | / | 16.84 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.79 | / | / | 17.87 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 17.09 | / | / | 18.17 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 16.05 | / | / | 17.13 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 15.78 | / | / | 16.86 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.45 | / | / | 15.53 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.13 | / | / | 16.21 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.35 | / | / | 17.43 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 16.94 | / | / | 18.02 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.70 | / | / | 16.78 | / | / | <=30 | Pass |
|                 | 1757.5 | Edge_1RB_Left   | 15.55 | / | / | 16.63 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.17 | / | / | 15.25 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.98 | / | / | 16.06 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 16.01 | / | / | 17.09 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 16.56 | / | / | 17.64 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 15.29 | / | / | 16.37 | / | / | <=30 | Pass |
| CP-OFDM 64 QAM  | 1732.5 | Edge_1RB_Left   | 15.38 | / | / | 16.46 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 14.17 | / | / | 15.25 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 15.34 | / | / | 16.42 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 15.30 | / | / | 16.38 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.33 | / | / | 16.41 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 14.31 | / | / | 15.39 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 15.27 | / | / | 16.35 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 13.80 | / | / | 14.88 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.67 | / | / | 15.75 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 14.88 | / | / | 15.96 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 15.13 | / | / | 16.21 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 13.93 | / | / | 15.01 | / | / | <=30 | Pass |
|                 | 1757.5 | Edge_1RB_Left   | 14.77 | / | / | 15.85 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 13.36 | / | / | 14.44 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 14.47 | / | / | 15.55 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 14.55 | / | / | 15.63 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 14.72 | / | / | 15.80 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 13.42 | / | / | 14.50 | / | / | <=30 | Pass |
| CP-OFDM 256 QAM | 1732.5 | Edge_1RB_Left   | 12.44 | / | / | 13.52 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 11.33 | / | / | 12.41 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 12.19 | / | / | 13.27 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 12.22 | / | / | 13.30 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 12.41 | / | / | 13.49 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Right | 11.41 | / | / | 12.49 | / | / | <=30 | Pass |
|                 | 1745   | Edge_1RB_Left   | 12.21 | / | / | 13.29 | / | / | <=30 | Pass |
|                 |        | Edge_1RB_Right  | 10.81 | / | / | 11.89 | / | / | <=30 | Pass |
|                 |        | Outer_Full      | 11.61 | / | / | 12.69 | / | / | <=30 | Pass |
|                 |        | Inner_Full      | 11.81 | / | / | 12.89 | / | / | <=30 | Pass |
|                 |        | Inner_1RB_Left  | 12.29 | / | / | 13.37 | / | / | <=30 | Pass |

|                                                                                 |        |                 |       |   |   |       |   |   |      |      |
|---------------------------------------------------------------------------------|--------|-----------------|-------|---|---|-------|---|---|------|------|
|                                                                                 |        | Inner_1RB_Right | 11.05 | / | / | 12.13 | / | / | <=30 | Pass |
|                                                                                 | 1757.5 | Edge_1RB_Left   | 11.75 | / | / | 12.83 | / | / | <=30 | Pass |
|                                                                                 |        | Edge_1RB_Right  | 10.33 | / | / | 11.41 | / | / | <=30 | Pass |
|                                                                                 |        | Outer_Full      | 11.41 | / | / | 12.49 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_Full      | 11.47 | / | / | 12.55 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Left  | 11.87 | / | / | 12.95 | / | / | <=30 | Pass |
|                                                                                 |        | Inner_1RB_Right | 10.58 | / | / | 11.66 | / | / | <=30 | Pass |
| Note1: Antenna Gain: Ant1: 1.08dBi;<br>Note2: EIRP=Conducted Power+Antenna Gain |        |                 |       |   |   |       |   |   |      |      |

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 15k\_SISO\_5MHz

| 5G NR n66 SCS=15kHz SISO 5MHz |                 |               |            |       |                  |                       |                |         |
|-------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                    | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                               |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK               | 1745            | Outer_Full    | 20         | LV    | -3.70            | -0.0021               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               |            | HV    | -3.40            | -0.0019               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -30        | NV    | -3.40            | -0.0019               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -20        | NV    | -3.70            | -0.0021               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -10        | NV    | -2.80            | -0.0016               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 0          | NV    | -1.00            | -0.0006               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 10         | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 20         | NV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 30         | NV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 40         | NV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM             | 1745            | Outer_Full    | 20         | LV    | -0.60            | -0.0003               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               |            | HV    | 1.70             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -30        | NV    | 2.50             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -20        | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -10        | NV    | -1.50            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 0          | NV    | 1.70             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 10         | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 20         | NV    | 0.70             | 0.0004                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 30         | NV    | 3.80             | 0.0022                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 40         | NV    | 1.70             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM             | 1745            | Outer_Full    | 20         | LV    | -3.40            | -0.0019               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               |            | HV    | -4.30            | -0.0025               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -30        | NV    | -3.50            | -0.0020               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -20        | NV    | -5.30            | -0.0030               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -10        | NV    | -2.70            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 0          | NV    | -3.50            | -0.0020               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 10         | NV    | -3.60            | -0.0021               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 20         | NV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 30         | NV    | -2.00            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | 40         | NV    | -2.30            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 256 QAM            | 1745            | Outer_Full    | 20         | LV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               |            | HV    | -1.40            | -0.0008               | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -30        | NV    | 1.70             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
|                               |                 |               | -20        | NV    | -3.00            | -0.0017               | >=-2.5 & <=2.5 | Pass    |

|                 |      |            |     |    |       |         |                |  |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|--|------|
|                 |      |            | -10 | NV | 1.70  | 0.0010  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | 1.70  | 0.0010  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | 1.70  | 0.0010  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | -0.50 | -0.0003 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | 3.10  | 0.0018  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM QPSK    | 1745 | Outer_Full | 20  | LV | 1.40  | 0.0008  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | 0.60  | 0.0003  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | 1.00  | 0.0006  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | -2.30 | -0.0013 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | -3.50 | -0.0020 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | -3.80 | -0.0022 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | -4.20 | -0.0024 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | -4.20 | -0.0024 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | -3.50 | -0.0020 | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM 16 QAM  | 1745 | Outer_Full | 50  | NV | -3.60 | -0.0021 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | LV | -4.10 | -0.0023 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | -4.10 | -0.0023 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | -3.80 | -0.0022 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | -4.10 | -0.0023 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | -0.60 | -0.0003 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | 0.40  | 0.0002  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | 2.00  | 0.0011  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | 1.30  | 0.0007  | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 40  | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | 0.80  | 0.0005  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | LV | -1.10 | -0.0006 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | 2.10  | 0.0012  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | -0.60 | -0.0003 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 30  | NV | -1.40 | -0.0008 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | LV | 1.40  | 0.0008  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | 3.50  | 0.0020  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | 3.60  | 0.0021  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | 2.50  | 0.0014  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | 4.40  | 0.0025  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | 2.00  | 0.0011  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | 3.20  | 0.0018  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | 2.80  | 0.0016  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | 4.20  | 0.0024  | >=-2.5 & <=2.5 |  | Pass |

## 2.1.2 15k\_SISO\_10MHz

| 5G NR n66 SCS=15kHz SISO 10MHz |                 |               |            |       |                  |                       |       |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|-------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |       | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit |         |

|                    |      |            |     |    |       |         |                |      |
|--------------------|------|------------|-----|----|-------|---------|----------------|------|
| DFT-s-OFDM QPSK    | 1745 | Outer_Full | 20  | LV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 2.40  | 0.0014  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 3.10  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 3.20  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 3.90  | 0.0022  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | -0.80 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 16 QAM  | 1745 | Outer_Full | 20  | LV | -5.70 | -0.0033 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -6.20 | -0.0036 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -4.80 | -0.0028 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -6.90 | -0.0040 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -4.00 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -3.50 | -0.0020 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | -2.10 | -0.0012 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | -1.70 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | -1.60 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 1.40  | 0.0008  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 0.60  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 1.00  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -3.20 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -3.10 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -3.20 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -3.80 | -0.0022 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -0.80 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | -1.60 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | -3.40 | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 20  | LV | -1.20 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -1.10 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 0.30  | 0.0002  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | -2.00 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | -2.00 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 20  | LV | -3.20 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -3.50 | -0.0020 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
|                 |      |            | -10 | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -2.10 | -0.0012 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -2.00 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -1.70 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -1.70 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -2.10 | -0.0012 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -1.60 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -0.90 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -4.00 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -3.40 | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -2.10 | -0.0012 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -2.70 | -0.0015 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 50  | NV | -0.50 | -0.0003 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | LV | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 2.00  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 3.40  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 4.90  | 0.0028  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 2.00  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 3.90  | 0.0022  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 3.90  | 0.0022  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | 4.60  | 0.0026  | >=-2.5 & <=2.5 | Pass |

### 2.1.3 15k\_SISO\_15MHz

| 5G NR n66 SCS=15kHz SISO 15MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | 3.70             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.70             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 2.50             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 1.40             | 0.0008                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 4.20             | 0.0024                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 4.20             | 0.0024                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 3.40             | 0.0019                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 2.00             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 50         | NV    | 3.00             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | LV    | -3.40            | -0.0019               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -0.90            | -0.0005               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -1.90            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 2.50             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 3.60             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 4.20             | 0.0024                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | 5.20             | 0.0030                | >=-2.5 & <=2.5 | Pass    |

|                    |      |            |     |    |       |         |                |      |
|--------------------|------|------------|-----|----|-------|---------|----------------|------|
| DFT-s-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 4.00  | 0.0023  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 3.10  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 4.90  | 0.0028  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 3.00  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 3.20  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 2.60  | 0.0015  | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -2.00 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -0.50 | -0.0003 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -3.90 | -0.0022 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 20  | LV | 3.10  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -1.10 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -0.60 | -0.0003 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -0.30 | -0.0002 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | -0.70 | -0.0004 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 20  | LV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 0.20  | 0.0001  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 0.50  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 0.50  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -0.70 | -0.0004 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 0.50  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 0.70  | 0.0004  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM     | 1745 | Outer_Full | 20  | LV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 0.90  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -2.00 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -0.80 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -1.20 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM    | 1745 | Outer_Full | 20  | LV | -3.30 | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -2.70 | -0.0015 | >=-2.5 & <=2.5 | Pass |



|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
| CP-OFDM QPSK    | 1745 | Outer_Full | 20  | LV | 1.60  | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -0.90 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 0.60  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 2.00  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 1.50  | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM  | 1745 | Outer_Full | 20  | LV | 1.00  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 3.00  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 3.00  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -0.80 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 3.80  | 0.0022  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 3.40  | 0.0019  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | -5.40 | -0.0031 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -5.20 | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -3.90 | -0.0022 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -3.70 | -0.0021 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -1.70 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -4.10 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -3.60 | -0.0021 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -5.10 | -0.0029 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -2.60 | -0.0015 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -4.10 | -0.0023 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | -4.50 | -0.0026 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -5.10 | -0.0029 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -5.30 | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -4.70 | -0.0027 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -4.10 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -3.90 | -0.0022 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -6.60 | -0.0038 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -6.00 | -0.0034 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -4.20 | -0.0024 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -6.00 | -0.0034 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | LV | -5.50 | -0.0032 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -5.50 | -0.0032 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -5.30 | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -4.70 | -0.0027 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -4.10 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -3.90 | -0.0022 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -6.60 | -0.0038 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -6.00 | -0.0034 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -4.20 | -0.0024 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -6.00 | -0.0034 | >=-2.5 & <=2.5 | Pass |

## 2.1.5 15k\_SISO\_25MHz

| 5G NR n66 SCS=15kHz SISO 25MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | 3.00             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 0.60             | 0.0003                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.60            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -3.20            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -3.20            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.50            | -0.0014               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 0.40             | 0.0002                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | -5.50            | -0.0032               | >=-2.5 & <=2.5 | Pass    |

|                    |       |            |                   |       |            |         |                |       |
|--------------------|-------|------------|-------------------|-------|------------|---------|----------------|-------|
|                    |       |            | 20                | NV    | 4.30       | 0.0025  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 30                | NV    | 1.00       | 0.0006  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 40                | NV    | 2.50       | 0.0014  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 50                | NV    | 4.10       | 0.0023  | >=-2.5 & <=2.5 | Pass  |
| DFT-s-OFDM 16 QAM  | 1745  | Outer_Full | 20                | LV    | -5.70      | -0.0033 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            |                   | HV    | 3.10       | 0.0018  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -30               | NV    | 1.70       | 0.0010  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -20               | NV    | 1.70       | 0.0010  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -10               | NV    | 2.10       | 0.0012  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 0                 | NV    | 3.70       | 0.0021  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 10                | NV    | 2.20       | 0.0013  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 20                | NV    | -2.40      | -0.0014 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 30                | NV    | -4.70      | -0.0027 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 40                | NV    | -5.20      | -0.0030 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 50                | NV    | -4.90      | -0.0028 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | DFT-s-OFDM 64 QAM | 1745  | Outer_Full | 20      | LV             | -2.40 |
| HV                 | -2.50 | -0.0014    |                   |       |            |         | >=-2.5 & <=2.5 | Pass  |
| -30                | NV    | -3.30      |                   |       |            | -0.0019 | >=-2.5 & <=2.5 | Pass  |
| -20                | NV    | -2.30      |                   |       |            | -0.0013 | >=-2.5 & <=2.5 | Pass  |
| -10                | NV    | -2.90      |                   |       |            | -0.0017 | >=-2.5 & <=2.5 | Pass  |
| 0                  | NV    | -1.00      |                   |       |            | -0.0006 | >=-2.5 & <=2.5 | Pass  |
| 10                 | NV    | -2.20      |                   |       |            | -0.0013 | >=-2.5 & <=2.5 | Pass  |
| 20                 | NV    | -1.60      |                   |       |            | -0.0009 | >=-2.5 & <=2.5 | Pass  |
| 30                 | NV    | -1.20      |                   |       |            | -0.0007 | >=-2.5 & <=2.5 | Pass  |
| 40                 | NV    | 1.50       |                   |       |            | 0.0009  | >=-2.5 & <=2.5 | Pass  |
| 50                 | NV    | -2.80      |                   |       |            | -0.0016 | >=-2.5 & <=2.5 | Pass  |
| DFT-s-OFDM 256 QAM | 1745  | Outer_Full |                   |       |            | 20      | LV             | -3.90 |
|                    |       |            | HV                | -1.90 | -0.0011    |         | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -30               | NV    | -2.60      | -0.0015 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -20               | NV    | -0.50      | -0.0003 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -10               | NV    | -1.20      | -0.0007 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 0                 | NV    | -0.90      | -0.0005 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 10                | NV    | 2.40       | 0.0014  | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 20                | NV    | -1.20      | -0.0007 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 30                | NV    | -2.80      | -0.0016 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 40                | NV    | -2.50      | -0.0014 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 50                | NV    | -2.20      | -0.0013 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | CP-OFDM QPSK      | 1745  | Outer_Full | 20      | LV             | -2.90 |
| HV                 | -4.30 | -0.0025    |                   |       |            |         | >=-2.5 & <=2.5 | Pass  |
| -30                | NV    | -4.30      |                   |       |            | -0.0025 | >=-2.5 & <=2.5 | Pass  |
| -20                | NV    | -5.60      |                   |       |            | -0.0032 | >=-2.5 & <=2.5 | Pass  |
| -10                | NV    | -5.40      |                   |       |            | -0.0031 | >=-2.5 & <=2.5 | Pass  |
| 0                  | NV    | -4.50      |                   |       |            | -0.0026 | >=-2.5 & <=2.5 | Pass  |
| 10                 | NV    | -4.30      |                   |       |            | -0.0025 | >=-2.5 & <=2.5 | Pass  |
| 20                 | NV    | -5.00      |                   |       |            | -0.0029 | >=-2.5 & <=2.5 | Pass  |
| 30                 | NV    | -4.50      |                   |       |            | -0.0026 | >=-2.5 & <=2.5 | Pass  |
| 40                 | NV    | -4.00      |                   |       |            | -0.0023 | >=-2.5 & <=2.5 | Pass  |
| 50                 | NV    | -2.70      |                   |       |            | -0.0015 | >=-2.5 & <=2.5 | Pass  |
| CP-OFDM 16 QAM     | 1745  | Outer_Full |                   |       |            | 20      | LV             | -5.10 |
|                    |       |            | HV                | -3.20 | -0.0018    |         | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -30               | NV    | -3.80      | -0.0022 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -20               | NV    | -4.50      | -0.0026 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | -10               | NV    | -3.50      | -0.0020 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 0                 | NV    | -3.00      | -0.0017 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 10                | NV    | -3.40      | -0.0019 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 20                | NV    | -3.30      | -0.0019 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 30                | NV    | -4.10      | -0.0023 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 40                | NV    | -3.20      | -0.0018 | >=-2.5 & <=2.5 | Pass  |
|                    |       |            | 50                | NV    | -3.70      | -0.0021 | >=-2.5 & <=2.5 | Pass  |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 3.10  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 3.10  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 3.90  | 0.0022  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 3.00  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 3.20  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -3.70 | -0.0021 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -5.40 | -0.0031 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -4.20 | -0.0024 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -4.90 | -0.0028 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -4.20 | -0.0024 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -5.20 | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     |    |       |         |                |      |

## 2.1.6 15k\_SISO\_30MHz

| 5G NR n66 SCS=15kHz SISO 30MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -8.10            | -0.0046               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -5.10            | -0.0029               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.90            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -1.20            | -0.0007               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -0.90            | -0.0005               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 1.20             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.50             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.70            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 1.80             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 50         | NV    | -7.00            | -0.0040               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            |       |                  |                       |                |         |
|                                |                 |               | 20         | LV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -0.50            | -0.0003               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.20            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -0.70            | -0.0004               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -0.90            | -0.0005               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.90            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -1.10            | -0.0006               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.70            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM              | 1745            | Outer_Full    | 30         | NV    | -3.90            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            |       |                  |                       |                |         |
|                                |                 |               | 40         | NV    | 2.00             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | -1.90            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | LV    | -1.50            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -2.90            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -1.50            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -1.90            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.90            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -3.60            | -0.0021               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            |       |                  |                       |                |         |

|                    |      |            |     |    |       |         |                          |      |
|--------------------|------|------------|-----|----|-------|---------|--------------------------|------|
|                    |      |            | 20  | NV | -2.80 | -0.0016 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -2.90 | -0.0017 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -1.90 | -0.0011 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -2.30 | -0.0013 | $\geq -2.5$ & $\leq 2.5$ | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 1.60  | 0.0009  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | 3.30  | 0.0019  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -1.40 | -0.0008 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -2.00 | -0.0011 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -3.30 | -0.0019 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -2.70 | -0.0015 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -2.40 | -0.0014 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -2.90 | -0.0017 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -3.60 | -0.0021 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -2.80 | -0.0016 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -2.70 | -0.0015 | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 20  | LV | -1.50 | -0.0009 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | -2.90 | -0.0017 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -3.00 | -0.0017 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -2.80 | -0.0016 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 1.80  | 0.0010  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -1.10 | -0.0006 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 2.50  | 0.0014  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 2.00  | 0.0011  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 2.10  | 0.0012  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 1.80  | 0.0010  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 2.20  | 0.0013  | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 20  | LV | -3.30 | -0.0019 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | -3.10 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -3.50 | -0.0020 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -3.70 | -0.0021 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -3.00 | -0.0017 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -3.50 | -0.0020 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -3.70 | -0.0021 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -2.60 | -0.0015 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -3.40 | -0.0019 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -2.30 | -0.0013 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -3.20 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM 64 QAM     | 1745 | Outer_Full | 20  | LV | -2.60 | -0.0015 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | 3.00  | 0.0017  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | 1.90  | 0.0011  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | 3.40  | 0.0019  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 2.00  | 0.0011  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 3.00  | 0.0017  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 3.10  | 0.0018  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 2.20  | 0.0013  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 1.50  | 0.0009  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 3.50  | 0.0020  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 3.60  | 0.0021  | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM 256 QAM    | 1745 | Outer_Full | 20  | LV | -2.50 | -0.0014 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | 4.00  | 0.0023  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | 1.60  | 0.0009  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -0.70 | -0.0004 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 1.90  | 0.0011  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -1.90 | -0.0011 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -1.40 | -0.0008 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -1.70 | -0.0010 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -2.40 | -0.0014 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -1.10 | -0.0006 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -1.20 | -0.0007 | $\geq -2.5$ & $\leq 2.5$ | Pass |

## 2.1.7 15k\_SISO\_35MHz

| 5G NR n66 SCS=15kHz SISO 35MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -4.60            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -5.00            | -0.0029               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -3.80            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -4.80            | -0.0028               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -4.20            | -0.0024               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -3.00            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 1.90             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 2.20             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 1.00             | 0.0006                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | 1.70             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | -4.70            | -0.0027               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -4.60            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -4.80            | -0.0028               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -4.50            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -4.40            | -0.0025               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -4.60            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -3.70            | -0.0021               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -6.10            | -0.0035               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -5.10            | -0.0029               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -5.80            | -0.0033               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | -4.10            | -0.0023               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM              | 1745            | Outer_Full    | 20         | LV    | -2.70            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -5.50            | -0.0032               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -4.00            | -0.0023               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -3.90            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -4.40            | -0.0025               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -4.50            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -3.80            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -4.50            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -4.60            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -3.40            | -0.0019               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | -3.90            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 256 QAM             | 1745            | Outer_Full    | 20         | LV    | -3.50            | -0.0020               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -3.90            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -5.00            | -0.0029               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -3.90            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -3.60            | -0.0021               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -4.90            | -0.0028               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -4.90            | -0.0028               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -4.90            | -0.0028               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -4.60            | -0.0026               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -3.20            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | 3.70             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
| CP-OFDM QPSK                   | 1745            | Outer_Full    | 20         | LV    | 0.30             | 0.0002                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 2.20             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 2.00             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 1.20             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.70            | -0.0010               | >=-2.5 & <=2.5 | Pass    |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
|                 |      |            | 30  | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 1.30  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -1.20 | -0.0007 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM  | 1745 | Outer_Full | 20  | LV | 3.40  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 0.60  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -1.70 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -2.10 | -0.0012 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | 0.60  | 0.0003  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 2.60  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 2.40  | 0.0014  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 1.70  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 0.40  | 0.0002  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 1.70  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 0.90  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -1.40 | -0.0008 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | 2.40  | 0.0014  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 5.80  | 0.0033  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -0.70 | -0.0004 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -0.90 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |

## 2.1.8 15k\_SISO\_40MHz

| 5G NR n66 SCS=15kHz SISO 40MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -6.30            | -0.0036               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -5.40            | -0.0031               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.00             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -1.60            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -1.80            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -1.30            | -0.0007               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -1.10            | -0.0006               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | -3.00            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -2.70            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.50            | -0.0014               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 0.40             | 0.0002                | >=-2.5 & <=2.5 | Pass    |

|                    |      |            |     |    |       |         |                             |      |
|--------------------|------|------------|-----|----|-------|---------|-----------------------------|------|
|                    |      |            | -10 | NV | 1.30  | 0.0007  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -0.50 | -0.0003 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -2.30 | -0.0013 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -2.40 | -0.0014 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 0.90  | 0.0005  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -1.50 | -0.0009 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 1.50  | 0.0009  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| DFT-s-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 1.00  | 0.0006  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -1.30 | -0.0007 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -1.90 | -0.0011 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | 0.30  | 0.0002  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -2.00 | -0.0011 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -1.90 | -0.0011 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -1.10 | -0.0006 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -0.60 | -0.0003 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -3.80 | -0.0022 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -1.50 | -0.0009 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 50  | NV | -2.00 | -0.0011 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | LV | 0.60  | 0.0003  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -1.80 | -0.0010 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -1.50 | -0.0009 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -1.30 | -0.0007 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 1.90  | 0.0011  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -2.00 | -0.0011 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -1.70 | -0.0010 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -2.80 | -0.0016 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -2.90 | -0.0017 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 40  | NV | -1.80 | -0.0010 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 1.30  | 0.0007  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | LV | -3.60 | -0.0021 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -4.20 | -0.0024 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -4.90 | -0.0028 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -4.60 | -0.0026 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -4.00 | -0.0023 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -4.20 | -0.0024 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -5.10 | -0.0029 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -5.40 | -0.0031 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 30  | NV | -5.10 | -0.0029 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -5.70 | -0.0033 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -3.30 | -0.0019 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | LV | -3.70 | -0.0021 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -3.70 | -0.0021 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -2.80 | -0.0016 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -4.10 | -0.0023 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -4.60 | -0.0026 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -5.00 | -0.0029 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -5.30 | -0.0030 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| CP-OFDM 64 QAM     | 1745 | Outer_Full | 20  | NV | -2.70 | -0.0015 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -3.80 | -0.0022 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -2.70 | -0.0015 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -3.60 | -0.0021 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | LV | -6.10 | -0.0035 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -3.60 | -0.0021 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -4.70 | -0.0027 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -4.20 | -0.0024 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -5.10 | -0.0029 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -6.30 | -0.0036 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -5.60 | -0.0032 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -4.90 | -0.0028 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     |    |       |         |                             |      |
|                    |      |            |     |    |       |         |                             |      |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
| CP-OFDM 256 QAM | 1745 | Outer_Full | 30  | NV | -4.40 | -0.0025 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -5.40 | -0.0031 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -3.10 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | LV | -0.90 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -4.50 | -0.0026 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 2.80  | 0.0016  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 1.00  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | 0.50  | 0.0003  | >=-2.5 & <=2.5 | Pass |

## 2.1.9 15k\_SISO\_45MHz

| 5G NR n66 SCS=15kHz SISO 45MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -3.20            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.00             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -4.70            | -0.0027               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -5.90            | -0.0034               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -4.80            | -0.0028               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -7.60            | -0.0044               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -6.20            | -0.0036               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -5.70            | -0.0033               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -5.10            | -0.0029               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 0.60             | 0.0003                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.40            | -0.0014               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -2.20            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -0.70            | -0.0004               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -0.80            | -0.0005               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -2.00            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -1.70            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM              | 1745            | Outer_Full    | 20         | LV    | 1.00             | 0.0006                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -1.70            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.20            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -1.70            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 1.50             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 1.70             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 0.70             | 0.0004                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.00            | -0.0006               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 1.40             | 0.0008                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 1.40             | 0.0008                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 256 QAM             | 1745            | Outer_Full    | 20         | LV    | -0.90            | -0.0005               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 0.70             | 0.0004                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 2.30             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 3.40             | 0.0019                | >=-2.5 & <=2.5 | Pass    |

|                 |      |            |     |    |       |         |                |  |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|--|------|
|                 |      |            | -10 | NV | -1.40 | -0.0008 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | 2.80  | 0.0016  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | 2.90  | 0.0017  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | 2.00  | 0.0011  | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM QPSK    | 1745 | Outer_Full | 20  | LV | -2.40 | -0.0014 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | -2.60 | -0.0015 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | -2.30 | -0.0013 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | -5.00 | -0.0029 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | -3.50 | -0.0020 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | -2.70 | -0.0015 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | -4.60 | -0.0026 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | -3.60 | -0.0021 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | -4.00 | -0.0023 | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM 16 QAM  | 1745 | Outer_Full | 50  | NV | -5.80 | -0.0033 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | LV | -2.50 | -0.0014 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | -1.90 | -0.0011 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | -2.60 | -0.0015 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | -2.60 | -0.0015 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | -2.40 | -0.0014 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | -2.90 | -0.0017 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 40  | NV | -3.70 | -0.0021 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | -2.80 | -0.0016 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | LV | 3.10  | 0.0018  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | 3.70  | 0.0021  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | 2.50  | 0.0014  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | 3.00  | 0.0017  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | 2.80  | 0.0016  | >=-2.5 & <=2.5 |  | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 30  | NV | 3.70  | 0.0021  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | 2.90  | 0.0017  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | 4.60  | 0.0026  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | LV | 1.70  | 0.0010  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            |     | HV | 1.90  | 0.0011  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -30 | NV | -2.10 | -0.0012 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -20 | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | -10 | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 0   | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 10  | NV | -2.30 | -0.0013 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 20  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 30  | NV | -1.10 | -0.0006 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 40  | NV | -6.10 | -0.0035 | >=-2.5 & <=2.5 |  | Pass |
|                 |      |            | 50  | NV | -3.20 | -0.0018 | >=-2.5 & <=2.5 |  | Pass |

## 2.1.10 30k\_SISO\_10MHz

| 5G NR n66 SCS=30kHz SISO 10MHz |                 |               |            |       |                  |                       |       |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|-------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |       | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit |         |

|                    |      |            |     |    |       |         |                |      |
|--------------------|------|------------|-----|----|-------|---------|----------------|------|
| DFT-s-OFDM QPSK    | 1745 | Outer_Full | 20  | LV | -4.00 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -2.90 | -0.0017 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 0.70  | 0.0004  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -3.40 | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.10 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 2.50  | 0.0014  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 2.80  | 0.0016  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 4.70  | 0.0027  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 3.90  | 0.0022  | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 16 QAM  | 1745 | Outer_Full | 20  | LV | 3.60  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 4.00  | 0.0023  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 5.50  | 0.0032  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 4.20  | 0.0024  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 3.10  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 5.20  | 0.0030  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 3.40  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 4.60  | 0.0026  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 4.40  | 0.0025  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 4.00  | 0.0023  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 5.20  | 0.0030  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 4.90  | 0.0028  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 5.10  | 0.0029  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 4.40  | 0.0025  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 5.10  | 0.0029  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 5.30  | 0.0030  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 6.20  | 0.0036  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 4.30  | 0.0025  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 3.40  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 20  | LV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -4.00 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 1.00  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 20  | LV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -1.20 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 1.30  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 2.00  | 0.0011  | >=-2.5 & <=2.5 | Pass |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
|                 |      |            | -10 | NV | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 1.30  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -0.80 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 1.30  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -1.40 | -0.0008 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | -3.40 | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 0.40  | 0.0002  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -2.60 | -0.0015 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -3.10 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -2.60 | -0.0015 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -2.90 | -0.0017 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -4.00 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | -4.30 | -0.0025 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -4.60 | -0.0026 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -4.60 | -0.0026 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -3.00 | -0.0017 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -3.10 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -3.90 | -0.0022 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -2.10 | -0.0012 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -3.40 | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -4.40 | -0.0025 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -2.30 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -3.90 | -0.0022 | >=-2.5 & <=2.5 | Pass |

## 2.1.11 30k\_SISO\_15MHz

| 5G NR n66 SCS=30kHz SISO 15MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -4.70            | -0.0027               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 4.10             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 0.80             | 0.0005                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.40             | 0.0019                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 3.10             | 0.0018                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 6.30             | 0.0036                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | 4.20             | 0.0024                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 5.70             | 0.0033                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 3.50             | 0.0020                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 6.80             | 0.0039                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 3.50             | 0.0020                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.50             | 0.0020                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 3.90             | 0.0022                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 2.20             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 5.30             | 0.0030                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | 2.20             | 0.0013                | >=-2.5 & <=2.5 | Pass    |

|                    |      |            |     |    |       |         |                |      |
|--------------------|------|------------|-----|----|-------|---------|----------------|------|
| DFT-s-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 1.60  | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -1.60 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.70 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 5.90  | 0.0034  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 7.50  | 0.0043  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 6.40  | 0.0037  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 6.10  | 0.0035  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 5.90  | 0.0034  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 7.90  | 0.0045  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 5.80  | 0.0033  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 5.00  | 0.0029  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 4.40  | 0.0025  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 7.20  | 0.0041  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 20  | LV | 3.40  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | -1.10 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -2.70 | -0.0015 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -3.00 | -0.0017 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | -5.70 | -0.0033 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -5.20 | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | -5.30 | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | -4.20 | -0.0024 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | -5.30 | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | -5.60 | -0.0032 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 20  | LV | 3.00  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 2.80  | 0.0016  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | 0.70  | 0.0004  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 0.50  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM     | 1745 | Outer_Full | 20  | LV | 3.90  | 0.0022  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | 3.40  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | 0.90  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -10 | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 0   | NV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 10  | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 20  | NV | 1.50  | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 30  | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | 40  | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM    | 1745 | Outer_Full | 20  | LV | 4.40  | 0.0025  | >=-2.5 & <=2.5 | Pass |
|                    |      |            |     | HV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -30 | NV | -2.70 | -0.0015 | >=-2.5 & <=2.5 | Pass |
|                    |      |            | -20 | NV | -4.70 | -0.0027 | >=-2.5 & <=2.5 | Pass |

|  |  |  |     |    |       |         |                |      |
|--|--|--|-----|----|-------|---------|----------------|------|
|  |  |  | -10 | NV | -4.40 | -0.0025 | >=-2.5 & <=2.5 | Pass |
|  |  |  | 0   | NV | -1.60 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|  |  |  | 10  | NV | -0.90 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|  |  |  | 20  | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|  |  |  | 30  | NV | 2.50  | 0.0014  | >=-2.5 & <=2.5 | Pass |
|  |  |  | 40  | NV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|  |  |  | 50  | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |

## 2.1.12 30k\_SISO\_20MHz

| 5G NR n66 SCS=30kHz SISO 20MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -6.90            | -0.0040               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.70             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 2.10             | 0.0012                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 3.00             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 4.60             | 0.0026                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.60            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -5.00            | -0.0029               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -2.80            | -0.0016               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -2.70            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -2.30            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | 8.50             | 0.0049                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 6.80             | 0.0039                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 7.20             | 0.0041                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.90             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 2.90             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 3.60             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 3.90             | 0.0022                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 3.10             | 0.0018                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 4.70             | 0.0027                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM              | 1745            | Outer_Full    | 20         | LV    | 5.30             | 0.0030                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 3.30             | 0.0019                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 0.80             | 0.0005                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 3.00             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 2.50             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.30             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 3.50             | 0.0020                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 2.70             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 256 QAM             | 1745            | Outer_Full    | 20         | LV    | 4.60             | 0.0026                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 5.20             | 0.0030                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 3.20             | 0.0018                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 4.30             | 0.0025                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 4.20             | 0.0024                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 5.20             | 0.0030                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 3.40             | 0.0019                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 6.00             | 0.0034                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 4.60             | 0.0026                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 4.60             | 0.0026                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 256 QAM             | 1745            | Outer_Full    | 20         | LV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |

|                 |      |            |        |                |       |         |                |      |
|-----------------|------|------------|--------|----------------|-------|---------|----------------|------|
| CP-OFDM QPSK    | 1745 | Outer_Full | 20     | LV             | -4.80 | -0.0028 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |        | HV             | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30    | NV             | -4.50 | -0.0026 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20    | NV             | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10    | NV             | -4.00 | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0      | NV             | -3.60 | -0.0021 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10     | NV             | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20     | NV             | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30     | NV             | 3.70  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40     | NV             | 2.50  | 0.0014  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM  | 1745 | Outer_Full | 20     | LV             | 4.40  | 0.0025  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |        | HV             | 2.60  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30    | NV             | 1.50  | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20    | NV             | 1.30  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10    | NV             | -0.90 | -0.0005 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0      | NV             | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10     | NV             | 2.80  | 0.0016  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20     | NV             | 2.00  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30     | NV             | 2.80  | 0.0016  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40     | NV             | 3.20  | 0.0018  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20     | LV             | 4.50  | 0.0026  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |        | HV             | 3.60  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30    | NV             | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20    | NV             | 1.50  | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10    | NV             | -0.40 | -0.0002 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0      | NV             | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10     | NV             | 2.00  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20     | NV             | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30     | NV             | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40     | NV             | -1.20 | -0.0007 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20     | LV             | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |        | HV             | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30    | NV             | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20    | NV             | -1.10 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10    | NV             | -2.00 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0      | NV             | 4.90  | 0.0028  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10     | NV             | 3.20  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20     | NV             | 4.90  | 0.0028  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30     | NV             | 4.60  | 0.0026  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40     | NV             | 4.90  | 0.0028  | >=-2.5 & <=2.5 | Pass |
| 50              | NV   | 1.70       | 0.0010 | >=-2.5 & <=2.5 | Pass  |         |                |      |

### 2.1.13 30k\_SISO\_25MHz

| 5G NR n66 SCS=30kHz SISO 25MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -3.80            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -2.70            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 2.30             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -1.00            | -0.0006               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.50             | 0.0020                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 1.90             | 0.0011                | >=-2.5 & <=2.5 | Pass    |

|                    |      |            |     |    |       |         |                          |      |
|--------------------|------|------------|-----|----|-------|---------|--------------------------|------|
|                    |      |            | 20  | NV | 2.90  | 0.0017  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 2.90  | 0.0017  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 3.90  | 0.0022  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 1.90  | 0.0011  | $\geq -2.5$ & $\leq 2.5$ | Pass |
| DFT-s-OFDM 16 QAM  | 1745 | Outer_Full | 20  | LV | 3.80  | 0.0022  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | -1.70 | -0.0010 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -2.60 | -0.0015 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | 0.90  | 0.0005  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 4.80  | 0.0028  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 3.60  | 0.0021  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 1.60  | 0.0009  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 1.40  | 0.0008  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 2.10  | 0.0012  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 5.80  | 0.0033  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 4.10  | 0.0023  | $\geq -2.5$ & $\leq 2.5$ | Pass |
| DFT-s-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 3.70  | 0.0021  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | 3.50  | 0.0020  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | 2.40  | 0.0014  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | 3.20  | 0.0018  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 2.30  | 0.0013  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 4.80  | 0.0028  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 3.90  | 0.0022  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 4.80  | 0.0028  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 4.30  | 0.0025  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 3.90  | 0.0022  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 2.00  | 0.0011  | $\geq -2.5$ & $\leq 2.5$ | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 3.10  | 0.0018  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | 3.00  | 0.0017  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | 2.20  | 0.0013  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -1.60 | -0.0009 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 4.00  | 0.0023  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 2.70  | 0.0015  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 4.60  | 0.0026  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 3.50  | 0.0020  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 2.40  | 0.0014  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 4.40  | 0.0025  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 4.00  | 0.0023  | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 20  | LV | -8.10 | -0.0046 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | -8.70 | -0.0050 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -5.60 | -0.0032 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -0.90 | -0.0005 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -4.70 | -0.0027 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 1.30  | 0.0007  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -6.00 | -0.0034 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -4.10 | -0.0023 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -1.60 | -0.0009 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -2.80 | -0.0016 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -2.30 | -0.0013 | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 20  | LV | -0.80 | -0.0005 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            |     | HV | 1.30  | 0.0007  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -1.20 | -0.0007 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -0.90 | -0.0005 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 1.10  | 0.0006  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -1.70 | -0.0010 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -1.80 | -0.0010 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -4.00 | -0.0023 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -2.90 | -0.0017 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -2.90 | -0.0017 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -3.10 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 1.00  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 1.20  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 1.40  | 0.0008  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 2.50  | 0.0014  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 0.90  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -1.20 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 4.00  | 0.0023  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 0.60  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 3.20  | 0.0018  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 1.00  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 1.30  | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     |    |       |         |                |      |

## 2.1.14 30k\_SISO\_30MHz

| 5G NR n66 SCS=30kHz SISO 30MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -4.20            | -0.0024               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 1.20             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 0.80             | 0.0005                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -1.60            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 3.70             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 1.90             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 50         | NV    | 6.00             | 0.0034                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            |       |                  |                       |                |         |
|                                |                 |               | 20         | LV    | 1.70             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -2.80            | -0.0016               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 4.20             | 0.0024                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.40            | -0.0014               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 4.10             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -2.00            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM              | 1745            | Outer_Full    | 30         | NV    | -4.00            | -0.0023               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -1.60            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | LV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -1.40            | -0.0008               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.90            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -1.10            | -0.0006               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 2.30             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.80            | -0.0016               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -4.70            | -0.0027               | >=-2.5 & <=2.5 | Pass    |

|                    |       |            |              |                |            |         |                |      |
|--------------------|-------|------------|--------------|----------------|------------|---------|----------------|------|
|                    |       |            | 20           | NV             | 1.60       | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 30           | NV             | 3.60       | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 40           | NV             | -2.20      | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 50           | NV             | -1.70      | -0.0010 | >=-2.5 & <=2.5 | Pass |
| DFT-s-OFDM 256 QAM | 1745  | Outer_Full | 20           | LV             | -2.10      | -0.0012 | >=-2.5 & <=2.5 | Pass |
|                    |       |            |              | HV             | -4.40      | -0.0025 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -30          | NV             | -2.00      | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -20          | NV             | -4.60      | -0.0026 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -10          | NV             | 2.10       | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 0            | NV             | -1.30      | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 10           | NV             | -2.00      | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 20           | NV             | -5.50      | -0.0032 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 30           | NV             | -6.10      | -0.0035 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 40           | NV             | -3.90      | -0.0022 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 50           | NV             | -1.10      | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | CP-OFDM QPSK | 1745           | Outer_Full | 20      | LV             | 2.70 |
| HV                 | -3.20 | -0.0018    |              |                |            |         | >=-2.5 & <=2.5 | Pass |
| -30                | NV    | -2.00      |              |                |            | -0.0011 | >=-2.5 & <=2.5 | Pass |
| -20                | NV    | -2.30      |              |                |            | -0.0013 | >=-2.5 & <=2.5 | Pass |
| -10                | NV    | -1.40      |              |                |            | -0.0008 | >=-2.5 & <=2.5 | Pass |
| 0                  | NV    | -1.90      |              |                |            | -0.0011 | >=-2.5 & <=2.5 | Pass |
| 10                 | NV    | -1.30      |              |                |            | -0.0007 | >=-2.5 & <=2.5 | Pass |
| 20                 | NV    | -4.50      |              |                |            | -0.0026 | >=-2.5 & <=2.5 | Pass |
| 30                 | NV    | -2.80      |              |                |            | -0.0016 | >=-2.5 & <=2.5 | Pass |
| 40                 | NV    | -1.00      |              |                |            | -0.0006 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM     | 1745  | Outer_Full | 20           | LV             | 3.00       | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                    |       |            |              | HV             | 4.50       | 0.0026  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -30          | NV             | 3.30       | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -20          | NV             | 5.40       | 0.0031  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -10          | NV             | 3.40       | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 0            | NV             | 2.50       | 0.0014  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 10           | NV             | 1.30       | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 20           | NV             | 3.00       | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 30           | NV             | 3.40       | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 40           | NV             | 3.50       | 0.0020  | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM     | 1745  | Outer_Full | 20           | LV             | 2.80       | 0.0016  | >=-2.5 & <=2.5 | Pass |
|                    |       |            |              | HV             | 2.50       | 0.0014  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -30          | NV             | 1.90       | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -20          | NV             | -3.30      | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -10          | NV             | 0.90       | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 0            | NV             | -1.20      | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 10           | NV             | 1.30       | 0.0007  | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 20           | NV             | -3.30      | -0.0019 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 30           | NV             | -1.00      | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 40           | NV             | -3.40      | -0.0019 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM    | 1745  | Outer_Full | 20           | LV             | -3.00      | -0.0017 | >=-2.5 & <=2.5 | Pass |
|                    |       |            |              | HV             | -5.30      | -0.0030 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -30          | NV             | -4.40      | -0.0025 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -20          | NV             | -3.80      | -0.0022 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | -10          | NV             | -4.00      | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 0            | NV             | -3.60      | -0.0021 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 10           | NV             | -4.20      | -0.0024 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 20           | NV             | -4.10      | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 30           | NV             | -4.00      | -0.0023 | >=-2.5 & <=2.5 | Pass |
|                    |       |            | 40           | NV             | -3.60      | -0.0021 | >=-2.5 & <=2.5 | Pass |
| 50                 | NV    | -3.40      | -0.0019      | >=-2.5 & <=2.5 | Pass       |         |                |      |

## 2.1.15 30k\_SISO\_35MHz

| 5G NR n66 SCS=30kHz SISO 35MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -4.30            | -0.0025               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -1.90            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -2.40            | -0.0014               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -3.40            | -0.0019               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -0.30            | -0.0002               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.90             | 0.0022                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -3.40            | -0.0019               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.20            | -0.0007               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -2.30            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | 3.60             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -3.00            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 3.20             | 0.0018                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 2.70             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.60             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.30             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.50            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 1.00             | 0.0006                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM              | 1745            | Outer_Full    | 20         | LV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.50             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 3.00             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 3.20             | 0.0018                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 2.70             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.10             | 0.0018                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -2.40            | -0.0014               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 1.30             | 0.0007                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 1.10             | 0.0006                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 1.80             | 0.0010                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 256 QAM             | 1745            | Outer_Full    | 20         | LV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 4.40             | 0.0025                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -3.20            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -2.20            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 3.40             | 0.0019                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.40             | 0.0019                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -1.90            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.20            | -0.0007               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | 5.30             | 0.0030                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 2.10             | 0.0012                | >=-2.5 & <=2.5 | Pass    |
| CP-OFDM QPSK                   | 1745            | Outer_Full    | 20         | LV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 1.60             | 0.0009                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 0.90             | 0.0005                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -2.10            | -0.0012               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -1.60            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -1.70            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.90             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.10            | -0.0006               | >=-2.5 & <=2.5 | Pass    |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
|                 |      |            | 30  | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 1.80  | 0.0010  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -1.00 | -0.0006 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 16 QAM  | 1745 | Outer_Full | 20  | LV | 1.10  | 0.0006  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | -2.80 | -0.0016 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -0.60 | -0.0003 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -1.20 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -0.70 | -0.0004 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -1.90 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -3.10 | -0.0018 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -1.40 | -0.0008 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 0.80  | 0.0005  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 3.00  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | -2.50 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | -2.20 | -0.0013 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | -1.50 | -0.0009 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | -1.30 | -0.0007 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | -1.70 | -0.0010 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | -2.00 | -0.0011 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 0.60  | 0.0003  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -1.80 | -0.0010 | >=-2.5 & <=2.5 | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 2.90  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 4.10  | 0.0023  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 2.60  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 3.30  | 0.0019  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 2.20  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 4.00  | 0.0023  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 1.90  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | 5.60  | 0.0032  | >=-2.5 & <=2.5 | Pass |

## 2.1.16 30k\_SISO\_40MHz

| 5G NR n66 SCS=30kHz SISO 40MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -5.90            | -0.0034               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 4.00             | 0.0023                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 3.00             | 0.0017                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.30             | 0.0013                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 5.60             | 0.0032                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 2.10             | 0.0012                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -1.50            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.60            | -0.0009               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -1.30            | -0.0007               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 4.20             | 0.0024                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 50         | NV    | -1.40            | -0.0008               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | -2.60            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -2.20            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -4.70            | -0.0027               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |

|                    |      |            |     |    |       |         |                             |      |
|--------------------|------|------------|-----|----|-------|---------|-----------------------------|------|
|                    |      |            | -10 | NV | -2.90 | -0.0017 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -2.30 | -0.0013 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 3.60  | 0.0021  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 5.40  | 0.0031  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 3.80  | 0.0022  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 6.00  | 0.0034  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 5.50  | 0.0032  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| DFT-s-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | 3.90  | 0.0022  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | 4.70  | 0.0027  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | 4.70  | 0.0027  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | 4.50  | 0.0026  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 3.80  | 0.0022  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 7.00  | 0.0040  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 4.00  | 0.0023  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 5.10  | 0.0029  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 6.70  | 0.0038  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 5.80  | 0.0033  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 5.60  | 0.0032  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | 3.90  | 0.0022  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | 4.10  | 0.0023  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | 5.50  | 0.0032  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | 4.00  | 0.0023  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 4.40  | 0.0025  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 6.20  | 0.0036  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 3.70  | 0.0021  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 4.20  | 0.0024  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | 4.10  | 0.0023  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 2.40  | 0.0014  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 1.30  | 0.0007  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| CP-OFDM QPSK       | 1745 | Outer_Full | 20  | LV | -6.60 | -0.0038 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -4.00 | -0.0023 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -4.20 | -0.0024 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -4.00 | -0.0023 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -4.90 | -0.0028 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -3.40 | -0.0019 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -4.50 | -0.0026 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -3.70 | -0.0021 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -3.80 | -0.0022 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | 2.80  | 0.0016  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | 2.30  | 0.0013  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| CP-OFDM 16 QAM     | 1745 | Outer_Full | 20  | LV | -4.20 | -0.0024 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -3.20 | -0.0018 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -5.40 | -0.0031 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -3.80 | -0.0022 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | -2.80 | -0.0016 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | -3.10 | -0.0018 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | -3.80 | -0.0022 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | -2.60 | -0.0015 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 30  | NV | -3.70 | -0.0021 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 40  | NV | -1.40 | -0.0008 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 50  | NV | -4.40 | -0.0025 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
| CP-OFDM 64 QAM     | 1745 | Outer_Full | 20  | LV | -2.40 | -0.0014 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            |     | HV | -4.10 | -0.0023 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -30 | NV | -4.60 | -0.0026 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -20 | NV | -2.70 | -0.0015 | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | -10 | NV | 5.00  | 0.0029  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 0   | NV | 4.80  | 0.0028  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 10  | NV | 4.00  | 0.0023  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |
|                    |      |            | 20  | NV | 3.90  | 0.0022  | $\geq -2.5 \ \& \ \leq 2.5$ | Pass |

|                 |      |            |     |    |       |         |                |      |
|-----------------|------|------------|-----|----|-------|---------|----------------|------|
| CP-OFDM 256 QAM | 1745 | Outer_Full | 30  | NV | 2.30  | 0.0013  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | 3.00  | 0.0017  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | 4.90  | 0.0028  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | LV | -1.10 | -0.0006 | >=-2.5 & <=2.5 | Pass |
|                 |      |            |     | HV | 1.60  | 0.0009  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -30 | NV | 2.10  | 0.0012  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -20 | NV | 3.50  | 0.0020  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | -10 | NV | 2.60  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 0   | NV | 2.70  | 0.0015  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 10  | NV | 3.90  | 0.0022  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 20  | NV | 3.60  | 0.0021  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 30  | NV | 2.00  | 0.0011  | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 40  | NV | -2.40 | -0.0014 | >=-2.5 & <=2.5 | Pass |
|                 |      |            | 50  | NV | -3.20 | -0.0018 | >=-2.5 & <=2.5 | Pass |

## 2.1.17 30k\_SISO\_45MHz

| 5G NR n66 SCS=30kHz SISO 45MHz |                 |               |            |       |                  |                       |                |         |
|--------------------------------|-----------------|---------------|------------|-------|------------------|-----------------------|----------------|---------|
| Modulation                     | Frequency (MHz) | RB Allocation | Temp. (°C) | Volt. | Freq. Error (Hz) | Freq. vs. rated (ppm) |                | Verdict |
|                                |                 |               |            |       |                  | Result                | Limit          |         |
| DFT-s-OFDM QPSK                | 1745            | Outer_Full    | 20         | LV    | -7.10            | -0.0041               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | -6.20            | -0.0036               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -6.20            | -0.0036               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -8.00            | -0.0046               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -1.80            | -0.0010               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.60            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.00             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -3.80            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -3.20            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -3.10            | -0.0018               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 16 QAM              | 1745            | Outer_Full    | 20         | LV    | 0.50             | 0.0003                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.00             | 0.0011                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | -4.90            | -0.0028               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | -3.80            | -0.0022               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | -2.20            | -0.0013               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | -2.70            | -0.0015               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | -3.00            | -0.0017               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | -1.90            | -0.0011               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -0.90            | -0.0005               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | -0.50            | -0.0003               | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 64 QAM              | 1745            | Outer_Full    | 20         | LV    | 2.40             | 0.0014                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 5.80             | 0.0033                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 4.60             | 0.0026                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 3.20             | 0.0018                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -10        | NV    | 4.30             | 0.0025                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 0          | NV    | 3.30             | 0.0019                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 10         | NV    | 2.10             | 0.0012                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | NV    | 3.70             | 0.0021                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 30         | NV    | -1.00            | -0.0006               | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 40         | NV    | 2.70             | 0.0015                | >=-2.5 & <=2.5 | Pass    |
| DFT-s-OFDM 256 QAM             | 1745            | Outer_Full    | 50         | NV    | 0.80             | 0.0005                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | 20         | LV    | 3.80             | 0.0022                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               |            | HV    | 2.10             | 0.0012                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -30        | NV    | 4.70             | 0.0027                | >=-2.5 & <=2.5 | Pass    |
|                                |                 |               | -20        | NV    | 2.60             | 0.0015                | >=-2.5 & <=2.5 | Pass    |

|                 |      |            |     |    |       |         |                          |      |
|-----------------|------|------------|-----|----|-------|---------|--------------------------|------|
|                 |      |            | -10 | NV | 4.10  | 0.0023  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 0   | NV | 3.40  | 0.0019  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 10  | NV | 5.10  | 0.0029  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 20  | NV | 3.30  | 0.0019  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 30  | NV | 3.20  | 0.0018  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 40  | NV | 3.40  | 0.0019  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 50  | NV | 3.50  | 0.0020  | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM QPSK    | 1745 | Outer_Full | 20  | LV | -2.20 | -0.0013 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            |     | HV | 2.60  | 0.0015  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -30 | NV | 2.60  | 0.0015  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -20 | NV | -1.90 | -0.0011 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -10 | NV | -5.50 | -0.0032 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 0   | NV | -5.80 | -0.0033 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 10  | NV | -5.90 | -0.0034 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 20  | NV | -5.50 | -0.0032 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 30  | NV | -4.60 | -0.0026 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 40  | NV | -6.30 | -0.0036 | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM 16 QAM  | 1745 | Outer_Full | 20  | LV | -3.70 | -0.0021 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            |     | HV | -3.20 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -30 | NV | -1.50 | -0.0009 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -20 | NV | -2.30 | -0.0013 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -10 | NV | -1.60 | -0.0009 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 0   | NV | -2.60 | -0.0015 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 10  | NV | -2.40 | -0.0014 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 20  | NV | -2.70 | -0.0015 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 30  | NV | -1.80 | -0.0010 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 40  | NV | -2.00 | -0.0011 | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 20  | LV | -3.10 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            |     | HV | 1.30  | 0.0007  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -30 | NV | -2.50 | -0.0014 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -20 | NV | -3.10 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -10 | NV | -4.20 | -0.0024 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 0   | NV | -1.70 | -0.0010 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 10  | NV | -3.10 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 20  | NV | -3.90 | -0.0022 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 30  | NV | -5.60 | -0.0032 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 40  | NV | -3.60 | -0.0021 | $\geq -2.5$ & $\leq 2.5$ | Pass |
| CP-OFDM 256 QAM | 1745 | Outer_Full | 20  | LV | -3.70 | -0.0021 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            |     | HV | -1.10 | -0.0006 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -30 | NV | -1.50 | -0.0009 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -20 | NV | -3.60 | -0.0021 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | -10 | NV | -3.80 | -0.0022 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 0   | NV | -1.40 | -0.0008 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 10  | NV | -1.20 | -0.0007 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 20  | NV | 1.70  | 0.0010  | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 30  | NV | -3.20 | -0.0018 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 40  | NV | -4.50 | -0.0026 | $\geq -2.5$ & $\leq 2.5$ | Pass |
|                 |      |            | 50  | NV | -2.40 | -0.0014 | $\geq -2.5$ & $\leq 2.5$ | Pass |

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 15k\_SISO\_45MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 45MHz NTN |                 |               |                            |      |     |       |         |
|------------------------------------|-----------------|---------------|----------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Modulation Characteristics |      |     |       | Verdict |
|                                    |                 |               | Ant1                       | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| DFT-s-OFDM 16 QAM                  | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| DFT-s-OFDM 64 QAM                  | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| DFT-s-OFDM 256 QAM                 | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM QPSK                       | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM 16 QAM                     | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM 64 QAM                     | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM 256 QAM                    | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |

### 3.1.2 30k\_SISO\_45MHz\_NTN

| 5G NR n66 SCS=30kHz SISO 45MHz NTN |                 |               |                            |      |     |       |         |
|------------------------------------|-----------------|---------------|----------------------------|------|-----|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | Modulation Characteristics |      |     |       | Verdict |
|                                    |                 |               | Ant1                       | Ant2 | Sum | Limit |         |
| DFT-s-OFDM QPSK                    | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| DFT-s-OFDM 16 QAM                  | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| DFT-s-OFDM 64 QAM                  | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| DFT-s-OFDM 256 QAM                 | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM QPSK                       | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM 16 QAM                     | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM 64 QAM                     | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |
| CP-OFDM 256 QAM                    | 1745            | Outer_Full    | Refer To Test Graph        |      |     |       | Pass    |

3.2 Test Graph

3.2.1 15k\_SISO\_45MHz\_NTNV




Figure 3-2: 15k\_SISO\_45MHz\_NTNV Test Results

n66\_15kHz\_SISO\_NTNV\_45MHz\_DFT-s-OFDM\_64\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.4500 Q 0.1609

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 1.85   | 1.86   | 1.85 %(rms)  |
| Peak Vector Error | 14.59  | 14.79  | 14.44 %      |
| Carrier Leakage   | -55.62 | -55.28 | -56.19 dBc   |
| IQ Imbalance      | 99.64  | 99.74  | 99.53 %(I/Q) |

n66\_15kHz\_SISO\_NTNV\_45MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.8416 Q -0.6862

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 1.81   | 1.82   | 1.79 %(rms)  |
| Peak Vector Error | 7.39   | 7.80   | 7.05 %       |
| Carrier Leakage   | -53.43 | -52.43 | -54.27 dBc   |
| IQ Imbalance      | 99.89  | 100.37 | 99.63 %(I/Q) |

n66\_15kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_QPSK\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I 0.7007 Q 0.6816

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.30   | 2.30   | 2.30 %(rms)  |
| Peak Vector Error | 8.06   | 8.25   | 7.75 %       |
| Carrier Leakage   | -51.75 | -50.13 | -53.74 dBc   |
| IQ Imbalance      | 100.12 | 100.36 | 99.98 %(I/Q) |

n66\_15kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_16\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.3148 Q 0.9339

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.35   | 2.35   | 2.35 %(rms)  |
| Peak Vector Error | 8.56   | 9.28   | 8.06 %       |
| Carrier Leakage   | -53.55 | -52.59 | -55.41 dBc   |
| IQ Imbalance      | 100.14 | 100.40 | 99.76 %(I/Q) |


n66\_15kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_64\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -1.0666 Q 0.7665

Meas. Count : 3/ 3

Q



|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.13   | 2.13   | 2.13 %(rms)  |
| Peak Vector Error | 7.08   | 7.30   | 6.85 %       |
| Carrier Leakage   | -54.03 | -53.00 | -56.04 dBc   |
| IQ Imbalance      | 99.85  | 100.05 | 99.75 %(I/Q) |


n66\_15kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.3922 Q -0.3812


Meas. Count : 3/ 3

Q



|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.06   | 2.08   | 2.05 %(rms)  |
| Peak Vector Error | 7.78   | 7.96   | 7.68 %       |
| Carrier Leakage   | -55.12 | -53.05 | -57.54 dBc   |
| IQ Imbalance      | 99.70  | 99.85  | 99.58 %(I/Q) |

3.2.2 30k\_SISO\_45MHz\_NTNV



n66\_30kHz\_SISO\_NTNV\_45MHz\_DFT-s-OFDM\_64\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.7720 Q 0.1528

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 1.81   | 1.82   | 1.80 %(rms)  |
| Peak Vector Error | 9.68   | 9.96   | 9.38 %       |
| Carrier Leakage   | -58.72 | -58.11 | -59.16 dBc   |
| IQ Imbalance      | 100.07 | 100.34 | 99.75 %(I/Q) |

n66\_30kHz\_SISO\_NTNV\_45MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.8418 Q -0.6894

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 1.78   | 1.78   | 1.77 %(rms)  |
| Peak Vector Error | 7.87   | 8.47   | 7.34 %       |
| Carrier Leakage   | -55.37 | -53.11 | -57.53 dBc   |
| IQ Imbalance      | 100.11 | 100.38 | 99.76 %(I/Q) |

n66\_30kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_QPSK\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.7064 Q -0.7027

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.25   | 2.26   | 2.24 %(rms)  |
| Peak Vector Error | 7.32   | 7.53   | 7.05 %       |
| Carrier Leakage   | -62.57 | -59.57 | -71.16 dBc   |
| IQ Imbalance      | 99.88  | 100.38 | 99.58 %(I/Q) |

n66\_30kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_16\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.9348 Q -0.9424

Meas. Count : 3/ 3

Q

I

|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.25   | 2.27   | 2.24 %(rms)  |
| Peak Vector Error | 7.05   | 7.21   | 6.74 %       |
| Carrier Leakage   | -54.52 | -53.46 | -56.23 dBc   |
| IQ Imbalance      | 100.08 | 100.37 | 99.80 %(I/Q) |


n66\_30kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_64\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -1.0835 Q -0.1465

Meas. Count : 3/ 3

Q



|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.14   | 2.14   | 2.13 %(rms)  |
| Peak Vector Error | 6.71   | 7.09   | 6.26 %       |
| Carrier Leakage   | -52.78 | -51.06 | -54.38 dBc   |
| IQ Imbalance      | 100.03 | 100.50 | 99.73 %(I/Q) |


n66\_30kHz\_SISO\_NTNV\_45MHz\_CP-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1

Fundamental > Constellation

0 subcarrier  
I -0.9828 Q 0.5156

Meas. Count : 3/ 3

Q



|                   | Avg.   | Max.   | Min.         |
|-------------------|--------|--------|--------------|
| EVM               | 2.03   | 2.03   | 2.02 %(rms)  |
| Peak Vector Error | 7.78   | 8.13   | 7.44 %       |
| Carrier Leakage   | -54.93 | -52.80 | -58.58 dBc   |
| IQ Imbalance      | 99.78  | 100.33 | 99.48 %(I/Q) |

## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 15k\_SISO\_5MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 5MHz NTN |                 |               |                     |                      |             |             |
|-----------------------------------|-----------------|---------------|---------------------|----------------------|-------------|-------------|
| Modulation                        | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict     |
| DFT-s-OFDM QPSK                   | 1712.5          | Outer_Full    | 4.55                | 5.03                 | /           | <b>Pass</b> |
|                                   | 1745            | Outer_Full    | 4.51                | 4.97                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.52                | 4.99                 | /           | Pass        |
| DFT-s-OFDM 16 QAM                 | 1712.5          | Outer_Full    | 4.55                | 5.03                 | /           | Pass        |
|                                   | 1745            | Outer_Full    | 4.54                | 5.07                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.55                | 5.02                 | /           | Pass        |
| DFT-s-OFDM 64 QAM                 | 1712.5          | Outer_Full    | 4.53                | 5.06                 | /           | Pass        |
|                                   | 1745            | Outer_Full    | 4.54                | 5.03                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.55                | 5.00                 | /           | Pass        |
| DFT-s-OFDM 256 QAM                | 1712.5          | Outer_Full    | 4.54                | 5.03                 | /           | Pass        |
|                                   | 1745            | Outer_Full    | 4.52                | 5.04                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.51                | 5.00                 | /           | Pass        |
| CP-OFDM QPSK                      | 1712.5          | Outer_Full    | 4.53                | 5.07                 | /           | Pass        |
|                                   | 1745            | Outer_Full    | 4.54                | 5.00                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.53                | 5.07                 | /           | Pass        |
| CP-OFDM 16 QAM                    | 1712.5          | Outer_Full    | <b>4.53</b>         | <b>5.07</b>          | /           | <b>Pass</b> |
|                                   | 1745            | Outer_Full    | 4.55                | 5.06                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.55                | 5.62                 | /           | Pass        |
| CP-OFDM 64 QAM                    | 1712.5          | Outer_Full    | 4.52                | 5.28                 | /           | Pass        |
|                                   | 1745            | Outer_Full    | 4.51                | 5.04                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.52                | 5.03                 | /           | Pass        |
| CP-OFDM 256 QAM                   | 1712.5          | Outer_Full    | 4.53                | 5.03                 | /           | Pass        |
|                                   | 1745            | Outer_Full    | 4.56                | 5.09                 | /           | Pass        |
|                                   | 1777.5          | Outer_Full    | 4.55                | 5.09                 | /           | Pass        |

#### 4.1.2 15k\_SISO\_10MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 10MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1715            | Outer_Full    | 9.03                | 9.87                 | /           | Pass    |
|                                    | 1745            | Outer_Full    | 9.04                | 9.89                 | /           | Pass    |
|                                    | 1775            | Outer_Full    | 9.02                | 9.83                 | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1715            | Outer_Full    | 9.03                | 9.94                 | /           | Pass    |
|                                    | 1745            | Outer_Full    | 9.02                | 9.92                 | /           | Pass    |
|                                    | 1775            | Outer_Full    | 8.99                | 9.92                 | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1715            | Outer_Full    | 9.05                | 9.88                 | /           | Pass    |
|                                    | 1745            | Outer_Full    | 9.04                | 9.89                 | /           | Pass    |
|                                    | 1775            | Outer_Full    | 9.04                | 9.90                 | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1715            | Outer_Full    | 9.01                | 9.89                 | /           | Pass    |
|                                    | 1745            | Outer_Full    | 9.02                | 9.82                 | /           | Pass    |
|                                    | 1775            | Outer_Full    | 8.99                | 9.89                 | /           | Pass    |
| CP-OFDM QPSK                       | 1715            | Outer_Full    | 9.38                | 10.17                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 9.36                | 10.28                | /           | Pass    |
|                                    | 1775            | Outer_Full    | 9.35                | 10.15                | /           | Pass    |

|                 |      |            |      |       |   |      |
|-----------------|------|------------|------|-------|---|------|
| CP-OFDM 16 QAM  | 1715 | Outer_Full | 9.38 | 10.17 | / | Pass |
|                 | 1745 | Outer_Full | 9.38 | 10.23 | / | Pass |
|                 | 1775 | Outer_Full | 9.35 | 10.24 | / | Pass |
| CP-OFDM 64 QAM  | 1715 | Outer_Full | 9.38 | 10.26 | / | Pass |
|                 | 1745 | Outer_Full | 9.37 | 10.18 | / | Pass |
|                 | 1775 | Outer_Full | 9.34 | 10.23 | / | Pass |
| CP-OFDM 256 QAM | 1715 | Outer_Full | 9.36 | 10.28 | / | Pass |
|                 | 1745 | Outer_Full | 9.37 | 10.21 | / | Pass |
|                 | 1775 | Outer_Full | 9.32 | 10.15 | / | Pass |

#### 4.1.3 15k\_SISO\_15MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 15MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1717.5          | Outer_Full    | 13.58               | 14.72                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.59               | 14.70                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.53               | 14.74                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1717.5          | Outer_Full    | 13.50               | 14.64                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.51               | 14.78                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.54               | 14.67                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1717.5          | Outer_Full    | 13.53               | 14.61                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.52               | 14.59                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.49               | 14.60                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1717.5          | Outer_Full    | 13.52               | 14.58                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.56               | 14.70                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.48               | 14.65                | /           | Pass    |
| CP-OFDM QPSK                       | 1717.5          | Outer_Full    | 14.21               | 15.50                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 14.20               | 15.29                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 14.16               | 15.28                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1717.5          | Outer_Full    | 14.20               | 15.82                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 14.20               | 15.31                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 14.18               | 15.50                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1717.5          | Outer_Full    | 14.23               | 15.25                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 14.22               | 15.25                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 14.18               | 15.26                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1717.5          | Outer_Full    | 14.26               | 15.32                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 14.16               | 15.27                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 14.14               | 15.28                | /           | Pass    |

#### 4.1.4 15k\_SISO\_20MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 20MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1720            | Outer_Full    | 18.00               | 19.68                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.00               | 19.73                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.03               | 19.68                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1720            | Outer_Full    | 18.00               | 19.57                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 17.99               | 19.58                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.03               | 19.62                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1720            | Outer_Full    | 18.04               | 19.66                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.03               | 19.62                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.05               | 19.75                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1720            | Outer_Full    | 18.00               | 19.71                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.00               | 19.71                | /           | Pass    |

|                 |      |            |       |       |   |      |
|-----------------|------|------------|-------|-------|---|------|
| CP-OFDM QPSK    | 1770 | Outer_Full | 18.05 | 19.80 | / | Pass |
|                 | 1720 | Outer_Full | 19.01 | 20.99 | / | Pass |
|                 | 1745 | Outer_Full | 18.98 | 20.53 | / | Pass |
|                 | 1770 | Outer_Full | 19.01 | 20.49 | / | Pass |
| CP-OFDM 16 QAM  | 1720 | Outer_Full | 19.07 | 22.03 | / | Pass |
|                 | 1745 | Outer_Full | 19.03 | 20.55 | / | Pass |
|                 | 1770 | Outer_Full | 19.05 | 20.66 | / | Pass |
|                 | 1720 | Outer_Full | 19.03 | 20.55 | / | Pass |
| CP-OFDM 64 QAM  | 1745 | Outer_Full | 19.02 | 20.57 | / | Pass |
|                 | 1770 | Outer_Full | 19.07 | 20.53 | / | Pass |
|                 | 1720 | Outer_Full | 19.03 | 20.65 | / | Pass |
|                 | 1745 | Outer_Full | 19.02 | 20.54 | / | Pass |
| CP-OFDM 256 QAM | 1770 | Outer_Full | 19.04 | 20.54 | / | Pass |

#### 4.1.5 15k\_SISO\_25MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 25MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1722.5          | Outer_Full    | 23.01               | 24.89                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 22.94               | 24.75                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.12               | 24.93                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1722.5          | Outer_Full    | 23.04               | 24.69                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 22.98               | 24.80                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.14               | 24.96                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1722.5          | Outer_Full    | 23.05               | 24.84                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 22.97               | 24.78                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.14               | 24.96                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1722.5          | Outer_Full    | 23.10               | 24.84                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.03               | 24.76                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.16               | 24.88                | /           | Pass    |
| CP-OFDM QPSK                       | 1722.5          | Outer_Full    | 23.89               | 26.04                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.85               | 25.77                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.98               | 25.82                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1722.5          | Outer_Full    | 23.92               | 25.58                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.82               | 25.54                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.93               | 29.91                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1722.5          | Outer_Full    | 23.96               | 25.57                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.85               | 25.64                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 24.02               | 25.71                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1722.5          | Outer_Full    | 23.82               | 25.66                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.73               | 25.58                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.91               | 25.70                | /           | Pass    |

#### 4.1.6 15k\_SISO\_30MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 30MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1725            | Outer_Full    | 28.79               | 30.74                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 28.67               | 30.71                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 28.91               | 30.82                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1725            | Outer_Full    | 28.75               | 30.76                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 28.73               | 30.71                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 28.83               | 30.82                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1725            | Outer_Full    | 28.76               | 30.84                | /           | Pass    |

|                    |      |            |       |       |   |      |
|--------------------|------|------------|-------|-------|---|------|
| DFT-s-OFDM 256 QAM | 1745 | Outer_Full | 28.58 | 30.70 | / | Pass |
|                    | 1765 | Outer_Full | 28.81 | 30.74 | / | Pass |
|                    | 1725 | Outer_Full | 28.83 | 30.90 | / | Pass |
|                    | 1745 | Outer_Full | 28.69 | 30.73 | / | Pass |
|                    | 1765 | Outer_Full | 28.90 | 30.83 | / | Pass |
| CP-OFDM QPSK       | 1725 | Outer_Full | 28.78 | 30.83 | / | Pass |
|                    | 1745 | Outer_Full | 28.61 | 30.74 | / | Pass |
|                    | 1765 | Outer_Full | 28.89 | 31.73 | / | Pass |
| CP-OFDM 16 QAM     | 1725 | Outer_Full | 28.80 | 30.86 | / | Pass |
|                    | 1745 | Outer_Full | 28.60 | 30.72 | / | Pass |
|                    | 1765 | Outer_Full | 28.89 | 30.83 | / | Pass |
| CP-OFDM 64 QAM     | 1725 | Outer_Full | 28.87 | 30.80 | / | Pass |
|                    | 1745 | Outer_Full | 28.65 | 30.73 | / | Pass |
|                    | 1765 | Outer_Full | 28.88 | 30.83 | / | Pass |
| CP-OFDM 256 QAM    | 1725 | Outer_Full | 28.80 | 30.79 | / | Pass |
|                    | 1745 | Outer_Full | 28.65 | 30.68 | / | Pass |
|                    | 1765 | Outer_Full | 28.84 | 30.80 | / | Pass |

#### 4.1.7 15k\_SISO\_35MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 35MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1727.5          | Outer_Full    | 32.57               | 35.40                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.32               | 34.92                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.55               | 34.99                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1727.5          | Outer_Full    | 32.58               | 35.22                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.32               | 34.89                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.54               | 34.98                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1727.5          | Outer_Full    | 32.61               | 35.23                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.33               | 35.01                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.53               | 35.07                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1727.5          | Outer_Full    | 32.72               | 34.98                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.54               | 35.09                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.68               | 35.17                | /           | Pass    |
| CP-OFDM QPSK                       | 1727.5          | Outer_Full    | 33.99               | 36.46                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 33.67               | 36.29                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 33.94               | 36.33                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1727.5          | Outer_Full    | 34.04               | 36.40                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 33.72               | 36.31                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 33.96               | 36.40                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1727.5          | Outer_Full    | 33.95               | 36.27                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 33.65               | 36.21                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 33.88               | 36.37                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1727.5          | Outer_Full    | 33.95               | 36.68                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 33.66               | 36.20                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 33.83               | 36.38                | /           | Pass    |

#### 4.1.8 15k\_SISO\_40MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 40MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1730            | Outer_Full    | 38.91               | 41.60                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 38.67               | 41.56                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 38.74               | 41.40                | /           | Pass    |

|                    |      |            |       |       |   |      |
|--------------------|------|------------|-------|-------|---|------|
| DFT-s-OFDM 16 QAM  | 1730 | Outer_Full | 38.95 | 41.59 | / | Pass |
|                    | 1745 | Outer_Full | 38.69 | 41.42 | / | Pass |
|                    | 1760 | Outer_Full | 38.71 | 41.42 | / | Pass |
| DFT-s-OFDM 64 QAM  | 1730 | Outer_Full | 38.98 | 41.60 | / | Pass |
|                    | 1745 | Outer_Full | 38.68 | 41.37 | / | Pass |
|                    | 1760 | Outer_Full | 38.72 | 41.48 | / | Pass |
| DFT-s-OFDM 256 QAM | 1730 | Outer_Full | 38.90 | 41.74 | / | Pass |
|                    | 1745 | Outer_Full | 38.55 | 41.48 | / | Pass |
|                    | 1760 | Outer_Full | 38.67 | 41.48 | / | Pass |
| CP-OFDM QPSK       | 1730 | Outer_Full | 39.13 | 41.70 | / | Pass |
|                    | 1745 | Outer_Full | 38.75 | 41.43 | / | Pass |
|                    | 1760 | Outer_Full | 38.88 | 41.45 | / | Pass |
| CP-OFDM 16 QAM     | 1730 | Outer_Full | 38.91 | 41.50 | / | Pass |
|                    | 1745 | Outer_Full | 38.57 | 41.51 | / | Pass |
|                    | 1760 | Outer_Full | 38.71 | 41.44 | / | Pass |
| CP-OFDM 64 QAM     | 1730 | Outer_Full | 39.02 | 41.55 | / | Pass |
|                    | 1745 | Outer_Full | 38.77 | 41.41 | / | Pass |
|                    | 1760 | Outer_Full | 38.96 | 41.44 | / | Pass |
| CP-OFDM 256 QAM    | 1730 | Outer_Full | 38.97 | 41.46 | / | Pass |
|                    | 1745 | Outer_Full | 38.62 | 41.41 | / | Pass |
|                    | 1760 | Outer_Full | 38.72 | 41.31 | / | Pass |

#### 4.1.9 15k\_SISO\_45MHz\_NTNV

| 5G NR n66 SCS=15kHz SISO 45MHz NTNv |                 |               |                     |                      |             |         |
|-------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                     | 1732.5          | Outer_Full    | 43.27               | 46.72                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.05               | 46.40                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.01               | 46.34                | /           | Pass    |
| DFT-s-OFDM 16 QAM                   | 1732.5          | Outer_Full    | 43.35               | 46.54                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.15               | 46.47                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.16               | 46.30                | /           | Pass    |
| DFT-s-OFDM 64 QAM                   | 1732.5          | Outer_Full    | 43.41               | 46.75                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.22               | 46.59                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.20               | 46.50                | /           | Pass    |
| DFT-s-OFDM 256 QAM                  | 1732.5          | Outer_Full    | 43.29               | 46.71                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.07               | 46.80                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.04               | 46.35                | /           | Pass    |
| CP-OFDM QPSK                        | 1732.5          | Outer_Full    | 43.64               | 46.81                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.44               | 46.73                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.44               | 46.60                | /           | Pass    |
| CP-OFDM 16 QAM                      | 1732.5          | Outer_Full    | 43.68               | 46.94                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.49               | 47.04                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.49               | 46.58                | /           | Pass    |
| CP-OFDM 64 QAM                      | 1732.5          | Outer_Full    | 43.72               | 47.09                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.54               | 46.87                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.47               | 46.79                | /           | Pass    |
| CP-OFDM 256 QAM                     | 1732.5          | Outer_Full    | 43.75               | 46.83                | /           | Pass    |
|                                     | 1745            | Outer_Full    | 43.57               | 46.80                | /           | Pass    |
|                                     | 1757.5          | Outer_Full    | 43.53               | 46.66                | /           | Pass    |

#### 4.1.10 30k\_SISO\_10MHz\_NTNV

| 5G NR n66 SCS=30kHz SISO 10MHz NTNv |           |    |               |                |       |         |
|-------------------------------------|-----------|----|---------------|----------------|-------|---------|
| Modulation                          | Frequency | RB | 99% Bandwidth | 26dB Bandwidth | Limit | Verdict |

|                    | (MHz) | Allocation | (MHz) | (MHz) | (MHz) |      |
|--------------------|-------|------------|-------|-------|-------|------|
| DFT-s-OFDM QPSK    | 1715  | Outer_Full | 8.72  | 9.89  | /     | Pass |
|                    | 1745  | Outer_Full | 8.72  | 9.76  | /     | Pass |
|                    | 1775  | Outer_Full | 8.71  | 9.70  | /     | Pass |
| DFT-s-OFDM 16 QAM  | 1715  | Outer_Full | 8.71  | 9.81  | /     | Pass |
|                    | 1745  | Outer_Full | 8.69  | 9.82  | /     | Pass |
|                    | 1775  | Outer_Full | 8.66  | 9.67  | /     | Pass |
| DFT-s-OFDM 64 QAM  | 1715  | Outer_Full | 8.70  | 9.85  | /     | Pass |
|                    | 1745  | Outer_Full | 8.70  | 9.81  | /     | Pass |
|                    | 1775  | Outer_Full | 8.71  | 9.71  | /     | Pass |
| DFT-s-OFDM 256 QAM | 1715  | Outer_Full | 8.66  | 9.73  | /     | Pass |
|                    | 1745  | Outer_Full | 8.68  | 9.73  | /     | Pass |
|                    | 1775  | Outer_Full | 8.65  | 9.79  | /     | Pass |
| CP-OFDM QPSK       | 1715  | Outer_Full | 8.69  | 9.79  | /     | Pass |
|                    | 1745  | Outer_Full | 8.69  | 9.70  | /     | Pass |
|                    | 1775  | Outer_Full | 8.68  | 9.78  | /     | Pass |
| CP-OFDM 16 QAM     | 1715  | Outer_Full | 8.69  | 9.76  | /     | Pass |
|                    | 1745  | Outer_Full | 8.68  | 9.74  | /     | Pass |
|                    | 1775  | Outer_Full | 8.67  | 9.78  | /     | Pass |
| CP-OFDM 64 QAM     | 1715  | Outer_Full | 8.67  | 9.72  | /     | Pass |
|                    | 1745  | Outer_Full | 8.69  | 9.85  | /     | Pass |
|                    | 1775  | Outer_Full | 8.71  | 9.75  | /     | Pass |
| CP-OFDM 256 QAM    | 1715  | Outer_Full | 8.69  | 9.75  | /     | Pass |
|                    | 1745  | Outer_Full | 8.71  | 9.80  | /     | Pass |
|                    | 1775  | Outer_Full | 8.67  | 9.77  | /     | Pass |

#### 4.1.11 30k\_SISO\_15MHz\_NTNV

| 5G NR n66 SCS=30kHz SISO 15MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1717.5          | Outer_Full    | 13.05               | 14.60                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.05               | 14.53                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.02               | 14.40                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1717.5          | Outer_Full    | 13.05               | 14.55                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.05               | 14.50                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.04               | 14.38                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1717.5          | Outer_Full    | 13.09               | 14.74                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.07               | 14.66                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.04               | 14.62                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1717.5          | Outer_Full    | 12.96               | 14.51                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.00               | 14.67                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 12.94               | 14.57                | /           | Pass    |
| CP-OFDM QPSK                       | 1717.5          | Outer_Full    | 13.70               | 16.73                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.71               | 15.00                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.71               | 15.44                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1717.5          | Outer_Full    | 13.75               | 15.07                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.75               | 15.08                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.70               | 15.07                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1717.5          | Outer_Full    | 13.71               | 15.13                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.73               | 15.08                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.72               | 15.09                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1717.5          | Outer_Full    | 13.69               | 14.98                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 13.71               | 15.10                | /           | Pass    |
|                                    | 1772.5          | Outer_Full    | 13.68               | 15.03                | /           | Pass    |

#### 4.1.12 30k\_SISO\_20MHz\_NTNV

| 5G NR n66 SCS=30kHz SISO 20MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1720            | Outer_Full    | 18.01               | 19.69                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 17.99               | 19.73                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.08               | 19.76                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1720            | Outer_Full    | 18.05               | 19.66                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.02               | 19.78                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.03               | 19.82                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1720            | Outer_Full    | 18.06               | 19.93                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.06               | 19.78                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.06               | 19.85                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1720            | Outer_Full    | 17.95               | 19.70                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 17.99               | 19.70                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.00               | 19.81                | /           | Pass    |
| CP-OFDM QPSK                       | 1720            | Outer_Full    | 18.30               | 20.02                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.32               | 20.12                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.38               | 20.11                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1720            | Outer_Full    | 18.40               | 20.19                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.36               | 20.04                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.39               | 20.10                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1720            | Outer_Full    | 18.39               | 20.04                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.39               | 20.11                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.40               | 20.28                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1720            | Outer_Full    | 18.30               | 19.99                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 18.33               | 20.01                | /           | Pass    |
|                                    | 1770            | Outer_Full    | 18.32               | 19.99                | /           | Pass    |

#### 4.1.13 30k\_SISO\_25MHz\_NTNV

| 5G NR n66 SCS=30kHz SISO 25MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1722.5          | Outer_Full    | 23.16               | 25.18                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.05               | 25.05                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.22               | 25.14                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1722.5          | Outer_Full    | 23.01               | 25.12                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 22.99               | 25.07                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.15               | 25.11                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1722.5          | Outer_Full    | 23.04               | 24.86                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 22.95               | 24.91                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.09               | 24.96                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1722.5          | Outer_Full    | 23.01               | 24.97                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.06               | 24.95                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.14               | 25.01                | /           | Pass    |
| CP-OFDM QPSK                       | 1722.5          | Outer_Full    | 23.40               | 25.44                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.36               | 25.14                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.49               | 25.43                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1722.5          | Outer_Full    | 23.34               | 25.51                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.31               | 25.31                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.47               | 25.42                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1722.5          | Outer_Full    | 23.44               | 25.28                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 23.37               | 25.41                | /           | Pass    |
|                                    | 1767.5          | Outer_Full    | 23.49               | 25.38                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1722.5          | Outer_Full    | 23.37               | 25.32                | /           | Pass    |

|  |        |            |       |       |   |      |
|--|--------|------------|-------|-------|---|------|
|  | 1745   | Outer_Full | 23.34 | 25.28 | / | Pass |
|  | 1767.5 | Outer_Full | 23.46 | 25.40 | / | Pass |

#### 4.1.14 30k\_SISO\_30MHz\_NTNV

| 5G NR n66 SCS=30kHz SISO 30MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1725            | Outer_Full    | 27.09               | 29.60                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 26.94               | 29.52                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 27.23               | 29.74                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1725            | Outer_Full    | 27.08               | 29.52                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 26.94               | 29.46                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 27.25               | 29.83                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1725            | Outer_Full    | 27.07               | 29.55                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 26.92               | 29.45                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 27.15               | 29.61                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1725            | Outer_Full    | 27.10               | 29.31                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 26.99               | 29.33                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 27.21               | 29.49                | /           | Pass    |
| CP-OFDM QPSK                       | 1725            | Outer_Full    | 28.19               | 30.51                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 28.04               | 30.48                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 28.35               | 34.28                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1725            | Outer_Full    | 28.13               | 30.49                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 27.99               | 30.89                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 28.18               | 32.80                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1725            | Outer_Full    | 28.13               | 30.41                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 27.97               | 30.35                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 28.25               | 31.17                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1725            | Outer_Full    | 28.04               | 30.33                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 27.93               | 30.35                | /           | Pass    |
|                                    | 1765            | Outer_Full    | 28.14               | 30.27                | /           | Pass    |

#### 4.1.15 30k\_SISO\_35MHz\_NTNV

| 5G NR n66 SCS=30kHz SISO 35MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1727.5          | Outer_Full    | 32.57               | 35.44                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.49               | 35.41                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.70               | 35.47                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1727.5          | Outer_Full    | 32.58               | 35.75                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.34               | 35.21                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.57               | 35.24                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1727.5          | Outer_Full    | 32.54               | 35.51                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.34               | 35.18                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.62               | 35.47                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1727.5          | Outer_Full    | 32.68               | 35.53                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.45               | 35.26                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 32.67               | 35.33                | /           | Pass    |
| CP-OFDM QPSK                       | 1727.5          | Outer_Full    | 33.33               | 36.24                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 33.03               | 36.07                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 33.28               | 38.32                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1727.5          | Outer_Full    | 33.28               | 36.47                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 32.97               | 36.03                | /           | Pass    |
|                                    | 1762.5          | Outer_Full    | 33.21               | 38.02                | /           | Pass    |

|                 |        |            |       |       |   |      |
|-----------------|--------|------------|-------|-------|---|------|
| CP-OFDM 64 QAM  | 1727.5 | Outer_Full | 33.24 | 40.33 | / | Pass |
|                 | 1745   | Outer_Full | 33.04 | 36.09 | / | Pass |
|                 | 1762.5 | Outer_Full | 33.30 | 39.55 | / | Pass |
| CP-OFDM 256 QAM | 1727.5 | Outer_Full | 33.29 | 36.37 | / | Pass |
|                 | 1745   | Outer_Full | 33.02 | 36.16 | / | Pass |
|                 | 1762.5 | Outer_Full | 33.18 | 36.25 | / | Pass |

#### 4.1.16 30k\_SISO\_40MHz\_NTNV

| 5G NR n66 SCS=30kHz SISO 40MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1730            | Outer_Full    | 36.24               | 39.13                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 35.79               | 38.69                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 36.07               | 38.85                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1730            | Outer_Full    | 36.16               | 39.13                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 35.89               | 38.52                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 36.18               | 38.79                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1730            | Outer_Full    | 36.23               | 39.16                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 35.84               | 38.78                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 36.00               | 38.75                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1730            | Outer_Full    | 36.28               | 39.01                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 35.96               | 38.73                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 36.13               | 38.83                | /           | Pass    |
| CP-OFDM QPSK                       | 1730            | Outer_Full    | 38.32               | 41.03                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 38.01               | 40.83                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 38.14               | 40.86                | /           | Pass    |
| CP-OFDM 16 QAM                     | 1730            | Outer_Full    | 38.30               | 40.87                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 38.02               | 40.84                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 38.16               | 40.86                | /           | Pass    |
| CP-OFDM 64 QAM                     | 1730            | Outer_Full    | 38.23               | 41.05                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 38.08               | 40.74                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 38.09               | 40.83                | /           | Pass    |
| CP-OFDM 256 QAM                    | 1730            | Outer_Full    | 38.27               | 41.15                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 37.90               | 40.84                | /           | Pass    |
|                                    | 1760            | Outer_Full    | 38.01               | 40.85                | /           | Pass    |

#### 4.1.17 30k\_SISO\_45MHz\_NTNV


| 5G NR n66 SCS=30kHz SISO 45MHz NTN |                 |               |                     |                      |             |         |
|------------------------------------|-----------------|---------------|---------------------|----------------------|-------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation | 99% Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit (MHz) | Verdict |
| DFT-s-OFDM QPSK                    | 1732.5          | Outer_Full    | 39.34               | 43.51                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 38.98               | 43.22                | /           | Pass    |
|                                    | 1757.5          | Outer_Full    | 39.08               | 43.39                | /           | Pass    |
| DFT-s-OFDM 16 QAM                  | 1732.5          | Outer_Full    | 39.44               | 43.83                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 39.16               | 43.55                | /           | Pass    |
|                                    | 1757.5          | Outer_Full    | 39.16               | 43.65                | /           | Pass    |
| DFT-s-OFDM 64 QAM                  | 1732.5          | Outer_Full    | 39.42               | 43.80                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 39.08               | 43.45                | /           | Pass    |
|                                    | 1757.5          | Outer_Full    | 39.27               | 43.42                | /           | Pass    |
| DFT-s-OFDM 256 QAM                 | 1732.5          | Outer_Full    | 39.42               | 43.74                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 39.13               | 43.33                | /           | Pass    |
|                                    | 1757.5          | Outer_Full    | 39.21               | 43.47                | /           | Pass    |
| CP-OFDM QPSK                       | 1732.5          | Outer_Full    | 43.03               | 46.83                | /           | Pass    |
|                                    | 1745            | Outer_Full    | 42.76               | 46.82                | /           | Pass    |

|                 |        |            |       |       |   |      |
|-----------------|--------|------------|-------|-------|---|------|
| CP-OFDM 16 QAM  | 1757.5 | Outer_Full | 42.82 | 46.88 | / | Pass |
|                 | 1732.5 | Outer_Full | 43.02 | 47.27 | / | Pass |
|                 | 1745   | Outer_Full | 42.82 | 47.03 | / | Pass |
|                 | 1757.5 | Outer_Full | 42.84 | 46.85 | / | Pass |
| CP-OFDM 64 QAM  | 1732.5 | Outer_Full | 43.07 | 53.92 | / | Pass |
|                 | 1745   | Outer_Full | 42.80 | 48.96 | / | Pass |
|                 | 1757.5 | Outer_Full | 42.81 | 48.55 | / | Pass |
| CP-OFDM 256 QAM | 1732.5 | Outer_Full | 43.01 | 47.13 | / | Pass |
|                 | 1745   | Outer_Full | 42.85 | 47.00 | / | Pass |
|                 | 1757.5 | Outer_Full | 42.80 | 46.74 | / | Pass |


## 4.2 Test Graph

### 4.2.1 15k\_SISO\_5MHz\_NTNV


n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM QPSK\_1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM QPSK 1777.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM 16 QAM 1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM\_16 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM\_16 QAM\_1777.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM 64 QAM\_1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM 64 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM 64 QAM\_1777.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM 256 QAM\_1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_DFT-s-OFDM\_256\_QAM\_1777.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM QPSK\_1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM QPSK\_1777.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 16 QAM\_1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM\_16 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM\_16 QAM\_1777.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 64 QAM 1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 64 QAM 1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 64 QAM\_1777.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM 256 QAM\_1712.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_5MHz\_CP-OFDM\_256\_QAM\_1777.5MHz\_Outer\_Full\_Ant1




4.2.2 15k\_SISO\_10MHz\_NTNV




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM QPSK\_1775MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 16 QAM\_1715MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_16\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_16\_QAM\_1775MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_64\_QAM\_1715MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_64\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 64 QAM\_1775MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM 256 QAM\_1715MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_DFT-s-OFDM\_256\_QAM\_1775MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_1715MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM QPSK\_1775MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 16 QAM\_1715MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_16 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_16 QAM\_1775MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 64 QAM\_1715MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 64 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 64 QAM\_1775MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM 256 QAM\_1715MHz\_Outer\_Full\_Ant1



n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_256 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_10MHz\_CP-OFDM\_256 QAM\_1775MHz\_Outer\_Full\_Ant1




4.2.3 15k\_SISO\_15MHz\_NTNV


n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM QPSK\_1717.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM QPSK\_1772.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 16 QAM\_1717.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM\_16\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM\_16\_QAM\_1772.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 64 QAM\_1717.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 64 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 64 QAM\_1772.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM 256 QAM\_1717.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_DFT-s-OFDM\_256\_QAM\_1772.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM\_QPSK\_1717.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM\_QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM QPSK\_1772.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 16 QAM\_1717.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM\_16 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM\_16 QAM\_1772.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 64 QAM 1717.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 64 QAM 1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 64 QAM 1772.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 256 QAM 1717.5MHz\_Outer\_Full\_Ant1



n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 256 QAM 1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_15MHz\_CP-OFDM 256 QAM 1772.5MHz\_Outer\_Full\_Ant1




#### 4.2.4 15k\_SISO\_20MHz\_NTNV


n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_1720MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_1770MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 16 QAM\_1720MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_16\_QAM\_1770MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_1720MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_64\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 64 QAM\_1770MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM 256 QAM\_1720MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_256\_QAM\_1770MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_1720MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_1770MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 16 QAM\_1720MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_16 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_16 QAM\_1770MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 64 QAM\_1720MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 64 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 64 QAM\_1770MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM 256 QAM\_1720MHz\_Outer\_Full\_Ant1



n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_256\_QAM\_1770MHz\_Outer\_Full\_Ant1




#### 4.2.5 15k\_SISO\_25MHz\_NTNV


n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM QPSK\_1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM QPSK\_1767.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM 16 QAM\_1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM\_16\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM\_16\_QAM\_1767.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM 64 QAM\_1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM 64 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM 64 QAM\_1767.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM 256 QAM\_1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_DFT-s-OFDM\_256\_QAM\_1767.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM QPSK\_1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM QPSK\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM QPSK\_1767.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM 16 QAM\_1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM\_16 QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM\_16 QAM\_1767.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM 64 QAM 1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM 64 QAM 1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM 64 QAM\_1767.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM 256 QAM\_1722.5MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM 256 QAM 1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_25MHz\_CP-OFDM 256 QAM 1767.5MHz\_Outer\_Full\_Ant1




4.2.6 15k\_SISO\_30MHz\_NTNV




n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_1765MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM 16 QAM\_1725MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_16\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_16\_QAM\_1765MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_64\_QAM\_1725MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_64\_QAM\_1745MHz\_Outer\_Full\_Ant1




n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM 64 QAM\_1765MHz\_Outer\_Full\_Ant1



n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM 256 QAM\_1725MHz\_Outer\_Full\_Ant1



n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_256\_QAM\_1745MHz\_Outer\_Full\_Ant1



n66\_15kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_256\_QAM\_1765MHz\_Outer\_Full\_Ant1

