

Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00913395	-52.22	-13
2	0.15	30	10	0.1873125	-52.45	-13
3	30	1000	100	557.41325	-56.59	-13
4	1000	18000	1000	16812.975	-36.96	-13

Band4 16QAM BW=15MHz Channel=20025 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.38	-13
2	0.15	30	10	0.18656625	-52.29	-13
3	30	1000	100	481.21975	-56.67	-13
4	1000	18000	1000	16518.875	-37.6	-13

Band4 16QAM BW=15MHz Channel=20175 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009793125	-53.43	-13
2	0.15	30	10	0.18507375	-52.09	-13
3	30	1000	100	894.05175	-56.56	-13
4	1000	18000	1000	16508.25	-37.9	-13

Band4 16QAM BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 16QAM BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 16QAM BW=20MHz Channel=20175 RB Size=100 Position=#0



Band4 16QAM BW=20MHz Channel=20300 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100575	-52.62	-13
2	0.15	30	10	0.18656625	-52.19	-13
3	30	1000	100	804.5935	-56.36	-13
4	1000	18000	1000	16412.625	-37.45	-13

Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01034655	-52.16	-13
2	0.15	30	10	0.188805	-51.02	-13
3	30	1000	100	556.29775	-56.73	-13
4	1000	18000	1000	16773.875	-38.27	-13

Band4 16QAM BW=3MHz Channel=20175 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093525	-51.91	-13
2	0.15	30	10	0.18656625	-52.51	-13
3	30	1000	100	767.782	-56.59	-13
4	1000	18000	1000	16614.925	-37.56	-13

Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 16QAM BW=5MHz Channel=20175 RB Size=25 Position=#0



Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099588	-52.3	-13
2	0.15	30	10	0.18955125	-52.78	-13
3	30	1000	100	912.021	-56.43	-13
4	1000	18000	1000	16617.9	-37.54	-13

Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010265475	-53.1	-13
2	0.15	30	10	0.188805	-52.15	-13
3	30	1000	100	769.431	-57.09	-13
4	1000	18000	1000	16614.925	-37.85	-13

Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093102	-52.13	-13
2	0.15	30	10	0.19179	-53.32	-13
3	30	1000	100	839.87725	-56.16	-13
4	1000	18000	1000	16551.6	-37.06	-13

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009426525	-52.74	-13
2	0.15	30	10	0.18805675	-53.06	-13
3	30	1000	100	690.8125	-56.44	-13
4	1000	18000	1000	16437.7	-37.11	-13

Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01033245	-52.25	-13
2	0.15	30	10	0.1873125	-52.52	-13
3	30	1000	100	993.8405	-56.41	-13
4	1000	18000	1000	16594.525	-36.63	-13

Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009828375	-52.34	-13
2	0.15	30	10	0.1873125	-52.14	-13
3	30	1000	100	862.42975	-56.25	-13
4	1000	18000	1000	16665.075	-38.29	-13

Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094512	-51.51	-13
2	0.15	30	10	0.188805	-52.5	-13
3	30	1000	100	972.86425	-56.42	-13
4	1000	18000	1000	16681.225	-37.87	-13

Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012948	-51.95	-13
2	0.15	30	10	0.188805	-51.32	-13
3	30	1000	100	890.196	-55.45	-13
4	1000	18000	1000	16434.725	-36.69	-13

Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102408	-52.06	-13
2	0.15	30	10	0.1873125	-52.08	-13
3	30	1000	100	418.31525	-56.42	-13
4	1000	18000	1000	16307.65	-37.64	-13

Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0



Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01069905	-53.17	-13
2	0.15	30	10	0.18507375	-54.02	-13
3	30	1000	100	892.30575	-56.41	-13
4	1000	18000	1000	16579.65	-37.14	-13

Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009581625	-61.43	-13
2	0.15	30	10	0.1873125	-54.54	-13
3	30	1000	100	812.984	-60.35	-13
4	1000	10000	1000	2475.1	-36.68	-13

Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00958515	-60.63	-13
2	0.15	30	10	0.18507375	-55.5	-13
3	30	1000	100	812.37775	-46.89	-13
4	1000	10000	1000	2509.525	-32.93	-13

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 16QAM BW=10MHz Channel=20525 RB Size=50 Position=#0



Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0



Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-58.22	-13
2	0.15	30	10	0.1873125	-55.26	-13
3	30	1000	100	928.34125	-62.31	-13
4	1000	10000	1000	2542.6	-32.89	-13

Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010335975	-59.57	-13
2	0.15	30	10	0.18656625	-55.19	-13
3	30	1000	100	519.38925	-62.51	-13
4	1000	10000	1000	2479.6	-41.22	-13

Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00911985	-58.17	-13
2	0.15	30	10	0.18582	-55.69	-13
3	30	1000	100	752.1165	-62.52	-13
4	1000	10000	1000	2510.425	-39.14	-13

Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010032825	-60.58	-13
2	0.15	30	10	0.18656625	-55.02	-13
3	30	1000	100	592.72125	-60.98	-13
4	1000	10000	1000	2541.25	-36.53	-13

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009222075	-59.57	-13
2	0.15	30	10	0.18582	-54.1	-13
3	30	1000	100	816.79125	-56.41	-13
4	1000	10000	1000	2474.65	-35.28	-13

Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-58.75	-13
2	0.15	30	10	0.1873125	-55.11	-13
3	30	1000	100	814.80275	-61.54	-13
4	1000	10000	1000	2510.2	-30.58	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009257325	-58.21	-13
2	0.15	30	10	0.1573125	-55.36	-13
3	30	1000	100	517.30375	-61.61	-13
4	1000	10000	1000	2534.275	-40.07	-13

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009525225	-59.09	-13
2	0.15	30	10	0.18656625	-54.99	-13
3	30	1000	100	808.88575	-61.31	-13
4	1000	10000	1000	2477.575	-38.9	-13

Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011534475	-59.99	-13
2	0.15	30	10	0.18805875	-55.06	-13
3	30	1000	100	766.909	-61.55	-13
4	1000	10000	1000	2509.75	-37.14	-13

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0



Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0



Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0



Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0



Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0



Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0



Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0



Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0



Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0



Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0



Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0



Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0



Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.14	-13
2	0.15	30	10	0.18582	-55.93	-13
3	30	1000	100	518.7345	-61.92	-13
4	1000	10000	1000	2143.9	-33.88	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009250275	-57.55	-13
2	0.15	30	10	0.18805875	-55.84	-13
3	30	1000	100	500.95925	-62.07	-13
4	1000	10000	1000	2103.85	-37.19	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009920025	-60.23	-13
2	0.15	30	10	0.188805	-55.06	-13
3	30	1000	100	498.72825	-62.08	-13
4	1000	10000	1000	2121.175	-38.04	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.43	-13
2	0.15	30	10	0.18955125	-55.33	-13
3	30	1000	100	490.67725	-61.77	-13
4	1000	10000	1000	2139.85	-35.92	-13

Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009116325	-57.86	-13
2	0.15	30	10	0.18805875	-55.54	-13
3	30	1000	100	478.30975	-61.99	-13
4	1000	10000	1000	2130.85	-40.27	-13

Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090282	-59.91	-13
2	0.15	30	10	0.18805875	-56.26	-13
3	30	1000	100	453.696	-61.58	-13
4	1000	10000	1000	2125	-39.8	-13

Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0



Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0



Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0



Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0



Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009250275	-59.84	-13
2	0.15	30	10	0.188805	-56.43	-13
3	30	1000	100	517.3765	-62.28	-13
4	1000	10000	1000	2135.35	-40.48	-13

Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.85	-13
2	0.15	30	10	0.18656625	-56.01	-13
3	30	1000	100	499.45575	-61.63	-13
4	1000	10000	1000	2118.7	-37.96	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-57.34	-13
2	0.15	30	10	0.18582	-56.11	-13
3	30	1000	100	503.0205	-61.59	-13
4	1000	10000	1000	2131.75	-37.65	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0



Band25 16QAM BW=1.4MHz Channel=26047 RB Size=6 Position=#0



Band25 16QAM BW=1.4MHz Channel=26365 RB Size=6 Position=#0



Band25 16QAM BW=1.4MHz Channel=26683 RB Size=6 Position=#0



Band25 16QAM BW=10MHz Channel=26090 RB Size=50 Position=#0



Band25 16QAM BW=10MHz Channel=26365 RB Size=50 Position=#0



Band25 16QAM BW=10MHz Channel=26640 RB Size=50 Position=#0



Band25 16QAM BW=15MHz Channel=26115 RB Size=75 Position=#0



Band25 16QAM BW=15MHz Channel=26365 RB Size=75 Position=#0



Band25 16QAM BW=15MHz Channel=26615 RB Size=75 Position=#0



Band25 16QAM BW=20MHz Channel=26140 RB Size=100 Position=#0



Band25 16QAM BW=20MHz Channel=26365 RB Size=100 Position=#0



Band25 16QAM BW=20MHz Channel=26590 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01012095	-56.78	-13
2	0.15	30	10	0.19104375	-54.29	-13
3	30	1000	100	819.1435	-61.13	-13
4	1000	20000	1000	19370.625	-43	-13

Band25 16QAM BW=3MHz Channel=26055 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-57.32	-13
2	0.15	30	10	0.1902975	-53.05	-13
3	30	1000	100	582.34225	-62.44	-13
4	1000	20000	1000	3703.7	-38.97	-13

Band25 16QAM BW=3MHz Channel=26365 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009243225	-59.13	-13
2	0.15	30	10	0.1932825	-54.17	-13
3	30	1000	100	895.434	-62.21	-13
4	1000	20000	1000	19482.725	-42.58	-13

Band25 16QAM BW=3MHz Channel=26675 RB Size=15 Position=#0



Band25 16QAM BW=5MHz Channel=26065 RB Size=25 Position=#0



Band25 16QAM BW=5MHz Channel=26365 RB Size=25 Position=#0



Band25 16QAM BW=5MHz Channel=26665 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-58.87	-13
2	0.15	30	10	0.18955125	-54.31	-13
3	30	1000	100	986.68675	-62.35	-13
4	1000	20000	1000	3823.4	-42.82	-13

Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102972	-59.41	-13
2	0.15	30	10	0.1902975	-53.92	-13
3	30	1000	100	932.70625	-61.39	-13
4	1000	20000	1000	3701.325	-35.06	-13

Band25 QPSK BW=1.4MHz Channel=26365 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-59.14	-13
2	0.15	30	10	0.19104375	-53.94	-13
3	30	1000	100	869.41375	-61.84	-13
4	1000	20000	1000	3764.975	-41.14	-13

Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-57.24	-13
2	0.15	30	10	0.1902975	-55.02	-13
3	30	1000	100	533.01775	-61.7	-13
4	1000	20000	1000	3829.1	-34.58	-13

Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010589775	-57.59	-13
2	0.15	30	10	0.18955125	-53.97	-13
3	30	1000	100	772.535	-62.24	-13
4	1000	20000	1000	19964.375	-42.81	-13

Band25 QPSK BW=10MHz Channel=26365 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00966975	-60.2	-13
2	0.15	30	10	0.19179	-54.34	-13
3	30	1000	100	768.29125	-61.3	-13
4	1000	20000	1000	18991.575	-42.9	-13

Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0



Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0



Band25 QPSK BW=15MHz Channel=26365 RB Size=75 Position=#0



Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0



Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0



Band25 QPSK BW=20MHz Channel=26365 RB Size=100 Position=#0



Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0



Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0



Band25 QPSK BW=3MHz Channel=26365 RB Size=15 Position=#0



Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0



Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0



Band25 QPSK BW=5MHz Channel=26365 RB Size=25 Position=#0



Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009574575	-58.91	-13
2	0.15	30	10	0.1902975	-53.47	-13
3	30	1000	100	848.583	-61.57	-13
4	1000	20000	1000	19664.175	-42.67	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.050231925	-59.41	-13
2	0.15	30	10	0.53431875	-56.53	-13
3	30	1000	100	835.197	-61.49	-13
4	1000	10000	1000	2444.5	-31.93	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0472251	-55.42	-13
2	0.15	30	10	0.53879625	-57.77	-13
3	30	1000	100	831.68075	-60.34	-13
4	1000	10000	1000	1637.875	-34.11	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0



Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0



Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0



Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0



Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0



Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0



Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0



Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.050154375	-59.08	-13
2	0.15	30	10	0.18955125	-59.45	-13
3	30	1000	100	840.84725	-60.37	-13
4	1000	10000	1000	2447.65	-37.69	-13

Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.05010855	-59.79	-13
2	0.15	30	10	0.18955125	-59.97	-13
3	30	1000	100	843.2965	-58.26	-13
4	1000	10000	1000	2457.1	-37.5	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103818	-57.32	-13
2	0.15	30	10	0.18955125	-59.36	-13
3	30	1000	100	840.7745	-57.77	-13
4	1000	10000	1000	2468.8	-38.83	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010448775	-58.63	-13
2	0.15	30	10	0.188805	-58.34	-13
3	30	1000	100	991.53675	-62.08	-13
4	1000	10000	1000	2449	-40.23	-13

Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01770675	-58.95	-13
2	0.15	30	10	0.19179	-60.03	-13
3	30	1000	100	849.6985	-61.45	-13
4	1000	10000	1000	2455.75	-40.2	-13

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.050429325	-55.83	-13
2	0.15	30	10	0.19104375	-60.2	-13
3	30	1000	100	851.008	-61.31	-13
4	1000	10000	1000	2464.75	-41.68	-13

Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) 16QAM BW=1.4MHz Channel=26915 RB Size=6 Position=#0



Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) 16QAM BW=10MHz Channel=26840 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096486	-57.69	-13
2	0.15	30	10	0.18955125	-54.66	-13
3	30	1000	100	754.61425	-62.51	-13
4	1000	10000	1000	2491.525	-44.13	-13

Band26(824-849) 16QAM BW=10MHz Channel=26915 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-55.51	-13
2	0.15	30	10	0.1902975	-55.44	-13
3	30	1000	100	585.6645	-62.57	-13
4	1000	10000	1000	2510.2	-42.05	-13

Band26(824-849) 16QAM BW=10MHz Channel=26990 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01113615	-60.19	-13
2	0.15	30	10	0.188805	-54.56	-13
3	30	1000	100	576.0615	-61.77	-13
4	1000	10000	1000	2533.6	-40.7	-13

Band26(824-849) 16QAM BW=15MHz Channel=26865 RB Size=75 Position=#0



Band26(824-849) 16QAM BW=15MHz Channel=26915 RB Size=75 Position=#0



Band26(824-849) 16QAM BW=15MHz Channel=26965 RB Size=75 Position=#0



Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095922	-59.34	-13
2	0.15	30	10	0.1902975	-54.89	-13
3	30	1000	100	808.231	-62.28	-13
4	1000	10000	1000	2476.675	-39.28	-13

Band26(824-849) 16QAM BW=3MHz Channel=26915 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011337075	-58.43	-13
2	0.15	30	10	0.18955125	-55.8	-13
3	30	1000	100	997.16275	-61.65	-13
4	1000	10000	1000	2509.75	-37.48	-13

Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-57.86	-13
2	0.15	30	10	0.1902975	-54.7	-13
3	30	1000	100	983.92225	-62.26	-13
4	1000	10000	1000	2541.925	-32.55	-13

Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=25 Position=#0



Band26(824-849) 16QAM BW=5MHz Channel=26915 RB Size=25 Position=#0



Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=25 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0