Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010667325	-49.93	-13
2	0.15	30	10	0.1514925	-52.23	-13
3	30	1000	100	833.8875	-52.63	-13
4	1000	18000	1000	16342.5	-32.96	-13

Band66 16QAM BW=3MHz Channel=132657 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.23	-13
2	0.15	30	10	0.15074625	-51.29	-13
3	30	1000	100	764.89625	-53.31	-13
4	1000	18000	1000	16553.725	-34.05	-13

Band66 16QAM BW=5MHz Channel=131997 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009997575	-48.44	-13
2	0.15	30	10	0.15	-49.75	-13
3	30	1000	100	401.0735	-53.86	-13
4	1000	18000	1000	16498.475	-34.52	-13

Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009215025	-47.63	-13
2	0.15	30	10	0.15373125	-51.44	-13
3	30	1000	100	813.275	-53.59	-13
4	1000	18000	1000	16628.95	-34.41	-13

Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-48.1	-13
2	0.15	30	10	0.15373125	-48.95	-13
3	30	1000	100	490.3135	-53.75	-13
4	1000	18000	1000	16491.675	-34.15	-13

Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009673275	-48.73	-13
2	0.15	30	10	0.15	-49.9	-13
3	30	1000	100	793.12325	-53.69	-13
4	1000	18000	1000	16440.675	-35.23	-13

Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009158625	-48.92	-13
2	0.15	30	10	0.15	-50.63	-13
3	30	1000	100	912.04525	-53.36	-13
4	1000	18000	1000	16522.7	-34.75	-13

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011809425	-48.25	-13
2	0.15	30	10	0.15	-51.1	-13
3	30	1000	100	923.78225	-53.39	-13
4	1000	18000	1000	16551.175	-34.52	-13

Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00941595	-46.38	-13
2	0.15	30	10	0.1514925	-49.88	-13
3	30	1000	100	991.0275	-53.68	-13
4	1000	18000	1000	16540.125	-33.2	-13

Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011538	-48.56	-13
2	0.15	30	10	0.1514925	-50.74	-13
3	30	1000	100	783.6415	-53.63	-13
4	1000	18000	1000	16477.65	-34.71	-13

Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119187	-49.1	-13
2	0.15	30	10	0.1514925	-51.48	-13
3	30	1000	100	874.0455	-53.4	-13
4	1000	18000	1000	16623.85	-34.45	-13

Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.69	-13
2	0.15	30	10	0.1544775	-52.71	-13
3	30	1000	100	905.01275	-52.55	-13
4	1000	18000	1000	16612.8	-34.39	-13

Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.68	-13
2	0.15	30	10	0.1544775	-51.4	-13
3	30	1000	100	710.96425	-52.66	-13
4	1000	18000	1000	16555.85	-34.18	-13

Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.89	-13
2	0.15	30	10	0.17611875	-52.42	-13
3	30	1000	100	951.985	-53.58	-13
4	1000	18000	1000	16512.075	-34.12	-13

Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01041	-49.05	-13
2	0.15	30	10	0.15074625	-52.12	-13
3	30	1000	100	761.54975	-53.09	-13
4	1000	18000	1000	16475.1	-34.11	-13

Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009609825	-46.93	-13
2	0.15	30	10	0.15	-51.96	-13
3	30	1000	100	566.72525	-53.43	-13
4	1000	18000	1000	16232.425	-34.68	-13

Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.24	-13
2	0.15	30	10	0.1514925	-51.47	-13
3	30	1000	100	814.60875	-53.43	-13
4	1000	18000	1000	16680.375	-35.03	-13

Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009518175	-47.47	-13
2	0.15	30	10	0.15	-49.59	-13
3	30	1000	100	794.6025	-53.44	-13
4	1000	18000	1000	16752.2	-34.58	-13

Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00962745	-49.28	-13
2	0.15	30	10	0.1514925	-50.61	-13
3	30	1000	100	835.0515	-53.54	-13
4	1000	18000	1000	16813.4	-35	-13

Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.92	-13
2	0.15	30	10	0.176865	-52.29	-13
3	30	1000	100	767.2485	-53.03	-13
4	1000	18000	1000	16789.6	-34.1	-13

RADIATED SPURIOUS EMISSION
Note:
(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequeny below 1000MHz.
(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3720.28	-28.64	7.00	12.93	-34.57	-13.00	-21.57	H
5580.09	-29.13	8.40	17.11	-37.84	-13.00	-24.84	H
7439.83	-27.16	8.10	22.20	-41.26	-13.00	-28.26	H
3720.28	-25.86	7.00	12.93	**-31.79**	-13.00	-18.79	V
5580.09	-26.02	8.40	17.11	-34.73	-13.00	-21.73	V
7439.83	-28.20	8.10	22.20	-42.30	-13.00	-29.30	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3760.13	-27.69	7.00	12.93	-33.62	-13.00	-20.62	H
5640.12	-26.99	8.40	17.11	-35.70	-13.00	-22.70	H
7520.13	-24.10	8.10	22.20	-38.20	-13.00	-25.20	H
3760.13	-26.13	7.00	12.93	**-32.06**	-13.00	-19.06	V
5640.12	-26.48	8.40	17.11	-35.19	-13.00	-22.19	V
7520.13	-27.92	8.10	22.20	-42.02	-13.00	-29.02	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3799.95	-28.11	7.00	12.93	-34.04	-13.00	-21.04	H
5699.78	-27.84	8.40	17.11	-36.55	-13.00	-23.55	H
7599.96	-24.65	8.10	22.20	-38.75	-13.00	-25.75	H
3799.95	-28.61	7.00	12.93	-34.54	-13.00	-21.54	V
5699.78	-25.07	8.40	17.11	**-33.78**	-13.00	-20.78	V
7599.96	-27.79	8.10	22.20	-41.89	-13.00	-28.89	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3440.00	-25.48	7.20	12.56	**-30.84**	-13.00	-17.84	H
5159.91	-26.08	8.10	16.32	-34.30	-13.00	-21.30	H
6880.71	-26.93	8.30	21.13	-39.76	-13.00	-26.76	H
3440.00	-28.38	7.20	12.56	-33.74	-13.00	-20.74	V
5159.91	-26.26	8.10	16.32	-34.48	-13.00	-21.48	V
6880.71	-27.75	8.30	21.13	-40.58	-13.00	-27.58	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3465.02	-26.00	7.20	12.56	**-31.36**	-13.00	-18.36	H
5196.81	-25.77	8.10	16.32	-33.99	-13.00	-20.99	H
6929.60	-26.18	8.30	21.13	-39.01	-13.00	-26.01	H
3465.02	-26.89	7.20	12.56	-32.25	-13.00	-19.25	V
5196.81	-25.43	8.10	16.32	-33.65	-13.00	-20.65	V
6929.60	-26.14	8.30	21.13	-38.97	-13.00	-25.97	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3490.57	-24.06	7.20	12.56	**-29.42**	-13.00	-16.42	H
5235.31	-28.21	8.10	16.32	-36.43	-13.00	-23.43	H
6979.36	-24.92	8.30	21.13	-37.75	-13.00	-24.75	H
3490.57	-28.22	7.20	12.56	-33.58	-13.00	-20.58	V
5235.31	-26.86	8.10	16.32	-35.08	-13.00	-22.08	V
6979.36	-26.16	8.30	21.13	-38.99	-13.00	-25.99	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1657.91	-29.70	7.40	9.72	-32.02	-13.00	-19.02	H
2486.43	-29.19	8.30	10.86	-31.75	-13.00	-18.75	H
3315.41	-27.89	7.20	11.57	-32.26	-13.00	-19.26	H
1657.91	-27.87	7.40	9.72	**-30.19**	-13.00	-17.19	V
2486.43	-28.86	8.30	10.86	-31.42	-13.00	-18.42	V
3315.41	-26.81	7.20	11.57	-31.18	-13.00	-18.18	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1672.42	-29.32	7.40	9.72	-31.64	-13.00	-18.64	H
2508.96	-26.55	8.30	10.86	**-29.11**	-13.00	-16.11	H
3345.09	-28.56	7.20	11.57	-32.93	-13.00	-19.93	H
1672.42	-26.84	7.40	9.72	-29.16	-13.00	-16.16	V
2508.96	-27.61	8.30	10.86	-30.17	-13.00	-17.17	V
3345.09	-26.79	7.20	11.57	-31.16	-13.00	-18.16	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1687.75	-27.26	7.40	9.72	-29.58	-13.00	-16.58	H
2531.62	-29.31	8.30	10.86	-31.87	-13.00	-18.87	H
3375.70	-24.15	7.20	11.57	**-28.52**	-13.00	-15.52	H
1687.75	-30.36	7.40	9.72	-32.68	-13.00	-19.68	V
2531.62	-28.67	8.30	10.86	-31.23	-13.00	-18.23	V
3375.70	-24.71	7.20	11.57	-29.08	-13.00	-16.08	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5021.01	-28.51	8.00	15.86	**-36.37**	-25.00	-11.37	H
7530.84	-27.14	8.30	19.28	-38.12	-25.00	-13.12	H
10258.68	-25.95	8.10	23.19	-41.04	-25.00	-16.04	H
5021.01	-28.92	8.00	15.86	-36.78	-25.00	-11.78	V
7530.84	-26.96	8.30	19.28	-37.94	-25.00	-12.94	V
10258.68	-27.60	8.10	23.19	-42.69	-25.00	-17.69	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5069.90	-29.39	8.00	15.86	-37.25	-25.00	-12.25	H
7605.15	-28.30	8.30	19.28	-39.28	-25.00	-14.28	H
10139.64	-26.40	8.10	23.19	-41.49	-25.00	-16.49	H
5069.90	-29.30	8.00	15.86	**-37.16**	-25.00	-12.16	V
7605.15	-29.85	8.30	19.28	-40.83	-25.00	-15.83	V
10139.64	-26.60	8.10	23.19	-41.69	-25.00	-16.69	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
5118.69	-26.49	8.00	15.86	**-34.35**	-25.00	-9.35	H
7678.20	-29.64	8.30	19.28	-40.62	-25.00	-15.62	H
10237.78	-24.22	8.10	23.19	-39.31	-25.00	-14.31	H
5118.69	-28.21	8.00	15.86	-36.07	-25.00	-11.07	V
7678.20	-28.18	8.30	19.28	-39.16	-25.00	-14.16	V
10237.78	-28.05	8.10	23.19	-43.14	-25.00	-18.14	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1407.93	-29.86	6.70	9.34	-32.50	-13.00	-19.50	H
2111.87	-29.40	7.80	10.42	-32.02	-13.00	-19.02	H
2815.98	-25.72	8.00	11.12	-28.84	-13.00	-15.84	H
1407.93	-31.02	6.70	9.34	-33.66	-13.00	-20.66	V
2111.87	-27.08	7.80	10.42	-29.70	-13.00	-16.70	V
2815.98	-24.32	8.00	11.12	**-27.44**	-13.00	-14.44	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1414.87	-25.52	6.70	9.34	-28.16	-13.00	-15.16	H
2122.44	-30.39	7.80	10.42	-33.01	-13.00	-20.01	H
2829.71	-27.93	8.00	11.12	-31.05	-13.00	-18.05	H
1414.87	-28.21	6.70	9.34	-30.85	-13.00	-17.85	V
2122.44	-25.44	7.80	10.42	-28.06	-13.00	-15.06	V
2829.71	-24.34	8.00	11.12	**-27.46**	-13.00	-14.46	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1421.79	-29.67	6.70	9.34	-32.31	-13.00	-19.31	H
2132.98	-25.77	7.80	10.42	**-28.39**	-13.00	-15.39	H
2843.94	-27.65	8.00	11.12	-30.77	-13.00	-17.77	H
1421.79	-26.87	6.70	9.34	-29.51	-13.00	-16.51	V
2132.98	-28.58	7.80	10.42	-31.20	-13.00	-18.20	V
2843.94	-27.10	8.00	11.12	-30.22	-13.00	-17.22	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1563.93	-46.15	7.40	9.72	-48.47	-40.00	-8.47	H
2345.92	-36.50	8.30	10.86	-39.06	-13.00	-26.06	H
3127.82	-35.87	7.70	11.57	-39.74	-13.00	-26.74	H
1563.93	-45.47	7.40	9.72	-47.79	-40.00	-7.79	V
2345.92	-36.25	8.30	10.86	**-38.81**	-13.00	-25.81	V
3127.82	-38.73	7.70	11.57	-42.60	-13.00	-29.60	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1418.27	-28.87	6.90	9.34	-31.31	-13.00	-18.31	H
2127.35	-26.90	8.00	10.42	-29.32	-13.00	-16.32	H
2836.74	-26.60	8.00	11.12	-29.72	-13.00	-16.72	H
1418.27	-29.91	6.90	9.34	-32.35	-13.00	-19.35	V
2127.35	-25.68	8.00	10.42	**-28.10**	-13.00	-15.10	V
2836.74	-26.63	8.00	11.12	-29.75	-13.00	-16.75	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1420.05	-27.39	6.90	9.34	-29.83	-13.00	-16.83	H
2130.26	-27.22	8.00	10.42	-29.64	-13.00	-16.64	H
2840.19	-28.50	8.00	11.12	-31.62	-13.00	-18.62	H
1420.05	-29.68	6.90	9.34	-32.12	-13.00	-19.12	V
2130.26	-27.11	8.00	10.42	-29.53	-13.00	-16.53	V
2840.19	-24.26	8.00	11.12	**-27.38**	-13.00	-14.38	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
1421.13	-26.49	6.90	9.34	-28.93	-13.00	-15.93	H
2131.72	-27.91	8.00	10.42	-30.33	-13.00	-17.33	H
2842.62	-24.10	8.00	11.12	**-27.22**	-13.00	-14.22	H
1421.13	-29.39	6.90	9.34	-31.83	-13.00	-18.83	V
2131.72	-26.44	8.00	10.42	-28.86	-13.00	-15.86	V
2842.62	-25.41	8.00	11.12	-28.53	-13.00	-15.53	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3439.82	-28.53	7.20	12.56	-33.89	-13.00	-20.89	H
5160.21	-26.75	8.10	16.32	-34.97	-13.00	-21.97	H
6879.93	-26.25	8.30	21.13	-39.08	-13.00	-26.08	H
3439.82	-25.82	7.20	12.56	**-31.18**	-13.00	-18.18	V
5160.21	-27.02	8.10	16.32	-35.24	-13.00	-22.24	V
6879.93	-25.72	8.30	21.13	-38.55	-13.00	-25.55	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3489.88	-25.10	7.20	12.56	**-30.46**	-13.00	-17.46	H
5235.30	-26.05	8.10	16.32	-34.27	-13.00	-21.27	H
6980.20	-25.11	8.30	21.13	-37.94	-13.00	-24.94	H
3489.88	-28.37	7.20	12.56	-33.73	-13.00	-20.73	V
5235.30	-25.79	8.10	16.32	-34.01	-13.00	-21.01	V
6980.20	-26.90	8.30	21.13	-39.73	-13.00	-26.73	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit （dBm）	Margin (dBm)	Polarity
3540.02	-27.82	7.20	12.56	**-33.18**	-13.00	-20.18	H
5309.91	-27.57	8.10	16.32	-35.79	-13.00	-22.79	H
7080.79	-26.94	8.30	21.13	-39.77	-13.00	-26.77	H
3540.02	-28.93	7.20	12.56	-34.29	-13.00	-21.29	V
5309.91	-26.68	8.10	16.32	-34.90	-13.00	-21.90	V
7080.79	-25.08	8.30	21.13	-37.91	-13.00	-24.91	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see LGT25B064EM01_APPENDIX II.

※※※※※END OF THE REPORT※※※※※