



Spectrum Plot


QPSK-18675




QPSK-18900




QPSK-19125




16QAM-18675



16QAM-18900



16QAM-19125



LTE Band 2_20M					
QPSK			16QAM		
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)
18700	1860	17.9290	18700	1860	17.9420
18900	1880	17.8890	18900	1880	17.9040
19100	1900	17.9220	19100	1900	17.9230
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
18700	1860	19.660	18700	1860	19.370
18900	1880	19.550	18900	1880	19.560
19100	1900	19.610	19100	1900	19.580

Spectrum Plot


QPSK-18700



QPSK-18900




QPSK-19100




16QAM-18700




16QAM-18900






16QAM-19100









APPENDIX C - CONDUCTED EMISSIONS



WCDMA Band II			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
9400	1880	9400	1880
Channel	Frequency(MHz)	-	-
9400	1880	-	-

LTE Band 2_1.4M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
18900	1880	18900	1880
			
Channel	Frequency(MHz)	-	-
18900	1880	-	-
		-	

LTE Band 2_5M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
18900	1880	18900	1880
			
Channel	Frequency(MHz)	-	-
18900	1880	-	-
			


LTE Band 2_20M			
Channel	Frequency(MHz)	Channel	Frequency(MHz)
18900	1880	18900	1880
			
Channel	Frequency(MHz)	-	-
18900	1880	-	-
			

APPENDIX D - RADIATED EMISSION (9KHZ TO 30MHZ)

Note: Below 30MHz, The measured value have enough margin over 20dB than the limit, therefore they are not reported.

APPENDIX E - RADIATED EMISSION (30MHZ TO 1GHZ)


Test Mode: PCS1900_TX Mode



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		107.1150	-81.58	2.30	-79.28	-13.00	-66.28	RMS	
2		240.9750	-81.86	-3.33	-85.19	-13.00	-72.19	RMS	
3		465.0450	-81.79	1.06	-80.73	-13.00	-67.73	RMS	
4		609.0900	-81.76	4.15	-77.61	-13.00	-64.61	RMS	
5		773.0200	-81.55	5.68	-75.87	-13.00	-62.87	RMS	
6	*	902.0300	-79.90	6.41	-73.49	-13.00	-60.49	RMS	

Test Mode: PCS1900_TX Mode


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		164.8300	-79.80	-3.23	-83.03	-13.00	-70.03	RMS	
2		253.1000	-81.77	-1.21	-82.98	-13.00	-69.98	RMS	
3		335.5500	-81.65	-0.65	-82.30	-13.00	-69.30	RMS	
4		475.2300	-80.88	1.24	-79.64	-13.00	-66.64	RMS	
5		634.3100	-81.15	4.09	-77.06	-13.00	-64.06	RMS	
6	*	853.5300	-80.34	6.36	-73.98	-13.00	-60.98	RMS	

Test Mode: WCDMA Band II_TX Mode


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		108.5700	-80.71	2.24	-78.47	-13.00	-65.47	RMS	
2		355.9200	-80.46	-0.21	-80.67	-13.00	-67.67	RMS	
3		485.4150	-81.74	1.22	-80.52	-13.00	-67.52	RMS	
4		586.7800	-80.94	3.85	-77.09	-13.00	-64.09	RMS	
5		641.1000	-81.40	4.09	-77.31	-13.00	-64.31	RMS	
6	*	772.5350	-80.96	5.68	-75.28	-13.00	-62.28	RMS	

Test Mode: WCDMA Band II_TX Mode


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	164.8300	-79.18	-3.23	-82.41	-13.00	-69.41	RMS	
2	289.4750	-82.30	-0.80	-83.10	-13.00	-70.10	RMS	
3	395.6900	-82.60	0.31	-82.29	-13.00	-69.29	RMS	
4	500.9350	-82.42	1.64	-80.78	-13.00	-67.78	RMS	
5	547.9800	-81.59	3.01	-78.58	-13.00	-65.58	RMS	
6 *	624.6100	-81.06	4.10	-76.96	-13.00	-63.96	RMS	

Test Mode: LTE Band 2_TX Mode _20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		103.2350	-81.76	2.46	-79.30	-13.00	-66.30	RMS	
2		311.3000	-82.27	-1.20	-83.47	-13.00	-70.47	RMS	
3		500.4500	-82.10	1.35	-80.75	-13.00	-67.75	RMS	
4		663.8950	-81.29	4.09	-77.20	-13.00	-64.20	RMS	
5		792.4200	-81.27	5.62	-75.65	-13.00	-62.65	RMS	
6	*	922.8850	-80.11	6.77	-73.34	-13.00	-60.34	RMS	

Test Mode: LTE Band 2_TX Mode _20M

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		164.8300	-79.30	-3.23	-82.53	-13.00	-69.53	RMS	
2		266.1950	-82.00	-1.07	-83.07	-13.00	-70.07	RMS	
3		438.3700	-82.10	0.76	-81.34	-13.00	-68.34	RMS	
4		567.3800	-82.38	3.43	-78.95	-13.00	-65.95	RMS	
5		650.8000	-81.01	4.09	-76.92	-13.00	-63.92	RMS	
6	*	775.4450	-80.40	5.98	-74.42	-13.00	-61.42	RMS	

APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode: PCS1900_TX Mode


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3760.000	-40.65	-4.92	-45.57	-13.00	-32.57	RMS	
2		5640.000	-49.42	-2.12	-51.54	-13.00	-38.54	RMS	

Test Mode: PCS1900_TX Mode


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3760.000	-44.66	-4.72	-49.38	-13.00	-36.38	RMS	
2		5640.000	-53.71	-2.04	-55.75	-13.00	-42.75	RMS	

Test Mode: WCDMA Band II_TX Mode


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3758.250	-46.95	-4.93	-51.88	-13.00	-38.88	RMS	
2		5642.700	-54.94	-2.11	-57.05	-13.00	-44.05	RMS	


Test Mode: WCDMA Band II_TX Mode

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3758.250	-52.93	-4.73	-57.66	-13.00	-44.66	RMS	
2		5637.600	-59.19	-2.04	-61.23	-13.00	-48.23	RMS	


Test Mode: LTE Band 2_TX Mode _20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3742.100	-40.00	-4.95	-44.95	-13.00	-31.95	RMS	
2		5612.950	-52.24	-2.23	-54.47	-13.00	-41.47	RMS	
3		7484.650	-58.94	2.06	-56.88	-13.00	-43.88	RMS	

Test Mode: LTE Band 2_TX Mode _20M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3742.100	-45.76	-4.76	-50.52	-13.00	-37.52	RMS	
2		5612.950	-58.17	-2.11	-60.28	-13.00	-47.28	RMS	
3		7484.000	-62.27	2.28	-59.99	-13.00	-46.99	RMS	

APPENDIX G - BAND EDGE

