

RF Test Report

FCC ID: 2AQSK-ED08R

Test Report No.....: RF260928004-01-001

Product(s) Name.....: Multi-channel video machine

Model(s).....: ED08R

Trade Mark.....: BSJ

Applicant.....: HuiZhou BoShiJie Technology CO.,Ltd

Address.....: No.1, Huifeng West three road, Zhongkai Hi-tech Zone, Huizhou
City, China

Receipt Date.....: 2026.09.29

Test Date.....: 2026.09.30 ~ 2026.10.12

Issued Date.....: 2026.10.13

Standards.....: 47 CFR FCC Part 2
47 CFR FCC Part 22
47 CFR FCC Part 24
47 CFR FCC Part 27
ANSI C63.26-2015
ANSI/TIA/EIA-603-E-2016
FCC KDB 971168 D01 Power Meas License Digital Systems v03r01

Testing Laboratory.....: Shenzhen Haiyun Standard Technical Co., Ltd.

Prepared By:	Checked By:	Approved By:	
Lemon He	Black Ding	Tim Zhang	
Lemon He	Black Ding	Tim Zhang	

Table of Contents

REPORT ISSUED HISTORY	3
1 . SUMMARY OF TEST RESULTS	4
1.1 TEST FACILITY	5
1.2 MEASUREMENT UNCERTAINTY	5
1.3 TEST ENVIRONMENT CONDITIONS	5
2 . GENERAL INFORMATION	6
2.1 GENERAL DESCRIPTION OF EUT	6
2.2 DESCRIPTION OF SUPPORT UNITS	6
3 . TEST RESULT	7
3.1 CONDUCTED OUTPUT POWER MEASUREMENT	7
3.1.1 LIMIT	7
3.1.2 TEST PROCEDURE	7
3.1.3 TEST SETUP LAYOUT	7
3.1.4 TEST DEVIATION	7
3.1.5 TEST RESULTS	7
3.2 RADIATED SPURIOUS EMISSIONS MEASUREMENT	29
3.2.1 LIMIT	29
3.2.2 TEST PROCEDURES	29
3.2.3 TEST SETUP LAYOUT	30
3.2.4 TEST RESULTS	31
4. LIST OF MEASUREMENT EQUIPMENTS	35

REPORT ISSUED HISTORY

Original Report Issue Date: 2026.10.13

- No additional attachment
- Additional attachments were issued following record

Attachment No.	Issue Date	Description

1. SUMMARY OF TEST RESULTS

Test procedures according to the technical standard(s):

FCC Part 2 & Part 22 & Part 24 & Part 27			
Standard(s) Section	Test Item	Judgment	Remark
2.1046 22.913(a) 24.232(c) 27.50(c) 27.50(d) 27.50(h)(2) 27.50(j)	Output Power & Equivalent Isotropic Radiated Power & Equivalent Radiated Power	PASS	-----
2.1049	Occupied Bandwidth	PASS	Note(2)
2.1051 22.917(a) 27.53(m)(4) 24.238(a) 27.53(h)	Conducted Spurious Emissions	PASS	Note(2)
2.1051 2.1053 22.917(a) 24.238(a) 27.53(m)(4)	Radiated Spurious Emissions	PASS	-----
2.1051 22.917(a) 24.238(a) 27.53(h) 27.53(g) 27.53(m)(4)	Band Edge	PASS	Note(2)
22.913(d) 24.232(d) 27.50(d) 27.50(j)	Peak To Average Ratio	PASS	Note(2)
2.1055 22.355 24.235 27.54	Frequency Stability	PASS	Note(2)

Note:

- (1) "N/A" denotes test is not applicable in this test report.
- (2) For test item: Occupied Bandwidth, Conducted Spurious Emissions, Band Edge , Peak To Average Ratio and Frequency Stability, Please refer to module report BTL-FCCP-1-2110H020, BTL-FCCP-2-2110H020, BTL-FCCP-3-2110H020(FCC ID: XMR202112EC200AAU)

1.1 TEST FACILITY

Company:	Shenzhen Haiyun Standard Technical Co., Ltd.
Address:	No. 110, 111, 112, 113, 115, 116, Block B, Jinyuan business Building, No. 302, Xixiang Avenue, Laodong Community, Xixiang Street, Bao'an District, Shenzhen P.R.C.
CNAS Registration Number:	CNAS L18252
CAB identifier:	CN0145
FCC Designation Number	CN1340
Company Number	30427
A2LA Certificate Number:	6823.01

1.2 MEASUREMENT UNCERTAINTY

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

Uncertainty	
Parameter	Uncertainty
Conducted emission(9kHz~30MHz) AC main	±2.68dB
Radiated emission(9kHz~30MHz)	±3.50dB
Radiated emission (30MHz~1GHz)	±4.20dB
Radiated emission (1GHz~18GHz)	±5.10dB
Radiated emission (18GHz~40GHz)	±5.26dB
Frequency error uncertainty	±80.66Hz
Uncertainty in power testing	±0.64dB
Phase uncertainty of transmitter	±0.35°
Uncertainty of power time relationship (-7dB~+1dB)	±0.58dB
Uncertainty of power time relationship (-20dB~-7dB)	±1.2dB
Uncertainty of power time relationship (-32dB~-20dB)	±2.3dB
Uncertainty of power time relationship (-50dB~-32dB)	±3.2dB
Uncertainty of power time relationship (-60dB~-50dB)	±3.5dB
Sensitivity	±1.24%
The transmitter conducts stray signals with uncertainty	±1.464dB

Note: Unless specifically mentioned, the uncertainty of measurement has not been taken into account to declare the compliance or non-compliance to the specification.

1.3 TEST ENVIRONMENT CONDITIONS

Test Item	Temperature	Humidity	Test Voltage	Tested By
Conducted Output Power & ERP & EIRP	24.1°C	48%	DC 12V	Elio Lin
Radiated Spurious Emissions (9 kHz to 30 MHz)	23.5°C	50%	DC 12V	Eria Yin
Radiated Spurious Emissions (30 MHz to 1000 MHz)	23.5°C	50%	DC 12V	Eria Yin
Radiated Spurious Emissions (Above 1000 MHz)	23.5°C	50%	DC 12V	Eria Yin

2. GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

Sample No.	POC260928004-S001	
Product Name	Multi-channel video machine	
Model name	ED08R	
Trade Mark	BSJ	
Power supply	DC 9-36V	
Modulation Type	GSM: GMSK, 8PSK WCDMA: QPSK, 16QAM LTE: QPSK, 16QAM, 64QAM	
Operation Band	GSM850 / PCS1900 WCDMA Band V / IV / II LTE Band 2 / 4 / 5 / 7 / 66	
Frequency Range	GSM850	Tx: 824MHz-849MHz Rx: 869MHz-894MHz
	PCS1900	Tx: 1850MHz-1910MHz Rx: 1930MHz-1990MHz
	WCDMA Band V	Tx: 824MHz-849MHz Rx: 869MHz-894MHz
	WCDMA Band IV	Tx: 1710MHz-1755MHz Rx: 2110MHz-2155MHz
	WCDMA Band II	Tx: 1850MHz-1910MHz Rx: 1930MHz-1990MHz
	LTE Band 2	Tx: 1850MHz-1910MHz Rx: 1930MHz-1990MHz
	LTE Band 4	Tx: 1710MHz-1755MHz Rx: 2110MHz-2155MHz
	LTE Band 5	Tx: 824MHz-849MHz Rx: 869MHz-894MHz
	LTE Band 7	Tx: 2500MHz-2570MHz Rx: 1850MHz-1910MHz
	LTE Band 66	Tx: 1710MHz-1780MHz Rx: 2110MHz-2200MHz
	LTE Band 2	1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz
	LTE Band 4	1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz
Channel Bandwidth	LTE Band 5	1.4MHz, 3MHz, 5MHz, 10MHz
	LTE Band 7	1.4MHz, 3MHz, 5MHz, 10MHz
	LTE Band 66	1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz
	LTE Band 2	1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz
	LTE Band 4	1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz
Antenna Type	External Antenna	
Antenna Gain	GSM850	-2.52dBi
	PCS1900	-2.29dBi
	WCDMA Band II	-2.29dBi
	WCDMA Band IV	-1.90dBi
	WCDMA Band V	-2.52dBi
	LTE Band 2	-2.29dBi
	LTE Band 4	-1.90dBi
	LTE Band 5	-2.52dBi
	LTE Band 7	-1.78dBi
	LTE Band 66	-1.90dBi

2.2 DESCRIPTION OF SUPPORT UNITS

No.	Equipment	Manufacturer	Model Name	Remarks
1	SIM Card	/	LTE 4G Card	/

3. TEST RESULT

3.1 CONDUCTED OUTPUT POWER MEASUREMENT

3.1.1 LIMIT

Mobile / Portable station are limited to 7 watts e.r.p.

Mobile / Portable station are limited to 1 watts e.i.r.p.

Mobile / Portable station are limited to 2 watts e.i.r.p.

Mobile / Portable station are limited to 3 watts e.r.p.

3.1.2 TEST PROCEDURE

The testing follows FCC KDB 971168 v03r01 Section 5.

EIRP:

$EIRP = \text{Output Power} + \text{Antenan gain}$

ERP:

$ERP = EIRP - 2.15$


Output Power:

The EUT was set up for the maximum power with LTE link data modulation and link up with simulator.

Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

3.1.3 TEST SETUP LAYOUT

Output Power Measurement



3.1.4 TEST DEVIATION

No deviation.

3.1.5 TEST RESULTS

Please refer to the APPENDIX A.

Conducted Output Power (dBm)

GSM850		Burst Output Power		
		128CH	190CH	251CH
		824.2MHz	836.6MHz	848.8MHz
GSM(GMSK)		32.14	32.07	32.09
GPRS/EDGE (GMSK)	1 Tx Slot	32.00	32.10	32.03
	2 Tx Slot	31.99	32.00	32.02
	3 Tx Slot	31.13	31.01	31.04
	4 Tx Slot	29.56	29.41	29.47
EDGE (8PSK)	1 Tx Slot	27.25	27.29	27.72
	2 Tx Slot	27.21	27.15	27.38
	3 Tx Slot	25.30	25.32	25.82
	4 Tx Slot	23.01	23.10	23.50

PCS1900		Burst Output Power		
		512CH	661CH	810CH
		1850.2MHz	1880MHz	1909.8MHz
GSM(GMSK)		29.42	29.70	29.84
GPRS/EDGE (GMSK)	1 Tx Slot	29.25	29.52	29.70
	2 Tx Slot	29.23	29.53	29.68
	3 Tx Slot	27.97	28.27	28.50
	4 Tx Slot	26.14	26.48	26.66
EDGE (8PSK)	1 Tx Slot	26.06	26.02	26.58
	2 Tx Slot	26.05	26.07	26.44
	3 Tx Slot	24.10	24.21	24.96
	4 Tx Slot	22.14	22.60	23.16

Modulation	Band	WCDMA Band II		
	Tx Channel	9262CH	9400CH	9538CH
	Frequency	1852.4MHz	1880MHz	1907.6MHz
QPSK	RMC 12.2K	23.34	23.73	23.81
	RMC 64K	23.39	23.38	23.63
	RMC 144K	23.44	23.63	23.25
	RMC 384K	23.44	23.77	23.67
	HSDPA Subtest-1	23.57	23.87	23.96
	HSDPA Subtest-2	23.00	23.38	23.29
	HSDPA Subtest-3	22.39	23.63	22.70
	HSDPA Subtest-4	22.38	22.72	22.69
	HSUPA Subtest-1	23.82	23.92	23.79
	HSUPA Subtest-2	23.78	23.98	23.90
	HSUPA Subtest-3	23.10	23.35	23.25
	HSUPA Subtest-4	23.85	24.05	24.01
	HSUPA Subtest-5	23.15	23.37	23.29

Modulation	Band	WCDMA Band IV		
	Tx Channel	1312CH	1413CH	1513CH
	Frequency	1712.4MHz	1732.6MHz	1752.6MHz
QPSK	RMC 12.2K	22.19	22.48	22.25
	RMC 64K	22.38	21.99	21.94
	RMC 144K	22.85	22.13	22.84
	RMC 384K	22.37	21.15	22.82
	HSDPA Subtest-1	23.55	23.87	23.43
	HSDPA Subtest-2	23.05	23.35	22.96
	HSDPA Subtest-3	22.54	22.8	22.5
	HSDPA Subtest-4	22.51	22.8	22.48
	HSUPA Subtest-1	23.49	23.87	23.54
	HSUPA Subtest-2	23.44	23.84	23.49
	HSUPA Subtest-3	23.01	23.34	23.02
	HSUPA Subtest-4	23.45	23.88	23.45
	HSUPA Subtest-5	22.98	23.33	23.97

Modulation	Band	WCDMA Band V		
	Tx Channel	4132CH	4182CH	4233CH
	Frequency	826.4MHz	836.4MHz	846.6MHz
QPSK	RMC 12.2K	22.96	23.12	22.94
	RMC 64K	22.95	23.07	22.37
	RMC 144K	22.94	23.04	22.31
	RMC 384K	21.74	23.05	22.7
	HSDPA Subtest-1	23.31	23.38	23.39
	HSDPA Subtest-2	22.51	22.76	22.85
	HSDPA Subtest-3	22.08	22.10	22.17
	HSDPA Subtest-4	22.09	22.09	22.16
	HSUPA Subtest-1	23.31	23.11	23.31
	HSUPA Subtest-2	23.34	23.18	23.32
	HSUPA Subtest-3	22.87	22.67	22.84
	HSUPA Subtest-4	23.42	23.31	23.37
	HSUPA Subtest-5	22.86	22.69	22.82

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18607CH	18900CH	19193CH
				1850.7MHz	1880MHz	1909.3MHz
2 / 1.4M	QPSK	1	0	22.60	23.60	23.90
		1	2	22.30	23.30	23.60
		1	5	22.80	23.50	23.90
		3	0	22.20	23.20	23.50
		3	1	22.30	23.30	23.50
		3	2	22.30	23.30	23.50
	16QAM	6	0	21.50	22.40	22.60
		1	0	22.20	23.10	23.10
		1	2	22.10	22.80	22.90
		1	5	22.40	23.10	23.10
		3	0	21.60	22.40	22.60
		3	1	21.60	22.40	22.60
		3	2	21.60	22.40	22.60
		6	0	20.70	21.60	21.90

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18615CH	18900CH	19185CH
				1851.5MHz	1880MHz	1908.5MHz
2 / 3M	QPSK	1	0	21.60	22.40	22.50
		1	7	23.20	23.30	23.40
		1	14	23.30	23.30	23.50
		8	0	21.50	22.40	22.50
		8	4	21.70	22.50	22.60
		8	7	21.70	22.40	22.60
		15	0	21.70	22.50	22.60
	16QAM	1	0	21.90	22.90	22.90
		1	7	22.20	22.90	22.90
		1	14	22.20	22.90	22.90
		8	0	20.50	21.40	21.60
		8	4	20.60	21.40	21.70
		8	7	20.60	21.40	21.80
		15	0	20.60	21.40	21.70

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18625CH	18900CH	19175CH
				1852.5MHz	1880MHz	1907.5MHz
2 / 5M	QPSK	1	0	22.40	23.40	23.40
		1	13	22.40	23.30	23.50
		1	24	22.80	23.40	23.60
		12	0	21.50	22.40	22.40
		12	6	21.70	22.50	22.50
		12	11	21.80	22.50	22.60
		25	0	21.70	22.50	22.50
	16QAM	1	0	22.10	23.00	22.80
		1	13	22.20	22.90	22.90
		1	24	22.60	23.10	23.10
		12	0	20.60	21.50	21.50
		12	6	20.70	21.50	21.70
		12	11	20.80	21.50	21.80
		25	0	20.60	21.40	21.60

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18650CH	18900CH	19150CH
				1855MHz	1880MHz	1905MHz
2 / 10M	QPSK	1	0	22.60	23.70	23.60
		1	25	22.60	23.20	23.00
		1	49	22.90	23.40	23.70
		25	0	21.40	22.30	22.10
		25	13	21.80	22.40	22.30
		25	25	21.80	22.20	22.30
		50	0	21.60	22.30	22.30
	16QAM	1	0	22.20	23.10	23.00
		1	25	22.30	22.80	22.70
		1	49	22.60	22.90	23.10
		25	0	20.40	21.20	21.00
		25	13	20.60	21.30	21.20
		25	25	20.70	21.10	21.30
		50	0	20.50	21.30	21.20

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18675CH	18900CH	19125CH
				1857.5MHz	1880MHz	1902.5MHz
2 / 15M	QPSK	1	0	22.30	23.40	23.00
		1	38	22.70	23.20	23.00
		1	74	23.10	22.90	23.60
		36	0	21.60	22.40	22.30
		36	18	21.90	22.40	22.30
		36	39	22.00	22.20	22.40
		75	0	21.80	22.40	22.40
	16QAM	1	0	22.00	22.90	22.70
		1	38	22.40	22.80	22.60
		1	74	22.70	22.60	22.90
		36	0	20.50	21.30	21.20
		36	18	20.80	21.30	21.30
		36	39	20.90	21.20	21.30
		75	0	20.60	21.40	21.40

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18700CH	18900CH	19100CH
				1860MHz	1880MHz	1900MHz
2 / 20M	QPSK	1	0	22.70	23.90	22.70
		1	50	22.70	23.20	23.20
		1	99	23.90	22.80	23.80
		50	0	23.60	22.40	22.00
		50	25	22.00	22.50	22.60
		50	50	22.10	22.10	22.30
		100	0	21.90	22.40	22.60
	16QAM	1	0	22.30	23.40	22.40
		1	50	22.50	22.80	22.90
		1	99	23.30	22.50	23.10
		50	0	20.50	21.30	20.80
		50	25	20.90	21.40	21.50
		50	50	21.00	21.00	21.20
		100	0	20.80	21.30	21.50

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19957CH	20175CH	20393CH
				1710.7MHz	1732.5MHz	1754.3MHz
4 / 1.4M	QPSK	1	0	23.60	23.50	23.20
		1	2	23.40	23.30	23.00
		1	5	23.60	23.50	23.30
		3	0	23.50	23.40	22.90
		3	1	23.50	23.40	24.80
		3	2	23.50	23.30	23.00
		6	0	22.40	22.40	22.00
	16QAM	1	0	23.20	23.10	22.90
		1	2	22.80	22.90	22.50
		1	5	23.20	23.10	22.80
		3	0	22.60	22.50	22.10
		3	1	22.60	22.50	22.10
		3	2	22.50	22.50	22.10
		6	0	21.80	21.80	21.30

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19965CH	20175CH	20385CH
				1711.5MHz	1732.5MHz	1753.5MHz
4 / 3M	QPSK	1	0	23.30	23.50	22.90
		1	7	23.30	23.30	22.90
		1	14	23.20	23.30	23.00
		8	0	22.40	22.40	21.90
		8	4	22.40	22.40	22.10
		8	7	22.40	22.30	22.00
		15	0	22.40	22.40	22.00
	16QAM	1	0	23.00	23.00	22.40
		1	7	22.90	22.80	22.50
		1	14	22.90	22.90	22.50
		8	0	21.40	21.50	21.00
		8	4	21.40	21.40	21.10
		8	7	21.40	21.50	21.00
		15	0	21.40	21.50	21.00

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19975CH	20175CH	20375CH
				1712.5MHz	1732.5MHz	1752.5MHz
4 / 5M	QPSK	1	0	23.50	23.50	23.10
		1	13	23.20	23.30	22.90
		1	24	23.20	23.20	23.20
		12	0	22.40	22.50	21.90
		12	6	22.40	22.40	23.30
		12	11	22.90	22.30	22.00
		25	0	22.30	22.40	22.00
	16QAM	1	0	23.00	23.00	22.60
		1	13	22.80	22.90	22.60
		1	24	22.90	22.80	22.70
		12	0	21.40	21.60	21.20
		12	6	21.40	21.60	21.10
		12	11	21.30	21.40	21.20
		25	0	21.20	21.50	21.00

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20000CH	20175CH	20350CH
				1715MHz	1732.5MHz	1750MHz
4 / 10M	QPSK	1	0	23.60	23.50	22.60
		1	25	23.80	23.20	22.80
		1	49	22.80	23.00	23.10
		25	0	22.10	22.30	21.60
		25	13	23.10	22.20	21.80
		25	25	22.70	21.90	21.80
		50	0	23.00	22.10	21.70
	16QAM	1	0	23.00	23.10	22.30
		1	25	23.50	22.70	22.30
		1	49	22.40	22.60	22.70
		25	0	21.00	21.30	20.70
		25	13	21.90	21.40	20.80
		25	25	21.60	21.10	20.80
		50	0	21.80	21.30	20.80

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20025CH	20175CH	20325CH
				1717.5MHz	1732.5MHz	1747.5MHz
4 / 15M	QPSK	1	0	23.30	23.30	22.20
		1	38	23.60	23.20	22.70
		1	74	23.50	22.50	23.00
		36	0	23.10	22.40	21.40
		36	18	22.80	22.40	21.70
		36	39	22.60	21.90	21.80
		75	0	22.70	22.10	21.80
	16QAM	1	0	22.90	22.80	21.70
		1	38	23.20	22.80	22.30
		1	74	23.10	21.90	22.60
		36	0	21.90	21.30	20.50
		36	18	21.80	21.40	20.80
		36	39	21.50	21.00	20.90
		75	0	21.60	21.30	20.80

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20050CH	20175CH	20300CH
				1720MHz	1732.5MHz	1745MHz
4 / 20M	QPSK	1	0	23.50	23.50	23.20
		1	50	23.40	23.20	22.50
		1	99	23.70	22.60	23.20
		50	0	22.90	22.30	20.80
		50	25	22.70	22.30	21.50
		50	50	22.40	21.50	21.80
		100	0	22.70	22.00	21.30
	16QAM	1	0	23.10	23.20	22.70
		1	50	23.10	22.80	22.00
		1	99	23.30	22.20	22.80
		50	0	21.70	21.20	20.00
		50	25	21.60	21.40	20.60
		50	50	21.40	20.70	20.90
		100	0	21.60	21.20	20.50

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20407CH	20525CH	20643CH
				824.7MHz	836.5MHz	848.3MHz
5 / 1.4M	QPSK	1	0	23.57	23.30	22.87
		1	2	24.11	23.10	23.54
		1	5	23.39	23.23	22.84
		3	0	23.26	23.11	23.54
		3	1	24.18	23.12	23.56
		3	2	24.14	23.07	23.59
		6	0	23.10	22.15	22.50
	16QAM	1	0	22.90	22.77	22.11
		1	2	23.20	22.25	22.53
		1	5	22.81	22.37	22.41
		3	0	22.28	22.19	22.57
		3	1	23.27	22.19	22.50
		3	2	23.11	22.20	22.76
		6	0	22.23	21.47	21.71

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20415CH	20525CH	20635CH
				825.5MHz	836.5MHz	847.5MHz
5 / 3M	QPSK	1	0	23.05	22.98	23.35
		1	7	23.67	23.05	23.52
		1	14	23.59	22.99	22.66
		8	0	22.82	22.09	22.45
		8	4	22.67	22.06	22.50
		8	7	22.59	21.98	22.45
		15	0	22.68	22.03	22.47
	16QAM	1	0	22.44	22.40	22.50
		1	7	23.08	22.24	22.62
		1	14	23.02	22.54	21.78
		8	0	21.94	21.11	21.55
		8	4	21.68	21.19	21.63
		8	7	21.72	21.20	21.47
		15	0	21.75	21.15	21.60

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20425CH	20525CH	20625CH
				826.5MHz	836.5MHz	846.5MHz
5 / 5M	QPSK	1	0	22.97	22.95	23.55
		1	13	23.54	23.01	23.44
		1	24	23.51	23.08	22.65
		12	0	22.74	22.02	22.47
		12	6	22.59	22.09	22.46
		12	11	22.44	22.11	22.56
		25	0	22.57	22.00	22.50
	16QAM	1	0	22.51	22.15	22.61
		1	13	22.79	22.55	22.70
		1	24	22.44	22.13	22.18
		12	0	21.70	21.14	21.58
		12	6	21.70	21.16	21.55
		12	11	21.58	21.13	21.65
		25	0	21.71	21.02	21.57

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20450CH	20525CH	20600CH
				829.0MHz	836.5MHz	844.0MHz
5 / 10M	QPSK	1	0	22.95	23.11	23.22
		1	25	23.16	22.79	23.20
		1	49	23.06	23.28	22.60
		25	0	22.32	21.61	21.96
		25	13	22.18	21.78	22.21
		25	25	21.89	21.73	22.06
		50	0	22.11	21.65	22.09
	16QAM	1	0	22.39	22.16	22.04
		1	25	22.43	21.99	22.66
		1	49	22.44	22.44	21.78
		25	0	21.45	20.69	21.00
		25	13	21.29	20.93	21.34
		25	25	21.03	20.86	21.13
		50	0	21.09	20.81	21.24

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20775CH	21100CH	21425CH
				2502.5MHz	2535MHz	2567.5MHz
7 / 5M	QPSK	1	0	24.57	24.53	24.18
		1	13	24.51	24.07	24.45
		1	24	24.38	24.00	24.14
		12	0	23.63	23.42	24.16
		12	6	23.69	23.22	23.89
		12	11	23.54	23.17	23.67
		25	0	23.58	23.15	23.80
	16QAM	1	0	23.78	23.83	24.18
		1	13	23.67	23.22	24.49
		1	24	23.43	23.26	24.05
		12	0	22.80	22.57	24.01
		12	6	22.80	22.38	23.68
		12	11	22.66	22.25	23.63
		25	0	22.63	22.27	23.78

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20800CH	21100CH	21400CH
				2505MHz	2535MHz	2565MHz
7 / 10M	QPSK	1	0	24.59	24.16	24.88
		1	25	23.73	23.98	24.01
		1	49	23.76	23.82	23.49
		25	0	23.14	23.56	23.33
		25	13	22.96	23.60	23.27
		25	25	22.60	22.86	23.72
		50	0	22.90	22.94	23.07
	16QAM	1	0	23.86	23.71	24.14
		1	25	23.01	23.21	23.42
		1	49	22.99	23.12	23.09
		25	0	22.40	22.62	22.33
		25	13	22.13	22.19	22.32
		25	25	21.75	21.91	22.74
		50	0	22.08	22.07	22.14

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20825CH	21100CH	21375CH
				2507.5MHz	2535MHz	2562.5MHz
7 / 15M	QPSK	1	0	24.50	24.37	24.36
		1	38	23.63	23.90	23.99
		1	74	23.78	23.76	23.83
		36	0	23.10	23.87	23.81
		36	18	22.75	23.20	23.12
		36	39	22.49	22.88	22.77
		75	0	22.77	22.86	22.81
	16QAM	1	0	23.86	23.79	24.36
		1	38	22.76	23.51	23.97
		1	74	23.03	23.43	23.83
		36	0	22.30	22.79	23.84
		36	18	21.98	22.18	23.12
		36	39	21.58	21.65	22.83
		75	0	21.95	21.93	22.87

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20850CH	21100CH	21350CH
				2510MHz	2535MHz	2560MHz
7 / 20M	QPSK	1	0	24.73	25.27	24.17
		1	50	23.28	24.76	24.56
		1	99	24.33	24.09	23.60
		50	0	22.86	24.01	23.17
		50	25	22.54	23.16	23.70
		50	50	22.86	22.73	23.20
		100	0	22.69	22.73	23.57
	16QAM	1	0	23.95	24.26	23.22
		1	50	22.55	23.31	23.75
		1	99	23.54	23.40	23.21
		50	0	21.88	22.82	22.35
		50	25	21.59	22.10	22.80
		50	50	21.81	21.63	22.18
		100	0	21.71	21.66	22.69

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131979CH	132322CH	132665CH
				1710.7MHz	1745MHz	1779.3MHz
66 / 1.4M	QPSK	1	0	24.19	24.41	24.42
		1	2	23.83	24.09	24.11
		1	5	24.30	24.37	24.36
		3	0	23.90	24.12	24.10
		3	1	23.93	24.19	24.18
		3	2	23.95	24.17	24.17
		6	0	22.91	24.04	23.06
	16QAM	1	0	23.21	23.74	23.65
		1	2	23.24	23.48	23.18
		1	5	23.68	23.30	23.81
		3	0	22.78	23.12	22.98
		3	1	22.86	23.12	23.04
		3	2	22.98	23.12	23.15
		6	0	22.01	22.27	22.25

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131987CH	132322CH	132657CH
				1711.5MHz	1745MHz	1778.5MHz
66 / 3M	QPSK	1	0	23.99	24.13	24.50
		1	7	24.04	24.19	24.40
		1	14	24.11	24.26	23.17
		8	0	22.97	23.10	23.51
		8	4	23.08	23.24	23.43
		8	7	23.06	23.25	23.30
		15	0	23.03	23.10	23.38
	16QAM	1	0	23.23	23.44	23.84
		1	7	23.07	23.51	23.50
		1	14	23.22	23.61	22.37
		8	0	22.09	22.14	22.42
		8	4	22.00	22.20	22.49
		8	7	22.02	22.31	22.33
		15	0	21.88	22.31	22.45

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131997CH	132322CH	132647CH
				1712.5MHz	1745MHz	1777.5MHz
66 / 5M	QPSK	1	0	24.04	24.11	24.66
		1	13	24.05	24.22	24.51
		1	24	24.25	24.40	23.38
		12	0	22.98	23.05	23.50
		12	6	23.11	23.13	23.49
		12	11	23.10	23.29	23.50
		25	0	23.06	23.04	23.58
	16QAM	1	0	23.47	23.03	23.75
		1	13	23.55	23.65	23.96
		1	24	23.58	23.42	22.92
		12	0	21.99	21.95	22.45
		12	6	22.02	22.23	22.60
		12	11	22.01	22.14	22.52
		25	0	21.91	22.14	22.60

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132022CH	132322CH	132622CH
				1715MHz	1745MHz	1775MHz
66 / 10M	QPSK	1	0	24.25	24.02	24.30
		1	25	24.03	24.09	24.36
		1	49	24.35	23.76	23.54
		25	0	22.79	22.69	22.99
		25	13	22.86	22.97	23.34
		25	25	22.79	23.08	23.29
		50	0	22.75	22.85	23.19
	16QAM	1	0	23.16	23.05	23.74
		1	25	22.78	23.42	23.75
		1	49	23.44	23.11	22.36
		25	0	21.60	21.86	21.94
		25	13	21.94	22.09	22.36
		25	25	21.84	21.99	22.17
		50	0	21.68	21.95	22.11

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132047CH	132322CH	132597CH
				1717.5MHz	1745MHz	1772.5MHz
66 / 15M	QPSK	1	0	24.18	24.02	24.22
		1	38	24.38	24.14	24.25
		1	74	22.92	23.62	23.38
		36	0	23.08	22.65	22.93
		36	18	23.27	23.09	23.21
		36	39	23.28	23.36	23.28
		75	0	23.18	22.91	23.01
	16QAM	1	0	23.08	23.16	23.67
		1	38	23.51	23.23	23.32
		1	74	22.28	22.89	22.72
		36	0	21.97	21.74	21.84
		36	18	22.41	22.14	22.16
		36	39	22.28	22.26	22.30
		75	0	22.19	21.97	22.05

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132072CH	132322CH	132572CH
				1720MHz	1745MHz	1770MHz
66 / 20M	QPSK	1	0	24.38	24.56	24.62
		1	50	24.20	24.13	23.96
		1	99	24.00	23.93	23.65
		50	0	22.94	22.41	22.99
		50	25	23.14	23.05	22.95
		50	50	22.75	23.43	23.17
		100	0	23.14	22.88	22.75
	16QAM	1	0	23.30	23.54	23.90
		1	50	23.04	23.35	23.13
		1	99	23.18	23.40	22.66
		50	0	21.83	21.42	22.00
		50	25	22.20	22.07	21.83
		50	50	21.85	22.41	22.13
		100	0	22.09	21.94	21.64

ERP (dBm)

GSM850		ERP		
		128CH	190CH	251CH
		824.2MHz	836.6MHz	848.8MHz
GSM(GMSK)		27.47	27.4	27.42
GPRS/EDGE (GMSK)	1 Tx Slot	27.33	27.43	27.36
	2 Tx Slot	27.32	27.33	27.35
	3 Tx Slot	26.46	26.34	26.37
	4 Tx Slot	24.89	24.74	24.80
EDGE (8PSK)	1 Tx Slot	22.58	22.62	23.05
	2 Tx Slot	22.54	22.48	22.71
	3 Tx Slot	20.63	20.65	21.15
	4 Tx Slot	18.34	18.43	18.83

Modulation	Band	WCDMA Band V		
	Tx Channel	4132CH	4182CH	4233CH
	Frequency	826.4MHz	836.4MHz	846.6MHz
QPSK	RMC 12.2K	18.29	18.45	18.27
	RMC 64K	18.28	18.40	17.70
	RMC 144K	18.27	18.37	17.64
	RMC 384K	17.07	18.38	18.03
	HSDPA Subtest-1	18.64	18.71	18.72
	HSDPA Subtest-2	17.84	18.09	18.18
	HSDPA Subtest-3	17.41	17.43	17.50
	HSDPA Subtest-4	17.42	17.42	17.49
	HSUPA Subtest-1	18.64	18.44	18.64
	HSUPA Subtest-2	18.67	18.51	18.65
	HSUPA Subtest-3	18.20	18.00	18.17
	HSUPA Subtest-4	18.75	18.64	18.70
	HSUPA Subtest-5	18.19	18.02	18.15

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20407CH	20525CH	20643CH
				824.7MHz	836.5MHz	848.3MHz
5 / 1.4M	QPSK	1	0	18.90	18.63	18.20
		1	2	19.44	18.43	18.87
		1	5	18.72	18.56	18.17
		3	0	18.59	18.44	18.87
		3	1	19.51	18.45	18.89
		3	2	19.47	18.40	18.92
	16QAM	6	0	18.43	17.48	17.83
		1	0	18.23	18.10	17.44
		1	2	18.53	17.58	17.86
		1	5	18.14	17.70	17.74
		3	0	17.61	17.52	17.90
		3	1	18.60	17.52	17.83
		3	2	18.44	17.53	18.09
		6	0	17.56	16.80	17.04

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20415CH	20525CH	20635CH
				825.5MHz	836.5MHz	847.5MHz
5 / 3M	QPSK	1	0	18.38	18.31	18.68
		1	7	19.00	18.38	18.85
		1	14	18.92	18.32	17.99
		8	0	18.15	17.42	17.78
		8	4	18.00	17.39	17.83
		8	7	17.92	17.31	17.78
		15	0	18.01	17.36	17.80
	16QAM	1	0	17.77	17.73	17.83
		1	7	18.41	17.57	17.95
		1	14	18.35	17.87	17.11
		8	0	17.27	16.44	16.88
		8	4	17.01	16.52	16.96
		8	7	17.05	16.53	16.80
		15	0	17.08	16.48	16.93

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20425CH	20525CH	20625CH
				826.5MHz	836.5MHz	846.5MHz
5 / 5M	QPSK	1	0	18.30	18.28	18.88
		1	13	18.87	18.34	18.77
		1	24	18.84	18.41	17.98
		12	0	18.07	17.35	17.80
		12	6	17.92	17.42	17.79
		12	11	17.77	17.44	17.89
		25	0	17.90	17.33	17.83
	16QAM	1	0	17.84	17.48	17.94
		1	13	18.12	17.88	18.03
		1	24	17.77	17.46	17.51
		12	0	17.03	16.47	16.91
		12	6	17.03	16.49	16.88
		12	11	16.91	16.46	16.98
		25	0	17.04	16.35	16.90

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20450CH	20525CH	20600CH
				829.0MHz	836.5MHz	844.0MHz
5 / 10M	QPSK	1	0	18.28	18.44	18.55
		1	25	18.49	18.12	18.53
		1	49	18.39	18.61	17.93
		25	0	17.65	16.94	17.29
		25	13	17.51	17.11	17.54
		25	25	17.22	17.06	17.39
		50	0	17.44	16.98	17.42
	16QAM	1	0	17.72	17.49	17.37
		1	25	17.76	17.32	17.99
		1	49	17.77	17.77	17.11
		25	0	16.78	16.02	16.33
		25	13	16.62	16.26	16.67
		25	25	16.36	16.19	16.46
		50	0	16.42	16.14	16.57

EIRP (dBm)

PCS1900		EIRP		
		512CH	661CH	810CH
		1850.2MHz	1880MHz	1909.8MHz
GSM(GMSK)		27.13	27.41	27.55
GPRS/EDGE (GMSK)	1 Tx Slot	26.96	27.23	27.41
	2 Tx Slot	26.94	27.24	27.39
	3 Tx Slot	25.68	25.98	26.21
	4 Tx Slot	23.85	24.19	24.37
EDGE (8PSK)	1 Tx Slot	23.77	23.73	24.29
	2 Tx Slot	23.76	23.78	24.15
	3 Tx Slot	21.81	21.92	22.67
	4 Tx Slot	19.85	20.31	20.87

Modulation	Band	WCDMA Band II		
	Tx Channel	9262CH	9400CH	9538CH
	Frequency	1852.4MHz	1880MHz	1907.6MHz
QPSK	RMC 12.2K	21.05	21.44	21.52
	RMC 64K	21.10	21.09	21.34
	RMC 144K	21.15	21.34	20.96
	RMC 384K	21.15	21.48	21.38
	HSDPA Subtest-1	21.28	21.58	21.67
	HSDPA Subtest-2	20.71	21.09	21.00
	HSDPA Subtest-3	20.10	21.34	20.41
	HSDPA Subtest-4	20.09	20.43	20.40
	HSUPA Subtest-1	21.53	21.63	21.50
	HSUPA Subtest-2	21.49	21.69	21.61
	HSUPA Subtest-3	20.81	21.06	20.96
	HSUPA Subtest-4	21.56	21.76	21.72
	HSUPA Subtest-5	20.86	21.08	21.00

Modulation	Band	WCDMA Band IV		
	Tx Channel	1312CH	1413CH	1513CH
	Frequency	1712.4MHz	1732.6MHz	1752.6MHz
QPSK	RMC 12.2K	20.29	20.58	20.35
	RMC 64K	20.48	20.09	20.04
	RMC 144K	20.95	20.23	20.94
	RMC 384K	20.47	19.25	20.92
	HSDPA Subtest-1	21.65	21.97	21.53
	HSDPA Subtest-2	21.15	21.45	21.06
	HSDPA Subtest-3	20.64	20.90	20.60
	HSDPA Subtest-4	20.61	20.90	20.58
	HSUPA Subtest-1	21.59	21.97	21.64
	HSUPA Subtest-2	21.54	21.94	21.59
	HSUPA Subtest-3	21.11	21.44	21.12
	HSUPA Subtest-4	21.55	21.98	21.55
	HSUPA Subtest-5	21.08	21.43	22.07

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18607CH	18900CH	19193CH
				1850.7MHz	1880MHz	1909.3MHz
2 / 1.4M	QPSK	1	0	20.31	21.31	21.61
		1	2	20.01	21.01	21.31
		1	5	20.51	21.21	21.61
		3	0	19.91	20.91	21.21
		3	1	20.01	21.01	21.21
		3	2	20.01	21.01	21.21
	16QAM	6	0	19.21	20.11	20.31
		1	0	19.91	20.81	20.81
		1	2	19.81	20.51	20.61
		1	5	20.11	20.81	20.81
		3	0	19.31	20.11	20.31
		3	1	19.31	20.11	20.31
		3	2	19.31	20.11	20.31
		6	0	18.41	19.31	19.61

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18615CH	18900CH	19185CH
				1851.5MHz	1880MHz	1908.5MHz
2 / 3M	QPSK	1	0	19.31	20.11	20.21
		1	7	20.91	21.01	21.11
		1	14	21.01	21.01	21.21
		8	0	19.21	20.11	20.21
		8	4	19.41	20.21	20.31
		8	7	19.41	20.11	20.31
		15	0	19.41	20.21	20.31
	16QAM	1	0	19.61	20.61	20.61
		1	7	19.91	20.61	20.61
		1	14	19.91	20.61	20.61
		8	0	18.21	19.11	19.31
		8	4	18.31	19.11	19.41
		8	7	18.31	19.11	19.51
		15	0	18.31	19.11	19.41

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18625CH	18900CH	19175CH
				1852.5MHz	1880MHz	1907.5MHz
2 / 5M	QPSK	1	0	20.11	21.11	21.11
		1	13	20.11	21.01	21.21
		1	24	20.51	21.11	21.31
		12	0	19.21	20.11	20.11
		12	6	19.41	20.21	20.21
		12	11	19.51	20.21	20.31
		25	0	19.41	20.21	20.21
	16QAM	1	0	19.81	20.71	20.51
		1	13	19.91	20.61	20.61
		1	24	20.31	20.81	20.81
		12	0	18.31	19.21	19.21
		12	6	18.41	19.21	19.41
		12	11	18.51	19.21	19.51
		25	0	18.31	19.11	19.31

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18650CH	18900CH	19150CH
				1855MHz	1880MHz	1905MHz
2 / 10M	QPSK	1	0	20.31	21.41	21.31
		1	25	20.31	20.91	20.71
		1	49	20.61	21.11	21.41
		25	0	19.11	20.01	19.81
		25	13	19.51	20.11	20.01
		25	25	19.51	19.91	20.01
		50	0	19.31	20.01	20.01
	16QAM	1	0	19.91	20.81	20.71
		1	25	20.01	20.51	20.41
		1	49	20.31	20.61	20.81
		25	0	18.11	18.91	18.71
		25	13	18.31	19.01	18.91
		25	25	18.41	18.81	19.01
		50	0	18.21	19.01	18.91

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18675CH	18900CH	19125CH
				1857.5MHz	1880MHz	1902.5MHz
2 / 15M	QPSK	1	0	20.01	21.11	20.71
		1	38	20.41	20.91	20.71
		1	74	20.81	20.61	21.31
		36	0	19.31	20.11	20.01
		36	18	19.61	20.11	20.01
		36	39	19.71	19.91	20.11
		75	0	19.51	20.11	20.11
	16QAM	1	0	19.71	20.61	20.41
		1	38	20.11	20.51	20.31
		1	74	20.41	20.31	20.61
		36	0	18.21	19.01	18.91
		36	18	18.51	19.01	19.01
		36	39	18.61	18.91	19.01
		75	0	18.31	19.11	19.11

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				18700CH	18900CH	19100CH
				1860MHz	1880MHz	1900MHz
2 / 20M	QPSK	1	0	20.41	21.61	20.41
		1	50	20.41	20.91	20.91
		1	99	21.61	20.51	21.51
		50	0	21.31	20.11	19.71
		50	25	19.71	20.21	20.31
		50	50	19.81	19.81	20.01
		100	0	19.61	20.11	20.31
	16QAM	1	0	20.01	21.11	20.11
		1	50	20.21	20.51	20.61
		1	99	21.01	20.21	20.81
		50	0	18.21	19.01	18.51
		50	25	18.61	19.11	19.21
		50	50	18.71	18.71	18.91
		100	0	18.51	19.01	19.21

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19957CH	20175CH	20393CH
				1710.7MHz	1732.5MHz	1754.3MHz
4 / 1.4M	QPSK	1	0	21.70	21.60	21.30
		1	2	21.50	21.40	21.10
		1	5	21.70	21.60	21.40
		3	0	21.60	21.50	21.00
		3	1	21.60	21.50	22.90
		3	2	21.60	21.40	21.10
		6	0	20.50	20.50	20.10
	16QAM	1	0	21.30	21.20	21.00
		1	2	20.90	21.00	20.60
		1	5	21.30	21.20	20.90
		3	0	20.70	20.60	20.20
		3	1	20.70	20.60	20.20
		3	2	20.60	20.60	20.20
		6	0	19.90	19.90	19.40

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19965CH	20175CH	20385CH
				1711.5MHz	1732.5MHz	1753.5MHz
4 / 3M	QPSK	1	0	21.40	21.60	21.00
		1	7	21.40	21.40	21.00
		1	14	21.30	21.40	21.10
		8	0	20.50	20.50	20.00
		8	4	20.50	20.50	20.20
		8	7	20.50	20.40	20.10
		15	0	20.50	20.50	20.10
	16QAM	1	0	21.10	21.10	20.50
		1	7	21.00	20.90	20.60
		1	14	21.00	21.00	20.60
		8	0	19.50	19.60	19.10
		8	4	19.50	19.50	19.20
		8	7	19.50	19.60	19.10
		15	0	19.50	19.60	19.10

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19975CH	20175CH	20375CH
				1712.5MHz	1732.5MHz	1752.5MHz
4 / 5M	QPSK	1	0	21.60	21.60	21.20
		1	13	21.30	21.40	21.00
		1	24	21.30	21.30	21.30
		12	0	20.50	20.60	20.00
		12	6	20.50	20.50	21.40
		12	11	21.00	20.40	20.10
		25	0	20.40	20.50	20.10
	16QAM	1	0	21.10	21.10	20.70
		1	13	20.90	21.00	20.70
		1	24	21.00	20.90	20.80
		12	0	19.50	19.70	19.30
		12	6	19.50	19.70	19.20
		12	11	19.40	19.50	19.30
		25	0	19.30	19.60	19.10

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20000CH	20175CH	20350CH
				1715MHz	1732.5MHz	1750MHz
4 / 10M	QPSK	1	0	21.70	21.60	20.70
		1	25	21.90	21.30	20.90
		1	49	20.90	21.10	21.20
		25	0	20.20	20.40	19.70
		25	13	21.20	20.30	19.90
		25	25	20.80	20.00	19.90
		50	0	21.10	20.20	19.80
	16QAM	1	0	21.10	21.20	20.40
		1	25	21.60	20.80	20.40
		1	49	20.50	20.70	20.80
		25	0	19.10	19.40	18.80
		25	13	20.00	19.50	18.90
		25	25	19.70	19.20	18.90
		50	0	19.90	19.40	18.90

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20025CH	20175CH	20325CH
				1717.5MHz	1732.5MHz	1747.5MHz
4 / 15M	QPSK	1	0	21.40	21.40	20.30
		1	38	21.70	21.30	20.80
		1	74	21.60	20.60	21.10
		36	0	21.20	20.50	19.50
		36	18	20.90	20.50	19.80
		36	39	20.70	20.00	19.90
		75	0	20.80	20.20	19.90
	16QAM	1	0	21.00	20.90	19.80
		1	38	21.30	20.90	20.40
		1	74	21.20	20.00	20.70
		36	0	20.00	19.40	18.60
		36	18	19.90	19.50	18.90
		36	39	19.60	19.10	19.00
		75	0	19.70	19.40	18.90

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20050CH	20175CH	20300CH
				1720MHz	1732.5MHz	1745MHz
4 / 20M	QPSK	1	0	21.60	21.60	21.30
		1	50	21.50	21.30	20.60
		1	99	21.80	20.70	21.30
		50	0	21.00	20.40	18.90
		50	25	20.80	20.40	19.60
		50	50	20.50	19.60	19.90
		100	0	20.80	20.10	19.40
	16QAM	1	0	21.20	21.30	20.80
		1	50	21.20	20.90	20.10
		1	99	21.40	20.30	20.90
		50	0	19.80	19.30	18.10
		50	25	19.70	19.50	18.70
		50	50	19.50	18.80	19.00
		100	0	19.70	19.30	18.60

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20775CH	21100CH	21425CH
				2502.5MHz	2535MHz	2567.5MHz
7 / 5M	QPSK	1	0	22.79	22.75	22.40
		1	13	22.73	22.29	22.67
		1	24	22.60	22.22	22.36
		12	0	21.85	21.64	22.38
		12	6	21.91	21.44	22.11
		12	11	21.76	21.39	21.89
		25	0	21.80	21.37	22.02
	16QAM	1	0	22.00	22.05	22.40
		1	13	21.89	21.44	22.71
		1	24	21.65	21.48	22.27
		12	0	21.02	20.79	22.23
		12	6	21.02	20.60	21.90
		12	11	20.88	20.47	21.85
		25	0	20.85	20.49	22.00

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20800CH	21100CH	21400CH
				2505MHz	2535MHz	2565MHz
7 / 10M	QPSK	1	0	22.81	22.38	23.10
		1	25	21.95	22.20	22.23
		1	49	21.98	22.04	21.71
		25	0	21.36	21.78	21.55
		25	13	21.18	21.82	21.49
		25	25	20.82	21.08	21.94
		50	0	21.12	21.16	21.29
	16QAM	1	0	22.08	21.93	22.36
		1	25	21.23	21.43	21.64
		1	49	21.21	21.34	21.31
		25	0	20.62	20.84	20.55
		25	13	20.35	20.41	20.54
		25	25	19.97	20.13	20.96
		50	0	20.30	20.29	20.36

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20825CH	21100CH	21375CH
				2507.5MHz	2535MHz	2562.5MHz
7 / 15M	QPSK	1	0	22.72	22.59	22.58
		1	38	21.85	22.12	22.21
		1	74	22.00	21.98	22.05
		36	0	21.32	22.09	22.03
		36	18	20.97	21.42	21.34
		36	39	20.71	21.10	20.99
		75	0	20.99	21.08	21.03
	16QAM	1	0	22.08	22.01	22.58
		1	38	20.98	21.73	22.19
		1	74	21.25	21.65	22.05
		36	0	20.52	21.01	22.06
		36	18	20.20	20.40	21.34
		36	39	19.80	19.87	21.05
		75	0	20.17	20.15	21.09

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20850CH	21100CH	21350CH
				2510MHz	2535MHz	2560MHz
7 / 20M	QPSK	1	0	22.95	23.49	22.39
		1	50	21.50	22.98	22.78
		1	99	22.55	22.31	21.82
		50	0	21.08	22.23	21.39
		50	25	20.76	21.38	21.92
		50	50	21.08	20.95	21.42
		100	0	20.91	20.95	21.79
	16QAM	1	0	22.17	22.48	21.44
		1	50	20.77	21.53	21.97
		1	99	21.76	21.62	21.43
		50	0	20.10	21.04	20.57
		50	25	19.81	20.32	21.02
		50	50	20.03	19.85	20.40
		100	0	19.93	19.88	20.91

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131979CH	132322CH	132665CH
				1710.7MHz	1745MHz	1779.3MHz
66 / 1.4M	QPSK	1	0	22.29	22.51	22.52
		1	2	21.93	22.19	22.21
		1	5	22.40	22.47	22.46
		3	0	22.00	22.22	22.20
		3	1	22.03	22.29	22.28
		3	2	22.05	22.27	22.27
		6	0	21.01	22.14	21.16
	16QAM	1	0	21.31	21.84	21.75
		1	2	21.34	21.58	21.28
		1	5	21.78	21.40	21.91
		3	0	20.88	21.22	21.08
		3	1	20.96	21.22	21.14
		3	2	21.08	21.22	21.25
		6	0	20.11	20.37	20.35

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131987CH	132322CH	132657CH
				1711.5MHz	1745MHz	1778.5MHz
66 / 3M	QPSK	1	0	22.09	22.23	22.60
		1	7	22.14	22.29	22.50
		1	14	22.21	22.36	21.27
		8	0	21.07	21.20	21.61
		8	4	21.18	21.34	21.53
		8	7	21.16	21.35	21.40
		15	0	21.13	21.20	21.48
	16QAM	1	0	21.33	21.54	21.94
		1	7	21.17	21.61	21.60
		1	14	21.32	21.71	20.47
		8	0	20.19	20.24	20.52
		8	4	20.10	20.30	20.59
		8	7	20.12	20.41	20.43
		15	0	19.98	20.41	20.55

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				131997CH	132322CH	132647CH
				1712.5MHz	1745MHz	1777.5MHz
66 / 5M	QPSK	1	0	22.14	22.21	22.76
		1	13	22.15	22.32	22.61
		1	24	22.35	22.50	21.48
		12	0	21.08	21.15	21.60
		12	6	21.21	21.23	21.59
		12	11	21.20	21.39	21.60
		25	0	21.16	21.14	21.68
	16QAM	1	0	21.57	21.13	21.85
		1	13	21.65	21.75	22.06
		1	24	21.68	21.52	21.02
		12	0	20.09	20.05	20.55
		12	6	20.12	20.33	20.70
		12	11	20.11	20.24	20.62
		25	0	20.01	20.24	20.70

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132022CH	132322CH	132622CH
				1715MHz	1745MHz	1775MHz
66 / 10M	QPSK	1	0	22.35	22.12	22.40
		1	25	22.13	22.19	22.46
		1	49	22.45	21.86	21.64
		25	0	20.89	20.79	21.09
		25	13	20.96	21.07	21.44
		25	25	20.89	21.18	21.39
		50	0	20.85	20.95	21.29
	16QAM	1	0	21.26	21.15	21.84
		1	25	20.88	21.52	21.85
		1	49	21.54	21.21	20.46
		25	0	19.70	19.96	20.04
		25	13	20.04	20.19	20.46
		25	25	19.94	20.09	20.27
		50	0	19.78	20.05	20.21

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132047CH	132322CH	132597CH
				1717.5MHz	1745MHz	1772.5MHz
66 / 15M	QPSK	1	0	22.28	22.12	22.32
		1	38	22.48	22.24	22.35
		1	74	21.02	21.72	21.48
		36	0	21.18	20.75	21.03
		36	18	21.37	21.19	21.31
		36	39	21.38	21.46	21.38
		75	0	21.28	21.01	21.11
	16QAM	1	0	21.18	21.26	21.77
		1	38	21.61	21.33	21.42
		1	74	20.38	20.99	20.82
		36	0	20.07	19.84	19.94
		36	18	20.51	20.24	20.26
		36	39	20.38	20.36	20.40
		75	0	20.29	20.07	20.15

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				132072CH	132322CH	132572CH
				1720MHz	1745MHz	1770MHz
66 / 20M	QPSK	1	0	22.48	22.66	22.72
		1	50	22.30	22.23	22.06
		1	99	22.10	22.03	21.75
		50	0	21.04	20.51	21.09
		50	25	21.24	21.15	21.05
		50	50	20.85	21.53	21.27
		100	0	21.24	20.98	20.85
	16QAM	1	0	21.40	21.64	22.00
		1	50	21.14	21.45	21.23
		1	99	21.28	21.50	20.76
		50	0	19.93	19.52	20.10
		50	25	20.30	20.17	19.93
		50	50	19.95	20.51	20.23
		100	0	20.19	20.04	19.74

3.2 RADIATED SPURIOUS EMISSIONS MEASUREMENT

3.2.1 LIMIT

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The emission limit equal to -13dBm.

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. The emission limit equal to -25dBm.

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $60 + 10 \log(P)$ dB. The emission limit equal to -40dBm.


3.2.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 6.2.


1. In the semi-anechoic chamber, EUT placed on the 0.8m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
2. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value " of step a. Record the power level of S.G
3. $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn}.$
4. ERP can be calculated form EIRP by subtracting the gain of dipole, $ERP = EIPR - 2.15\text{dBi}.$
5. The resolution bandwidth and video bandwidth of test receiver/spectrum analyzer is 1MHz/3MHz.

3.2.3 TEST SETUP LAYOUT


Below 30MHz



30MHz to 1GHz



Above 1GHz



3.2.4 TEST RESULTS

Radiated emission: 9KHz-30MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Radiated emission: Above 30MHz

Frequency (MHz)	Read Level (dBm)	Polarization	Factor (dB)	Measurement (dBm)	Limit (dBm)	Margin (dB)	Detector
GSM850 Mid CH							
68.39	-57.68	H	-3.14	-60.82	-13.00	47.82	peak
483.91	-65.48	H	2.69	-62.79	-13.00	49.79	peak
679.96	-72.03	V	8.66	-63.37	-13.00	50.37	peak
50.41	-59.94	V	-4.54	-64.48	-13.00	51.48	peak
531.96	-67.37	V	3.61	-63.76	-13.00	50.76	peak
625.08	-65.97	V	4.11	-61.86	-13.00	48.86	peak
1673.20	-44.94	H	-3.65	-48.59	-13.00	35.59	peak
2509.80	-55.48	H	-0.25	-55.73	-13.00	42.73	peak
1673.20	-44.01	V	-3.40	-47.41	-13.00	34.41	peak
2509.80	-54.35	V	-0.22	-54.57	-13.00	41.57	peak

PCS1900 Mid CH							
66.97	-59.25	H	-2.64	-61.89	-13.00	48.89	peak
211.53	-56.86	H	-6.40	-63.26	-13.00	50.26	peak
687.15	-71.91	V	7.52	-64.39	-13.00	51.39	peak
50.59	-59.48	V	-4.54	-64.02	-13.00	51.02	peak
560.69	-69.73	V	4.36	-65.37	-13.00	52.37	peak
625.08	-66.82	V	4.11	-62.71	-13.00	49.71	peak
3760.00	-56.80	H	4.18	-52.62	-13.00	39.62	peak
5640.00	-64.39	H	7.24	-57.15	-13.00	44.15	peak
3760.00	-55.65	V	4.28	-51.37	-13.00	38.37	peak
5640.00	-64.73	V	8.31	-56.42	-13.00	43.42	peak
WCDMA BAND II Mid CH							
281.01	-61.68	H	-1.10	-62.78	-13.00	49.78	peak
497.68	-65.43	H	1.59	-63.84	-13.00	50.84	peak
875.25	-76.08	V	11.45	-64.63	-13.00	51.63	peak
141.83	-64.19	V	-0.38	-64.57	-13.00	51.57	peak
355.43	-65.53	V	0.34	-65.19	-13.00	52.19	peak
782.35	-71.78	V	9.08	-62.70	-13.00	49.70	peak
3760.00	-58.54	H	4.18	-54.36	-13.00	41.36	peak
5640.00	-66.00	H	7.24	-58.76	-13.00	45.76	peak
3760.00	-57.23	V	4.28	-52.95	-13.00	39.95	peak
5640.00	-65.95	V	8.31	-57.64	-13.00	44.64	peak
WCDMA BAND IV Mid CH							
65.34	-59.47	H	-2.07	-61.54	-13.00	48.54	peak
492.47	-65.32	H	2.00	-63.32	-13.00	50.32	peak
684.75	-72.34	V	7.91	-64.43	-13.00	51.43	peak
51.48	-59.41	V	-4.57	-63.98	-13.00	50.98	peak
625.08	-69.48	V	4.11	-65.37	-13.00	52.37	peak
782.35	-71.70	V	9.08	-62.62	-13.00	49.62	peak
3465.20	-57.29	H	2.72	-54.57	-13.00	41.57	peak
5197.80	-66.11	H	7.28	-58.83	-13.00	45.83	peak
3465.20	-56.25	V	2.99	-53.26	-13.00	40.26	peak
5197.80	-63.90	V	6.31	-57.59	-13.00	44.59	peak
WCDMA BAND V Mid CH							
64.89	-58.43	H	-1.92	-60.35	-13.00	47.35	peak
475.49	-66.07	H	3.23	-62.84	-13.00	49.84	peak
782.35	-69.42	V	4.70	-64.72	-13.00	51.72	peak
61.99	-58.89	V	-4.97	-63.86	-13.00	50.86	peak
269.11	-62.33	V	-2.60	-64.93	-13.00	51.93	peak
782.35	-71.43	V	9.08	-62.35	-13.00	49.35	peak

1672.80	-49.38	H	-3.65	-53.03	-13.00	40.03	peak
2509.20	-57.54	H	-0.25	-57.79	-13.00	44.79	peak
1672.80	-48.72	V	-3.40	-52.12	-13.00	39.12	peak
2509.20	-56.46	V	-0.22	-56.68	-13.00	43.68	peak
LTE TX BAND2 Mid CH							
96.18	-51.69	H	-9.87	-61.56	-13.00	48.56	peak
133.45	-55.73	H	-6.44	-62.17	-13.00	49.17	peak
672.44	-72.08	V	8.41	-63.67	-13.00	50.67	peak
89.55	-59.33	V	-4.96	-64.29	-13.00	51.29	peak
187.45	-61.65	V	-1.96	-63.61	-13.00	50.61	peak
685.12	-67.19	V	4.23	-62.96	-13.00	49.96	peak
3760.00	-57.36	H	4.18	-53.18	-13.00	40.18	peak
5640.00	-65.17	H	7.24	-57.93	-13.00	44.93	peak
3760.00	-56.50	V	4.28	-52.22	-13.00	39.22	peak
5640.00	-65.16	V	8.31	-56.85	-13.00	43.85	peak
LTE TX BAND4 Mid CH							
99.10	-49.91	H	-10.35	-60.26	-13.00	47.26	peak
186.25	-55.30	H	-6.23	-61.53	-13.00	48.53	peak
623.01	-68.99	V	4.75	-64.24	-13.00	51.24	peak
101.33	-61.90	V	-3.79	-65.69	-13.00	52.69	peak
201.44	-58.65	V	-4.67	-63.32	-13.00	50.32	peak
652.15	-67.08	V	4.21	-62.87	-13.00	49.87	peak
3465.00	-56.97	H	2.72	-54.25	-13.00	41.25	peak
5197.50	-66.01	H	7.28	-58.73	-13.00	45.73	peak
3465.00	-56.10	V	2.99	-53.11	-13.00	40.11	peak
5197.50	-63.85	V	6.31	-57.54	-13.00	44.54	peak
LTE TX BAND5 Mid CH							
64.43	-59.30	H	-1.76	-61.06	-13.00	48.06	peak
497.68	-63.94	H	1.59	-62.35	-13.00	49.35	peak
684.75	-71.52	V	7.91	-63.61	-13.00	50.61	peak
63.76	-59.76	V	-5.08	-64.84	-13.00	51.84	peak
269.11	-62.19	V	-2.6	-64.79	-13.00	51.79	peak
782.35	-71.40	V	9.08	-62.32	-13.00	49.32	peak
1673.00	-50.87	H	-3.65	-54.52	-13.00	41.52	peak
2509.50	-58.64	H	-0.25	-58.89	-13.00	45.89	peak
1673.00	-49.96	V	-3.40	-53.36	-13.00	40.36	peak
2509.50	-57.56	V	-0.22	-57.78	-13.00	44.78	peak
LTE TX BAND7 Mid CH							
64.39	-59.65	H	-1.74	-61.39	-13.00	48.39	peak
178.25	-57.11	H	-5.73	-62.84	-13.00	49.84	peak

645.23	-71.72	V	7.70	-64.02	-13.00	51.02	peak
78.43	-57.76	V	-5.97	-63.73	-13.00	50.73	peak
186.43	-62.71	V	-1.75	-64.46	-13.00	51.46	peak
598.36	-66.99	V	4.11	-62.88	-13.00	49.88	peak
5070.00	-60.53	H	7.27	-53.26	-13.00	40.26	peak
7605.00	-70.40	H	12.49	-57.91	-13.00	44.91	peak
5070.00	-59.40	V	6.75	-52.65	-13.00	39.65	peak
7605.00	-69.24	V	12.57	-56.67	-13.00	43.67	peak
LTE TX BAND66 Mid CH							
78.45	-52.63	H	-6.65	-59.28	-13.00	46.28	peak
186.25	-55.12	H	-6.23	-61.35	-13.00	48.35	peak
723.16	-69.41	V	5.77	-63.64	-13.00	50.64	peak
89.45	-57.78	V	-4.97	-62.75	-13.00	49.75	peak
135.79	-63.36	V	-1.33	-64.69	-13.00	51.69	peak
654.13	-66.67	V	4.25	-62.42	-13.00	49.42	peak
3490.00	-55.84	H	2.88	-52.96	-13.00	39.96	peak
5235.00	-64.62	H	7.06	-57.56	-13.00	44.56	peak
3490.00	-55.15	V	3.14	-52.01	-13.00	39.01	peak
5235.00	-63.21	V	6.49	-56.72	-13.00	43.72	peak

- Note:** 1. The other emission levels were very low against the limit.
2. Measurement = Reading Level+ Correct Factor, Margin = Limit- Measurement
3. The high frequency, which started from 18GHz to 26.5GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.
4. Worst case for minimum bandwidth mode was recorded.
5. Worst case for middle channel was recorded.

4. LIST OF MEASUREMENT EQUIPMENTS

No.	Name of Equipment	Manufacturer	Model Number	Serial Number	Inventory No.	Last Calibration	Due Calibration
Radiated Emission							
1	Test receiver	Rohde&Schwarz	ESU	100184	JLE011	2026/2/27	2027/2/26
2	Log periodic antenna	Schwarzbeck	VULB 9168	1151	JLE012	2025/4/12	2028/4/11
3	Low frequency amplifier	/	LNA 0920N	2014	JLE023	2026/2/27	2027/2/26
4	High frequency amplifier	Schwarzbeck	BBV 9718	9718-284	JLE024	2026/2/27	2027/2/26
5	Horn Antenna	SCHWARZBECK	BBHA 9120 D	02670	JLE028	2025/4/12	2028/4/11
6	Temp&Humidity Recorder	Meideshi	JR900	/	JLE021	2026/4/8	2027/4/7
7	Horn Antenna	SCHWARZBECK	BBHA 9170	9170#685	JLE029	2024/7/15	2027/7/14
8	Loop Antenna	SCHWARZBECK	FMZB1519B	00029	JLE030	2024/7/15	2027/7/14
9	Broadband preamplifier	Schwarzbeck	BBV9721	9721-019	JLE025	2026/2/27	2027/2/26
10	Test software	Farad Technology Co., Ltd	EZ-EMC Ver.TW-03A2				
RF Conducted Emissions							
1	MXA Signal Analyzer	Keysight	N9010A	MY51440158	JLE087	2026/9/10	2027/9/9
2	MXA Signal Analyzer	Agilent	N9020A	MY52220022	JLE090	2026/1/19	2027/1/18
3	RF Control Unit	dsusoft	JS0806-2	21G8060449	JLE053	2026/2/27	2027/2/26
4	power supply unit	dsusoft	JS0806-4ADC	N/A	JLE055	2026/2/27	2027/2/26
5	VXG Signal Generator	Keysight	N5182B	MY59100855	JLE068	2026/4/11	2027/4/10
6	EXG Analog Signal Generator	Keysight	N5173B	MY59101282	JLE052	2026/2/27	2027/2/26
7	Wideband Radio Communication Tester	Rohde&Schwarz	CMW500	1201.0002K5 0-116064-Dt	JLE054	2026/2/27	2027/2/26
8	Test software	dsusoft	JS1120-3 Ver.3.2.22.0				

Statement

1. The report is invalid without the official seal or special seal of Shenzhen Haiyun Standard Technical Co., Ltd. (hereinafter referred to as the unit).
2. The report is invalid without the signature of the approver.
3. The report is invalid if altered arbitrarily.
4. The report shall not be partially copied without the written approval of the unit.
5. The reported test results are only valid for the tested samples.
6. If there is any objection to the test report, it shall be submitted to the test unit within 15 days from the date of receiving the report, and the overdue shall not be accepted.

Shenzhen Haiyun Standard Technical Co., Ltd.

Address: Room 110, 111, 112, 113, 115, 116, Block B, Jinyuan Business Building, No. 302, Xixiang Avenue, Labor Community, Xixiang Street, Baoan District, Shenzhen, China

End of Test Report