

Appendix: Bluetooth LE

Contents

Appendix A: DTS Bandwidth 3

 Test Result 3

 Test Graphs 4

Appendix B: Occupied Channel Bandwidth 7

 Test Result 7

 Test Graphs 8

Appendix C: Maximum conducted output power 11

 Test Result 11

 Test Graphs 12

Appendix D: Maximum power spectral density 15

 Test Result 15

 Test Graphs 16

Appendix E: Band edge measurements 19

 Test Result 19

 Test Graphs 20

Appendix F: Conducted Spurious Emission 22

 Test Result 22

 Test Graphs 23

Appendix G: Duty Cycle 32

 Test Result 32

 Test Graphs 33

Appendix A: DTS Bandwidth

Test Result

Test Mode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.688	2401.680	2402.368	0.5	PASS
		2440	0.676	2439.688	2440.364	0.5	PASS
		2480	0.708	2479.660	2480.368	0.5	PASS
BLE_2M	Ant1	2402	1.140	2401.448	2402.588	0.5	PASS
		2440	1.140	2439.448	2440.588	0.5	PASS
		2480	1.072	2479.460	2480.532	0.5	PASS

Test Graphs

BLE_1M_Ant1_2402




BLE_1M_Ant1_2440



BLE_1M_Ant1_2480







Appendix B: Occupied Channel Bandwidth


Test Result

Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0490	2401.4929	2402.5419	---	---
		2440	1.0548	2439.4883	2440.5431	---	---
		2480	1.0568	2479.4910	2480.5478	---	---
BLE_2M	Ant1	2402	2.0476	2401.0078	2403.0554	---	---
		2440	2.0541	2439.0053	2441.0594	---	---
		2480	2.0435	2479.0005	2481.0440	---	---

Test Graphs









Appendix C: Maximum conducted output power


Test Result

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	1.16	≤30	PASS
		2440	0.86	≤30	PASS
		2480	0.82	≤30	PASS
BLE_2M	Ant1	2402	1.13	≤30	PASS
		2440	0.86	≤30	PASS
		2480	0.82	≤30	PASS

Test Graphs









Appendix D: Maximum power spectral density


Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-15.01	≤8.00	PASS
		2440	-15.01	≤8.00	PASS
		2480	-15.19	≤8.00	PASS
BLE_2M	Ant1	2402	-17.12	≤8.00	PASS
		2440	-17.2	≤8.00	PASS
		2480	-17.21	≤8.00	PASS

Test Graphs








Appendix E: Band edge measurements

Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
BLE_1M	Ant1	Low	2402	0.89	-35.29	≤-19.11	PASS
		High	2480	0.65	-43.25	≤-19.35	PASS
BLE_2M	Ant1	Low	2402	0.23	-34.26	≤-19.77	PASS
		High	2480	-2.52	-44.31	≤-22.52	PASS

Test Graphs


BLE_1M_Ant1_Low_2402



BLE_1M_Ant1_High_2480



BLE_2M_Ant1_Low_2402





Appendix F: Conducted Spurious Emission


Test Result


Test Mode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	0.34	0.34	---	PASS
			30~1000	---	-48.33	≤-19.66	PASS
			1000~26500	---	-41.43	≤-19.66	PASS
		2440	Reference	-0.07	-0.07	---	PASS
			30~1000	---	-48.27	≤-20.07	PASS
			1000~26500	---	-40.5	≤-20.07	PASS
		2480	Reference	0.21	0.21	---	PASS
			30~1000	---	-48.44	≤-19.79	PASS
			1000~26500	---	-41.6	≤-19.79	PASS
BLE_2M	Ant1	2402	Reference	-0.28	-0.28	---	PASS
			30~1000	---	-48.44	≤-20.28	PASS
			1000~26500	---	-43.14	≤-20.28	PASS
		2440	Reference	0.17	0.17	---	PASS
			30~1000	---	-48.51	≤-19.83	PASS
			1000~26500	---	-45.81	≤-19.83	PASS
		2480	Reference	-3.92	-3.92	---	PASS
			30~1000	---	-48.71	≤-23.92	PASS
			1000~26500	---	-45.81	≤-23.92	PASS


Test Graphs

























Appendix G: Duty Cycle


Test Result

Test Mode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.41	0.62	66.13	1.80
		2440	0.40	0.62	64.52	1.90
		2480	0.40	0.62	64.52	1.90
BLE_2M	Ant1	2402	0.21	0.63	33.33	4.77
		2440	0.21	0.62	33.87	4.70
		2480	0.21	0.62	33.87	4.70

Test Graphs







*** End of Report ***