

INBAY Gen5 universal 24V

240000-01-301
240000-01-301-1
240000-01-301-2
240000-01-303



Sachgemäße Installation unter Beachtung dieser Einbauanleitung erforderlich. Achten Sie auf korrekte Anschlüsse. Verlegen Sie die Kabel so, dass sie weder geknickt, gequetscht noch beschädigt werden können. Sorgen Sie dafür, dass sich die Kabel nicht in Gegenständen verfangen können.

Wir können keine Haftung für Schäden übernehmen, welche durch unsachgemäße Installation oder Nutzung verursacht wurden.


Verwenden Sie darum ausschließlich das mitgelieferte Montagematerial. Technische Änderungen vorbehalten, alle Angaben ohne Gewähr.

Das „Qi“-Logo ist ein Warenzeichen des „Wireless Power Consortiums“.

An appropriate installation in accordance with these operating instructions is required. Please ensure that the wiring is arranged so that it is not bent or crimped, in order to avoid the risk of cable breakage.

Make sure that all connections are correct. Route the cable away from moving parts and ensure that it cannot become entangled, pinched or damaged in any way.


We accept no liability for damage caused by improper installation or use. Only use the specified accessory parts to prevent product failure. Subject to technical modifications; no responsibility is accepted for the accuracy of this information. The “Qi” symbol is a trademark of the Wireless Power Consortium.



Input Voltage	24V (DC)
Output Voltage	11V
Output Current	1.4A
Output Power	15W



Magnetringhalterung
Magnetic Docking Ring



FCC

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

ISED

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1. L'appareil ne doit pas produire de brouillage;
2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment.

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé.