



F2 Labs
16740 Peters Road
Middlefield, Ohio 44062
United States of America
www.f2labs.com

CERTIFICATION TEST REPORT

Manufacturer: Heat Watch LLC
818 Sixth Avenue, Suite 4N
New York, New York 10001 USA

Applicant: Same as Above

Product Name: Heat Watch Temperature Sensor

Product Description: Product is battery-powered and takes temperature from various spaces in a building. It relays this temperature to a Heat Watch gateway module, so the control knows the space temperatures and can better control the boiler.

Operating Voltage/Frequency: Battery-Operated (3.6VDC)

Model: V5.0

FCC ID: 2AQX2-HWSEN915

Testing Commenced: June 27, 2018

Testing Ended: June 28, 2018

Test Results: **In Compliance**

The EUT complies with the EMC requirements when manufactured identically as the unit tested in this report, including any required modifications. Any changes to the design or build of this unit subsequent to this testing may deem it non-compliant.

Standards:

- KDB447498
- FCC 1.1310



Order Number: F2LQ10581A

Client: Heat Watch LLC

Model: V5.0

Report Constructed by:

Julius Chiller, EMC/Wireless Engineer

Report Reviewed by:

Ken Littell, Director of EMC & Wireless Operations

F2 Labs
26501 Ridge Road
Damascus, MD 20872
Ph 301.253.4500

F2 Labs
16740 Peters Road
Middlefield, OH 44062
Ph 440.632.5541

F2 Labs
8583 Zionsville Road
Indianapolis, IN 46268
Ph 317.610.0611

This test report may be reproduced in full; partial reproduction only may be made with the written consent of F2 Labs. The results in this report apply only to the equipment tested.



TABLE OF CONTENTS

Section	Title	Page
1	ADMINISTRATIVE INFORMATION	4
2	SUMMARY OF TEST RESULTS/MODIFICATIONS	5
3	ENGINEERING STATEMENT	6
4	EUT INFORMATION AND DATA	7
5	RF EXPOSURE FOR DEVICE >20cm FROM HUMAN	8



1 ADMINISTRATIVE INFORMATION

1.1 Measurement Location:

F2 Labs in Middlefield, Ohio. Site description and attenuation data are on file with the FCC's Sampling and Measurement Branch at the FCC Laboratory in Columbia, MD.

1.2 Measurement Procedure:

All measurements were performed according to KDB558074.

1.4 Document History

Document Number	Description	Issue Date	Approved By
F2LQ10581A-03E	First Issue	Nov. 9, 2018	K. Littell



2 SUMMARY OF TEST RESULTS

Test Name	Standard(s)	Results
RF Exposure for Device >20cm from Human	KDB447498 FCC 1.1310	Complies

Modifications Made to the Equipment
None



3 ENGINEERING STATEMENT

This report has been prepared on behalf of Heat Watch LLC to provide documentation for the testing described herein. This equipment has been tested and calculations were found to comply with KDB447498 and the limits in FCC 1.1310. The test results found in this test report relate only to the item(s) tested.



4 EUT INFORMATION AND DATA

4.1 Equipment Under Test:

Product: Heat Watch Temperature Sensor

Model: V5.0

Serial No.: None Specified

FCC ID: **2AQX2-HWSEN915**

4.2 Trade Name:

Heat Watch LLC

4.3 Power Supply:

Battery-operated (3.6VDC)

4.4 Applicable Rules:

KDB447498

FCC 1.1310

4.5 Equipment Category:

Radio Transmitter-DTS

4.6 Antenna:

Integral Antenna, 3dBi gain

4.7 Accessories:

N/A



5. RF EXPOSURE FOR DEVICE >20cm FROM HUMAN

5.1 Requirements:

Limit: 0.61mW/cm²

Formula used for result: $\frac{E.I.R.P.}{4 \pi R^2}$

Results: E.I.R.P. = 130.01mW

$$\frac{130.01\text{mW}}{4 \pi R^2} = \frac{130.01\text{mW}}{5026.55} = 0.0259\text{mW/cm}^2$$