




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20) MCH 5200MHz\_Ant1\_NTNV




802.11n(HT20) HCH 5240MHz\_Ant1\_NTNV




802.11n(HT40) LCH 5190MHz\_Ant1\_NTNV




802.11n(HT40) HCH 5230MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20) HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT40) LCH\_5190MHz\_Ant1\_NTNV



802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV



802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV



### 3. Maximum Conducted Output Power

#### 3.1 Power

##### 3.1.1 Test Result

| Mode                                                                                                                       | TX Type | Frequency (MHz) | Maximum Average Conducted Output Power (dBm) |      |       |         | Verdict |
|----------------------------------------------------------------------------------------------------------------------------|---------|-----------------|----------------------------------------------|------|-------|---------|---------|
|                                                                                                                            |         |                 | ANT1                                         | ANT2 | MIMO  | Limit   |         |
| 802.11a                                                                                                                    | SISO    | 5180            | 10.09                                        | 8.97 | /     | <=23.98 | Pass    |
|                                                                                                                            |         | 5200            | 10.20                                        | 9.16 | /     | <=23.98 | Pass    |
|                                                                                                                            |         | 5240            | 9.42                                         | 8.70 | /     | <=23.98 | Pass    |
|                                                                                                                            |         | 5745            | 10.22                                        | 7.60 | /     | <=30    | Pass    |
|                                                                                                                            |         | 5785            | 9.64                                         | 7.24 | /     | <=30    | Pass    |
|                                                                                                                            |         | 5825            | 9.23                                         | 7.21 | /     | <=30    | Pass    |
| 802.11n (HT20)                                                                                                             | MIMO    | 5180            | 10.43                                        | 9.03 | 12.80 | <=23.98 | Pass    |
|                                                                                                                            |         | 5200            | 10.45                                        | 9.35 | 12.95 | <=23.98 | Pass    |
|                                                                                                                            |         | 5240            | 9.57                                         | 8.71 | 12.17 | <=23.98 | Pass    |
|                                                                                                                            |         | 5745            | 10.08                                        | 7.22 | 11.89 | <=30    | Pass    |
|                                                                                                                            |         | 5785            | 9.62                                         | 7.00 | 11.51 | <=30    | Pass    |
|                                                                                                                            |         | 5825            | 9.15                                         | 6.64 | 11.08 | <=30    | Pass    |
| 802.11n (HT40)                                                                                                             | MIMO    | 5190            | 10.70                                        | 8.93 | 12.91 | <=23.98 | Pass    |
|                                                                                                                            |         | 5230            | 9.45                                         | 8.33 | 11.94 | <=23.98 | Pass    |
|                                                                                                                            |         | 5755            | 10.54                                        | 7.99 | 12.46 | <=30    | Pass    |
|                                                                                                                            |         | 5795            | 9.77                                         | 7.23 | 11.69 | <=30    | Pass    |
| 802.11ac (VHT20)                                                                                                           | MIMO    | 5180            | 10.14                                        | 8.16 | 12.27 | <=23.98 | Pass    |
|                                                                                                                            |         | 5200            | 9.53                                         | 8.32 | 11.98 | <=23.98 | Pass    |
|                                                                                                                            |         | 5240            | 8.57                                         | 7.55 | 11.10 | <=23.98 | Pass    |
|                                                                                                                            |         | 5745            | 9.85                                         | 7.24 | 11.75 | <=30    | Pass    |
|                                                                                                                            |         | 5785            | 9.13                                         | 6.66 | 11.08 | <=30    | Pass    |
|                                                                                                                            |         | 5825            | 8.85                                         | 6.38 | 10.80 | <=30    | Pass    |
| 802.11ac (VHT40)                                                                                                           | MIMO    | 5190            | 10.11                                        | 8.79 | 12.51 | <=23.98 | Pass    |
|                                                                                                                            |         | 5230            | 9.33                                         | 8.17 | 11.80 | <=23.98 | Pass    |
|                                                                                                                            |         | 5755            | 10.31                                        | 7.90 | 12.28 | <=30    | Pass    |
|                                                                                                                            |         | 5795            | 9.62                                         | 7.37 | 11.65 | <=30    | Pass    |
| 802.11ac (VHT80)                                                                                                           | MIMO    | 5210            | 10.72                                        | 9.37 | 13.11 | <=23.98 | Pass    |
|                                                                                                                            |         | 5775            | 10.97                                        | 7.85 | 12.69 | <=30    | Pass    |
| Note1: Antenna Gain: Ant1: 2.00dBi; Ant2: 2.00dBi;<br>Note2: Directional Gain: 2.00dBi<br>Note3: Test result contains DCCF |         |                 |                                              |      |       |         |         |


## 4. Maximum Power Spectral Density

### 4.1 PSD


#### 4.1.1 Test Result

| Mode                                                                                                                       | TX Type | Frequency (MHz) | Maximum PSD (dBm/MHz) |       |       |       | Verdict |
|----------------------------------------------------------------------------------------------------------------------------|---------|-----------------|-----------------------|-------|-------|-------|---------|
|                                                                                                                            |         |                 | ANT1                  | ANT2  | MIMO  | Limit |         |
| 802.11a                                                                                                                    | SISO    | 5180            | -0.64                 | -2.15 | /     | <=11  | Pass    |
|                                                                                                                            |         | 5200            | -1.13                 | -1.51 | /     | <=11  | Pass    |
|                                                                                                                            |         | 5240            | -1.60                 | -2.52 | /     | <=11  | Pass    |
| 802.11n (HT20)                                                                                                             | MIMO    | 5180            | -1.28                 | -2.46 | 1.13  | <=11  | Pass    |
|                                                                                                                            |         | 5200            | -1.10                 | -1.98 | 1.32  | <=11  | Pass    |
|                                                                                                                            |         | 5240            | -1.62                 | -2.80 | 0.71  | <=11  | Pass    |
| 802.11n (HT40)                                                                                                             | MIMO    | 5190            | -3.37                 | -5.05 | -1.25 | <=11  | Pass    |
|                                                                                                                            |         | 5230            | -4.51                 | -5.72 | -2.16 | <=11  | Pass    |
| 802.11ac (VHT20)                                                                                                           | MIMO    | 5180            | -1.08                 | -3.08 | 0.94  | <=11  | Pass    |
|                                                                                                                            |         | 5200            | -1.63                 | -2.81 | 0.64  | <=11  | Pass    |
|                                                                                                                            |         | 5240            | -2.78                 | -3.88 | -0.44 | <=11  | Pass    |
| 802.11ac (VHT40)                                                                                                           | MIMO    | 5190            | -4.01                 | -5.06 | -1.60 | <=11  | Pass    |
|                                                                                                                            |         | 5230            | -4.90                 | -5.86 | -2.53 | <=11  | Pass    |
| 802.11ac (VHT80)                                                                                                           | MIMO    | 5210            | -5.96                 | -7.46 | -3.88 | <=11  | Pass    |
| Note1: Antenna Gain: Ant1: 2.00dBi; Ant2: 2.00dBi;<br>Note2: Directional Gain: 5.01dBi<br>Note3: Test result contains DCCF |         |                 |                       |       |       |       |         |


## 4.1.2 Test Graph




802.11a\_MCH\_5200MHz\_Ant1\_NTNV




802.11a\_MCH\_5200MHz\_Ant2\_NTNV




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_HCH\_5240MHz\_Ant2\_NTNV




802.11n(HT20) LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20) LCH\_5180MHz\_Ant2\_NTNV




802.11n(HT20) MCH 5200MHz\_Ant1\_NTNV




802.11n(HT20) MCH 5200MHz\_Ant2\_NTNV




802.11n(HT20) HCH 5240MHz\_Ant1\_NTNV




802.11n(HT20) HCH 5240MHz\_Ant2\_NTNV




802.11n(HT40) LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40) LCH\_5190MHz\_Ant2\_NTNV




802.11n(HT40) HCH 5230MHz\_Ant1\_NTNV




802.11n(HT40) HCH 5230MHz\_Ant2\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant2\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant2\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant2\_NTNV




802.11ac(VHT40) LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40) LCH\_5190MHz\_Ant2\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant2\_NTNV



802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV



802.11ac(VHT80)\_MCH\_5210MHz\_Ant2\_NTNV



## 4.2 PSD-Band3

## 4.2.1 Test Result


| Mode             | TX Type | Frequency (MHz) | Maximum PSD (dBm/500kHz) |        |       |       | Verdict |
|------------------|---------|-----------------|--------------------------|--------|-------|-------|---------|
|                  |         |                 | ANT1                     | ANT2   | MIMO  | Limit |         |
| 802.11a          | SISO    | 5745            | -3.56                    | -6.06  | /     | <=30  | Pass    |
|                  |         | 5785            | -3.93                    | -6.34  | /     | <=30  | Pass    |
|                  |         | 5825            | -4.65                    | -6.85  | /     | <=30  | Pass    |
| 802.11n (HT20)   | MIMO    | 5745            | -4.13                    | -6.91  | -2.45 | <=30  | Pass    |
|                  |         | 5785            | -4.74                    | -7.25  | -2.90 | <=30  | Pass    |
|                  |         | 5825            | -5.19                    | -7.38  | -3.14 | <=30  | Pass    |
| 802.11n (HT40)   | MIMO    | 5755            | -5.72                    | -8.82  | -4.14 | <=30  | Pass    |
|                  |         | 5795            | -6.84                    | -9.46  | -5.04 | <=30  | Pass    |
| 802.11ac (VHT20) | MIMO    | 5745            | -4.28                    | -6.95  | -2.40 | <=30  | Pass    |
|                  |         | 5785            | -4.95                    | -7.39  | -3.06 | <=30  | Pass    |
|                  |         | 5825            | -5.49                    | -7.81  | -3.58 | <=30  | Pass    |
| 802.11ac (VHT40) | MIMO    | 5755            | -6.39                    | -9.01  | -4.72 | <=30  | Pass    |
|                  |         | 5795            | -6.98                    | -9.16  | -5.15 | <=30  | Pass    |
| 802.11ac (VHT80) | MIMO    | 5775            | -8.36                    | -11.36 | -6.74 | <=30  | Pass    |

Note1: Antenna Gain: Ant1: 2.00dBi; Ant2: 2.00dBi;


Note2: Directional Gain: 5.01dBi

Note3: Test result contains DCCF and RBW factor


## 4.2.2 Test Graph




802.11a\_MCH\_5785MHz\_Ant1\_NTNV




802.11a\_MCH\_5785MHz\_Ant2\_NTNV




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11a\_HCH\_5825MHz\_Ant2\_NTNV




802.11n(HT20) LCH\_5745MHz\_Ant1\_NTNV




802.11n(HT20) LCH\_5745MHz\_Ant2\_NTNV




802.11n(HT20) MCH 5785MHz\_Ant1\_NTNV




802.11n(HT20) MCH 5785MHz\_Ant2\_NTNV




802.11n(HT20) HCH 5825MHz\_Ant1\_NTNV




802.11n(HT20) HCH 5825MHz\_Ant2\_NTNV




802.11n(HT40) LCH\_5755MHz\_Ant1\_NTNV




802.11n(HT40) LCH\_5755MHz\_Ant2\_NTNV




802.11n(HT40) HCH 5795MHz\_Ant1\_NTNV




802.11n(HT40) HCH 5795MHz\_Ant2\_NTNV




802.11ac(VHT20) LCH\_5745MHz\_Ant1\_NTNV




802.11ac(VHT20) LCH\_5745MHz\_Ant2\_NTNV




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5785MHz\_Ant2\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant2\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant2\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant2\_NTNV



802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV



802.11ac(VHT80)\_MCH\_5775MHz\_Ant2\_NTNV



## 5. Frequency Stability

### 5.1 Ant1

#### 5.1.1 Test Result

| Ant1         |         |                 |                  |               |                          |              |         |
|--------------|---------|-----------------|------------------|---------------|--------------------------|--------------|---------|
| Mode         | TX Type | Frequency (MHz) | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| Carrier Wave | SISO    | 5180            | 20               | 102           | 5179.991                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 120           | 5179.991                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 138           | 5179.992                 | 5150 to 5250 | Pass    |
|              |         |                 | -30              | 120           | 5179.993                 | 5150 to 5250 | Pass    |
|              |         |                 | -20              | 120           | 5179.994                 | 5150 to 5250 | Pass    |
|              |         |                 | -10              | 120           | 5179.995                 | 5150 to 5250 | Pass    |
|              |         |                 | 0                | 120           | 5179.996                 | 5150 to 5250 | Pass    |
|              |         |                 | 10               | 120           | 5179.997                 | 5150 to 5250 | Pass    |
|              |         |                 | 30               | 120           | 5179.999                 | 5150 to 5250 | Pass    |
|              |         |                 | 40               | 120           | 5180.001                 | 5150 to 5250 | Pass    |
|              |         |                 | 50               | 120           | 5180.002                 | 5150 to 5250 | Pass    |
|              |         | 5200            | 20               | 102           | 5200.004                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 120           | 5200.006                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 138           | 5200.007                 | 5150 to 5250 | Pass    |
|              |         |                 | -30              | 120           | 5200.008                 | 5150 to 5250 | Pass    |
|              |         |                 | -20              | 120           | 5200.010                 | 5150 to 5250 | Pass    |
|              |         |                 | -10              | 120           | 5200.011                 | 5150 to 5250 | Pass    |
|              |         |                 | 0                | 120           | 5200.013                 | 5150 to 5250 | Pass    |
|              |         |                 | 10               | 120           | 5200.014                 | 5150 to 5250 | Pass    |
|              |         |                 | 30               | 120           | 5200.015                 | 5150 to 5250 | Pass    |
|              |         |                 | 40               | 120           | 5200.016                 | 5150 to 5250 | Pass    |
|              |         |                 | 50               | 120           | 5200.018                 | 5150 to 5250 | Pass    |
|              |         | 5240            | 20               | 102           | 5240.015                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 120           | 5240.017                 | 5150 to 5250 | Pass    |
|              |         |                 |                  | 138           | 5240.017                 | 5150 to 5250 | Pass    |
|              |         |                 | -30              | 120           | 5240.019                 | 5150 to 5250 | Pass    |
|              |         |                 | -20              | 120           | 5240.019                 | 5150 to 5250 | Pass    |
|              |         |                 | -10              | 120           | 5240.020                 | 5150 to 5250 | Pass    |
|              |         |                 | 0                | 120           | 5240.021                 | 5150 to 5250 | Pass    |
|              |         |                 | 10               | 120           | 5240.023                 | 5150 to 5250 | Pass    |
|              |         |                 | 30               | 120           | 5240.024                 | 5150 to 5250 | Pass    |
|              |         |                 | 40               | 120           | 5240.025                 | 5150 to 5250 | Pass    |
|              |         |                 | 50               | 120           | 5240.027                 | 5150 to 5250 | Pass    |
|              |         | 5745            | 20               | 102           | 5745.022                 | 5725 to 5850 | Pass    |
|              |         |                 |                  | 120           | 5745.025                 | 5725 to 5850 | Pass    |
|              |         |                 |                  | 138           | 5745.025                 | 5725 to 5850 | Pass    |
|              |         |                 | -30              | 120           | 5745.027                 | 5725 to 5850 | Pass    |
|              |         |                 | -20              | 120           | 5745.028                 | 5725 to 5850 | Pass    |
|              |         |                 | -10              | 120           | 5745.030                 | 5725 to 5850 | Pass    |
|              |         |                 | 0                | 120           | 5745.031                 | 5725 to 5850 | Pass    |
|              |         |                 | 10               | 120           | 5745.033                 | 5725 to 5850 | Pass    |
|              |         |                 | 30               | 120           | 5745.035                 | 5725 to 5850 | Pass    |
|              |         |                 | 40               | 120           | 5745.035                 | 5725 to 5850 | Pass    |
|              |         |                 | 50               | 120           | 5745.037                 | 5725 to 5850 | Pass    |
|              |         | 5785            | 20               | 102           | 5785.031                 | 5725 to 5850 | Pass    |
|              |         |                 |                  | 120           | 5785.032                 | 5725 to 5850 | Pass    |
|              |         |                 |                  | 138           | 5785.033                 | 5725 to 5850 | Pass    |
|              |         |                 | -30              | 120           | 5785.034                 | 5725 to 5850 | Pass    |
|              |         |                 | -20              | 120           | 5785.034                 | 5725 to 5850 | Pass    |
|              |         |                 | -10              | 120           | 5785.035                 | 5725 to 5850 | Pass    |
|              |         |                 | 0                | 120           | 5785.035                 | 5725 to 5850 | Pass    |

|  |  |      |     |     |          |              |      |
|--|--|------|-----|-----|----------|--------------|------|
|  |  |      | 10  | 120 | 5785.035 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5785.036 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5785.036 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5785.036 | 5725 to 5850 | Pass |
|  |  | 5825 | 20  | 102 | 5825.026 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5825.027 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5825.028 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5825.029 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5825.029 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5825.030 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5825.032 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5825.032 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5825.032 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5825.033 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5825.033 | 5725 to 5850 | Pass |
|  |  | 5190 | 20  | 102 | 5190.021 | 5150 to 5250 | Pass |
|  |  |      |     | 120 | 5190.020 | 5150 to 5250 | Pass |
|  |  |      |     | 138 | 5190.020 | 5150 to 5250 | Pass |
|  |  |      | -30 | 120 | 5190.020 | 5150 to 5250 | Pass |
|  |  |      | -20 | 120 | 5190.020 | 5150 to 5250 | Pass |
|  |  |      | -10 | 120 | 5190.021 | 5150 to 5250 | Pass |
|  |  |      | 0   | 120 | 5190.021 | 5150 to 5250 | Pass |
|  |  |      | 10  | 120 | 5190.021 | 5150 to 5250 | Pass |
|  |  |      | 30  | 120 | 5190.022 | 5150 to 5250 | Pass |
|  |  |      | 40  | 120 | 5190.022 | 5150 to 5250 | Pass |
|  |  |      | 50  | 120 | 5190.021 | 5150 to 5250 | Pass |
|  |  | 5230 | 20  | 102 | 5230.019 | 5150 to 5250 | Pass |
|  |  |      |     | 120 | 5230.019 | 5150 to 5250 | Pass |
|  |  |      |     | 138 | 5230.019 | 5150 to 5250 | Pass |
|  |  |      | -30 | 120 | 5230.019 | 5150 to 5250 | Pass |
|  |  |      | -20 | 120 | 5230.020 | 5150 to 5250 | Pass |
|  |  |      | -10 | 120 | 5230.020 | 5150 to 5250 | Pass |
|  |  |      | 0   | 120 | 5230.021 | 5150 to 5250 | Pass |
|  |  |      | 10  | 120 | 5230.021 | 5150 to 5250 | Pass |
|  |  |      | 30  | 120 | 5230.021 | 5150 to 5250 | Pass |
|  |  |      | 40  | 120 | 5230.022 | 5150 to 5250 | Pass |
|  |  |      | 50  | 120 | 5230.021 | 5150 to 5250 | Pass |
|  |  | 5755 | 20  | 102 | 5755.016 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5755.017 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5755.017 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5755.018 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5755.019 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5755.019 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5755.020 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5755.020 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5755.021 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5755.022 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5755.023 | 5725 to 5850 | Pass |
|  |  | 5795 | 20  | 102 | 5795.020 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5795.021 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5795.021 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5795.022 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5795.023 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5795.023 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5795.024 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5795.024 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5795.025 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5795.025 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5795.025 | 5725 to 5850 | Pass |
|  |  | 5210 | 20  | 102 | 5210.013 | 5150 to 5250 | Pass |
|  |  |      |     | 120 | 5210.013 | 5150 to 5250 | Pass |
|  |  |      |     | 138 | 5210.013 | 5150 to 5250 | Pass |
|  |  |      | -30 | 120 | 5210.013 | 5150 to 5250 | Pass |
|  |  |      | -20 | 120 | 5210.012 | 5150 to 5250 | Pass |

|  |  |      |     |     |          |              |      |
|--|--|------|-----|-----|----------|--------------|------|
|  |  |      | -10 | 120 | 5210.012 | 5150 to 5250 | Pass |
|  |  |      | 0   | 120 | 5210.011 | 5150 to 5250 | Pass |
|  |  |      | 10  | 120 | 5210.011 | 5150 to 5250 | Pass |
|  |  |      | 30  | 120 | 5210.010 | 5150 to 5250 | Pass |
|  |  |      | 40  | 120 | 5210.010 | 5150 to 5250 | Pass |
|  |  |      | 50  | 120 | 5210.009 | 5150 to 5250 | Pass |
|  |  | 5775 | 20  | 102 | 5775.005 | 5725 to 5850 | Pass |
|  |  |      |     | 120 | 5775.006 | 5725 to 5850 | Pass |
|  |  |      |     | 138 | 5775.006 | 5725 to 5850 | Pass |
|  |  |      | -30 | 120 | 5775.007 | 5725 to 5850 | Pass |
|  |  |      | -20 | 120 | 5775.007 | 5725 to 5850 | Pass |
|  |  |      | -10 | 120 | 5775.008 | 5725 to 5850 | Pass |
|  |  |      | 0   | 120 | 5775.008 | 5725 to 5850 | Pass |
|  |  |      | 10  | 120 | 5775.008 | 5725 to 5850 | Pass |
|  |  |      | 30  | 120 | 5775.008 | 5725 to 5850 | Pass |
|  |  |      | 40  | 120 | 5775.009 | 5725 to 5850 | Pass |
|  |  |      | 50  | 120 | 5775.009 | 5725 to 5850 | Pass |

-----End-----