



凯迪仕 TE011W 天线测试报告

深圳市和鸣微科技有限公司

Shenzhen HamyWe Technology Co., Ltd.

4th Floor, Building B, Jinghang Industrial Park, Liuxian 2nd Road, Zone 71, Bao'an District, Shenzhen City, Guangdong Province, P.R.China

工程师：项念

电话：13611503582

邮箱：xiangnian@szuhot.com

日期：2025.12.19

01 | Project Overview

02 Antenna Performance Tes-ting



Project Overview



Device Front Side




Back of the device


Prototype Diagram



Project Overview



antenna




Prototype Diagram

01 | Project Overview

02 | **Antenna Performance Tes-ting**




Passive Testing




Echo loss S11

>>> Passive efficiency test

- 2.4G Efficiency



Antenna Radiation Pattern 3D 2400MHz



Frequency (MHz)	Efficiency (dB)	Gain (dBi)	Efficiency (%)
2400	-2.26	3.08	57.37
2410	-2.15	3	56.26
2420	-2.19	2.99	56.36
2430	-2.2	3.01	56.22
2440	-2.18	1.56	55.6
2450	-2.09	1.41	56.24
2460	-2.06	1.37	55.21
2470	-2.02	1.64	56.23
2480	-1.95	2.09	56.46
2490	-1.93	2.31	57.62
2500	-1.81	2.58	58.74





- OTA Data – WIFI

Band	Channel	Frequency range	TRP	TIS
802.11b 2.4GHz(11Mbps)	1	2412	13.95	-83.54
	7	2442	14.09	-83.32
	13	2472	14.22	-83.60