Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
HEW40_RU26_Index0_Nss1,(MCS0)_2TX								
5190MHz	Pass	-4.00	2.61	3.05	5.85	30.00	1.85	36.00
5230MHz	Pass	-4.00	2.59	2.95	5.78	30.00	1.78	36.00
5270MHz	Pass	-4.00	2.58	2.93	5.77	24.00	1.77	30.00
5310MHz	Pass	-4.00	2.54	2.99	5.78	24.00	1.78	30.00
5510MHz	Pass	-4.00	2.59	2.97	5.79	24.00	1.79	30.00
5590MHz	Pass	-4.00	2.62	2.75	5.70	24.00	1.70	30.00
5670MHz	Pass	-4.00	2.64	2.76	5.71	24.00	1.71	30.00
5710MHz	Pass	-4.00	2.62	2.71	5.68	inf	1.68	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	2.58	2.6	5.60	23.10	1.60	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-27.38	-27.54	-24.45	30.00	-28.45	36.00
802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	2.81	3.06	5.95	30.00	1.95	36.00
5230MHz	Pass	-4.00	2.87	3.12	6.01	30.00	2.01	36.00
5270MHz	Pass	-4.00	2.89	3.08	6.00	24.00	2.00	30.00
5310MHz	Pass	-4.00	2.84	3.04	5.95	24.00	1.95	30.00
5510MHz	Pass	-4.00	2.86	3.15	6.02	24.00	2.02	30.00
5590MHz	Pass	-4.00	2.88	2.95	5.93	24.00	1.93	30.00
5670MHz	Pass	-4.00	2.91	2.96	5.95	24.00	1.95	30.00
5710MHz	Pass	-4.00	2.93	3.02	5.99	inf	1.99	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	2.87	2.93	5.91	24.00	1.91	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-27.53	-26.95	-24.22	30.00	-28.22	36.00
802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	2.63	2.98	5.82	30.00	1.82	36.00
5230MHz	Pass	-4.00	2.62	2.88	5.76	30.00	1.76	36.00
5270MHz	Pass	-4.00	2.65	3.23	5.96	24.00	1.96	30.00
5310MHz	Pass	-4.00	2.56	3.05	5.82	24.00	1.82	30.00
5510MHz	Pass	-4.00	2.57	3.19	5.90	24.00	1.90	30.00
5590MHz	Pass	-4.00	2.64	2.81	5.74	24.00	1.74	30.00
5670MHz	Pass	-4.00	2.68	2.78	5.74	24.00	1.74	30.00
5710MHz	Pass	-4.00	2.69	2.77	5.74	inf	1.74	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	-16.74	-17.12	-13.92	24.00	-17.92	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	2.62	2.68	5.66	30.00	1.66	36.00
802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	5.69	6.05	8.88	30.00	4.88	36.00
5230MHz	Pass	-4.00	5.71	6.1	8.92	30.00	4.92	36.00
5270MHz	Pass	-4.00	5.72	6.01	8.88	24.00	4.88	30.00
5310MHz	Pass	-4.00	5.68	6.02	8.86	24.00	4.86	30.00
5510MHz	Pass	-4.00	5.63	5.96	8.81	24.00	4.81	30.00
5590MHz	Pass	-4.00	5.7	5.86	8.79	24.00	4.79	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5670MHz	Pass	-4.00	5.76	5.88	8.83	24.00	4.83	30.00
5710MHz	Pass	-4.00	5.73	5.82	8.79	inf	4.79	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	5.64	5.76	8.71	24.00	4.71	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-26.11	-25.33	-22.69	30.00	-26.69	36.00
802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	5.81	6.15	8.99	30.00	4.99	36.00
5230MHz	Pass	-4.00	5.88	6.12	9.01	30.00	5.01	36.00
5270MHz	Pass	-4.00	5.87	6.09	8.99	24.00	4.99	30.00
5310MHz	Pass	-4.00	5.85	6.08	8.98	24.00	4.98	30.00
5510MHz	Pass	-4.00	5.88	6.25	9.08	24.00	5.08	30.00
5590MHz	Pass	-4.00	5.84	5.94	8.90	24.00	4.90	30.00
5670MHz	Pass	-4.00	5.86	5.92	8.90	24.00	4.90	30.00
5710MHz	Pass	-4.00	5.89	5.93	8.92	inf	4.92	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	5.82	5.91	8.88	24.00	4.88	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-25.09	-24.93	-22.00	30.00	-26.00	36.00
802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	5.62	6.25	8.96	30.00	4.96	36.00
5230MHz	Pass	-4.00	5.66	6.05	8.87	30.00	4.87	36.00
5270MHz	Pass	-4.00	5.62	6.05	8.85	24.00	4.85	30.00
5310MHz	Pass	-4.00	5.71	5.96	8.85	24.00	4.85	30.00
5510MHz	Pass	-4.00	5.76	6.03	8.91	24.00	4.91	30.00
5590MHz	Pass	-4.00	5.74	5.9	8.83	24.00	4.83	30.00
5670MHz	Pass	-4.00	5.72	5.82	8.78	24.00	4.78	30.00
5710MHz	Pass	-4.00	5.78	5.82	8.81	inf	4.81	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	-7.33	-7.23	-4.27	24.00	-8.27	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	5.58	5.62	8.61	30.00	4.61	36.00
802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	8.61	9.05	11.85	30.00	7.85	36.00
5230MHz	Pass	-4.00	8.66	9.03	11.86	30.00	7.86	36.00
5270MHz	Pass	-4.00	8.62	8.97	11.81	24.00	7.81	30.00
5310MHz	Pass	-4.00	8.54	9.21	11.90	24.00	7.90	30.00
5510MHz	Pass	-4.00	8.66	9.15	11.92	24.00	7.92	30.00
5590MHz	Pass	-4.00	8.6	8.76	11.69	24.00	7.69	30.00
5670MHz	Pass	-4.00	8.78	8.81	11.81	24.00	7.81	30.00
5710MHz	Pass	-4.00	8.69	8.75	11.73	inf	7.73	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.7	8.73	11.73	24.00	7.73	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-21.51	-22.55	-18.99	30.00	-22.99	36.00
802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	8.74	9.24	12.01	30.00	8.01	36.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5230MHz	Pass	-4.00	8.78	9.25	12.03	30.00	8.03	36.00
5270MHz	Pass	-4.00	8.75	9.23	12.01	24.00	8.01	30.00
5310MHz	Pass	-4.00	8.75	9.14	11.96	24.00	7.96	30.00
5510MHz	Pass	-4.00	8.72	9.11	11.93	24.00	7.93	30.00
5590MHz	Pass	-4.00	8.79	8.93	11.87	24.00	7.87	30.00
5670MHz	Pass	-4.00	8.86	8.92	11.90	24.00	7.90	30.00
5710MHz	Pass	-4.00	8.77	8.82	11.81	inf	7.81	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.83	8.84	11.85	24.00	7.85	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-22.91	-22.14	-19.50	30.00	-23.50	36.00
802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	8.68	9.05	11.88	30.00	7.88	36.00
5230MHz	Pass	-4.00	8.63	9.08	11.87	30.00	7.87	36.00
5270MHz	Pass	-4.00	8.66	9.02	11.85	24.00	7.85	30.00
5310MHz	Pass	-4.00	8.64	9.06	11.87	24.00	7.87	30.00
5510MHz	Pass	-4.00	8.64	9.08	11.88	24.00	7.88	30.00
5590MHz	Pass	-4.00	8.6	8.77	11.70	24.00	7.70	30.00
5670MHz	Pass	-4.00	8.76	8.83	11.81	24.00	7.81	30.00
5710MHz	Pass	-4.00	8.69	8.8	11.76	inf	7.76	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	6.1	6.16	9.14	24.00	5.14	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	5.55	5.62	8.60	30.00	4.60	36.00
802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	8.79	9.16	11.99	30.00	7.99	36.00
5230MHz	Pass	-4.00	8.81	9.13	11.98	30.00	7.98	36.00
5270MHz	Pass	-4.00	8.89	9.25	12.08	24.00	8.08	30.00
5310MHz	Pass	-4.00	8.71	9.11	11.92	24.00	7.92	30.00
5510MHz	Pass	-4.00	8.75	9.16	11.97	24.00	7.97	30.00
5590MHz	Pass	-4.00	8.73	8.88	11.82	24.00	7.82	30.00
5670MHz	Pass	-4.00	8.75	8.89	11.83	24.00	7.83	30.00
5710MHz	Pass	-4.00	8.78	8.85	11.83	inf	7.83	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.61	8.72	11.68	24.00	7.68	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-22.19	-21.7	-18.93	30.00	-22.93	36.00
802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	8.64	9.09	11.88	30.00	7.88	36.00
5230MHz	Pass	-4.00	8.61	9.05	11.85	30.00	7.85	36.00
5270MHz	Pass	-4.00	8.62	8.95	11.80	24.00	7.80	30.00
5310MHz	Pass	-4.00	8.65	9.12	11.90	24.00	7.90	30.00
5510MHz	Pass	-4.00	8.65	9.2	11.94	24.00	7.94	30.00
5590MHz	Pass	-4.00	8.7	8.8	11.76	24.00	7.76	30.00
5670MHz	Pass	-4.00	8.74	8.89	11.83	24.00	7.83	30.00
5710MHz	Pass	-4.00	8.76	8.83	11.81	inf	7.81	inf

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	7.75	7.85	10.81	24.00	6.81	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	1.77	1.86	4.83	30.00	0.83	36.00
802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-4.00	8.76	9.15	11.97	30.00	7.97	36.00
5230MHz	Pass	-4.00	8.74	9.19	11.98	30.00	7.98	36.00
5270MHz	Pass	-4.00	8.79	9.21	12.02	24.00	8.02	30.00
5310MHz	Pass	-4.00	8.82	9.17	12.01	24.00	8.01	30.00
5510MHz	Pass	-4.00	8.84	9.12	11.99	24.00	7.99	30.00
5590MHz	Pass	-4.00	8.73	9.01	11.88	24.00	7.88	30.00
5670MHz	Pass	-4.00	8.72	8.91	11.83	24.00	7.83	30.00
5710MHz	Pass	-4.00	8.82	8.96	11.9	inf	7.9	inf
5710MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.44	8.55	11.51	24.00	7.51	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	-4.00	-1.16	-1.08	1.89	30.00	-2.11	36.00
802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	2.72	3.03	5.89	30.00	1.89	36.00
5290MHz	Pass	-4.00	2.74	3.09	5.93	24.00	1.93	30.00
5530MHz	Pass	-4.00	2.76	3.07	5.93	24.00	1.93	30.00
5610MHz	Pass	-4.00	2.6	2.71	5.67	24.00	1.67	30.00
5690MHz	Pass	-4.00	2.61	2.66	5.65	inf	1.65	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	2.58	2.68	5.64	24.00	1.64	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-29.92	-29.97	-26.93	30.00	-30.93	36.00
802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	2.83	3.11	5.98	30.00	1.98	36.00
5290MHz	Pass	-4.00	2.84	3.12	5.99	24.00	1.99	30.00
5530MHz	Pass	-4.00	2.82	3.08	5.96	24.00	1.96	30.00
5610MHz	Pass	-4.00	2.69	2.83	5.77	24.00	1.77	30.00
5690MHz	Pass	-4.00	2.68	2.77	5.74	inf	1.74	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	2.58	2.66	5.63	24.00	1.63	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-31.85	-30.62	-28.18	30.00	-32.18	36.00
802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	2.56	3.06	5.83	30.00	1.83	36.00
5290MHz	Pass	-4.00	2.59	3.15	5.89	24.00	1.89	30.00
5530MHz	Pass	-4.00	2.61	3.01	5.82	24.00	1.82	30.00
5610MHz	Pass	-4.00	2.63	2.8	5.73	24.00	1.73	30.00
5690MHz	Pass	-4.00	2.66	2.71	5.7	inf	1.7	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	-16.79	-17.22	-13.99	24.00	-17.99	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	2.58	2.65	5.63	30.00	1.63	36.00
802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	5.66	6.16	8.93	30.00	4.93	36.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5290MHz	Pass	-4.00	5.72	6.14	8.95	24.00	4.95	30.00
5530MHz	Pass	-4.00	5.66	6.05	8.87	24.00	4.87	30.00
5610MHz	Pass	-4.00	5.69	5.87	8.79	24.00	4.79	30.00
5690MHz	Pass	-4.00	5.72	5.86	8.8	inf	4.8	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	5.72	5.82	8.78	24.00	4.78	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-27.72	-27.16	-24.42	30.00	-28.42	36.00
802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	5.94	6.19	9.08	30.00	5.08	36.00
5290MHz	Pass	-4.00	5.93	6.22	9.09	24.00	5.09	30.00
5530MHz	Pass	-4.00	5.91	6.13	9.03	24.00	5.03	30.00
5610MHz	Pass	-4.00	5.82	5.91	8.88	24.00	4.88	30.00
5690MHz	Pass	-4.00	5.83	5.89	8.87	inf	4.87	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	5.84	5.9	8.88	24.00	4.88	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-28.45	-28.13	-25.28	30.00	-29.28	36.00
802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	5.68	6.05	8.88	30.00	4.88	36.00
5290MHz	Pass	-4.00	5.69	6.08	8.90	24.00	4.90	30.00
5530MHz	Pass	-4.00	5.63	6.05	8.86	24.00	4.86	30.00
5610MHz	Pass	-4.00	5.73	5.89	8.82	24.00	4.82	30.00
5690MHz	Pass	-4.00	5.76	5.86	8.82	inf	4.82	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	-7.39	-7.39	-4.38	24.00	-8.38	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	5.47	5.51	8.50	30.00	4.50	36.00
802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.65	9.06	11.87	30.00	7.87	36.00
5290MHz	Pass	-4.00	8.67	9.07	11.88	24.00	7.88	30.00
5530MHz	Pass	-4.00	8.69	9.06	11.89	24.00	7.89	30.00
5610MHz	Pass	-4.00	8.62	8.75	11.70	24.00	7.70	30.00
5690MHz	Pass	-4.00	8.59	8.68	11.65	inf	7.65	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.61	8.62	11.63	24.00	7.63	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-25.35	-25.38	-22.35	30.00	-26.35	36.00
802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.82	9.14	11.99	30.00	7.99	36.00
5290MHz	Pass	-4.00	8.84	9.16	12.01	24.00	8.01	30.00
5530MHz	Pass	-4.00	8.85	9.17	12.02	24.00	8.02	30.00
5610MHz	Pass	-4.00	8.72	8.89	11.82	24.00	7.82	30.00
5690MHz	Pass	-4.00	8.71	8.78	11.76	inf	7.76	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.57	8.69	11.64	24.00	7.64	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-25.4	-25.41	-22.39	30.00	-26.39	36.00
802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5210MHz	Pass	-4.00	8.59	9.08	11.85	30.00	7.85	36.00
5290MHz	Pass	-4.00	8.56	9.02	11.81	24.00	7.81	30.00
5530MHz	Pass	-4.00	8.55	9.01	11.80	24.00	7.80	30.00
5610MHz	Pass	-4.00	8.59	8.72	11.67	24.00	7.67	30.00
5690MHz	Pass	-4.00	8.64	8.68	11.67	inf	7.67	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	5.64	5.75	8.71	24.00	4.71	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	5.35	5.43	8.40	30.00	4.40	36.00
802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.66	9.05	11.87	30.00	7.87	36.00
5290MHz	Pass	-4.00	8.61	9.06	11.85	24.00	7.85	30.00
5530MHz	Pass	-4.00	8.59	9.01	11.82	24.00	7.82	30.00
5610MHz	Pass	-4.00	8.6	8.72	11.67	24.00	7.67	30.00
5690MHz	Pass	-4.00	8.63	8.69	11.67	inf	7.67	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.63	9.02	11.84	24.00	7.84	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-25.7	-25.03	-22.34	30.00	-26.34	36.00
802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.69	9.11	11.92	30.00	7.92	36.00
5290MHz	Pass	-4.00	8.66	9.15	11.92	24.00	7.92	30.00
5530MHz	Pass	-4.00	8.71	9.13	11.94	24.00	7.94	30.00
5610MHz	Pass	-4.00	8.69	8.81	11.76	24.00	7.76	30.00
5690MHz	Pass	-4.00	8.72	8.8	11.77	inf	7.77	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.7	8.8	11.76	24.00	7.76	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-25.2	-25.1	-22.14	30.00	-26.14	36.00
802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.59	9.08	11.85	30.00	7.85	36.00
5290MHz	Pass	-4.00	8.57	8.99	11.80	24.00	7.80	30.00
5530MHz	Pass	-4.00	8.58	9.03	11.82	24.00	7.82	30.00
5610MHz	Pass	-4.00	8.68	8.78	11.74	24.00	7.74	30.00
5690MHz	Pass	-4.00	8.69	8.75	11.73	inf	7.73	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	7.62	7.73	10.69	24.00	6.69	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	1.81	1.88	4.86	30.00	0.86	36.00
802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.81	9.16	12.00	30.00	8.00	36.00
5290MHz	Pass	-4.00	8.82	9.14	11.99	24.00	7.99	30.00
5530MHz	Pass	-4.00	8.8	9.1	11.96	24.00	7.96	30.00
5610MHz	Pass	-4.00	8.71	8.89	11.81	24.00	7.81	30.00
5690MHz	Pass	-4.00	8.72	8.8	11.77	inf	7.77	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.63	8.74	11.70	24.00	7.70	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-25.64	-25.39	-22.50	30.00	-26.50	36.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.64	9.03	11.85	30.00	7.85	36.00
5290MHz	Pass	-4.00	8.63	9.07	11.87	24.00	7.87	30.00
5530MHz	Pass	-4.00	8.59	9.04	11.83	24.00	7.83	30.00
5610MHz	Pass	-4.00	8.68	8.79	11.75	24.00	7.75	30.00
5690MHz	Pass	-4.00	8.71	8.78	11.76	inf	7.76	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.4	8.48	11.45	24.00	7.45	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-1.17	-1.1	1.88	30.00	-2.12	36.00
802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-4.00	8.91	9.12	12.03	30.00	8.03	36.00
5290MHz	Pass	-4.00	8.93	9.19	12.07	24.00	8.07	30.00
5530MHz	Pass	-4.00	8.9	9.18	12.05	24.00	8.05	30.00
5610MHz	Pass	-4.00	8.96	9.08	12.03	24.00	8.03	30.00
5690MHz	Pass	-4.00	8.98	9.05	12.03	inf	8.03	inf
5690MHz Straddle 5.47-5.725GHz	Pass	-4.00	8.7	8.85	11.79	24.00	7.79	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	-4.00	-4.3	-4.22	-1.25	30.00	-5.25	36.00

DG = Directional Gain;**Port X** = Port X output power

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
-20.04	-23.54	-22.61

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
-14.21	-17.44	-17.02

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
5.90	2.84	2.94

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
9.18	6.13	6.20

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.47-5.725GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
10.79	7.73	7.82

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX **AV Power**

5720MHz Straddle 5.725-5.85GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
5.75	2.70	2.77

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX **AV Power**

5710MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
-25.28	-28.45	-28.13

802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
-4.38	-7.39	-7.39

802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



Sum(dBm)	P1(dBm)	P2(dBm)
8.50	5.47	5.51

802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.47-5.725GHz_TnomVnom



802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX **AV Power**

5690MHz Straddle 5.725-5.85GHz_TnomVnom



3.4 Peak Power Spectral Density

3.4.1 Limit of Peak Power Spectral Density

Frequency band 5150-5250 MHz		
Operating Mode		**Limit**
☐	Outdoor access point	17 dBm / MHz
☐	Indoor access point	17 dBm / MHz
☐	Fixed point-to-point access points	17 dBm / MHz
☒	Client devices	11 dBm / MHz

Frequency Band (MHz)		**Limit**
☒	5250 ~ 5350	11 dBm / MHz
☒	5470 ~ 5725	11 dBm / MHz

3.4.2 Test Procedures

Duty cycle ≥ 98 %

1. Set RBW = 1 MHz, VBW = 3 MHz, Sweep time = auto, Detector = RMS.
2. Trace average 100 traces.
3. Use the peak marker function to determine the maximum amplitude level.

Duty cycle < 98 %

1. Set RBW = 1 MHz, VBW = 3 MHz, Detector = RMS.
2. Set sweep time ≥ 10 * (number of points in sweep) * (total on/off period of the transmitted signal).
3. Perform a single sweep.
4. Use the peak marker function to determine the maximum amplitude level.
5. Add 10 log(1/x), where x is the duty cycle.

3.4.3 Test Setup



3.4.4 Test Result of Peak Power Spectral Density

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.76	3.83
802.11n HT20_Nss1,(MCS0)_2TX	4.46	2.53
802.11n HT40_Nss1,(MCS0)_2TX	0.40	-1.53
802.11ac VHT80_Nss1,(MCS0)_2TX	-3.79	-5.72
802.11ax HEW20_Nss1,(MCS0)_2TX	1.47	-0.46
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.78	-3.71
802.11ax HEW80_Nss1,(MCS0)_2TX	-4.47	-6.40
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.77	3.84
802.11n HT20_Nss1,(MCS0)_2TX	4.43	2.50
802.11n HT40_Nss1,(MCS0)_2TX	0.41	-1.52
802.11ac VHT80_Nss1,(MCS0)_2TX	-3.97	-5.90
802.11ax HEW20_Nss1,(MCS0)_2TX	1.37	-0.56
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.82	-3.75
802.11ax HEW80_Nss1,(MCS0)_2TX	-4.61	-6.54
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.89	3.96
802.11n HT20_Nss1,(MCS0)_2TX	4.68	2.75
802.11n HT40_Nss1,(MCS0)_2TX	0.63	-1.30
802.11ac VHT80_Nss1,(MCS0)_2TX	-3.66	-5.59
802.11ax HEW20_Nss1,(MCS0)_2TX	1.57	-0.36
802.11ax HEW40_Nss1,(MCS0)_2TX	-1.52	-3.45
802.11ax HEW80_Nss1,(MCS0)_2TX	-4.58	-6.51
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	2.33	0.40
802.11n HT20_Nss1,(MCS0)_2TX	1.23	-0.70
802.11n HT40_Nss1,(MCS0)_2TX	-4.06	-5.99
802.11ac VHT80_Nss1,(MCS0)_2TX	-8.99	-10.92
802.11ax HEW20_Nss1,(MCS0)_2TX	-2.41	-4.34
802.11ax HEW40_Nss1,(MCS0)_2TX	-5.85	-7.78
802.11ax HEW80_Nss1,(MCS0)_2TX	-10.06	-11.99

RBW = 1MHz

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	2.84	3.09	5.76	17.00	3.83	23.00
5200MHz	Pass	-1.93	2.65	3.15	5.76	17.00	3.83	23.00
5240MHz	Pass	-1.93	2.58	3.09	5.61	17.00	3.68	23.00
5260MHz	Pass	-1.93	2.76	3.06	5.77	11.00	3.84	17.00
5300MHz	Pass	-1.93	2.52	2.98	5.58	11.00	3.65	17.00
5320MHz	Pass	-1.93	2.57	2.90	5.61	11.00	3.68	17.00
5500MHz	Pass	-1.93	2.62	3.36	5.89	11.00	3.96	17.00
5580MHz	Pass	-1.93	2.73	2.87	5.62	11.00	3.69	17.00
5700MHz	Pass	-1.93	2.66	2.62	5.53	11.00	3.60	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	2.82	2.95	5.84	11.00	3.91	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-0.53	-0.50	2.33	30.00	0.40	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	1.40	1.67	4.36	17.00	2.43	23.00
5200MHz	Pass	-1.93	1.34	1.82	4.46	17.00	2.53	23.00
5240MHz	Pass	-1.93	1.25	1.85	4.42	17.00	2.49	23.00
5260MHz	Pass	-1.93	1.36	1.76	4.43	11.00	2.50	17.00
5300MHz	Pass	-1.93	1.24	1.32	4.21	11.00	2.28	17.00
5320MHz	Pass	-1.93	1.33	1.45	4.35	11.00	2.42	17.00
5500MHz	Pass	-1.93	1.50	1.91	4.54	11.00	2.61	17.00
5580MHz	Pass	-1.93	1.54	1.71	4.55	11.00	2.62	17.00
5700MHz	Pass	-1.93	1.66	1.58	4.48	11.00	2.55	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	1.63	1.94	4.68	11.00	2.75	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-1.88	-1.68	1.23	30.00	-0.70	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-2.63	-2.37	0.40	17.00	-1.53	23.00
5230MHz	Pass	-1.93	-2.66	-2.33	0.37	17.00	-1.56	23.00
5270MHz	Pass	-1.93	-2.70	-2.41	0.41	11.00	-1.52	17.00
5310MHz	Pass	-1.93	-2.63	-2.62	0.30	11.00	-1.63	17.00
5510MHz	Pass	-1.93	-2.53	-2.03	0.63	11.00	-1.30	17.00
5590MHz	Pass	-1.93	-2.43	-2.40	0.41	11.00	-1.52	17.00
5670MHz	Pass	-1.93	-2.27	-2.30	0.56	11.00	-1.37	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-2.58	-2.42	0.45	11.00	-1.48	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-7.04	-6.91	-4.06	30.00	-5.99	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-6.90	-6.49	-3.79	17.00	-5.72	23.00
5290MHz	Pass	-1.93	-7.06	-6.74	-3.97	11.00	-5.90	17.00
5530MHz	Pass	-1.93	-7.15	-6.57	-3.91	11.00	-5.84	17.00
5610MHz	Pass	-1.93	-6.94	-6.21	-3.66	11.00	-5.59	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-7.12	-6.74	-4.03	11.00	-5.96	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-12.01	-11.71	-8.99	30.00	-10.92	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-1.67	-1.29	1.47	17.00	-0.46	23.00
5200MHz	Pass	-1.93	-1.70	-1.17	1.39	17.00	-0.54	23.00
5240MHz	Pass	-1.93	-1.76	-1.04	1.33	17.00	-0.60	23.00
5260MHz	Pass	-1.93	-1.79	-1.29	1.37	11.00	-0.56	17.00
5300MHz	Pass	-1.93	-1.63	-1.47	1.26	11.00	-0.67	17.00
5320MHz	Pass	-1.93	-1.85	-1.36	1.28	11.00	-0.65	17.00
5500MHz	Pass	-1.93	-1.82	-1.02	1.57	11.00	-0.36	17.00
5580MHz	Pass	-1.93	-1.53	-1.19	1.50	11.00	-0.43	17.00
5700MHz	Pass	-1.93	-1.45	-1.31	1.56	11.00	-0.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	-1.91	-1.74	1.10	11.00	-0.83	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-5.27	-5.23	-2.41	30.00	-4.34	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-4.98	-4.44	-1.86	17.00	-3.79	23.00
5230MHz	Pass	-1.93	-4.84	-4.50	-1.78	17.00	-3.71	23.00
5270MHz	Pass	-1.93	-4.92	-4.40	-1.82	11.00	-3.75	17.00
5310MHz	Pass	-1.93	-4.95	-4.56	-1.88	11.00	-3.81	17.00
5510MHz	Pass	-1.93	-4.72	-4.12	-1.59	11.00	-3.52	17.00
5590MHz	Pass	-1.93	-4.76	-4.50	-1.79	11.00	-3.72	17.00
5670MHz	Pass	-1.93	-4.57	-4.39	-1.52	11.00	-3.45	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-4.55	-4.21	-1.55	11.00	-3.48	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-9.13	-8.49	-5.85	30.00	-7.78	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-7.53	-7.09	-4.47	17.00	-6.40	23.00
5290MHz	Pass	-1.93	-7.67	-7.31	-4.61	11.00	-6.54	17.00
5530MHz	Pass	-1.93	-7.80	-6.98	-4.58	11.00	-6.51	17.00
5610MHz	Pass	-1.93	-8.12	-7.22	-4.74	11.00	-6.67	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-7.99	-7.68	-4.91	11.00	-6.84	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-13.06	-12.91	-10.06	30.00	-11.99	36.00

DG = Directional Gain; **RBW** = 1MHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port Xpower density;

802.11a_Nss1,(6Mbps)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.76	5.76	2.84	3.09

802.11a_Nss1,(6Mbps)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.76	5.76	2.65	3.15

802.11a_Nss1,(6Mbps)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.61	5.61	2.58	3.09

802.11a_Nss1,(6Mbps)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.77	5.77	2.76	3.06

802.11a_Nss1,(6Mbps)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.58	5.58	2.52	2.98

802.11a_Nss1,(6Mbps)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.61	5.61	2.57	2.90

802.11a_Nss1,(6Mbps)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.89	5.89	2.62	3.36

802.11a_Nss1,(6Mbps)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.62	5.62	2.73	2.87

802.11a_Nss1,(6Mbps)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.53	5.53	2.66	2.62

802.11a_Nss1,(6Mbps)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.84	5.84	2.82	2.95

802.11a_Nss1,(6Mbps)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.33	2.33	-0.53	-0.50

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.36	4.36	1.40	1.67

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.46	4.46	1.34	1.82

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.42	4.42	1.25	1.85

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.43	4.43	1.36	1.76

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.21	4.21	1.24	1.32

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	1.33	1.45

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	1.50	1.91

802.11n HT20_Nss1,(MCS0)_2TX PSD

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.55	4.55	1.54	1.71

802.11n HT20_Nss1,(MCS0)_2TX PSD

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.48	4.48	1.66	1.58

802.11n HT20_Nss1,(MCS0)_2TX PSD

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	1.63	1.94

802.11n HT20_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.23	1.23	-1.88	-1.68

802.11n HT40_Nss1,(MCS0)_2TX **PSD**

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.40	0.40	-2.63	-2.37

802.11n HT40_Nss1,(MCS0)_2TX **PSD**

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.37	0.37	-2.66	-2.33

802.11n HT40_Nss1,(MCS0)_2TX PSD

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.41	0.41	-2.70	-2.41

802.11n HT40_Nss1,(MCS0)_2TX PSD

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.30	0.30	-2.63	-2.62

802.11n HT40_Nss1,(MCS0)_2TX PSD

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.63	0.63	-2.53	-2.03

802.11n HT40_Nss1,(MCS0)_2TX PSD

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.41	0.41	-2.43	-2.40

802.11n HT40_Nss1,(MCS0)_2TX PSD

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.56	0.56	-2.27	-2.30

802.11n HT40_Nss1,(MCS0)_2TX PSD

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.45	0.45	-2.58	-2.42

802.11n HT40_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.06	-4.06	-7.04	-6.91

802.11ac VHT80_Nss1,(MCS0)_2TX **PSD**

5210MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.79	-3.79	-6.90	-6.49

802.11ac VHT80_Nss1,(MCS0)_2TX **PSD**

5290MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.97	-3.97	-7.06	-6.74

802.11ac VHT80_Nss1,(MCS0)_2TX PSD

5530MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.91	-3.91	-7.15	-6.57

802.11ac VHT80_Nss1,(MCS0)_2TX PSD

5610MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.66	-3.66	-6.94	-6.21

802.11ac VHT80_Nss1,(MCS0)_2TX PSD

5690MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.03	-4.03	-7.12	-6.74

802.11ac VHT80_Nss1,(MCS0)_2TX PSD

5690MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.99	-8.99	-12.01	-11.71

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.47	1.47	-1.67	-1.29

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.39	1.39	-1.70	-1.17

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.33	1.33	-1.76	-1.04

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.37	1.37	-1.79	-1.29

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.26	1.26	-1.63	-1.47

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.28	1.28	-1.85	-1.36

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.57	1.57	-1.82	-1.02

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.50	1.50	-1.53	-1.19

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.56	1.56	-1.45	-1.31

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.10	1.10	-1.91	-1.74

802.11ax HEW20_Nss1,(MCS0)_2TX PSD

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.41	-2.41	-5.27	-5.23

802.11ax HEW40_Nss1,(MCS0)_2TX PSD

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.86	-1.86	-4.98	-4.44

802.11ax HEW40_Nss1,(MCS0)_2TX PSD

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.78	-1.78	-4.84	-4.50

802.11ax HEW40_Nss1,(MCS0)_2TX PSD

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.82	-1.82	-4.92	-4.40

802.11ax HEW40_Nss1,(MCS0)_2TX PSD

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.88	-1.88	-4.95	-4.56

802.11ax HEW40_Nss1,(MCS0)_2TX PSD

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.59	-1.59	-4.72	-4.12

802.11ax HEW40_Nss1,(MCS0)_2TX PSD

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.79	-1.79	-4.76	-4.50

802.11ax HEW40_Nss1,(MCS0)_2TX **PSD**

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.52	-1.52	-4.57	-4.39

802.11ax HEW40_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.55	-1.55	-4.55	-4.21

802.11ax HEW40_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.85	-5.85	-9.13	-8.49

802.11ax HEW80_Nss1,(MCS0)_2TX PSD

5210MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.47	-4.47	-7.53	-7.09

802.11ax HEW80_Nss1,(MCS0)_2TX PSD

5290MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.61	-4.61	-7.67	-7.31

802.11ax HEW80_Nss1,(MCS0)_2TX PSD

5530MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.58	-4.58	-7.80	-6.98

802.11ax HEW80_Nss1,(MCS0)_2TX **PSD**

5610MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.74	-4.74	-8.12	-7.22

802.11ax HEW80_Nss1,(MCS0)_2TX **PSD**

5690MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.91	-4.91	-7.99	-7.68

802.11ax HEW80_Nss1,(MCS0)_2TX **PSD**

5690MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.06	-10.06	-13.06	-12.91

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX	2.71	0.78
802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX	1.70	-0.23
802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX	2.75	0.82
802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX	2.99	1.06
802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX	3.04	1.11
802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX	2.96	1.03
802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX	3.14	1.21
802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX	3.12	1.19
802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX	-0.17	-2.10
802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX	2.84	0.91
802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX	2.81	0.88
802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX	2.67	0.74
802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX	3.06	1.13
802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX	2.97	1.04
802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX	3.00	1.07
802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX	2.96	1.03
802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX	3.12	1.19
802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX	2.92	0.99
802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX	-0.48	-2.41
802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX	-0.43	-2.36
802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX	-3.20	-5.13
802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX	2.56	0.63
802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX	1.94	0.01
802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX	2.44	0.51
802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX	2.77	0.84
802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX	2.64	0.71
802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX	2.73	0.80
802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX	3.01	1.08
802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX	2.71	0.78
802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX	2.91	0.98
802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX	-0.27	-2.20
802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX	-0.27	-2.20
802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX	-0.40	-2.33
802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX	-3.23	-5.16
802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX	-3.28	-5.21
802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX	-6.46	-8.39
5.25-5.35GHz	-	-

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX	2.60	0.67
802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX	1.66	-0.27
802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX	2.58	0.65
802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX	2.91	0.98
802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX	3.01	1.08
802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX	2.89	0.96
802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX	3.08	1.15
802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX	3.05	1.12
802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX	-0.22	-2.15
802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX	2.72	0.79
802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX	2.71	0.78
802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX	2.98	1.05
802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX	2.99	1.06
802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX	2.84	0.91
802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX	2.88	0.95
802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX	2.94	1.01
802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX	3.02	1.09
802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX	2.77	0.84
802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX	-0.17	-2.10
802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX	-0.23	-2.16
802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX	-3.53	-5.46
802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX	2.51	0.58
802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX	1.75	-0.18
802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX	2.73	0.80
802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX	2.78	0.85
802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX	2.96	1.03
802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX	3.04	1.11
802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX	2.96	1.03
802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX	3.05	1.12
802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX	2.67	0.74
802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX	-0.39	-2.32
802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX	-0.38	-2.31
802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX	-0.21	-2.14
802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX	-3.37	-5.30
802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX	-3.41	-5.34
802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX	-6.22	-8.15
5.47-5.725GHz	-	-
802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX	2.95	1.02
802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX	2.05	0.12

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX	2.66	0.73
802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX	2.81	0.88
802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX	2.99	1.06
802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX	2.89	0.96
802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX	3.07	1.14
802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX	2.97	1.04
802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX	0.04	-1.89
802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX	2.91	0.98
802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX	2.97	1.04
802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX	2.86	0.93
802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX	3.09	1.16
802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX	3.01	1.08
802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX	2.88	0.95
802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX	3.08	1.15
802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX	3.06	1.13
802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX	3.06	1.13
802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX	-0.11	-2.04
802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX	-0.17	-2.10
802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX	-3.37	-5.30
802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX	2.73	0.80
802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX	2.03	0.10
802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX	2.72	0.79
802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX	2.95	1.02
802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX	3.00	1.07
802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX	2.97	1.04
802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX	3.10	1.17
802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX	2.77	0.84
802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX	3.03	1.10
802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX	-0.26	-2.19
802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX	-0.24	-2.17
802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX	-0.27	-2.20
802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX	-3.15	-5.08
802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX	-3.21	-5.14
802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX	-6.12	-8.05
5.725-5.85GHz	-	-
802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX	-26.70	-28.63
802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX	-26.99	-28.92
802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX	-0.04	-1.97
802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX	-24.55	-26.48

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX	-24.27	-26.20
802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX	-0.35	-2.28
802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX	-21.91	-23.84
802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX	-0.18	-2.11
802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX	-3.02	-4.95
802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX	-30.46	-32.39
802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX	-31.50	-33.43
802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX	-0.08	-2.01
802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX	-27.56	-29.49
802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX	-28.52	-30.45
802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX	-0.27	-2.20
802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX	-24.93	-26.86
802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX	-25.15	-27.08
802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX	-0.16	-2.09
802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX	-24.88	-26.81
802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX	-3.79	-5.72
802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX	-6.79	-8.72
802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX	-33.96	-35.89
802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX	-34.61	-36.54
802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX	-0.35	-2.28
802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX	-31.40	-33.33
802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX	-31.65	-33.58
802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX	-0.37	-2.30
802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX	-27.45	-29.38
802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX	-29.02	-30.95
802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX	-0.16	-2.09
802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX	-27.61	-29.54
802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX	-28.62	-30.55
802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX	-3.84	-5.77
802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX	-27.28	-29.21
802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX	-6.76	-8.69
802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX	-9.86	-11.79

RBW =1MHz

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-0.75	0.12	2.71	17.00	0.78	23.00
5200MHz	Pass	-1.93	-0.65	0.04	2.69	17.00	0.76	23.00
5240MHz	Pass	-1.93	-0.72	-0.02	2.61	17.00	0.68	23.00
5260MHz	Pass	-1.93	-0.79	-0.05	2.60	11.00	0.67	17.00
5300MHz	Pass	-1.93	-0.62	-0.26	2.52	11.00	0.59	17.00
5320MHz	Pass	-1.93	-0.71	-0.16	2.52	11.00	0.59	17.00
5500MHz	Pass	-1.93	-0.57	0.51	2.94	11.00	1.01	17.00
5580MHz	Pass	-1.93	-0.24	0.24	2.95	11.00	1.02	17.00
5700MHz	Pass	-1.93	-0.30	-0.25	2.69	11.00	0.76	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.04	-0.23	2.88	11.00	0.95	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-28.92	-30.46	-26.70	30.00	-28.63	36.00
802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-1.67	-0.88	1.70	17.00	-0.23	23.00
5200MHz	Pass	-1.93	-1.71	-0.98	1.66	17.00	-0.27	23.00
5240MHz	Pass	-1.93	-1.78	-1.08	1.58	17.00	-0.35	23.00
5260MHz	Pass	-1.93	-1.73	-1.01	1.66	11.00	-0.27	17.00
5300MHz	Pass	-1.93	-1.63	-1.30	1.55	11.00	-0.38	17.00
5320MHz	Pass	-1.93	-1.73	-1.17	1.57	11.00	-0.36	17.00
5500MHz	Pass	-1.93	-1.46	-0.54	1.97	11.00	0.04	17.00
5580MHz	Pass	-1.93	-1.16	-0.76	2.05	11.00	0.12	17.00
5700MHz	Pass	-1.93	-1.20	-1.15	1.75	11.00	-0.18	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.89	-1.31	1.92	11.00	-0.01	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-28.89	-29.93	-26.99	30.00	-28.92	36.00
802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-0.65	0.11	2.75	17.00	0.82	23.00
5200MHz	Pass	-1.93	-0.68	0.06	2.72	17.00	0.79	23.00
5240MHz	Pass	-1.93	-0.79	-0.02	2.62	17.00	0.69	23.00
5260MHz	Pass	-1.93	-0.78	-0.05	2.58	11.00	0.65	17.00
5300MHz	Pass	-1.93	-0.79	-0.21	2.52	11.00	0.59	17.00
5320MHz	Pass	-1.93	-0.80	-0.28	2.47	11.00	0.54	17.00
5500MHz	Pass	-1.93	-0.96	-0.05	2.49	11.00	0.56	17.00
5580MHz	Pass	-1.93	-0.68	-0.21	2.55	11.00	0.62	17.00
5700MHz	Pass	-1.93	-0.19	-0.33	2.66	11.00	0.73	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	-24.72	-25.51	-22.30	11.00	-24.23	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-2.86	-3.16	-0.04	30.00	-1.97	36.00
802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5180MHz	Pass	-1.93	-0.53	0.45	2.98	17.00	1.05	23.00
5200MHz	Pass	-1.93	-0.56	0.49	2.99	17.00	1.06	23.00
5240MHz	Pass	-1.93	-0.53	0.40	2.92	17.00	0.99	23.00
5260MHz	Pass	-1.93	-0.59	0.43	2.91	11.00	0.98	17.00
5300MHz	Pass	-1.93	-0.54	0.24	2.85	11.00	0.92	17.00
5320MHz	Pass	-1.93	-0.57	0.24	2.85	11.00	0.92	17.00
5500MHz	Pass	-1.93	-0.68	0.30	2.81	11.00	0.88	17.00
5580MHz	Pass	-1.93	-0.61	-0.00	2.66	11.00	0.73	17.00
5700MHz	Pass	-1.93	-0.51	-0.70	2.36	11.00	0.43	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.07	-0.48	2.71	11.00	0.78	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-28.55	-26.58	-24.55	30.00	-26.48	36.00
802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-0.46	0.51	3.03	17.00	1.10	23.00
5200MHz	Pass	-1.93	-0.45	0.50	3.04	17.00	1.11	23.00
5240MHz	Pass	-1.93	-0.45	0.51	3.03	17.00	1.10	23.00
5260MHz	Pass	-1.93	-0.52	0.50	3.01	11.00	1.08	17.00
5300MHz	Pass	-1.93	-0.43	0.34	2.92	11.00	0.99	17.00
5320MHz	Pass	-1.93	-0.44	0.35	2.92	11.00	0.99	17.00
5500MHz	Pass	-1.93	-0.62	0.41	2.90	11.00	0.97	17.00
5580MHz	Pass	-1.93	-0.56	0.13	2.76	11.00	0.83	17.00
5700MHz	Pass	-1.93	0.18	-0.07	2.99	11.00	1.06	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.02	-0.36	2.82	11.00	0.89	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-26.27	-27.42	-24.27	30.00	-26.20	36.00
802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-0.53	0.42	2.95	17.00	1.02	23.00
5200MHz	Pass	-1.93	-0.56	0.50	2.96	17.00	1.03	23.00
5240MHz	Pass	-1.93	-0.70	0.37	2.83	17.00	0.90	23.00
5260MHz	Pass	-1.93	-0.58	0.39	2.89	11.00	0.96	17.00
5300MHz	Pass	-1.93	-0.71	0.15	2.73	11.00	0.80	17.00
5320MHz	Pass	-1.93	-0.60	0.22	2.80	11.00	0.87	17.00
5500MHz	Pass	-1.93	-0.68	0.35	2.81	11.00	0.88	17.00
5580MHz	Pass	-1.93	-0.60	0.04	2.68	11.00	0.75	17.00
5700MHz	Pass	-1.93	0.02	-0.20	2.89	11.00	0.96	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	-9.35	-9.94	-6.62	11.00	-8.55	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-3.09	-3.53	-0.35	30.00	-2.28	36.00
802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-0.22	0.47	3.11	17.00	1.18	23.00
5200MHz	Pass	-1.93	-0.20	0.50	3.14	17.00	1.21	23.00
5240MHz	Pass	-1.93	-0.29	0.52	3.11	17.00	1.18	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5260MHz	Pass	-1.93	-0.30	0.46	3.08	11.00	1.15	17.00
5300MHz	Pass	-1.93	-0.18	0.30	3.01	11.00	1.08	17.00
5320MHz	Pass	-1.93	-0.23	0.31	3.02	11.00	1.09	17.00
5500MHz	Pass	-1.93	-0.53	0.30	2.86	11.00	0.93	17.00
5580MHz	Pass	-1.93	-0.23	0.07	2.93	11.00	1.00	17.00
5700MHz	Pass	-1.93	0.25	-0.05	3.07	11.00	1.14	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.07	-0.26	2.85	11.00	0.92	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-24.29	-24.27	-21.91	30.00	-23.84	36.00
802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-0.29	0.52	3.12	17.00	1.19	23.00
5200MHz	Pass	-1.93	-0.29	0.51	3.07	17.00	1.14	23.00
5240MHz	Pass	-1.93	-0.39	0.48	3.05	17.00	1.12	23.00
5260MHz	Pass	-1.93	-0.30	0.42	3.05	11.00	1.12	17.00
5300MHz	Pass	-1.93	-0.25	0.25	2.98	11.00	1.05	17.00
5320MHz	Pass	-1.93	-0.30	0.33	3.00	11.00	1.07	17.00
5500MHz	Pass	-1.93	-0.54	0.37	2.89	11.00	0.96	17.00
5580MHz	Pass	-1.93	-0.16	0.17	2.97	11.00	1.04	17.00
5700MHz	Pass	-1.93	-0.18	-0.47	2.61	11.00	0.68	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.04	-0.39	2.84	11.00	0.91	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-2.96	-3.35	-0.18	30.00	-2.11	36.00
802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	-1.93	-3.49	-2.75	-0.18	17.00	-2.11	23.00
5200MHz	Pass	-1.93	-3.57	-2.78	-0.17	17.00	-2.10	23.00
5240MHz	Pass	-1.93	-3.56	-2.82	-0.20	17.00	-2.13	23.00
5260MHz	Pass	-1.93	-3.58	-2.82	-0.22	11.00	-2.15	17.00
5300MHz	Pass	-1.93	-3.44	-2.97	-0.22	11.00	-2.15	17.00
5320MHz	Pass	-1.93	-3.49	-2.98	-0.31	11.00	-2.24	17.00
5500MHz	Pass	-1.93	-3.81	-2.98	-0.44	11.00	-2.37	17.00
5580MHz	Pass	-1.93	-3.47	-3.17	-0.34	11.00	-2.27	17.00
5700MHz	Pass	-1.93	-2.99	-3.33	-0.20	11.00	-2.13	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	-1.93	-2.72	-3.19	0.04	11.00	-1.89	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	-1.93	-5.73	-6.21	-3.02	30.00	-4.95	36.00
802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.45	0.21	2.84	17.00	0.91	23.00
5230MHz	Pass	-1.93	-0.47	0.11	2.78	17.00	0.85	23.00
5270MHz	Pass	-1.93	-0.69	0.07	2.71	11.00	0.78	17.00
5310MHz	Pass	-1.93	-0.60	-0.01	2.72	11.00	0.79	17.00
5510MHz	Pass	-1.93	-0.80	0.22	2.72	11.00	0.79	17.00
5590MHz	Pass	-1.93	-0.23	0.08	2.91	11.00	0.98	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5670MHz	Pass	-1.93	-0.31	-0.32	2.64	11.00	0.71	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.06	-0.24	2.91	11.00	0.98	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-32.92	-32.39	-30.46	30.00	-32.39	36.00
802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.57	0.06	2.73	17.00	0.80	23.00
5230MHz	Pass	-1.93	-0.56	0.14	2.81	17.00	0.88	23.00
5270MHz	Pass	-1.93	-0.61	-0.02	2.71	11.00	0.78	17.00
5310MHz	Pass	-1.93	-0.67	-0.21	2.56	11.00	0.63	17.00
5510MHz	Pass	-1.93	-0.82	0.10	2.66	11.00	0.73	17.00
5590MHz	Pass	-1.93	-0.20	0.14	2.97	11.00	1.04	17.00
5670MHz	Pass	-1.93	-0.23	-0.37	2.71	11.00	0.78	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.08	-0.27	2.88	11.00	0.95	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-33.94	-34.28	-31.50	30.00	-33.43	36.00
802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.72	0.10	2.67	17.00	0.74	23.00
5230MHz	Pass	-1.93	-0.77	0.05	2.64	17.00	0.71	23.00
5270MHz	Pass	-1.93	-0.75	-0.17	2.56	11.00	0.63	17.00
5310MHz	Pass	-1.93	-0.32	0.24	2.98	11.00	1.05	17.00
5510MHz	Pass	-1.93	-0.81	-0.01	2.60	11.00	0.67	17.00
5590MHz	Pass	-1.93	-0.31	0.09	2.86	11.00	0.93	17.00
5670MHz	Pass	-1.93	-0.26	-0.23	2.73	11.00	0.80	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-30.08	-29.54	-27.69	11.00	-29.62	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-2.91	-3.13	-0.08	30.00	-2.01	36.00
802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.36	0.49	3.04	17.00	1.11	23.00
5230MHz	Pass	-1.93	-0.36	0.46	3.06	17.00	1.13	23.00
5270MHz	Pass	-1.93	-0.45	0.48	2.99	11.00	1.06	17.00
5310MHz	Pass	-1.93	-0.37	0.32	2.99	11.00	1.06	17.00
5510MHz	Pass	-1.93	-0.51	0.32	2.91	11.00	0.98	17.00
5590MHz	Pass	-1.93	-0.42	-0.04	2.75	11.00	0.82	17.00
5670MHz	Pass	-1.93	0.14	0.05	3.09	11.00	1.16	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.05	-0.38	2.79	11.00	0.86	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-29.19	-31.65	-27.56	30.00	-29.49	36.00
802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.44	0.37	2.97	17.00	1.04	23.00
5230MHz	Pass	-1.93	-0.40	0.35	2.97	17.00	1.04	23.00
5270MHz	Pass	-1.93	-0.57	0.27	2.84	11.00	0.91	17.00
5310MHz	Pass	-1.93	-0.58	0.09	2.77	11.00	0.84	17.00
5510MHz	Pass	-1.93	-0.66	0.25	2.79	11.00	0.86	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5590MHz	Pass	-1.93	-0.47	-0.14	2.70	11.00	0.77	17.00
5670MHz	Pass	-1.93	0.10	-0.03	3.01	11.00	1.08	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.16	-0.57	2.60	11.00	0.67	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-30.84	-31.66	-28.52	30.00	-30.45	36.00
802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.49	0.45	3.00	17.00	1.07	23.00
5230MHz	Pass	-1.93	-0.52	0.51	2.98	17.00	1.05	23.00
5270MHz	Pass	-1.93	-0.52	0.30	2.88	11.00	0.95	17.00
5310MHz	Pass	-1.93	-0.54	0.19	2.83	11.00	0.90	17.00
5510MHz	Pass	-1.93	-0.60	0.34	2.88	11.00	0.95	17.00
5590MHz	Pass	-1.93	-0.41	-0.06	2.74	11.00	0.81	17.00
5670MHz	Pass	-1.93	-0.26	-0.37	2.69	11.00	0.76	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-4.85	-5.24	-2.03	11.00	-3.96	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-3.07	-3.45	-0.27	30.00	-2.20	36.00
802.11ax HEW40_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.35	0.28	2.96	17.00	1.03	23.00
5230MHz	Pass	-1.93	-0.36	0.25	2.94	17.00	1.01	23.00
5270MHz	Pass	-1.93	-0.42	0.25	2.94	11.00	1.01	17.00
5310MHz	Pass	-1.93	-0.45	0.18	2.84	11.00	0.91	17.00
5510MHz	Pass	-1.93	-0.65	0.25	2.77	11.00	0.84	17.00
5590MHz	Pass	-1.93	-0.49	-0.21	2.66	11.00	0.73	17.00
5670MHz	Pass	-1.93	0.02	-0.07	2.92	11.00	0.99	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.34	-0.17	3.08	11.00	1.15	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-27.28	-28.41	-24.93	30.00	-26.86	36.00
802.11ax HEW40_RU106_Index54_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.21	0.52	3.12	17.00	1.19	23.00
5230MHz	Pass	-1.93	-0.29	0.41	3.03	17.00	1.10	23.00
5270MHz	Pass	-1.93	-0.28	0.37	3.02	11.00	1.09	17.00
5310MHz	Pass	-1.93	-0.35	0.23	2.92	11.00	0.99	17.00
5510MHz	Pass	-1.93	-0.42	0.32	2.94	11.00	1.01	17.00
5590MHz	Pass	-1.93	-0.33	-0.12	2.77	11.00	0.84	17.00
5670MHz	Pass	-1.93	0.20	0.03	3.06	11.00	1.13	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.09	-0.50	2.69	11.00	0.76	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-28.63	-27.74	-25.15	30.00	-27.08	36.00
802.11ax HEW40_RU106_Index56_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-0.46	0.27	2.92	17.00	0.99	23.00
5230MHz	Pass	-1.93	-0.47	0.24	2.89	17.00	0.96	23.00
5270MHz	Pass	-1.93	-0.47	0.08	2.77	11.00	0.84	17.00
5310MHz	Pass	-1.93	-0.66	0.01	2.66	11.00	0.73	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	-1.93	-0.55	0.11	2.75	11.00	0.82	17.00
5590MHz	Pass	-1.93	-0.06	0.21	3.06	11.00	1.13	17.00
5670MHz	Pass	-1.93	0.02	-0.10	2.94	11.00	1.01	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.30	-0.27	2.99	11.00	1.06	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-2.86	-3.44	-0.16	30.00	-2.09	36.00
802.11ax HEW40_RU242_Index61_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-3.80	-3.07	-0.48	17.00	-2.41	23.00
5230MHz	Pass	-1.93	-3.83	-3.15	-0.54	17.00	-2.47	23.00
5270MHz	Pass	-1.93	-3.84	-3.22	-0.57	11.00	-2.50	17.00
5310MHz	Pass	-1.93	-3.45	-2.83	-0.17	11.00	-2.10	17.00
5510MHz	Pass	-1.93	-3.44	-2.76	-0.11	11.00	-2.04	17.00
5590MHz	Pass	-1.93	-3.46	-3.18	-0.35	11.00	-2.28	17.00
5670MHz	Pass	-1.93	-3.40	-3.60	-0.52	11.00	-2.45	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-3.14	-3.60	-0.39	11.00	-2.32	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-27.36	-27.83	-24.88	30.00	-26.81	36.00
802.11ax HEW40_RU242_Index62_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-3.78	-3.13	-0.43	17.00	-2.36	23.00
5230MHz	Pass	-1.93	-3.89	-3.14	-0.49	17.00	-2.42	23.00
5270MHz	Pass	-1.93	-3.91	-3.28	-0.59	11.00	-2.52	17.00
5310MHz	Pass	-1.93	-3.49	-2.91	-0.23	11.00	-2.16	17.00
5510MHz	Pass	-1.93	-3.50	-2.77	-0.17	11.00	-2.10	17.00
5590MHz	Pass	-1.93	-3.52	-3.23	-0.41	11.00	-2.34	17.00
5670MHz	Pass	-1.93	-3.41	-3.54	-0.49	11.00	-2.42	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-3.21	-3.63	-0.45	11.00	-2.38	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-6.51	-7.07	-3.79	30.00	-5.72	36.00
802.11ax HEW40_RU484_Index65_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	-1.93	-6.56	-5.82	-3.20	17.00	-5.13	23.00
5230MHz	Pass	-1.93	-6.79	-5.99	-3.48	17.00	-5.41	23.00
5270MHz	Pass	-1.93	-6.76	-6.17	-3.53	11.00	-5.46	17.00
5310MHz	Pass	-1.93	-6.94	-6.26	-3.69	11.00	-5.62	17.00
5510MHz	Pass	-1.93	-7.00	-6.18	-3.68	11.00	-5.61	17.00
5590MHz	Pass	-1.93	-6.86	-6.68	-3.83	11.00	-5.76	17.00
5670MHz	Pass	-1.93	-6.29	-6.46	-3.48	11.00	-5.41	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	-1.93	-6.09	-6.49	-3.37	11.00	-5.30	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	-1.93	-9.52	-9.99	-6.79	30.00	-8.72	36.00
802.11ax HEW80_RU26_Index0_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.76	-0.12	2.56	17.00	0.63	23.00
5290MHz	Pass	-1.93	-0.78	-0.23	2.51	11.00	0.58	17.00
5530MHz	Pass	-1.93	-0.79	0.22	2.73	11.00	0.80	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5610MHz	Pass	-1.93	-0.52	-0.24	2.61	11.00	0.68	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.54	-0.53	2.48	11.00	0.55	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-37.79	-35.84	-33.96	30.00	-35.89	36.00
802.11ax HEW80_RU26_Index18_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-1.35	-0.81	1.94	17.00	0.01	23.00
5290MHz	Pass	-1.93	-1.52	-0.97	1.75	11.00	-0.18	17.00
5530MHz	Pass	-1.93	-1.40	-0.57	2.03	11.00	0.10	17.00
5610MHz	Pass	-1.93	-1.29	-0.88	1.93	11.00	0.00	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-1.26	-1.20	1.78	11.00	-0.15	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-37.88	-36.67	-34.61	30.00	-36.54	36.00
802.11ax HEW80_RU26_Index36_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.98	-0.19	2.44	17.00	0.51	23.00
5290MHz	Pass	-1.93	-0.64	0.14	2.73	11.00	0.80	17.00
5530MHz	Pass	-1.93	-0.71	0.10	2.72	11.00	0.79	17.00
5610MHz	Pass	-1.93	-0.67	-0.32	2.49	11.00	0.56	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-29.95	-30.25	-27.09	11.00	-29.02	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-3.28	-3.42	-0.35	30.00	-2.28	36.00
802.11ax HEW80_RU52_Index37_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.53	0.10	2.77	17.00	0.84	23.00
5290MHz	Pass	-1.93	-0.74	0.23	2.78	11.00	0.85	17.00
5530MHz	Pass	-1.93	-0.57	0.42	2.95	11.00	1.02	17.00
5610MHz	Pass	-1.93	-0.38	0.03	2.84	11.00	0.91	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.35	-0.52	2.57	11.00	0.64	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-35.21	-33.60	-31.40	30.00	-33.33	36.00
802.11ax HEW80_RU52_Index45_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.66	0.00	2.64	17.00	0.71	23.00
5290MHz	Pass	-1.93	-0.40	0.33	2.96	11.00	1.03	17.00
5530MHz	Pass	-1.93	-0.73	0.15	2.72	11.00	0.79	17.00
5610MHz	Pass	-1.93	-0.54	-0.24	2.62	11.00	0.69	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.15	-0.14	3.00	11.00	1.07	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-34.81	-33.42	-31.65	30.00	-33.58	36.00
802.11ax HEW80_RU52_Index52_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.80	0.18	2.73	17.00	0.80	23.00
5290MHz	Pass	-1.93	-0.27	0.41	3.04	11.00	1.11	17.00
5530MHz	Pass	-1.93	-0.39	0.44	2.97	11.00	1.04	17.00
5610MHz	Pass	-1.93	-0.27	-0.22	2.73	11.00	0.80	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-8.04	-8.54	-5.27	11.00	-7.20	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-3.23	-3.44	-0.37	30.00	-2.30	36.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW80_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.19	0.27	3.01	17.00	1.08	23.00
5290MHz	Pass	-1.93	-0.33	0.36	2.96	11.00	1.03	17.00
5530MHz	Pass	-1.93	-0.47	0.59	3.10	11.00	1.17	17.00
5610MHz	Pass	-1.93	-0.22	0.14	2.91	11.00	0.98	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.01	-0.20	2.91	11.00	0.98	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-30.14	-30.81	-27.45	30.00	-29.38	36.00
802.11ax HEW80_RU106_Index57_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.53	-0.02	2.71	17.00	0.78	23.00
5290MHz	Pass	-1.93	-0.12	0.28	3.05	11.00	1.12	17.00
5530MHz	Pass	-1.93	-0.57	0.12	2.77	11.00	0.84	17.00
5610MHz	Pass	-1.93	-0.43	-0.31	2.60	11.00	0.67	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-0.25	-0.52	2.60	11.00	0.67	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-32.57	-31.30	-29.02	30.00	-30.95	36.00
802.11ax HEW80_RU106_Index60_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-0.46	0.27	2.91	17.00	0.98	23.00
5290MHz	Pass	-1.93	-0.54	-0.08	2.67	11.00	0.74	17.00
5530MHz	Pass	-1.93	-0.25	0.30	3.03	11.00	1.10	17.00
5610MHz	Pass	-1.93	-0.09	-0.02	2.91	11.00	0.98	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	0.08	-0.36	2.87	11.00	0.94	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-2.98	-3.34	-0.16	30.00	-2.09	36.00
802.11ax HEW80_RU242_Index61_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-3.51	-2.99	-0.27	17.00	-2.20	23.00
5290MHz	Pass	-1.93	-3.63	-3.07	-0.39	11.00	-2.32	17.00
5530MHz	Pass	-1.93	-3.71	-2.83	-0.26	11.00	-2.19	17.00
5610MHz	Pass	-1.93	-3.50	-3.23	-0.42	11.00	-2.35	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-3.24	-3.60	-0.42	11.00	-2.35	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-30.40	-29.81	-27.61	30.00	-29.54	36.00
802.11ax HEW80_RU242_Index62_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-3.42	-2.97	-0.27	17.00	-2.20	23.00
5290MHz	Pass	-1.93	-3.62	-3.12	-0.38	11.00	-2.31	17.00
5530MHz	Pass	-1.93	-3.56	-2.79	-0.24	11.00	-2.17	17.00
5610MHz	Pass	-1.93	-3.49	-3.26	-0.40	11.00	-2.33	17.00
5690MHz Straddle 5.47-5.725GHz								
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-31.43	-31.00	-28.62	30.00	-30.55	36.00
802.11ax HEW80_RU242_Index64_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-3.64	-3.07	-0.40	17.00	-2.33	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5290MHz	Pass	-1.93	-3.26	-3.05	-0.21	11.00	-2.14	17.00
5530MHz	Pass	-1.93	-3.57	-3.00	-0.27	11.00	-2.20	17.00
5610MHz	Pass	-1.93	-3.52	-3.46	-0.49	11.00	-2.42	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-3.37	-3.68	-0.60	11.00	-2.53	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-6.61	-7.00	-3.84	30.00	-5.77	36.00
802.11ax HEW80_RU484_Index65_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-6.41	-5.99	-3.23	17.00	-5.16	23.00
5290MHz	Pass	-1.93	-6.56	-6.12	-3.37	11.00	-5.30	17.00
5530MHz	Pass	-1.93	-6.48	-5.75	-3.15	11.00	-5.08	17.00
5610MHz	Pass	-1.93	-6.44	-6.18	-3.34	11.00	-5.27	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-6.18	-6.55	-3.40	11.00	-5.33	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-29.98	-30.62	-27.28	30.00	-29.21	36.00
802.11ax HEW80_RU484_Index66_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-6.50	-6.00	-3.28	17.00	-5.21	23.00
5290MHz	Pass	-1.93	-6.64	-6.21	-3.41	11.00	-5.34	17.00
5530MHz	Pass	-1.93	-6.50	-5.89	-3.21	11.00	-5.14	17.00
5610MHz	Pass	-1.93	-6.48	-6.28	-3.39	11.00	-5.32	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-6.24	-6.51	-3.41	11.00	-5.34	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-9.55	-10.00	-6.76	30.00	-8.69	36.00
802.11ax HEW80_RU996_Index67_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	-1.93	-9.55	-8.95	-6.46	17.00	-8.39	23.00
5290MHz	Pass	-1.93	-9.24	-8.79	-6.22	11.00	-8.15	17.00
5530MHz	Pass	-1.93	-9.50	-8.48	-6.12	11.00	-8.05	17.00
5610MHz	Pass	-1.93	-9.12	-9.03	-6.25	11.00	-8.18	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	-1.93	-9.25	-9.54	-6.55	11.00	-8.48	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	-1.93	-12.58	-13.08	-9.86	30.00	-11.79	36.00

DG = Directional Gain; **RBW** = 1MHz
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port Xpower density;

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX PSD

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.71	2.71	-0.75	0.12

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX PSD

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.69	2.69	-0.65	0.04

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX PSD

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.61	2.61	-0.72	-0.02

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.60	2.60	-0.79	-0.05

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.52	2.52	-0.62	-0.26

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.52	2.52	-0.71	-0.16

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.94	2.94	-0.57	0.51

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.95	2.95	-0.24	0.24

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.69	2.69	-0.30	-0.25

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.88	2.88	-0.04	-0.23

802.11ax HEW20_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-26.70	-26.70	-28.92	-30.46

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.70	1.70	-1.67	-0.88

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX PSD

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.66	1.66	-1.71	-0.98

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX PSD

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.58	1.58	-1.78	-1.08

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX PSD

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.66	1.66	-1.73	-1.01

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.55	1.55	-1.63	-1.30

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.57	1.57	-1.73	-1.17

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.97	1.97	-1.46	-0.54

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.05	2.05	-1.16	-0.76

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.75	1.75	-1.20	-1.15

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.92	1.92	-0.89	-1.31

802.11ax HEW20_RU26_Index4_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-26.99	-26.99	-28.89	-29.93

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.75	2.75	-0.65	0.11

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.72	2.72	-0.68	0.06

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.62	2.62	-0.79	-0.02

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.58	2.58	-0.78	-0.05

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.52	2.52	-0.79	-0.21

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.47	2.47	-0.80	-0.28

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.49	2.49	-0.96	-0.05

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.55	2.55	-0.68	-0.21

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.66	2.66	-0.19	-0.33

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-22.30	-22.30	-24.72	-25.51

802.11ax HEW20_RU26_Index8_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.04	-0.04	-2.86	-3.16

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.98	2.98	-0.53	0.45

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.99	2.99	-0.56	0.49

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.92	2.92	-0.53	0.40

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.91	2.91	-0.59	0.43

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.85	2.85	-0.54	0.24

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.85	2.85	-0.57	0.24

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.81	2.81	-0.68	0.30

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.66	2.66	-0.61	-0.00

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.36	2.36	-0.51	-0.70

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.71	2.71	-0.07	-0.48

802.11ax HEW20_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-24.55	-24.55	-28.55	-26.58

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.03	3.03	-0.46	0.51

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.04	3.04	-0.45	0.50

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.03	3.03	-0.45	0.51

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.01	3.01	-0.52	0.50

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.92	2.92	-0.43	0.34

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.92	2.92	-0.44	0.35

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.90	2.90	-0.62	0.41

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.76	2.76	-0.56	0.13

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.99	2.99	0.18	-0.07

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.82	2.82	0.02	-0.36

802.11ax HEW20_RU52_Index38_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-24.27	-24.27	-26.27	-27.42

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.95	2.95	-0.53	0.42

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.96	2.96	-0.56	0.50

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.83	2.83	-0.70	0.37

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.89	2.89	-0.58	0.39

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.73	2.73	-0.71	0.15

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.80	2.80	-0.60	0.22

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.81	2.81	-0.68	0.35

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.68	2.68	-0.60	0.04

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.89	2.89	0.02	-0.20

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.62	-6.62	-9.35	-9.94

802.11ax HEW20_RU52_Index40_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.35	-0.35	-3.09	-3.53

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.11	3.11	-0.22	0.47

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.14	3.14	-0.20	0.50

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.11	3.11	-0.29	0.52

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.08	3.08	-0.30	0.46

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.01	3.01	-0.18	0.30

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.02	3.02	-0.23	0.31

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.86	2.86	-0.53	0.30

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.93	2.93	-0.23	0.07

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.07	3.07	0.25	-0.05

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.85	2.85	0.07	-0.26

802.11ax HEW20_RU106_Index53_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-21.91	-21.91	-24.29	-24.27

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.12	3.12	-0.29	0.52

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.07	3.07	-0.29	0.51

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.05	3.05	-0.39	0.48

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.05	3.05	-0.30	0.42

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.98	2.98	-0.25	0.25

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.00	3.00	-0.30	0.33

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.89	2.89	-0.54	0.37

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.97	2.97	-0.16	0.17

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.61	2.61	-0.18	-0.47

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.84	2.84	0.04	-0.39

802.11ax HEW20_RU106_Index54_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.18	-0.18	-2.96	-3.35

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX **PSD**

5180MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.18	-0.18	-3.49	-2.75

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX **PSD**

5200MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.17	-0.17	-3.57	-2.78

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX PSD

5240MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.20	-0.20	-3.56	-2.82

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX PSD

5260MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.22	-0.22	-3.58	-2.82

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX PSD

5300MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.22	-0.22	-3.44	-2.97

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX PSD

5320MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.31	-0.31	-3.49	-2.98

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX PSD

5500MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.44	-0.44	-3.81	-2.98

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX PSD

5580MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.34	-0.34	-3.47	-3.17

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX **PSD**

5700MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.20	-0.20	-2.99	-3.33

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.04	0.04	-2.72	-3.19

802.11ax HEW20_RU242_Index61_Nss1,(MCS0)_2TX **PSD**

5720MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.02	-3.02	-5.73	-6.21

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.84	2.84	-0.45	0.21

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.78	2.78	-0.47	0.11

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.71	2.71	-0.69	0.07

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.72	2.72	-0.60	-0.01

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.72	2.72	-0.80	0.22

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.91	2.91	-0.23	0.08

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.64	2.64	-0.31	-0.32

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.91	2.91	0.06	-0.24

802.11ax HEW40_RU26_Index0_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-30.46	-30.46	-32.92	-32.39

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.73	2.73	-0.57	0.06

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.81	2.81	-0.56	0.14

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.71	2.71	-0.61	-0.02

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.56	2.56	-0.67	-0.21

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.66	2.66	-0.82	0.10

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.97	2.97	-0.20	0.14

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.71	2.71	-0.23	-0.37

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.88	2.88	0.08	-0.27

802.11ax HEW40_RU26_Index9_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-31.50	-31.50	-33.94	-34.28

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.67	2.67	-0.72	0.10

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.64	2.64	-0.77	0.05

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.56	2.56	-0.75	-0.17

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.98	2.98	-0.32	0.24

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.60	2.60	-0.81	-0.01

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.86	2.86	-0.31	0.09

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.73	2.73	-0.26	-0.23

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-27.69	-27.69	-30.08	-29.54

802.11ax HEW40_RU26_Index17_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.08	-0.08	-2.91	-3.13

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.04	3.04	-0.36	0.49

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.06	3.06	-0.36	0.46

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.99	2.99	-0.45	0.48

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.99	2.99	-0.37	0.32

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.91	2.91	-0.51	0.32

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.75	2.75	-0.42	-0.04

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.09	3.09	0.14	0.05

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.79	2.79	-0.05	-0.38

802.11ax HEW40_RU52_Index37_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-27.56	-27.56	-29.19	-31.65

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.97	2.97	-0.44	0.37

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.97	2.97	-0.40	0.35

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.84	2.84	-0.57	0.27

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.77	2.77	-0.58	0.09

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.79	2.79	-0.66	0.25

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.70	2.70	-0.47	-0.14

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.01	3.01	0.10	-0.03

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.60	2.60	-0.16	-0.57

802.11ax HEW40_RU52_Index41_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-28.52	-28.52	-30.84	-31.66

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5190MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.00	3.00	-0.49	0.45

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5230MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.98	2.98	-0.52	0.51

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5270MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.88	2.88	-0.52	0.30

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5310MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.83	2.83	-0.54	0.19

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5510MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.88	2.88	-0.60	0.34

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5590MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.74	2.74	-0.41	-0.06

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5670MHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.69	2.69	-0.26	-0.37

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.47-5.725GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.03	-2.03	-4.85	-5.24

802.11ax HEW40_RU52_Index44_Nss1,(MCS0)_2TX **PSD**

5710MHz Straddle 5.725-5.85GHz



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.27	-0.27	-3.07	-3.45