


Antenna Sample Datasheet

customer:	Minami Acoustics Limited
entry name:	T2200-L
Material category:	BT antenna
Antenna Material	FPC
edition:	A4
Date:	2026. 3. 16

Contents

1: Antenna test equipment.....	1
2: Passive test report.....	3
3: Matching circuit.....	5
4: Structural drawing.....	6

1.2 Pictures of the ETS anechoic chamber



Inside the ETS anechoic chamber



Test Machine


Address: 12th Floor, West Block B, Building 8, Huaqiang Creative Industry Park, Sightseeing Road, Guangming District, Shenzhen

Telephone number: 0755-28700082

www.honant.com.cn

2: Passive test report

2.1: BT antenna S11 parameters



Address: 12th Floor, West Block B, Building 8, Huaqiang Creative Industry Park, Sightseeing Road, Guangming District, Shenzhen


Telephone number: 0755-28700082

www.honant.com.cn

2.2: Passive efficiency of antenna

2400-2480MHz		
Freq(MHz)	Gain(dBi)	Efficiency(%)
	free space	free space
2400	-1.26	22.73
2410	-1.39	22.79
2420	-1.56	23.76
2430	-1.61	23.96
2440	-1.74	24.88
2450	-2.02	23.97
2460	-2.25	24.37
2470	-2.46	23.97
2480	-2.73	22.57
Mean value	-2	23.58

2.3: Passive pattern of BT antenna




Address: 12th Floor, West Block B, Building 8, Huaqiang Creative Industry Park, Sightseeing Road, Guangming District, Shenzhen

Telephone number: 0755-28700082

www.honant.com.cn

3: Matching circuit



Element	Value
E1	N/C
E2	0Ω
E3	N/C

4: Structural drawing

