-26BW_NVNT_ANT1_802_11ax(HE40)_5755



99%_OCB_NVNT_ANT1_802_11ax(HE40)_5795



-26BW_NVNT_ANT1_802_11ax(HE40)_5795



3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	91.82	0.37
NVNT	ANT1	802.11a	5785.00	97.14	0.13
NVNT	ANT1	802.11a	5825.00	92.66	0.33
NVNT	ANT1	802.11n(HT20)	5745.00	90.38	0.44
NVNT	ANT1	802.11n(HT20)	5785.00	97.94	0.09
NVNT	ANT1	802.11n(HT20)	5825.00	97.94	0.09
NVNT	ANT1	802.11ac(VHT20)	5745.00	91.35	0.39
NVNT	ANT1	802.11ac(VHT20)	5785.00	93.14	0.31
NVNT	ANT1	802.11ac(VHT20)	5825.00	93.14	0.31
NVNT	ANT1	802.11ax(HE20)	5745.00	91.25	0.40
NVNT	ANT1	802.11ax(HE20)	5785.00	92.31	0.35
NVNT	ANT1	802.11ax(HE20)	5825.00	88.89	0.51
NVNT	ANT1	802.11n(HT40)	5755.00	83.64	0.78
NVNT	ANT1	802.11n(HT40)	5795.00	92.16	0.35
NVNT	ANT1	802.11ac(VHT40)	5755.00	87.04	0.60
NVNT	ANT1	802.11ac(VHT40)	5795.00	90.38	0.44
NVNT	ANT1	802.11ax(HE40)	5755.00	82.61	0.83
NVNT	ANT1	802.11ax(HE40)	5795.00	78.72	1.04

Duty_Cycle_NVNT_ANT1_802_11a_5745



Duty_Cycle_NVNT_ANT1_802_11a_5785



Duty_Cycle_NVNT_ANT1_802_11a_5825



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5785



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5745



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5785



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5825



Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5745



Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5785



Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5825



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795



Duty_Cycle_NVNT_ANT1_802_11ax(HE40)_5755



Duty_Cycle_NVNT_ANT1_802_11ax(HE40)_5795



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	11.91	0.00	11.91	30	Pass
NVNT	ANT1	802.11a	5785.00	10.39	0.00	10.39	30	Pass
NVNT	ANT1	802.11a	5825.00	9.46	0.00	9.46	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	11.54	0.00	11.54	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	10.33	0.00	10.33	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	9.36	0.00	9.36	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	11.58	0.00	11.58	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	10.37	0.00	10.37	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	9.38	0.00	9.38	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	11.51	0.00	11.51	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	10.29	0.00	10.29	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	9.32	0.00	9.32	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	10.86	0.00	10.86	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	9.79	0.00	9.79	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	10.75	0.00	10.75	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	9.83	0.00	9.83	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	10.84	0.00	10.84	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	9.51	0.00	9.51	30	Pass

Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5825



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5825



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE20)_5825



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ax(HE40)_5795



5. Power Spectral Density

Condition	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor (dB)	RB factor(dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	802.11a	5745.00	-1.76	0.00	-0	-1.85	30	Pass
NVNT	802.11a	5785.00	-3.02	0.00	-0	-3.10	30	Pass
NVNT	802.11a	5825.00	-4.17	0.00	-0	-4.26	30	Pass
NVNT	802.11n(HT20)	5745.00	-2.42	0.00	-0	-2.51	30	Pass
NVNT	802.11n(HT20)	5785.00	-3.72	0.00	-0	-3.80	30	Pass
NVNT	802.11n(HT20)	5825.00	-4.46	0.00	-0	-4.54	30	Pass
NVNT	802.11ac(VHT20)	5745.00	-2.16	0.00	-0	-2.25	30	Pass
NVNT	802.11ac(VHT20)	5785.00	-3.41	0.00	-0	-3.50	30	Pass
NVNT	802.11ac(VHT20)	5825.00	-4.47	0.00	-0	-4.55	30	Pass
NVNT	802.11ax(HE20)	5745.00	-2.73	0.00	-0	-2.81	30	Pass
NVNT	802.11ax(HE20)	5785.00	-3.81	0.00	-0	-3.90	30	Pass
NVNT	802.11ax(HE20)	5825.00	-4.47	0.00	-0	-4.55	30	Pass
NVNT	802.11n(HT40)	5755.00	-5.88	0.00	-0	-5.97	30	Pass
NVNT	802.11n(HT40)	5795.00	-6.92	0.00	-0	-7.00	30	Pass
NVNT	802.11ac(VHT40)	5755.00	-5.76	0.00	-0	-5.84	30	Pass
NVNT	802.11ac(VHT40)	5795.00	-7.20	0.00	-0	-7.28	30	Pass
NVNT	802.11ax(HE40)	5755.00	-6.70	0.00	-0	-6.79	30	Pass
NVNT	802.11ax(HE40)	5795.00	-7.28	0.00	-0	-7.37	30	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5745

Power_Spectral_Density_NVNT_ANT1_802_11a_5785

Power_Spectral_Density_NVNT_ANT1_802_11a_5825

Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785

Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825

Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745

Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785

Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5745

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5785

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5825

Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755

Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795

Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755

Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5755

Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5795

6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5583.000	-45.29	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5660.850	-47.25	-22.19	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5719.520	-40.24	15.47	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5722.665	-37.11	21.68	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5854.460	-45.28	16.83	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5863.580	-46.15	13.20	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5903.755	-47.13	-13.64	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5981.795	-43.28	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5595.780	-45.67	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5657.745	-47.41	-24.74	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.600	-41.55	15.49	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5720.940	-35.47	17.74	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5851.130	-41.69	24.42	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5868.560	-46.27	11.80	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5919.775	-46.78	-26.81	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5955.190	-41.72	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5576.970	-45.55	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5656.035	-46.80	-26.15	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5718.980	-40.43	15.31	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5722.355	-35.02	20.97	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5854.580	-45.79	16.56	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5872.020	-46.64	10.83	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5914.555	-46.75	-22.52	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5936.490	-42.31	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5566.890	-45.42	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5655.540	-47.47	-26.56	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5719.480	-38.79	15.45	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5722.985	-33.87	22.41	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5852.310	-44.36	21.73	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5870.520	-46.46	11.25	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5911.720	-47.28	-20.19	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5937.680	-42.67	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5626.680	-45.21	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5690.730	-46.38	2.38	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5719.460	-35.44	15.45	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5722.570	-34.04	21.46	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.290	-45.35	17.22	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5873.720	-46.80	10.36	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5918.650	-46.82	-25.89	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5946.285	-42.77	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5627.400	-45.20	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5685.600	-46.22	-1.84	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5718.760	-36.68	15.25	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5721.740	-32.56	19.57	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.860	-45.30	18.20	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5870.140	-46.39	11.36	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5905.645	-46.96	-15.20	Pass

NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5935.995	-42.72	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5629.140	-44.27	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5693.115	-44.39	4.34	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5713.620	-35.82	13.81	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5720.315	-34.14	16.32	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5853.555	-45.79	18.89	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5864.200	-45.61	13.02	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5918.470	-46.78	-25.74	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5933.440	-42.63	-27.00	Pass

Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT1_802_11a_5825

Bandedge_NVNT_ANT1_802_11n(HT20)_5745



Bandedge_NVNT_ANT1_802_11n(HT20)_5825

Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	5.8050 GHz	5.8500 GHz	1.000 MHz	5.831640000 GHz	1.767 dBm	-25.23 dB
2	2	5.8500 GHz	5.8550 GHz	1.000 MHz	5.854580000 GHz	-45.79 dBm	-62.35 dB
3	3	5.8550 GHz	5.8750 GHz	1.000 MHz	5.872020000 GHz	-46.64 dBm	-57.48 dB
4	4	5.8750 GHz	5.9200 GHz	1.000 MHz	5.914555000 GHz	-46.75 dBm	-24.26 dB
5	5	5.9200 GHz	6.0050 GHz	1.000 MHz	5.936490000 GHz	-42.31 dBm	-15.31 dB

Bandedge_NVNT_ANT1_802_11ax(HE20)_5745



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	5.5650 GHz	5.6550 GHz	1.000 MHz	5.566890000 GHz	-45.42 dBm	-18.42 dB
2	2	5.6550 GHz	5.7000 GHz	1.000 MHz	5.655540000 GHz	-47.47 dBm	-20.92 dB
3	3	5.7000 GHz	5.7200 GHz	1.000 MHz	5.719480000 GHz	-38.79 dBm	-54.24 dB
4	4	5.7200 GHz	5.7250 GHz	1.000 MHz	5.722985000 GHz	-33.87 dBm	-56.27 dB
5	5	5.7250 GHz	5.7650 GHz	1.000 MHz	5.742160000 GHz	7.043 dBm	-19.96 dB

Bandedge_NVNT_ANT1_802_11ax(HE20)_5825



Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT1_802_11n(HT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	5.7550 GHz	5.8500 GHz	1.000 MHz	5.785970000 GHz	-0.371 dBm	-27.37 dB
2	2	5.8500 GHz	5.8550 GHz	1.000 MHz	5.853860000 GHz	-45.30 dBm	-63.51 dB
3	3	5.8550 GHz	5.8750 GHz	1.000 MHz	5.870140000 GHz	-46.39 dBm	-57.76 dB
4	4	5.8750 GHz	5.9200 GHz	1.000 MHz	5.905645000 GHz	-46.96 dBm	-31.79 dB
5	5	5.9200 GHz	5.9550 GHz	1.000 MHz	5.935995000 GHz	-42.72 dBm	-15.72 dB

Bandedge_NVNT_ANT1_802_11ax(HE40)_5755



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	5.5950 GHz	5.6550 GHz	1.000 MHz	5.629140000 GHz	-44.27 dBm	-17.27 dB
2	2	5.6550 GHz	5.7000 GHz	1.000 MHz	5.693115000 GHz	-44.39 dBm	-48.70 dB
3	3	5.7000 GHz	5.7200 GHz	1.000 MHz	5.713620000 GHz	-35.82 dBm	-49.63 dB
4	4	5.7200 GHz	5.7250 GHz	1.000 MHz	5.720315000 GHz	-34.14 dBm	-50.46 dB
5	5	5.7250 GHz	5.7950 GHz	1.000 MHz	5.738510000 GHz	4.175 dBm	-22.83 dB

Bandedge_NVNT_ANT1_802_11ax(HE40)_5795



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	5.7550 GHz	5.8500 GHz	1.000 MHz	5.792525000 GHz	-0.491 dBm	-27.49 dB
2	2	5.8500 GHz	5.8550 GHz	1.000 MHz	5.853555000 GHz	-45.79 dBm	-64.70 dB
3	3	5.8550 GHz	5.8750 GHz	1.000 MHz	5.864200000 GHz	-45.61 dBm	-58.63 dB
4	4	5.8750 GHz	5.9200 GHz	1.000 MHz	5.918470000 GHz	-46.78 dBm	-21.07 dB
5	5	5.9200 GHz	5.9550 GHz	1.000 MHz	5.933440000 GHz	-42.63 dBm	-15.63 dB

7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	4596.07	-37.33	-27	Pass
NVNT	ANT1	802.11a	5785.00	4627.84	-37.86	-27	Pass
NVNT	ANT1	802.11a	5825.00	4659.60	-37.40	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	4596.07	-37.64	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	4627.84	-37.59	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	4659.60	-37.20	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	4596.07	-37.54	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	4627.84	-37.44	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	4659.60	-37.36	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	4596.07	-37.55	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	4627.84	-37.48	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	4659.60	-37.14	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	4604.02	-36.84	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	4635.78	-36.56	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	4604.02	-36.88	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	4635.78	-36.36	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	4604.02	-36.54	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	4635.78	-36.57	-27	Pass

Spurious_Emission_NVNT_ANT1_802_11a_5745



Spurious_Emission_NVNT_ANT1_802_11a_5785



Spurious_Emission_NVNT_ANT1_802_11a_5825



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825



Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745



Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785



Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825



Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5745



Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5785



Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5825



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5755



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	5744.738	5735.400	5754.076	5725~5850	Pass
NVNT	ANT1	802.11a	5785.00	5784.716	5775.372	5794.060	5725~5850	Pass
NVNT	ANT1	802.11a	5825.00	5824.824	5815.464	5834.184	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	5744.852	5734.928	5754.776	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	5784.906	5774.976	5794.836	5725~5850	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	5824.918	5814.976	5834.860	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	5744.872	5735.028	5754.716	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	5784.894	5775.032	5794.756	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	5824.950	5815.124	5834.776	5725~5850	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	5744.852	5734.856	5754.848	5725~5850	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	5784.948	5775.016	5794.880	5725~5850	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	5824.970	5814.968	5834.972	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	5754.928	5736.352	5773.504	5725~5850	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	5794.924	5776.408	5813.440	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	5754.928	5736.352	5773.504	5725~5850	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	5794.908	5776.384	5813.432	5725~5850	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	5754.952	5735.784	5774.120	5725~5850	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	5794.952	5775.808	5814.096	5725~5850	Pass

Frequency_Stability_NVNT_ANT1_802_11a_5745



Frequency_Stability_NVNT_ANT1_802_11a_5785



Frequency_Stability_NVNT_ANT1_802_11a_5825



Frequency_Stability_NVNT_ANT1_802_11n(HT20)_5745

Frequency_Stability_NVNT_ANT1_802_11n(HT20)_5785



Frequency_Stability_NVNT_ANT1_802_11n(HT20)_5825



Frequency_Stability_NVNT_ANT1_802_11ac(VHT20)_5745



Frequency_Stability_NVNT_ANT1_802_11ac(VHT20)_5785



Frequency_Stability_NVNT_ANT1_802_11ac(VHT20)_5825

Frequency_Stability_NVNT_ANT1_802_11ax(HE20)_5745



Frequency_Stability_NVNT_ANT1_802_11ax(HE20)_5785

Frequency_Stability_NVNT_ANT1_802_11ax(HE20)_5825

Frequency_Stability_NVNT_ANT1_802_11n(HT40)_5755



Frequency_Stability_NVNT_ANT1_802_11n(HT40)_5795



Frequency_Stability_NVNT_ANT1_802_11ac(VHT40)_5755



Frequency_Stability_NVNT_ANT1_802_11ac(VHT40)_5795



Frequency_Stability_NVNT_ANT1_802_11ax(HE40)_5755



Frequency_Stability_NVNT_ANT1_802_11ax(HE40)_5795



********** End of Report **********