




SPECIFICATION

SKO.WB920TU.6_Antenna

Manufacturer	Guangzhou Shikun Electronics Co., Ltd
Antenna Model	SKO.WB920TU.6_Dual-band_Antenna SKO.WB920TU.6_BT_Antenna
Specifications	2.4/5G WIFI/BT Antenna
Company address	No. 6, Liankun Road, Huangpu District, Guangzhou
Telephone	+86-20-82086168


Type: PCB antenna

Design as below:




SKO.WB920TU.6_Dual-band_Antenna


天线 1 (WF0): MAX. Gain: 2.4GHz: 2.25dbi; 5GHz: 2.74dbi



2.4GHz:




5GHz:




Frequency MHz	Gain dbi	Efficiency %
2400	2.02	47.83
2440	2.25	49.16
2480	1.97	42.37
5150	2.06	51.81
5350	2.74	48.52
5500	2.33	49.38
5650	2.49	41.66
5850	1.91	44.83

SKO.WB920TU.6_Dual-band_Antenna


天线 2 (WF1): MAX. Gain: 2.4GHz: 2.25dBi; 5GHz: 2.74dBi



2.4GHz:




5GHz:




Frequency MHz	Gain dbi	Efficiency %
2400	2.02	47.83
2440	2.25	49.16
2480	1.97	42.37
5150	2.06	51.81
5350	2.74	48.52
5500	2.33	49.38
5650	2.49	41.66
5850	1.91	44.83

SKO.WB920TU.6_BT_Antenna

天线 3 (BT): MAX. Gain: 1.20dBi



2.4GHz:



Frequency MHz	Gain dbi	Efficiency %
2400	0.42	31.51
2420	0.91	35.49
2440	1.09	38.46
2460	1.20	36.67
2480	0.77	33.18