


Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1613.2409	13.71	36.05	49.76	74.00	24.24	PASS	Vertical	PK
2	2965.731	17.86	37.10	54.96	74.00	19.04	PASS	Vertical	PK
3	5723.1815	-5.99	53.01	47.02	74.00	26.98	PASS	Vertical	PK
4	7645.3097	-2.25	52.09	49.84	74.00	24.16	PASS	Vertical	PK
5	13691.7128	7.29	50.57	57.86	74.00	16.14	PASS	Vertical	PK
6	16431.8955	10.62	48.99	59.61	74.00	14.39	PASS	Vertical	PK
7	2968.7979	17.92	17.87	35.79	54.00	18.21	PASS	Vertical	AV
8	13680.712	7.34	38.85	46.19	54.00	7.81	PASS	Vertical	AV
9	16491.8995	11.79	36.93	48.72	54.00	5.28	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18576.6631	-26.69	63.52	36.83	74.00	37.17	PASS	Horizontal	PK
2	19663.6865	-25.48	60.92	35.44	74.00	38.56	PASS	Horizontal	PK
3	20801.032	-25.65	61.43	35.78	74.00	38.22	PASS	Horizontal	PK
4	21780.6112	-25.55	61.73	36.18	74.00	37.82	PASS	Horizontal	PK
5	23448.7179	-23.44	58.17	34.73	74.00	39.27	PASS	Horizontal	PK
6	25754.0102	-20.80	57.09	36.29	74.00	37.71	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18977.8791	-26.27	62.16	35.89	74.00	38.11	PASS	Vertical	PK
2	19737.4695	-25.34	61.06	35.72	74.00	38.28	PASS	Vertical	PK
3	21580.6832	-25.75	62.11	36.36	74.00	37.64	PASS	Vertical	PK
4	23013.1605	-25.58	59.97	34.39	74.00	39.61	PASS	Vertical	PK
5	24313.7125	-22.09	54.65	32.56	74.00	41.44	PASS	Vertical	PK
6	25697.9079	-20.76	56.97	36.21	74.00	37.79	PASS	Vertical	PK

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1590.4394	13.68	35.53	49.21	74.00	24.79	PASS	Horizontal	PK
2	2947.4632	17.63	36.42	54.05	74.00	19.95	PASS	Horizontal	PK
3	5346.1564	-6.95	52.90	45.95	74.00	28.05	PASS	Horizontal	PK
4	7760.3174	-1.57	51.15	49.58	74.00	24.42	PASS	Horizontal	PK
5	13761.7174	7.30	50.07	57.37	74.00	16.63	PASS	Horizontal	PK
6	16334.889	11.40	48.65	60.05	74.00	13.95	PASS	Horizontal	PK
7	2968.6646	17.92	18.09	36.01	54.00	17.99	PASS	Horizontal	AV
8	13675.7117	7.35	38.90	46.25	54.00	7.75	PASS	Horizontal	AV
9	16424.895	10.47	37.96	48.43	54.00	5.57	PASS	Horizontal	AV

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1521.7681	13.32	35.98	49.30	74.00	24.70	PASS	Vertical	PK
2	2901.8601	17.73	36.65	54.38	74.00	19.62	PASS	Vertical	PK
3	5056.1371	-7.93	53.59	45.66	74.00	28.34	PASS	Vertical	PK
4	7862.3242	-1.56	51.84	50.28	74.00	23.72	PASS	Vertical	PK
5	13733.7156	7.20	50.91	58.11	74.00	15.89	PASS	Vertical	PK
6	16387.8925	10.35	50.05	60.40	74.00	13.60	PASS	Vertical	PK
7	2889.9927	17.60	18.26	35.86	54.00	18.14	PASS	Vertical	AV
8	13753.7169	7.20	39.35	46.55	54.00	7.45	PASS	Vertical	AV
9	16343.8896	11.51	36.88	48.39	54.00	5.61	PASS	Vertical	AV

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18876.5551	-26.28	63.17	36.89	74.00	37.11	PASS	Horizontal	PK
2	19937.3975	-24.81	61.55	36.74	74.00	37.26	PASS	Horizontal	PK
3	21058.0823	-25.93	61.26	35.33	74.00	38.67	PASS	Horizontal	PK
4	22387.8755	-25.12	59.80	34.68	74.00	39.32	PASS	Horizontal	PK
5	23472.5189	-23.38	58.72	35.34	74.00	38.66	PASS	Horizontal	PK
6	24676.5071	-21.91	57.78	35.87	74.00	38.13	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18731.0292	-26.43	62.38	35.95	74.00	38.05	PASS	Vertical	PK
2	19722.1689	-25.37	61.14	35.77	74.00	38.23	PASS	Vertical	PK
3	20362.4145	-25.49	61.28	35.79	74.00	38.21	PASS	Vertical	PK
4	21870.3748	-25.63	60.79	35.16	74.00	38.84	PASS	Vertical	PK
5	23496.3199	-23.32	58.25	34.93	74.00	39.07	PASS	Vertical	PK
6	25473.4989	-21.18	57.25	36.07	74.00	37.93	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1644.3096	14.04	35.75	49.79	74.00	24.21	PASS	Horizontal	PK
2	2935.329	17.70	35.67	53.37	74.00	20.63	PASS	Horizontal	PK
3	5445.163	-6.46	53.22	46.76	74.00	27.24	PASS	Horizontal	PK
4	11832.5888	2.48	52.68	55.16	74.00	18.84	PASS	Horizontal	PK
5	13775.7184	7.47	49.82	57.29	74.00	16.71	PASS	Horizontal	PK
6	16500.9001	11.94	48.84	60.78	74.00	13.22	PASS	Horizontal	PK
7	11952.5968	3.10	40.71	43.81	54.00	10.19	PASS	Horizontal	AV
8	13755.717	7.23	39.15	46.38	54.00	7.62	PASS	Horizontal	AV
9	16437.8959	10.75	38.16	48.91	54.00	5.09	PASS	Horizontal	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1672.4448	14.03	38.15	52.18	74.00	21.82	PASS	Vertical	PK
2	2795.453	17.27	37.04	54.31	74.00	19.69	PASS	Vertical	PK
3	5426.1617	-6.57	52.90	46.33	74.00	27.67	PASS	Vertical	PK
4	10289.486	1.91	50.44	52.35	74.00	21.65	PASS	Vertical	PK
5	13714.7143	7.24	50.63	57.87	74.00	16.13	PASS	Vertical	PK
6	16267.8845	10.62	49.59	60.21	74.00	13.79	PASS	Vertical	PK
7	13680.712	7.34	38.63	45.97	54.00	8.03	PASS	Vertical	AV
8	16499.9	11.94	36.76	48.70	54.00	5.30	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18720.4888	-26.45	63.07	36.62	74.00	37.38	PASS	Horizontal	PK
2	19761.9505	-25.30	61.24	35.94	74.00	38.06	PASS	Horizontal	PK
3	21176.067	-25.78	61.79	36.01	74.00	37.99	PASS	Horizontal	PK
4	22481.3793	-25.06	60.79	35.73	74.00	38.27	PASS	Horizontal	PK
5	23712.9085	-22.64	58.62	35.98	74.00	38.02	PASS	Horizontal	PK
6	25084.8634	-21.67	56.94	35.27	74.00	38.73	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18917.6967	-26.28	62.26	35.98	74.00	38.02	PASS	Vertical	PK
2	20034.3014	-24.77	60.98	36.21	74.00	37.79	PASS	Vertical	PK
3	20747.6499	-25.76	61.33	35.57	74.00	38.43	PASS	Vertical	PK
4	22401.8161	-25.10	60.96	35.86	74.00	38.14	PASS	Vertical	PK
5	24560.5624	-21.83	58.07	36.24	74.00	37.76	PASS	Vertical	PK
6	25962.4385	-20.89	57.41	36.52	74.00	37.48	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1558.9706	13.51	35.83	49.34	74.00	24.66	PASS	Horizontal	PK
2	2915.8611	17.65	36.14	53.79	74.00	20.21	PASS	Horizontal	PK
3	5295.153	-7.12	53.29	46.17	74.00	27.83	PASS	Horizontal	PK
4	8248.3499	-0.97	51.12	50.15	74.00	23.85	PASS	Horizontal	PK
5	13746.7164	7.18	49.82	57.00	74.00	17.00	PASS	Horizontal	PK
6	16498.8999	11.92	48.34	60.26	74.00	13.74	PASS	Horizontal	PK
7	13684.7123	7.31	38.90	46.21	54.00	7.79	PASS	Horizontal	AV
8	16349.89	11.58	37.45	49.03	54.00	4.97	PASS	Horizontal	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1551.7701	13.49	35.38	48.87	74.00	25.13	PASS	Vertical	PK
2	2971.4648	17.93	36.66	54.59	74.00	19.41	PASS	Vertical	PK
3	5006.1337	-8.08	53.64	45.56	74.00	28.44	PASS	Vertical	PK
4	10291.4861	1.91	50.51	52.42	74.00	21.58	PASS	Vertical	PK
5	13728.7152	7.20	50.42	57.62	74.00	16.38	PASS	Vertical	PK
6	16440.8961	10.81	49.24	60.05	74.00	13.95	PASS	Vertical	PK
7	2971.7314	17.92	18.03	35.95	54.00	18.05	PASS	Vertical	AV
8	13770.718	7.41	38.54	45.95	54.00	8.05	PASS	Vertical	AV
9	16495.8997	11.86	36.89	48.75	54.00	5.25	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18615.0846	-26.66	62.73	36.07	74.00	37.93	PASS	Horizontal	PK
2	19829.2732	-25.14	61.74	36.60	74.00	37.40	PASS	Horizontal	PK
3	21087.6635	-25.89	61.40	35.51	74.00	38.49	PASS	Horizontal	PK
4	22569.7828	-25.02	60.13	35.11	74.00	38.89	PASS	Horizontal	PK
5	24070.2628	-22.18	57.58	35.40	74.00	38.60	PASS	Horizontal	PK
6	25238.8896	-21.12	57.37	36.25	74.00	37.75	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2441MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18951.6981	-26.27	62.18	35.91	74.00	38.09	PASS	Vertical	PK
2	20048.922	-24.84	61.12	36.28	74.00	37.72	PASS	Vertical	PK
3	21327.7131	-25.83	61.74	35.91	74.00	38.09	PASS	Vertical	PK
4	22926.7971	-25.45	59.41	33.96	74.00	40.04	PASS	Vertical	PK
5	24371.8549	-21.81	57.12	35.31	74.00	38.69	PASS	Vertical	PK
6	25813.1725	-20.83	56.88	36.05	74.00	37.95	PASS	Vertical	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1813.9209	14.31	36.72	51.03	74.00	22.97	PASS	Horizontal	PK
2	2927.1951	17.69	35.79	53.48	74.00	20.52	PASS	Horizontal	PK
3	5445.163	-6.46	52.54	46.08	74.00	27.92	PASS	Horizontal	PK
4	9264.4176	0.67	51.16	51.83	74.00	22.17	PASS	Horizontal	PK
5	13777.7185	7.49	49.44	56.93	74.00	17.07	PASS	Horizontal	PK
6	16333.8889	11.39	48.42	59.81	74.00	14.19	PASS	Horizontal	PK
7	13676.7118	7.35	38.78	46.13	54.00	7.87	PASS	Horizontal	AV
8	16344.8897	11.52	36.81	48.33	54.00	5.67	PASS	Horizontal	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1822.1881	14.38	36.19	50.57	74.00	23.43	PASS	Vertical	PK
2	2892.3928	17.63	36.34	53.97	74.00	20.03	PASS	Vertical	PK
3	5334.1556	-6.98	52.64	45.66	74.00	28.34	PASS	Vertical	PK
4	7734.3156	-1.52	51.06	49.54	74.00	24.46	PASS	Vertical	PK
5	13702.7135	7.26	49.84	57.10	74.00	16.90	PASS	Vertical	PK
6	16341.8895	11.48	48.34	59.82	74.00	14.18	PASS	Vertical	PK
7	13674.7116	7.36	38.72	46.08	54.00	7.92	PASS	Vertical	AV
8	16492.8995	11.81	36.62	48.43	54.00	5.57	PASS	Vertical	AV

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18838.8136	-26.29	63.17	36.88	74.00	37.12	PASS	Horizontal	PK
2	19698.0279	-25.41	60.98	35.57	74.00	38.43	PASS	Horizontal	PK
3	21392.6557	-25.87	61.53	35.66	74.00	38.34	PASS	Horizontal	PK
4	22730.9492	-25.03	59.03	34.00	74.00	40.00	PASS	Horizontal	PK
5	24088.9636	-22.25	58.30	36.05	74.00	37.95	PASS	Horizontal	PK
6	25596.9239	-20.72	57.12	36.40	74.00	37.60	PASS	Horizontal	PK

Test_Mode	8DPSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/6

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19014.6006	-26.26	62.55	36.29	74.00	37.71	PASS	Vertical	PK
2	20040.4216	-24.80	60.51	35.71	74.00	38.29	PASS	Vertical	PK
3	21157.3663	-25.80	61.28	35.48	74.00	38.52	PASS	Vertical	PK
4	22564.0026	-25.02	59.45	34.43	74.00	39.57	PASS	Vertical	PK
5	24662.5665	-21.90	57.33	35.43	74.00	38.57	PASS	Vertical	PK
6	25897.8359	-20.86	57.27	36.41	74.00	37.59	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/8


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.15	52.11	74.00	21.89	PASS	Horizontal	PK
2	2390	15.96	27.36	43.32	54.00	10.68	PASS	Horizontal	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Remark:	\	Test_Date	2026/7/8


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.61	52.57	74.00	21.43	PASS	Vertical	PK
2	2390	15.96	28.01	43.97	54.00	10.03	PASS	Vertical	AV

Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Remark:	\	Test_Date	2026/7/8

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	32.30	48.59	74.00	25.41	PASS	Horizontal	PK
2	2483.5	16.29	24.98	41.27	74.00	32.73	PASS	Horizontal	AV