









































































Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	15.15	0.25	15.4	24	Pass
NVNT	a	5200	Ant1	14.91	0.33	15.24	24	Pass
NVNT	a	5240	Ant1	14.51	0.39	14.9	24	Pass
NVNT	a	5260	Ant1	14.06	0.45	14.51	24	Pass
NVNT	a	5280	Ant1	14.18	0.23	14.41	24	Pass
NVNT	a	5320	Ant1	13.78	0.29	14.07	24	Pass
NVNT	a	5500	Ant1	14.62	0.23	14.85	24	Pass
NVNT	a	5600	Ant1	14.76	0.19	14.95	24	Pass
NVNT	a	5700	Ant1	14.41	0.33	14.74	24	Pass
NVNT	a	5745	Ant1	11.25	0.15	11.4	30	Pass
NVNT	a	5785	Ant1	11.16	0.27	11.43	30	Pass
NVNT	a	5825	Ant1	10.64	0.15	10.79	30	Pass
NVNT	n20	5180	Ant1	15.05	0.25	15.3	24	Pass
NVNT	n20	5200	Ant1	14.75	0.25	15	24	Pass
NVNT	n20	5240	Ant1	14.48	0.35	14.83	24	Pass
NVNT	n20	5260	Ant1	14.13	0.25	14.38	24	Pass
NVNT	n20	5280	Ant1	14	0.29	14.29	24	Pass
NVNT	n20	5320	Ant1	13.91	0.25	14.16	24	Pass
NVNT	n20	5500	Ant1	14.16	0.27	14.43	24	Pass
NVNT	n20	5600	Ant1	14.63	0.25	14.88	24	Pass
NVNT	n20	5700	Ant1	13.5	0.89	14.39	24	Pass
NVNT	n20	5745	Ant1	11.21	0.5	11.71	30	Pass
NVNT	n20	5785	Ant1	11.2	0.44	11.64	30	Pass
NVNT	n20	5825	Ant1	10.33	0.44	10.77	30	Pass
NVNT	n40	5190	Ant1	13.85	0.69	14.54	24	Pass
NVNT	n40	5230	Ant1	13.43	0.65	14.08	24	Pass
NVNT	n40	5270	Ant1	13.67	0.77	14.44	24	Pass
NVNT	n40	5310	Ant1	13.66	0.53	14.19	24	Pass
NVNT	n40	5510	Ant1	13.01	1.45	14.46	24	Pass
NVNT	n40	5590	Ant1	13.79	0.96	14.75	24	Pass
NVNT	n40	5670	Ant1	13.85	0.57	14.42	24	Pass
NVNT	n40	5755	Ant1	14.68	1.59	16.27	30	Pass
NVNT	n40	5795	Ant1	15.36	0.57	15.93	30	Pass
NVNT	ac20	5180	Ant1	15	0.39	15.39	24	Pass
NVNT	ac20	5200	Ant1	14.69	0.33	15.02	24	Pass
NVNT	ac20	5240	Ant1	14.52	0.31	14.83	24	Pass
NVNT	ac20	5260	Ant1	13.88	0.52	14.4	24	Pass
NVNT	ac20	5280	Ant1	13.96	0.37	14.33	24	Pass
NVNT	ac20	5320	Ant1	13.69	0.52	14.21	24	Pass
NVNT	ac20	5500	Ant1	14.36	0.5	14.86	24	Pass
NVNT	ac20	5600	Ant1	14.9	0.31	15.21	24	Pass
NVNT	ac20	5700	Ant1	13.95	0.33	14.28	24	Pass
NVNT	ac20	5745	Ant1	11.39	0.27	11.66	30	Pass
NVNT	ac20	5785	Ant1	11.31	0.35	11.66	30	Pass
NVNT	ac20	5825	Ant1	10.42	0.31	10.73	30	Pass
NVNT	ac40	5190	Ant1	13.58	0.6	14.18	24	Pass
NVNT	ac40	5230	Ant1	13.37	0.6	13.97	24	Pass
NVNT	ac40	5270	Ant1	13.78	0.72	14.5	24	Pass
NVNT	ac40	5310	Ant1	13.44	0.72	14.16	24	Pass
NVNT	ac40	5510	Ant1	13.59	0.95	14.54	24	Pass
NVNT	ac40	5590	Ant1	13.84	0.84	14.68	24	Pass
NVNT	ac40	5670	Ant1	13.98	0.64	14.62	24	Pass
NVNT	ac40	5755	Ant1	15.53	0.6	16.13	30	Pass
NVNT	ac40	5795	Ant1	15.61	0.4	16.01	30	Pass
NVNT	ax20	5180	Ant1	13.81	0.45	14.26	24	Pass
NVNT	ax20	5200	Ant1	13.53	0.58	14.11	24	Pass
NVNT	ax20	5240	Ant1	13.66	0.2	13.86	24	Pass
NVNT	ax20	5260	Ant1	13.84	0.58	14.42	24	Pass
NVNT	ax20	5280	Ant1	13.77	0.53	14.3	24	Pass
NVNT	ax20	5320	Ant1	13.7	0.42	14.12	24	Pass
NVNT	ax20	5500	Ant1	13.59	0.98	14.57	24	Pass
NVNT	ax20	5600	Ant1	14.33	0.34	14.67	24	Pass
NVNT	ax20	5700	Ant1	13.96	0.37	14.33	24	Pass
NVNT	ax20	5745	Ant1	11.72	0	11.72	30	Pass
NVNT	ax20	5785	Ant1	11.09	0.48	11.57	30	Pass
NVNT	ax20	5825	Ant1	10.53	0.32	10.85	30	Pass
NVNT	ax40	5190	Ant1	12.27	0.59	12.86	24	Pass
NVNT	ax40	5230	Ant1	11.81	0.83	12.64	24	Pass
NVNT	ax40	5270	Ant1	12.2	0.92	13.12	24	Pass

NVNT	ax40	5310	Ant1	10.68	2.09	12.77	24	Pass
NVNT	ax40	5510	Ant1	13.4	0.64	14.04	24	Pass
NVNT	ax40	5590	Ant1	12.99	1.06	14.05	24	Pass
NVNT	ax40	5670	Ant1	12.7	0.92	13.62	24	Pass
NVNT	ax40	5755	Ant1	14.03	0.83	14.86	30	Pass
NVNT	ax40	5795	Ant1	14.2	0.38	14.58	30	Pass

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	26.12	N/A	N/A
NVNT	a	5200	Ant1	26.06	N/A	N/A
NVNT	a	5240	Ant1	25.42	N/A	N/A
NVNT	a	5260	Ant1	27.32	N/A	N/A
NVNT	a	5280	Ant1	25.76	N/A	N/A
NVNT	a	5320	Ant1	26.19	N/A	N/A
NVNT	a	5500	Ant1	26.09	N/A	N/A
NVNT	a	5600	Ant1	26.55	N/A	N/A
NVNT	a	5700	Ant1	27.15	N/A	N/A
NVNT	n20	5180	Ant1	27.26	N/A	N/A
NVNT	n20	5200	Ant1	28.05	N/A	N/A
NVNT	n20	5240	Ant1	27.05	N/A	N/A
NVNT	n20	5260	Ant1	26.76	N/A	N/A
NVNT	n20	5280	Ant1	27.92	N/A	N/A
NVNT	n20	5320	Ant1	28.28	N/A	N/A
NVNT	n20	5500	Ant1	28.41	N/A	N/A
NVNT	n20	5600	Ant1	28.35	N/A	N/A
NVNT	n20	5700	Ant1	29.66	N/A	N/A
NVNT	n40	5190	Ant1	44.21	N/A	N/A
NVNT	n40	5230	Ant1	47.63	N/A	N/A
NVNT	n40	5270	Ant1	44.31	N/A	N/A
NVNT	n40	5310	Ant1	44.77	N/A	N/A
NVNT	n40	5510	Ant1	46.16	N/A	N/A
NVNT	n40	5590	Ant1	46.7	N/A	N/A
NVNT	n40	5670	Ant1	51.03	N/A	N/A
NVNT	ac20	5180	Ant1	27.51	N/A	N/A
NVNT	ac20	5200	Ant1	27.23	N/A	N/A
NVNT	ac20	5240	Ant1	27.27	N/A	N/A
NVNT	ac20	5260	Ant1	28.54	N/A	N/A
NVNT	ac20	5280	Ant1	28.01	N/A	N/A
NVNT	ac20	5320	Ant1	27.49	N/A	N/A
NVNT	ac20	5500	Ant1	27.16	N/A	N/A
NVNT	ac20	5600	Ant1	28.16	N/A	N/A
NVNT	ac20	5700	Ant1	29.6	N/A	N/A
NVNT	ac40	5190	Ant1	45.51	N/A	N/A
NVNT	ac40	5230	Ant1	45.07	N/A	N/A
NVNT	ac40	5270	Ant1	45.13	N/A	N/A
NVNT	ac40	5310	Ant1	47.4	N/A	N/A
NVNT	ac40	5510	Ant1	48.86	N/A	N/A
NVNT	ac40	5590	Ant1	53.02	N/A	N/A
NVNT	ac40	5670	Ant1	48.94	N/A	N/A
NVNT	ax20	5180	Ant1	25.89	N/A	N/A
NVNT	ax20	5200	Ant1	25.7	N/A	N/A
NVNT	ax20	5240	Ant1	25.14	N/A	N/A
NVNT	ax20	5260	Ant1	26.09	N/A	N/A
NVNT	ax20	5280	Ant1	27.08	N/A	N/A
NVNT	ax20	5320	Ant1	26.02	N/A	N/A
NVNT	ax20	5500	Ant1	27.84	N/A	N/A
NVNT	ax20	5600	Ant1	25.86	N/A	N/A
NVNT	ax20	5700	Ant1	27.38	N/A	N/A
NVNT	ax40	5190	Ant1	59.68	N/A	N/A
NVNT	ax40	5230	Ant1	44.24	N/A	N/A
NVNT	ax40	5270	Ant1	43.85	N/A	N/A
NVNT	ax40	5310	Ant1	44.17	N/A	N/A
NVNT	ax40	5510	Ant1	45.03	N/A	N/A
NVNT	ax40	5590	Ant1	44.48	N/A	N/A
NVNT	ax40	5670	Ant1	44.53	N/A	N/A

