







OBW NVNT ac40 5270MHz Ant1

Spectrum

Ref Level 20.00 dBm

Offset 3.90 dB

RBW 500 kHz

Att 30 dB

SWT 10.1 ms

VBW 2 MHz

Mode Sweep

SGL Count 100/100

1Pk Max

M1[1]

6.05 dBm

5.2720760 GHz

36.668333167 MHz

CF 5.27 GHz

10001 pts


Span 120.0 MHz


Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.272076 GHz	6.05 dBm		
T1		1	5.2516298 GHz	1.07 dBm	Occ Bw	36.668333167 MHz
T2		1	5.2882982 GHz	-1.92 dBm		


Date: 25.OCT.2025


17:25:13






































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	3.89	0.25	4.14	11	Pass
NVNT	a	5200	Ant1	2.93	0.33	3.26	11	Pass
NVNT	a	5240	Ant1	2.46	0.39	2.85	11	Pass
NVNT	a	5260	Ant1	2.25	0.45	2.7	11	Pass
NVNT	a	5280	Ant1	1.59	0.23	1.82	11	Pass
NVNT	a	5320	Ant1	2.22	0.29	2.51	11	Pass
NVNT	a	5500	Ant1	2.1	0.23	2.33	11	Pass
NVNT	a	5600	Ant1	2.81	0.19	3	11	Pass
NVNT	a	5700	Ant1	2.73	0.33	3.06	11	Pass
NVNT	a	5745	Ant1	-4.41	0.15	-4.26	30	Pass
NVNT	a	5785	Ant1	-3.8	0.27	-3.53	30	Pass
NVNT	a	5825	Ant1	-4.55	0.15	-4.4	30	Pass
NVNT	n20	5180	Ant1	3.87	0.25	4.12	11	Pass
NVNT	n20	5200	Ant1	2.4	0.25	2.65	11	Pass
NVNT	n20	5240	Ant1	2.7	0.35	3.05	11	Pass
NVNT	n20	5260	Ant1	2.25	0.25	2.5	11	Pass
NVNT	n20	5280	Ant1	2.27	0.29	2.56	11	Pass
NVNT	n20	5320	Ant1	0.67	0.25	0.92	11	Pass
NVNT	n20	5500	Ant1	1.86	0.27	2.13	11	Pass
NVNT	n20	5600	Ant1	1.67	0.25	1.92	11	Pass
NVNT	n20	5700	Ant1	1.2	0.89	2.09	11	Pass
NVNT	n20	5745	Ant1	-3.61	0.5	-3.11	30	Pass
NVNT	n20	5785	Ant1	-4.14	0.44	-3.7	30	Pass
NVNT	n20	5825	Ant1	-6	0.44	-5.56	30	Pass
NVNT	n40	5190	Ant1	-2.43	0.69	-1.74	11	Pass
NVNT	n40	5230	Ant1	-4.47	0.65	-3.82	11	Pass
NVNT	n40	5270	Ant1	-2.96	0.77	-2.19	11	Pass
NVNT	n40	5310	Ant1	-3.29	0.65	-2.64	11	Pass
NVNT	n40	5510	Ant1	-2.32	1.45	-0.87	11	Pass
NVNT	n40	5590	Ant1	-10.94	1.81	-9.13	11	Pass
NVNT	n40	5670	Ant1	-8.94	0.57	-8.37	11	Pass
NVNT	n40	5755	Ant1	-5.39	1.59	-3.8	30	Pass
NVNT	n40	5795	Ant1	-4.55	0.57	-3.98	30	Pass
NVNT	ac20	5180	Ant1	3.42	0.39	3.81	11	Pass
NVNT	ac20	5200	Ant1	2.64	0.33	2.97	11	Pass
NVNT	ac20	5240	Ant1	3.26	0.31	3.57	11	Pass
NVNT	ac20	5260	Ant1	0.52	0.52	1.04	11	Pass
NVNT	ac20	5280	Ant1	1.78	0.37	2.15	11	Pass
NVNT	ac20	5320	Ant1	0.79	0.52	1.31	11	Pass
NVNT	ac20	5500	Ant1	-2.6	0.5	-2.1	11	Pass
NVNT	ac20	5600	Ant1	1.92	0.31	2.23	11	Pass
NVNT	ac20	5700	Ant1	1.9	0.33	2.23	11	Pass
NVNT	ac20	5745	Ant1	-5.55	0.27	-5.28	30	Pass
NVNT	ac20	5785	Ant1	-3.75	0.35	-3.4	30	Pass
NVNT	ac20	5825	Ant1	-5.22	0.31	-4.91	30	Pass
NVNT	ac40	5190	Ant1	-3.97	0.6	-3.37	11	Pass
NVNT	ac40	5230	Ant1	-2.15	0.6	-1.55	11	Pass
NVNT	ac40	5270	Ant1	-2.54	0.72	-1.82	11	Pass
NVNT	ac40	5310	Ant1	-2.88	0.72	-2.16	11	Pass
NVNT	ac40	5510	Ant1	-11.28	0.95	-10.33	11	Pass
NVNT	ac40	5590	Ant1	-4.27	0.84	-3.43	11	Pass
NVNT	ac40	5670	Ant1	-10.07	0.64	-9.43	11	Pass
NVNT	ac40	5755	Ant1	-6.36	0.6	-5.76	30	Pass
NVNT	ac40	5795	Ant1	-2.92	0.4	-2.52	30	Pass
NVNT	ax20	5180	Ant1	1.8	0.45	2.25	11	Pass
NVNT	ax20	5200	Ant1	1.07	0.58	1.65	11	Pass
NVNT	ax20	5240	Ant1	-0.38	0.2	-0.18	11	Pass
NVNT	ax20	5260	Ant1	0.73	0.58	1.31	11	Pass
NVNT	ax20	5280	Ant1	0.64	0.53	1.17	11	Pass
NVNT	ax20	5320	Ant1	1.27	0.42	1.69	11	Pass
NVNT	ax20	5500	Ant1	0.33	0.98	1.31	11	Pass
NVNT	ax20	5600	Ant1	0.55	0.34	0.89	11	Pass
NVNT	ax20	5700	Ant1	0.3	0.37	0.67	11	Pass
NVNT	ax20	5745	Ant1	-3.9	0	-3.9	30	Pass
NVNT	ax20	5785	Ant1	-4.92	0.48	-4.44	30	Pass
NVNT	ax20	5825	Ant1	-4.8	0.32	-4.48	30	Pass
NVNT	ax40	5190	Ant1	-5.23	0.59	-4.64	11	Pass
NVNT	ax40	5230	Ant1	-7.12	0.83	-6.29	11	Pass
NVNT	ax40	5270	Ant1	-5.96	0.92	-5.04	11	Pass

NVNT	ax40	5310	Ant1	-10.03	2.09	-7.94	11	Pass
NVNT	ax40	5510	Ant1	-5.99	0.64	-5.35	11	Pass
NVNT	ax40	5590	Ant1	-5.02	1.06	-3.96	11	Pass
NVNT	ax40	5670	Ant1	-6.77	0.92	-5.85	11	Pass
NVNT	ax40	5755	Ant1	-9.61	0.83	-8.78	30	Pass
NVNT	ax40	5795	Ant1	-7.42	0.38	-7.04	30	Pass

