DD626NCVW


















22088


mm


mm






34028
E 8G
068C


FDK
LITHIUM BATTERY
CR17500EP(3V)


FDK
LITHIUM BATTERY
CR17500EP(3V)

FDK
LITHIUM BATTERY
CR17500EP(3V)
FDK
LITHIUM BATTERY
CR17500EP(3V)
FDK
LITHIUM BATTERY
CR17500EP(3V)


disassemble, heat above 212°F, so-
lder directly to the cell, incinerate,
nor expose contents to water.
EU
充電、ショート、分解、変形、加熱、火中
に投入などは絶対にしないこと。
WARNING:Fire, explosion, and sev-
ere burn hazard. Do not recharge,
disassemble, heat above 212°F, so-
lder directly to the cell, incinerate,
nor expose contents to water.
EU
充電、ショート、分解、変形、加熱、火中
に投入などは絶対にしないこと。
WARNING:Fire, explosion, and sev-
ere burn hazard. Do not recharge,
disassemble, heat above 212°F, so-
lder directly to the cell, incinerate,
nor expose contents to water.

DD624NVW



















0 10 20 30 mm
10 20 30 40 50 6


0 10 20 30 mm
10 20 30 40 50
30 40 50 60 70 80






32563
E 8G
068C


FDK
LITHIUM BATTERY
CR17500EP(3V)



FDK
LITHIUM BATTERY
CR17500EP(3V)
FDK
LITHIUM BATTERY
CR17500EP(3V)
FDK
LITHIUM BATTERY
CR17500EP(3V)


disassemble, heat above 212°F, so-
lder directly to the cell, incinerate,
nor expose contents to water.
EU
充電、ショート、分解、変形、加熱、火中
に投入などは絶対にしないこと。
WARNING:Fire, explosion, and sev-
ere burn hazard. Do not recharge,
disassemble, heat above 212°F, so-
lder directly to the cell, incinerate,
nor expose contents to water.
EU
充電、ショート、分解、変形、加熱、火中
に投入などは絶対にしないこと。
WARNING:Fire, explosion, and sev-
ere burn hazard. Do not recharge,
disassemble, heat above 212°F, so-
lder directly to the cell, incinerate,
nor expose contents to water.