



CSG300s Label Instruction

Revision	Description	Date
A	Initial release	Feb. 10, 2020




Notes:

The version is only for reference. Please follow the latest version on Windchill.



Notes:

The version is only for reference. Please follow the latest version on Windchill.



Notes:

The version is only for reference. Please follow the latest version on Windchill.

Front : ARIAL BLACK
Size: 20

Front : ARIAL
Size: 12

Front : ARIAL
Size: 12

Front : ARIAL
Size: 10

Front : ARIAL
Size: 12

Front : ARIAL
Size: 6


Front : ARIAL
Size: 5

Versa Networks INC		
		
Model:CSG350 REV:A		
ARIAL 11 Model Barcode		
Input Rated: 12V  , 5A		
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.		
P/N:JVASBXXXXXXXX	ARIAL 11 Model Barcode	
SN:XXXXXXXX	ARIAL 11 Model Barcode	
MAC:XXXXXXXX	ARIAL 11 Model Barcode	
IMEI:XXXXXXXX	ARIAL 11 Model Barcode	
IMEI:XXXXXXXX	ARIAL 11 Model Barcode	
FCC ID: 2ARF9CSG350		
Manufacturer:Versa Networks Inc. Address:6001 America Center Dr, 4th floor, Suite 400, San Jose, CA 95002, USA		
		  Made In Malaysia

Front : ARIAL
Size: 5

NOTE:

Barcodes: Code 39 or 128, Grade C or better



Label Location

