2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2359.98	57.57	-16.43	74	42.25	27.34	18.27	30.29	266	60	P	H
		2387.91	46.58	-7.42	54	31.14	27.41	18.31	30.28	266	60	A	H
	*	2412	114.92	-	-	99.39	27.47	18.34	30.28	266	60	P	H
	*	2412	111.85	-	-	96.32	27.47	18.34	30.28	266	60	A	H
		2380.56	56.46	-17.54	74	41.06	27.39	18.3	30.29	100	122	P	V
		2387.385	44.58	-9.42	54	29.14	27.41	18.31	30.28	100	122	A	V
	*	2412	108.11	-	-	92.58	27.47	18.34	30.28	100	122	P	V
	*	2412	105	-	-	89.47	27.47	18.34	30.28	100	122	A	V
802.11b CH 06 2437MHz		2381.96	57.9	-16.1	74	42.5	27.39	18.3	30.29	261	57	P	H
		2389.66	45.55	-8.45	54	30.1	27.41	18.32	30.28	261	57	A	H
	*	2437	116.12	-	-	100.5	27.54	18.35	30.27	261	57	P	H
	*	2437	112.98	-	-	97.36	27.54	18.35	30.27	261	57	A	H
		2498.18	57.77	-16.23	74	41.93	27.7	18.39	30.25	261	57	P	H
		2484.53	46.11	-7.89	54	30.32	27.66	18.38	30.25	261	57	A	H
		2361.1	55.95	-18.05	74	40.63	27.34	18.27	30.29	110	126	P	V
		2388.4	44.47	-9.53	54	29.03	27.41	18.31	30.28	110	126	A	V
	*	2437	108.77	-	-	93.15	27.54	18.35	30.27	110	126	P	V
	*	2437	105.63	-	-	90.01	27.54	18.35	30.27	110	126	A	V
		2497.48	57.6	-16.4	74	41.77	27.69	18.39	30.25	110	126	P	V
		2497.97	45.02	-8.98	54	29.19	27.69	18.39	30.25	110	126	A	V

802.11b CH 11 2462MHz	*	2462	115.09	-	-	99.38	27.6	18.37	30.26	242	48	P	H
	*	2462	111.93	-	-	96.22	27.6	18.37	30.26	242	48	A	H
		2489.68	58.25	-15.75	74	42.45	27.67	18.38	30.25	242	48	P	H
		2486.8	47.54	-6.46	54	31.74	27.67	18.38	30.25	242	48	A	H
	*	2462	109.03	-	-	93.32	27.6	18.37	30.26	197	288	P	V
	*	2462	105.87	-	-	90.16	27.6	18.37	30.26	197	288	A	V
		2486.76	56.84	-17.16	74	41.04	27.67	18.38	30.25	197	288	P	V
		2486.8	45.17	-8.83	54	29.37	27.67	18.38	30.25	197	288	A	V
802.11b CH 12 2467MHz	*	2467	109.94	-	-	94.22	27.61	18.37	30.26	280	49	P	H
	*	2467	106.8	-	-	91.08	27.61	18.37	30.26	280	49	A	H
		2484	60.54	-13.46	74	44.75	27.66	18.38	30.25	280	49	P	H
		2484.04	52.04	-1.96	54	36.25	27.66	18.38	30.25	280	49	A	H
	*	2467	102.59	-	-	86.87	27.61	18.37	30.26	107	121	P	V
	*	2467	99.57	-	-	83.85	27.61	18.37	30.26	107	121	A	V
		2483.64	57.96	-16.04	74	42.17	27.66	18.38	30.25	107	121	P	V
		2484.08	47.09	-6.91	54	31.3	27.66	18.38	30.25	107	121	A	V
802.11b CH 13 2472MHz	*	2472	104.51	-	-	88.77	27.63	18.37	30.26	269	53	P	H
	*	2472	101.37	-	-	85.63	27.63	18.37	30.26	269	53	A	H
		2484.6	60.83	-13.17	74	45.04	27.66	18.38	30.25	269	53	P	H
		2484.72	52.89	-1.11	54	37.1	27.66	18.38	30.25	269	53	A	H
	*	2472	97.86	-	-	82.12	27.63	18.37	30.26	108	112	P	V
	*	2472	94.7	-	-	78.96	27.63	18.37	30.26	108	112	A	V
		2486.88	58.46	-15.54	74	42.66	27.67	18.38	30.25	108	112	P	V
		2484.68	47.79	-6.21	54	32	27.66	18.38	30.25	108	112	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	54.48	-19.52	74	70.29	32.45	13.84	62.1	111	210	P	H
		4824	52.66	-1.34	54	68.47	32.45	13.84	62.1	111	210	A	H
		4824	52.4	-21.6	74	68.21	32.45	13.84	62.1	190	199	P	V
		4824	49.28	-4.72	54	65.09	32.45	13.84	62.1	190	199	A	V
802.11b CH 06 2437MHz		4874	55.38	-18.62	74	71.02	32.55	13.92	62.11	176	239	P	H
		4874	53.03	-0.97	54	68.67	32.55	13.92	62.11	176	239	A	H
		7311	46.57	-27.43	74	57.13	37.24	15.25	63.05	100	0	P	H
		4874	52.84	-21.16	74	68.48	32.55	13.92	62.11	180	230	P	V
		4874	49.14	-4.86	54	64.78	32.55	13.92	62.11	180	230	A	V
		7311	46.61	-27.39	74	57.17	37.24	15.25	63.05	100	0	P	V
802.11b CH 11 2462MHz		4924	54.73	-19.27	74	70.19	32.65	14.01	62.12	145	213	P	H
		4924	52.22	-1.78	54	67.68	32.65	14.01	62.12	145	213	A	H
		7386	48.53	-25.47	74	59.04	37.34	15.17	63.02	100	0	P	H
		4920	52.02	-21.98	74	67.5	32.64	14	62.12	294	188	P	V
		4920	48.18	-5.82	54	63.66	32.64	14	62.12	294	188	A	V
		7386	47.25	-26.75	74	57.76	37.34	15.17	63.02	100	0	P	V
802.11b CH 12 2467MHz		4934	46.89	-27.11	74	62.33	32.67	14.01	62.12	100	0	P	H
		7401	45.81	-28.19	74	56.31	37.36	15.16	63.02	100	0	P	H
		4934	44.45	-29.55	74	59.89	32.67	14.01	62.12	100	0	P	V
		7401	47.22	-26.78	74	57.72	37.36	15.16	63.02	100	0	P	V
802.11b CH 13 2472MHz		4944	43.5	-30.5	74	58.9	32.69	14.03	62.12	100	0	P	H
		7416	45.85	-28.15	74	56.27	37.38	15.21	63.01	100	0	P	H
		4944	43.65	-30.35	74	59.05	32.69	14.03	62.12	100	0	P	V
		7416	46.45	-27.55	74	56.87	37.38	15.21	63.01	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2389.905	67.02	-6.98	74	51.57	27.41	18.32	30.28	222	78	P	H
		2390	52.12	-1.88	54	36.67	27.41	18.32	30.28	222	78	A	H
	*	2412	112.62	-	-	97.09	27.47	18.34	30.28	222	78	P	H
	*	2412	105.25	-	-	89.72	27.47	18.34	30.28	222	78	A	H
		2389.905	60.12	-13.88	74	44.67	27.41	18.32	30.28	100	142	P	V
		2390	47.96	-6.04	54	32.51	27.41	18.32	30.28	100	142	A	V
	*	2412	106.16	-	-	90.63	27.47	18.34	30.28	100	142	P	V
	*	2412	98.82	-	-	83.29	27.47	18.34	30.28	100	142	A	V
802.11g CH 02 2417MHz		2388.96	67.64	-6.36	74	52.2	27.41	18.31	30.28	254	63	P	H
		2389.94	53	-1	54	37.55	27.41	18.32	30.28	254	63	A	H
	*	2417	115.03	-	-	99.48	27.48	18.34	30.27	254	63	P	H
	*	2417	107.75	-	-	92.2	27.48	18.34	30.27	254	63	A	H
		2388.68	61.77	-12.23	74	46.33	27.41	18.31	30.28	302	249	P	V
		2389.94	47.17	-6.83	54	31.72	27.41	18.32	30.28	302	249	A	V
	*	2417	109.23	-	-	93.68	27.48	18.34	30.27	302	249	P	V
	*	2417	102.07	-	-	86.52	27.48	18.34	30.27	302	249	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		2389.24	63.58	-10.42	74	48.14	27.41	18.31	30.28	248	82	P	H
		2389.94	47.43	-6.57	54	31.98	27.41	18.32	30.28	248	82	A	H
	*	2437	117.92	-	-	102.3	27.54	18.35	30.27	248	82	P	H
	*	2437	110.54	-	-	94.92	27.54	18.35	30.27	248	82	A	H
		2483.62	61.74	-12.26	74	45.95	27.66	18.38	30.25	248	82	P	H
		2483.5	47.1	-6.9	54	31.31	27.66	18.38	30.25	248	82	A	H
		2388.68	57.18	-16.82	74	41.74	27.41	18.31	30.28	108	153	P	V
		2389.94	45.2	-8.8	54	29.75	27.41	18.32	30.28	108	153	A	V
	*	2437	111.36	-	-	95.74	27.54	18.35	30.27	108	153	P	V
	*	2437	103.56	-	-	87.94	27.54	18.35	30.27	108	153	A	V
		2490.9	57.86	-16.14	74	42.05	27.68	18.38	30.25	108	153	P	V
		2483.5	45.22	-8.78	54	29.43	27.66	18.38	30.25	108	153	A	V
802.11g CH 10 2457MHz	*	2457	115.9	-	-	100.21	27.59	18.36	30.26	250	59	P	H
	*	2457	107.87	-	-	92.18	27.59	18.36	30.26	250	59	A	H
		2483.74	68.88	-5.12	74	53.09	27.66	18.38	30.25	250	59	P	H
		2483.5	53.08	-0.92	54	37.29	27.66	18.38	30.25	250	59	A	H
	*	2457	110.42	-	-	94.73	27.59	18.36	30.26	257	249	P	V
	*	2457	103.05	-	-	87.36	27.59	18.36	30.26	257	249	A	V
		2484.22	63.75	-10.25	74	47.96	27.66	18.38	30.25	257	249	P	V
		2483.5	48.7	-5.3	54	32.91	27.66	18.38	30.25	257	249	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz	*	2462	113.43	-	-	97.72	27.6	18.37	30.26	222	85	P	H
	*	2462	106.05	-	-	90.34	27.6	18.37	30.26	222	85	A	H
		2483.52	69.33	-4.67	74	53.54	27.66	18.38	30.25	222	85	P	H
		2483.52	53.31	-0.69	54	37.52	27.66	18.38	30.25	222	85	A	H
	*	2462	106.48	-	-	90.77	27.6	18.37	30.26	108	140	P	V
	*	2462	99.21	-	-	83.5	27.6	18.37	30.26	108	140	A	V
		2483.56	63.51	-10.49	74	47.72	27.66	18.38	30.25	108	140	P	V
		2483.52	48.35	-5.65	54	32.56	27.66	18.38	30.25	108	140	A	V
802.11g CH 12 2467MHz	*	2467	109.77	-	-	94.05	27.61	18.37	30.26	237	81	P	H
	*	2467	102.23	-	-	86.51	27.61	18.37	30.26	237	81	A	H
		2484.44	71.74	-2.26	74	55.95	27.66	18.38	30.25	237	81	P	H
		2483.52	51.76	-2.24	54	35.97	27.66	18.38	30.25	237	81	A	H
	*	2467	103.24	-	-	87.52	27.61	18.37	30.26	109	149	P	V
	*	2467	95.44	-	-	79.72	27.61	18.37	30.26	109	149	A	V
		2484.48	64.48	-9.52	74	48.69	27.66	18.38	30.25	109	149	P	V
		2483.52	47.17	-6.83	54	31.38	27.66	18.38	30.25	109	149	A	V
802.11g CH 13 2472MHz	*	2472	108.52	-	-	92.78	27.63	18.37	30.26	226	83	P	H
	*	2472	100.89	-	-	85.15	27.63	18.37	30.26	226	83	A	H
		2486.92	72.57	-1.43	74	56.77	27.67	18.38	30.25	226	83	P	H
		2483.52	51.25	-2.75	54	35.46	27.66	18.38	30.25	226	83	A	H
	*	2472	102.35	-	-	86.61	27.63	18.37	30.26	110	148	P	V
	*	2472	94.63	-	-	78.89	27.63	18.37	30.26	110	148	A	V
		2487.52	65.19	-8.81	74	49.39	27.67	18.38	30.25	110	148	P	V
		2483.52	46.97	-7.03	54	31.18	27.66	18.38	30.25	110	148	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	43.9	-30.1	74	59.71	32.45	13.84	62.1	100	0	P	H
		4824	43.56	-30.44	74	59.37	32.45	13.84	62.1	100	0	P	V
802.11g CH 06 2437MHz		4874	54.32	-19.68	74	69.96	32.55	13.92	62.11	310	157	P	H
		4874	38.42	-15.58	54	54.06	32.55	13.92	62.11	310	157	A	H
		7311	47.38	-26.62	74	57.94	37.24	15.25	63.05	100	0	P	H
		4874	49.71	-24.29	74	65.35	32.55	13.92	62.11	100	0	P	V
		7311	46.6	-27.4	74	57.16	37.24	15.25	63.05	100	0	P	V
802.11g CH 11 2462MHz		4924	43.75	-30.25	74	59.21	32.65	14.01	62.12	100	0	P	H
		7386	46.1	-27.9	74	56.61	37.34	15.17	63.02	100	0	P	H
		4924	42.77	-31.23	74	58.23	32.65	14.01	62.12	100	0	P	V
		7386	47.04	-26.96	74	57.55	37.34	15.17	63.02	100	0	P	V
802.11g CH 12 2467MHz		4934	42.56	-31.44	74	58	32.67	14.01	62.12	100	0	P	H
		7401	46.23	-27.77	74	56.73	37.36	15.16	63.02	100	0	P	H
		4934	42.73	-31.27	74	58.17	32.67	14.01	62.12	100	0	P	V
		7401	46.08	-27.92	74	56.58	37.36	15.16	63.02	100	0	P	V
802.11g CH 13 2472MHz		4944	43.06	-30.94	74	58.46	32.69	14.03	62.12	100	0	P	H
		7416	46.12	-27.88	74	56.54	37.38	15.21	63.01	100	0	P	H
		4944	42.8	-31.2	74	58.2	32.69	14.03	62.12	100	0	P	V
		7416	46.95	-27.05	74	57.37	37.38	15.21	63.01	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2389.8	68.12	-5.88	74	52.67	27.41	18.32	30.28	250	85	P	H
		2390	53.32	-0.68	54	37.87	27.41	18.32	30.28	250	85	A	H
	*	2412	112.25	-	-	96.72	27.47	18.34	30.28	250	85	P	H
	*	2412	104.7	-	-	89.17	27.47	18.34	30.28	250	85	A	H
		2389.59	63.22	-10.78	74	47.78	27.41	18.31	30.28	105	160	P	V
		2390	48.41	-5.59	54	32.96	27.41	18.32	30.28	105	160	A	V
	*	2412	105.97	-	-	90.44	27.47	18.34	30.28	105	160	P	V
	*	2412	98.58	-	-	83.05	27.47	18.34	30.28	105	160	A	V
802.11n HT20 CH 02 2417MHz		2389.24	66.49	-7.51	74	51.05	27.41	18.31	30.28	235	64	P	H
		2389.94	51.96	-2.04	54	36.51	27.41	18.32	30.28	235	64	A	H
	*	2417	114.62	-	-	99.07	27.48	18.34	30.27	235	64	P	H
	*	2417	107.28	-	-	91.73	27.48	18.34	30.27	235	64	A	H
		2389.8	59.57	-14.43	74	44.12	27.41	18.32	30.28	301	251	P	V
		2389.94	46.74	-7.26	54	31.29	27.41	18.32	30.28	301	251	A	V
	*	2417	108.02	-	-	92.47	27.48	18.34	30.27	301	251	P	V
	*	2417	100.94	-	-	85.39	27.48	18.34	30.27	301	251	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 06 2437MHz		2389.1	64.1	-9.9	74	48.66	27.41	18.31	30.28	246	82	P	H
		2389.94	48.82	-5.18	54	33.37	27.41	18.32	30.28	246	82	A	H
	*	2437	118.06	-	-	102.44	27.54	18.35	30.27	246	82	P	H
	*	2437	110.62	-	-	95	27.54	18.35	30.27	246	82	A	H
		2483.69	63.83	-10.17	74	48.04	27.66	18.38	30.25	246	82	P	H
		2483.52	48.18	-5.82	54	32.39	27.66	18.38	30.25	246	82	A	H
		2383.08	57.7	-16.3	74	42.28	27.4	18.31	30.29	112	151	P	V
		2389.94	45.69	-8.31	54	30.24	27.41	18.32	30.28	112	151	A	V
	*	2437	111.62	-	-	96	27.54	18.35	30.27	112	151	P	V
	*	2437	104.13	-	-	88.51	27.54	18.35	30.27	112	151	A	V
		2483.62	58.28	-15.72	74	42.49	27.66	18.38	30.25	112	151	P	V
		2483.69	45.68	-8.32	54	29.89	27.66	18.38	30.25	112	151	A	V
802.11n HT20 CH 10 2457MHz	*	2457	114.47	-	-	98.78	27.59	18.36	30.26	249	59	P	H
	*	2457	106.99	-	-	91.3	27.59	18.36	30.26	249	59	A	H
		2488.24	64.73	-9.27	74	48.93	27.67	18.38	30.25	249	59	P	H
		2483.5	52.07	-1.93	54	36.28	27.66	18.38	30.25	249	59	A	H
	*	2457	109.85	-	-	94.16	27.59	18.36	30.26	259	248	P	V
	*	2457	102.26	-	-	86.57	27.59	18.36	30.26	259	248	A	V
		2485.24	61.44	-12.56	74	45.65	27.66	18.38	30.25	259	248	P	V
		2483.5	47.72	-6.28	54	31.93	27.66	18.38	30.25	259	248	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 11 2462MHz	*	2462	112.95	-	-	97.24	27.6	18.37	30.26	243	86	P	H
	*	2462	105.27	-	-	89.56	27.6	18.37	30.26	243	86	A	H
		2483.76	70.56	-3.44	74	54.77	27.66	18.38	30.25	243	86	P	H
		2483.52	52.97	-1.03	54	37.18	27.66	18.38	30.25	243	86	A	H
	*	2462	105.76	-	-	90.05	27.6	18.37	30.26	102	157	P	V
	*	2462	98.17	-	-	82.46	27.6	18.37	30.26	102	157	A	V
		2483.72	64.7	-9.3	74	48.91	27.66	18.38	30.25	102	157	P	V
		2483.52	48.16	-5.84	54	32.37	27.66	18.38	30.25	102	157	A	V
802.11n HT20 CH 12 2467MHz	*	2467	109.11	-	-	93.39	27.61	18.37	30.26	230	80	P	H
	*	2467	101.41	-	-	85.69	27.61	18.37	30.26	230	80	A	H
		2484.12	73.09	-0.91	74	57.3	27.66	18.38	30.25	230	80	P	H
		2483.52	51.33	-2.67	54	35.54	27.66	18.38	30.25	230	80	A	H
	*	2467	102.76	-	-	87.04	27.61	18.37	30.26	109	147	P	V
	*	2467	95.06	-	-	79.34	27.61	18.37	30.26	109	147	A	V
		2483.64	66.34	-7.66	74	50.55	27.66	18.38	30.25	109	147	P	V
		2483.52	47.09	-6.91	54	31.3	27.66	18.38	30.25	109	147	A	V
802.11n HT20 CH 13 2472MHz	*	2472	107.55	-	-	91.81	27.63	18.37	30.26	227	80	P	H
	*	2472	100.06	-	-	84.32	27.63	18.37	30.26	227	80	A	H
		2484.48	70.48	-3.52	74	54.69	27.66	18.38	30.25	227	80	P	H
		2483.52	50.81	-3.19	54	35.02	27.66	18.38	30.25	227	80	A	H
	*	2472	101.35	-	-	85.61	27.63	18.37	30.26	109	148	P	V
	*	2472	93.79	-	-	78.05	27.63	18.37	30.26	109	148	A	V
		2484.44	64.36	-9.64	74	48.57	27.66	18.38	30.25	109	148	P	V
		2483.52	46.87	-7.13	54	31.08	27.66	18.38	30.25	109	148	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	43.75	-30.25	74	59.56	32.45	13.84	62.1	100	0	P	H
		4824	43.11	-30.89	74	58.92	32.45	13.84	62.1	100	0	P	V
802.11n HT20 CH 06 2437MHz		4874	57.31	-16.69	74	72.95	32.55	13.92	62.11	309	162	P	H
		4874	44.42	-9.58	54	60.06	32.55	13.92	62.11	309	162	A	H
		7311	46.96	-27.04	74	57.52	37.24	15.25	63.05	100	0	P	H
		4874	45.94	-28.06	74	61.58	32.55	13.92	62.11	100	0	P	V
		7311	45.41	-28.59	74	55.97	37.24	15.25	63.05	100	0	P	V
802.11n HT20 CH 11 2462MHz		4924	42.72	-31.28	74	58.18	32.65	14.01	62.12	100	0	P	H
		7386	46.7	-27.3	74	57.21	37.34	15.17	63.02	100	0	P	H
		4924	42.73	-31.27	74	58.19	32.65	14.01	62.12	100	0	P	V
		7386	46.21	-27.79	74	56.72	37.34	15.17	63.02	100	0	P	V
802.11n HT20 CH 12 2467MHz		4934	44.04	-29.96	74	59.48	32.67	14.01	62.12	100	0	P	H
		7401	46.07	-27.93	74	56.57	37.36	15.16	63.02	100	0	P	H
		4934	42.65	-31.35	74	58.09	32.67	14.01	62.12	100	0	P	V
		7401	45.6	-28.4	74	56.1	37.36	15.16	63.02	100	0	P	V
802.11n HT20 CH 13 2472MHz		4944	42.22	-31.78	74	57.62	32.69	14.03	62.12	100	0	P	H
		7416	45.85	-28.15	74	56.27	37.38	15.21	63.01	100	0	P	H
		4944	43	-31	74	58.4	32.69	14.03	62.12	100	0	P	V
		7416	46.22	-27.78	74	56.64	37.38	15.21	63.01	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

Emission below 1GHz

2.4GHz WIFI 802.11n HT20 (LF)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
2.4GHz 802.11n HT20 LF		196.84	28.99	-14.51	43.5	44.66	14.94	1.74	32.35	-	-	P	H
		245.34	28.99	-17.01	46	41.2	17.96	2.22	32.39	-	-	P	H
		345.25	32.92	-13.08	46	42.33	20.26	2.79	32.46	-	-	P	H
		420.91	28.53	-17.47	46	35.18	22.67	3.2	32.52	-	-	P	H
		755.56	30.89	-15.11	46	30.62	28.2	4.51	32.44	-	-	P	H
		940.83	33.31	-12.69	46	29.63	30.49	4.62	31.43	100	0	P	H
		91.11	28.83	-14.67	43.5	45.35	14.86	1	32.38	-	-	P	V
		190.05	31.42	-12.08	43.5	47.24	14.82	1.71	32.35	-	-	P	V
		339.43	32.15	-13.85	46	41.79	20.07	2.75	32.46	-	-	P	V
		422.85	30.02	-15.98	46	36.64	22.7	3.2	32.52	-	-	P	V
		746.83	31.11	-14.89	46	30.93	28.13	4.5	32.45	-	-	P	V
		894.27	37.19	-8.81	46	35.35	29.01	4.65	31.82	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		2389.695	56.94	-17.06	74	41.49	27.41	18.32	30.28	294	168	P	H
		2385.6	47.3	-6.7	54	31.87	27.4	18.31	30.28	294	168	A	H
	*	2412	118.72	-	-	103.19	27.47	18.34	30.28	294	168	P	H
	*	2412	115.77	-	-	100.24	27.47	18.34	30.28	294	168	A	H
		2389.065	56.81	-17.19	74	41.37	27.41	18.31	30.28	100	118	P	V
		2390	44.94	-9.06	54	29.49	27.41	18.32	30.28	100	118	A	V
	*	2412	113.26	-	-	97.73	27.47	18.34	30.28	100	118	P	V
	*	2412	110.23	-	-	94.7	27.47	18.34	30.28	100	118	A	V
802.11b CH 06 2437MHz		2355.08	55.98	-18.02	74	40.69	27.32	18.26	30.29	224	152	P	H
		2389.1	44.51	-9.49	54	29.07	27.41	18.31	30.28	224	152	A	H
	*	2437	117.66	-	-	102.04	27.54	18.35	30.27	224	152	P	H
	*	2437	114.57	-	-	98.95	27.54	18.35	30.27	224	152	A	H
		2489.71	57.19	-16.81	74	41.39	27.67	18.38	30.25	224	152	P	H
		2485.02	45.13	-8.87	54	29.34	27.66	18.38	30.25	224	152	A	H
		2313.36	56.29	-17.71	74	41.19	27.21	18.2	30.31	115	139	P	V
		2389.24	44.22	-9.78	54	28.78	27.41	18.31	30.28	115	139	A	V
	*	2437	113.41	-	-	97.79	27.54	18.35	30.27	115	139	P	V
	*	2437	110.45	-	-	94.83	27.54	18.35	30.27	115	139	A	V
		2483.62	56.54	-17.46	74	40.75	27.66	18.38	30.25	115	139	P	V
		2489.15	44.7	-9.3	54	28.9	27.67	18.38	30.25	115	139	A	V

802.11b CH 11 2462MHz	*	2462	118.45	-	-	102.74	27.6	18.37	30.26	220	184	P	H
	*	2462	115.43	-	-	99.72	27.6	18.37	30.26	220	184	A	H
		2487.72	60.73	-13.27	74	44.93	27.67	18.38	30.25	220	184	P	H
		2487.76	53.04	-0.96	54	37.24	27.67	18.38	30.25	220	184	A	H
	*	2462	114.34	-	-	98.63	27.6	18.37	30.26	101	174	P	V
	*	2462	111.41	-	-	95.7	27.6	18.37	30.26	101	174	A	V
		2487.56	58.62	-15.38	74	42.82	27.67	18.38	30.25	101	174	P	V
		2488.12	47.37	-6.63	54	31.57	27.67	18.38	30.25	101	174	A	V
802.11b CH 12 2467MHz	*	2468	114.51	-	-	98.78	27.62	18.37	30.26	226	170	P	H
	*	2467	111.54	-	-	95.82	27.61	18.37	30.26	226	170	A	H
		2483.96	61.22	-12.78	74	45.43	27.66	18.38	30.25	226	170	P	H
		2483.92	53.04	-0.96	54	37.25	27.66	18.38	30.25	226	170	A	H
	*	2467	110.29	-	-	94.57	27.61	18.37	30.26	110	117	P	V
	*	2467	107.22	-	-	91.5	27.61	18.37	30.26	110	117	A	V
		2483.96	61.3	-12.7	74	45.51	27.66	18.38	30.25	110	117	P	V
		2484.08	53.4	-0.6	54	37.61	27.66	18.38	30.25	110	117	P	V
802.11b CH 13 2472MHz	*	2472	106.29	-	-	90.55	27.63	18.37	30.26	223	151	P	H
	*	2472	103.24	-	-	87.5	27.63	18.37	30.26	223	151	A	H
		2487.52	60.2	-13.8	74	44.4	27.67	18.38	30.25	223	151	P	H
		2487.28	52.6	-1.4	54	36.8	27.67	18.38	30.25	223	151	A	H
	*	2472	101.94	-	-	86.2	27.63	18.37	30.26	114	139	P	V
	*	2472	98.96	-	-	83.22	27.63	18.37	30.26	114	139	A	V
		2496.8	57.32	-16.68	74	41.49	27.69	18.39	30.25	114	139	P	V
		2484.76	46.94	-7.06	54	31.15	27.66	18.38	30.25	114	139	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	55.57	-18.43	74	71.38	32.45	13.84	62.1	100	214	P	H
		4824	53.31	-0.69	54	69.12	32.45	13.84	62.1	100	214	A	H
		4824	55.35	-18.65	74	71.16	32.45	13.84	62.1	187	187	P	V
		4824	51.84	-2.16	54	67.65	32.45	13.84	62.1	187	187	A	V
802.11b CH 06 2437MHz		4874	55.91	-18.09	74	71.55	32.55	13.92	62.11	205	178	P	H
		4874	53.23	-0.77	54	68.87	32.55	13.92	62.11	205	178	A	H
		7311	47.17	-26.83	74	57.73	37.24	15.25	63.05	100	0	P	H
		4874	54.05	-19.95	74	69.69	32.55	13.92	62.11	312	202	P	V
		4874	51.13	-2.87	54	66.77	32.55	13.92	62.11	312	202	A	V
		7311	46.49	-27.51	74	57.05	37.24	15.25	63.05	100	0	P	V
802.11b CH 11 2462MHz		4924	53.38	-20.62	74	68.84	32.65	14.01	62.12	175	165	P	H
		4924	50.56	-3.44	54	66.02	32.65	14.01	62.12	175	165	A	H
		7386	46.24	-27.76	74	56.75	37.34	15.17	63.02	100	0	P	H
		4924	49.42	-24.58	74	64.88	32.65	14.01	62.12	100	0	P	V
		7386	45.66	-28.34	74	56.17	37.34	15.17	63.02	100	0	P	V
802.11b CH 12 2467MHz		4934	46.71	-27.29	74	62.15	32.67	14.01	62.12	100	0	P	H
		7401	47.01	-26.99	74	57.51	37.36	15.16	63.02	100	0	P	H
		4934	44.81	-29.19	74	60.25	32.67	14.01	62.12	100	0	P	V
		7401	46.65	-27.35	74	57.15	37.36	15.16	63.02	100	0	P	V
802.11b CH 13 2472MHz		4944	43.85	-30.15	74	59.25	32.69	14.03	62.12	100	0	P	H
		7416	47.53	-26.47	74	57.95	37.38	15.21	63.01	100	0	P	H
		4944	43.64	-30.36	74	59.04	32.69	14.03	62.12	100	0	P	V
		7416	46.83	-27.17	74	57.25	37.38	15.21	63.01	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2389.17	67.24	-6.76	74	51.8	27.41	18.31	30.28	299	207	P	H
		2388.96	52.37	-1.63	54	36.93	27.41	18.31	30.28	299	207	A	H
	*	2412	116.27	-	-	100.74	27.47	18.34	30.28	299	207	P	H
	*	2412	109.3	-	-	93.77	27.47	18.34	30.28	299	207	A	H
		2389.905	65.77	-8.23	74	50.32	27.41	18.32	30.28	101	159	P	V
		2390	51.33	-2.67	54	35.88	27.41	18.32	30.28	101	159	A	V
	*	2412	112.91	-	-	97.38	27.47	18.34	30.28	101	159	P	V
	*	2412	105.49	-	-	89.96	27.47	18.34	30.28	101	159	A	V
802.11g CH 06 2437MHz		2389.1	61.18	-12.82	74	45.74	27.41	18.31	30.28	255	163	P	H
		2388.68	46.29	-7.71	54	30.85	27.41	18.31	30.28	255	163	A	H
	*	2437	120.48	-	-	104.86	27.54	18.35	30.27	255	163	P	H
	*	2437	112.98	-	-	97.36	27.54	18.35	30.27	255	163	A	H
		2487.89	59.2	-14.8	74	43.4	27.67	18.38	30.25	255	163	P	H
		2483.76	46.75	-7.25	54	30.96	27.66	18.38	30.25	255	163	A	H
		2314.62	56.41	-17.59	74	41.29	27.22	18.21	30.31	104	131	P	V
		2389.94	45.12	-8.88	54	29.67	27.41	18.32	30.28	104	131	A	V
	*	2437	115.77	-	-	100.15	27.54	18.35	30.27	104	131	P	V
	*	2437	108.34	-	-	92.72	27.54	18.35	30.27	104	131	A	V
		2484.74	56.8	-17.2	74	41.01	27.66	18.38	30.25	104	131	P	V
		2485.51	45.08	-8.92	54	29.29	27.66	18.38	30.25	104	131	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

802.11g CH 10 2457MHz	*	2457	117.6	-	-	101.91	27.59	18.36	30.26	235	297	P	H
	*	2457	110.59	-	-	94.9	27.59	18.36	30.26	235	297	A	H
		2484.7	71.49	-2.51	74	55.7	27.66	18.38	30.25	235	297	P	H
		2483.5	52.97	-1.03	54	37.18	27.66	18.38	30.25	235	297	A	H
	*	2457	112.9	-	-	97.21	27.59	18.36	30.26	101	122	P	V
	*	2457	106.37	-	-	90.68	27.59	18.36	30.26	101	122	A	V
		2484.82	68	-6	74	52.21	27.66	18.38	30.25	101	122	P	V
		2484.64	50.13	-3.87	54	34.34	27.66	18.38	30.25	101	122	A	V
802.11g CH 11 2462MHz	*	2462	113.84	-	-	98.13	27.6	18.37	30.26	318	204	P	H
	*	2462	107.06	-	-	91.35	27.6	18.37	30.26	318	204	A	H
		2483.52	66.51	-7.49	74	50.72	27.66	18.38	30.25	318	204	P	H
		2483.52	52.15	-1.85	54	36.36	27.66	18.38	30.25	318	204	A	H
	*	2462	110.43	-	-	94.72	27.6	18.37	30.26	101	157	P	V
	*	2462	102.91	-	-	87.2	27.6	18.37	30.26	101	157	A	V
		2483.76	64	-10	74	48.21	27.66	18.38	30.25	101	157	P	V
		2483.52	49.02	-4.98	54	33.23	27.66	18.38	30.25	101	157	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 12 2467MHz	*	2467	110.89	-	-	95.17	27.61	18.37	30.26	227	169	P	H
	*	2467	103.62	-	-	87.9	27.61	18.37	30.26	227	169	A	H
		2484.12	70.79	-3.21	74	55	27.66	18.38	30.25	227	169	P	H
		2483.52	53.04	-0.96	54	37.25	27.66	18.38	30.25	227	169	A	H
	*	2467	107.52	-	-	91.8	27.61	18.37	30.26	108	127	P	V
	*	2467	100.3	-	-	84.58	27.61	18.37	30.26	108	127	A	V
		2485.72	64.63	-9.37	74	48.84	27.66	18.38	30.25	108	127	P	V
		2485.48	48.67	-5.33	54	32.88	27.66	18.38	30.25	108	127	A	V
802.11g CH 13 2472MHz	*	2472	109.79	-	-	94.05	27.63	18.37	30.26	216	160	P	H
	*	2472	103.06	-	-	87.32	27.63	18.37	30.26	216	160	A	H
		2487.32	72.07	-1.93	74	56.27	27.67	18.38	30.25	216	160	P	H
		2485.32	52.37	-1.63	54	36.58	27.66	18.38	30.25	216	160	A	H
	*	2472	106.77	-	-	91.03	27.63	18.37	30.26	109	129	P	V
	*	2472	99.38	-	-	83.64	27.63	18.37	30.26	109	129	A	V
		2483.68	66.84	-7.16	74	51.05	27.66	18.38	30.25	109	129	P	V
		2483.52	49.01	-4.99	54	33.22	27.66	18.38	30.25	109	129	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	53.03	-20.97	74	68.84	32.45	13.84	62.1	177	242	P	H
		4824	41.8	-12.2	54	57.61	32.45	13.84	62.1	177	242	A	H
		4824	48.27	-25.73	74	64.08	32.45	13.84	62.1	100	0	P	V
802.11g CH 06 2437MHz		4874	56.46	-17.54	74	72.1	32.55	13.92	62.11	100	216	P	H
		4874	46.7	-7.3	54	62.34	32.55	13.92	62.11	100	216	A	H
		7311	48.53	-25.47	74	59.09	37.24	15.25	63.05	100	0	P	H
		4874	54.46	-19.54	74	70.1	32.55	13.92	62.11	111	202	P	V
		4874	43.4	-10.6	54	59.04	32.55	13.92	62.11	111	202	A	V
		7311	46.6	-27.4	74	57.16	37.24	15.25	63.05	100	0	P	V
802.11g CH 11 2462MHz		4924	45.59	-28.41	74	61.05	32.65	14.01	62.12	100	0	P	H
		7386	46.24	-27.76	74	56.75	37.34	15.17	63.02	100	0	P	H
		4924	44.33	-29.67	74	59.79	32.65	14.01	62.12	100	0	P	V
		7386	46.07	-27.93	74	56.58	37.34	15.17	63.02	100	0	P	V
802.11g CH 12 2467MHz		4934	43.16	-30.84	74	55.67	32.67	14.01	59.19	100	0	P	H
		7401	44.09	-29.91	74	50.71	37.36	15.16	59.14	100	0	P	H
		4934	41.82	-32.18	74	54.33	32.67	14.01	59.19	100	0	P	V
		7401	43.72	-30.28	74	50.34	37.36	15.16	59.14	100	0	P	V
802.11g CH 13 2472MHz		4944	42.35	-31.65	74	54.82	32.69	14.03	59.19	100	0	P	H
		7416	44.19	-29.81	74	50.73	37.38	15.21	59.13	100	0	P	H
		4944	41.27	-32.73	74	53.74	32.69	14.03	59.19	100	0	P	V
		7416	44.44	-29.56	74	50.98	37.38	15.21	59.13	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2389.905	68.77	-5.23	74	53.32	27.41	18.32	30.28	206	326	P	H
		2390	52.99	-1.01	54	37.54	27.41	18.32	30.28	206	326	A	H
	*	2412	112.89	-	-	97.36	27.47	18.34	30.28	206	326	P	H
	*	2412	105.27	-	-	89.74	27.47	18.34	30.28	206	326	A	H
		2389.8	64.19	-9.81	74	48.74	27.41	18.32	30.28	118	151	P	V
		2390	50.51	-3.49	54	35.06	27.41	18.32	30.28	118	151	A	V
	*	2412	109.53	-	-	94	27.47	18.34	30.28	118	151	P	V
	*	2412	101.92	-	-	86.39	27.47	18.34	30.28	118	151	A	V
802.11n HT20 CH 06 2437MHz		2386.16	58.33	-15.67	74	42.9	27.4	18.31	30.28	228	168	P	H
		2389.8	46.38	-7.62	54	30.93	27.41	18.32	30.28	228	168	A	H
	*	2437	117.26	-	-	101.64	27.54	18.35	30.27	228	168	P	H
	*	2437	110.02	-	-	94.4	27.54	18.35	30.27	228	168	A	H
		2485.37	59.47	-14.53	74	43.68	27.66	18.38	30.25	228	168	P	H
		2483.55	46.46	-7.54	54	30.67	27.66	18.38	30.25	228	168	A	H
		2389.8	57.45	-16.55	74	42	27.41	18.32	30.28	118	131	P	V
		2389.94	45.29	-8.71	54	29.84	27.41	18.32	30.28	118	131	A	V
	*	2437	114.25	-	-	98.63	27.54	18.35	30.27	118	131	P	V
	*	2437	105.83	-	-	90.21	27.54	18.35	30.27	118	131	A	V
		2489.78	56.83	-17.17	74	41.03	27.67	18.38	30.25	118	131	P	V
		2483.5	45.32	-8.68	54	29.53	27.66	18.38	30.25	118	131	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 10 2457MHz	*	2457	116.43	-	-	100.74	27.59	18.36	30.26	254	168	P	H
	*	2457	108.62	-	-	92.93	27.59	18.36	30.26	254	168	A	H
		2483.8	71.94	-2.06	74	56.15	27.66	18.38	30.25	254	168	P	H
		2483.5	49.98	-4.02	54	34.19	27.66	18.38	30.25	254	168	A	H
	*	2457	111.01	-	-	95.32	27.59	18.36	30.26	101	122	P	V
	*	2457	103.28	-	-	87.59	27.59	18.36	30.26	101	122	A	V
		2483.5	65.4	-8.6	74	49.61	27.66	18.38	30.25	101	122	P	V
		2483.5	47.33	-6.67	54	31.54	27.66	18.38	30.25	101	122	A	V
802.11n HT20 CH 11 2462MHz	*	2462	111.32	-	-	95.61	27.6	18.37	30.26	220	189	P	H
	*	2462	103.44	-	-	87.73	27.6	18.37	30.26	220	189	A	H
		2484.32	67.13	-6.87	74	51.34	27.66	18.38	30.25	220	189	P	H
		2483.52	51.92	-2.08	54	36.13	27.66	18.38	30.25	220	189	A	H
	*	2462	106.75	-	-	91.04	27.6	18.37	30.26	127	152	P	V
	*	2462	99.03	-	-	83.32	27.6	18.37	30.26	127	152	A	V
		2484.56	62.42	-11.58	74	46.63	27.66	18.38	30.25	127	152	P	V
		2483.52	48.21	-5.79	54	32.42	27.66	18.38	30.25	127	152	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 12 2467MHz	*	2467	109.43	-	-	93.71	27.61	18.37	30.26	223	166	P	H
	*	2467	101.67	-	-	85.95	27.61	18.37	30.26	223	166	A	H
		2483.6	68.42	-5.58	74	52.63	27.66	18.38	30.25	223	166	P	H
		2483.52	52.15	-1.85	54	36.36	27.66	18.38	30.25	223	166	A	H
	*	2467	106.35	-	-	90.63	27.61	18.37	30.26	112	129	P	V
	*	2467	97.73	-	-	82.01	27.61	18.37	30.26	112	129	A	V
		2485.8	64.56	-9.44	74	48.77	27.66	18.38	30.25	112	129	P	V
		2483.52	48.86	-5.14	54	33.07	27.66	18.38	30.25	112	129	A	V
802.11n HT20 CH 13 2472MHz	*	2472	109.24	-	-	93.5	27.63	18.37	30.26	215	163	P	H
	*	2472	100.63	-	-	84.89	27.63	18.37	30.26	215	163	A	H
		2484.84	69.97	-4.03	74	54.18	27.66	18.38	30.25	215	163	P	H
		2483.52	52.73	-1.27	54	36.94	27.66	18.38	30.25	215	163	A	H
	*	2472	104.65	-	-	88.91	27.63	18.37	30.26	112	128	P	V
	*	2472	96.62	-	-	80.88	27.63	18.37	30.26	112	128	A	V
		2486.8	65.67	-8.33	74	49.87	27.67	18.38	30.25	112	128	P	V
		2483.52	49.14	-4.86	54	33.35	27.66	18.38	30.25	112	128	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	48.06	-25.94	74	60.93	32.45	13.84	59.16	100	0	P	H
		4824	44.49	-29.51	74	57.36	32.45	13.84	59.16	100	0	P	V
802.11n HT20 CH 06 2437MHz		4874	49.95	-24.05	74	62.65	32.55	13.92	59.17	100	0	P	H
		7311	43.99	-30.01	74	50.68	37.24	15.25	59.18	100	0	P	H
		4874	48.47	-25.53	74	61.17	32.55	13.92	59.17	100	0	P	V
		7311	45.02	-28.98	74	51.71	37.24	15.25	59.18	100	0	P	V
802.11n HT20 CH 11 2462MHz		4924	48.22	-25.78	74	63.68	32.65	14.01	62.12	100	0	P	H
		7386	46.93	-27.07	74	57.44	37.34	15.17	63.02	100	0	P	H
		4924	46.74	-27.26	74	62.2	32.65	14.01	62.12	100	0	P	V
		7386	46.88	-27.12	74	57.39	37.34	15.17	63.02	100	0	P	V
802.11n HT20 CH 12 2467MHz		4934	45.41	-28.59	74	60.85	32.67	14.01	62.12	100	0	P	H
		7401	47.09	-26.91	74	57.59	37.36	15.16	63.02	100	0	P	H
		4934	44.05	-29.95	74	59.49	32.67	14.01	62.12	100	0	P	V
		7401	46.76	-27.24	74	57.26	37.36	15.16	63.02	100	0	P	V
802.11n HT20 CH 13 2472MHz		4944	45.17	-28.83	74	60.57	32.69	14.03	62.12	100	0	P	H
		7416	46.38	-27.62	74	56.8	37.38	15.21	63.01	100	0	P	H
		4944	43.65	-30.35	74	59.05	32.69	14.03	62.12	100	0	P	V
		7416	46.25	-27.75	74	56.67	37.38	15.21	63.01	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

Emission below 1GHz

2.4GHz WIFI 802.11b (LF)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
2.4GHz 802.11b LF		196.84	30.94	-12.56	43.5	46.61	14.94	1.74	32.35	-	-	P	H
		308.39	29.78	-16.22	46	40.33	19.34	2.55	32.44	-	-	P	H
		345.25	33.77	-12.23	46	43.18	20.26	2.79	32.46	-	-	P	H
		732.28	30.37	-15.63	46	30.78	27.7	4.37	32.48	-	-	P	H
		781.75	31.1	-14.9	46	30.88	28.2	4.41	32.39	-	-	P	H
		893.3	35.22	-10.78	46	33.39	29.01	4.65	31.83	100	0	P	H
		93.05	27.84	-15.66	43.5	44.18	15.03	1.01	32.38	-	-	P	V
		196.84	32.7	-10.8	43.5	48.37	14.94	1.74	32.35	-	-	P	V
		341.37	32.83	-13.17	46	42.4	20.13	2.76	32.46	-	-	P	V
		425.76	31.4	-14.6	46	37.98	22.75	3.19	32.52	-	-	P	V
		770.11	30.34	-15.66	46	30.09	28.21	4.45	32.41	-	-	P	V
		894.27	36.94	-9.06	46	35.1	29.01	4.65	31.82	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against limit line.												

Note symbol

*	**Fundamental Frequency** which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is **over limit** line.
P/A	**P**eak or **A**verage
H/V	**H**orizontal or **V**ertical

A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =

Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)

= 55.45 (dBμV/m)

2. Over Limit(dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 55.45(dBμV/m) – 74(dBμV/m)

= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)

= 43.54 (dBμV/m)

2. Over Limit(dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 43.54(dBμV/m) – 54(dBμV/m)

= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.

Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Jacky Hung, Austin Li and CR Liao	**Temperature :**	20~25°C
		Relative Humidity :	50~60%

Note symbol

-L	**Low channel location**
-R	**High channel location**

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 800521-02 Setting : 20.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 800521-02 Setting : 20.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 800521-02 Setting : 20.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 800521-02 Setting : 20.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 14.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 14.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 14.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 14.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
0	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH02 2417MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH02 2417MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
0	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
0	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH10 2457MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH10 2457MHz	
0	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5

WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 13.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
0	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 11	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 11
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 11	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 11

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
0	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
0	Horizontal	Vertical
Peak Avg.	 	

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
0	Horizontal	Vertical
Peak Avg.	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL Detector : Peak Project : 8O0521-02 Setting : 10.5

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
0	Horizontal	Vertical
Peak Avg.	 	

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH06 2437MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH12 2462MHz	
0	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
0	Horizontal	Vertical
Peak Avg.	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL Detector : Peak Project : 8O0521-02 Setting : 9

Emission below 1GHz

2.4GHz WIFI 802.11b (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b LF	
0	Horizontal	Vertical
QP / Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 18.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-01 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1	Vertical	Fundamental
Peak		
Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g Ch02 2417MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g Ch02 2417MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g Ch10 2457MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18
Avg.	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g Ch10 2457MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18
Avg.	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 18

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9.5

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 Ch02 2417MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 Ch02 2417MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 Ch10 2457MHz	
1	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 Ch10 2457MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 17.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15

WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 10.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 9

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
1	Vertical	Fundamental
Peak		
Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL Detector : Peak Project : 8O0521-02 Setting : 14	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL Detector : Peak Project : 8O0521-02 Setting : 14

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
1	Horizontal	Vertical
Peak Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	 	

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL Detector : Peak Project : 800521-02 Setting : 9.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL Detector : Peak Project : 800521-02 Setting : 9.5

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL Detector : Peak Project : 8O0521-02 Setting : 20	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL Detector : Peak Project : 8O0521-02 Setting : 20

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH12 2462MHz	
1	Horizontal	Vertical
Peak Avg.		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
1	Horizontal	Vertical
Peak Avg.		

Emission below 1GHz

2.4GHz WIFI 802.11n HT20 (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11n HT20 LF	
1	Horizontal	Vertical
QP / Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0+1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 19.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 8.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 8.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 8.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 8.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0+1	Vertical	Fundamental
Peak		
Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_8E_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5
Avg.	 Site : 03CH16-HY Condition : AVG_8E_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 15.5

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH16-HY Condition : PEAK_BE_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20	 Site : 03CH16-HY Condition : PEAK_74 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20
Avg.	 Site : 03CH16-HY Condition : AVG_BE_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20	 Site : 03CH16-HY Condition : AVG_54 3m 9120D_1522 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 8O0521-02 Setting : 20