


Infomation

Manufacturer	畅飞博
Model Name	Tag card
Band	2.4G
Gain(dBi)	2.78(Typical)



Frequency ID	1	2	3	4	5	6	7	8	9	10	11
Frequency (MHz)	240 0.0	241 0.0	242 0.0	243 0.0	244 0.0	245 0.0	246 0.0	247 0.0	248 0.0	249 0.0	250 0.0
Efficiency (dBi)	-2. 72	-2. 38	-2. 19	-2. 15	-2. 37	-2. 53	-2. 77	-3. 06	-3. 31	-3. 33	-3. 31
Gain (dBi)	1.93	2.21	1.79	2.44	2.68	2.78	2.56	2.15	1.76	1.77	1.89
Efficiency (%)	53. 50	57. 74	60. 36	60. 98	57. 97	55. 81	52. 83	49. 40	46. 62	46. 43	46. 69
Directivity (dB)	4.64	4.59	3.98	4.59	5.05	5.31	5.33	5.22	5.08	5.10	5.20
Peak Gain Position (Theta)	74.0 0	75.0 0	76.0 0	88.0 0	88.0 0	87.0 0	86.0 0	85.0 0	66.0 0	87.0 0	87.0 0
Peak Gain Position (Phi)	97.0 0	99.0 0	98.0 0	23.0 0	20.0 0	16.0 0	14.0 0	14.0 0	301. 00	15.0 0	15.0 0
Efficiency ThetaPol (%)	32.3 4	34.5 3	35.1 2	35.1 8	34.1 9	34.3 9	33.6 8	31.5 0	28.6 5	27.2 3	25.9 6
Efficiency PhiPol (%)	21.1 6	23.2 1	25.2 4	25.8 0	23.7 7	21.4 3	19.1 5	17.9 0	17.9 7	19.2 0	20.7 3
Upper Hem. Efficiency (%)	33.4 4	35.9 5	37.1 8	37.1 8	35.4 9	34.6 3	33.3 1	31.3 3	29.3 6	28.6 9	28.3 3
Lower Hem. Efficiency (%)	20.0 7	21.8 0	23.1 9	23.8 0	22.4 8	21.1 9	19.5 2	18.0 7	17.2 6	17.7 4	18.3 6

[illegible]

