OBW NVNT n20 5280MHz Ant2



OBW NVNT n20 5320MHz Ant2



OBW NVNT n40 5270MHz Ant1



OBW NVNT n40 5310MHz Ant1



OBW NVNT n40 5270MHz Ant2



OBW NVNT n40 5310MHz Ant2



OBW NVNT ac20 5260MHz Ant1



OBW NVNT ac20 5280MHz Ant1



OBW NVNT ac20 5320MHz Ant1



OBW NVNT ac20 5260MHz Ant2



OBW NVNT ac20 5280MHz Ant2



OBW NVNT ac20 5320MHz Ant2



OBW NVNT ac40 5270MHz Ant1



OBW NVNT ac40 5310MHz Ant1



OBW NVNT ac40 5270MHz Ant2



OBW NVNT ac40 5310MHz Ant2



OBW NVNT ac80 5290MHz Ant1



OBW NVNT ac80 5290MHz Ant2



OBW NVNT ax20 5260MHz Ant1



OBW NVNT ax20 5280MHz Ant1



OBW NVNT ax20 5320MHz Ant1



OBW NVNT ax20 5260MHz Ant2



OBW NVNT ax20 5280MHz Ant2



OBW NVNT ax20 5320MHz Ant2



OBW NVNT ax40 5270MHz Ant1



OBW NVNT ax40 5310MHz Ant1



OBW NVNT ax40 5270MHz Ant2



OBW NVNT ax40 5310MHz Ant2



OBW NVNT ax80 5290MHz Ant1



OBW NVNT ax80 5290MHz Ant2



7.2.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	5.82	-	11	Pass
NVNT	a	5280	Ant1	8.47	-	11	Pass
NVNT	a	5320	Ant1	5.14	-	11	Pass
NVNT	a	5260	Ant2	-1.95	-	11	Pass
NVNT	a	5280	Ant2	-2.66	-	11	Pass
NVNT	a	5320	Ant2	-3.69	-	11	Pass
NVNT	n20	5260	Ant1	5.49	6.15	11	Pass
NVNT	n20	5260	Ant2	-2.4			
NVNT	n20	5280	Ant1	8.56	8.85	11	Pass
NVNT	n20	5280	Ant2	-2.99			
NVNT	n20	5320	Ant1	5.38	5.84	11	Pass
NVNT	n20	5320	Ant2	-4.12			
NVNT	n40	5270	Ant1	5.15	5.54	11	Pass
NVNT	n40	5270	Ant2	-5.06			
NVNT	n40	5310	Ant1	-5.53	-3.10	11	Pass
NVNT	n40	5310	Ant2	-6.74			
NVNT	ac20	5260	Ant1	5.46	6.13	11	Pass
NVNT	ac20	5260	Ant2	-2.39			
NVNT	ac20	5280	Ant1	5.57	6.11	11	Pass
NVNT	ac20	5280	Ant2	-3.27			
NVNT	ac20	5320	Ant1	8.13	8.39	11	Pass
NVNT	ac20	5320	Ant2	-3.96			
NVNT	ac40	5270	Ant1	5.16	5.55	11	Pass
NVNT	ac40	5270	Ant2	-5.13			
NVNT	ac40	5310	Ant1	-5.56	-2.60	11	Pass
NVNT	ac40	5310	Ant2	-5.64			
NVNT	ac80	5290	Ant1	5.28	5.45	11	Pass
NVNT	ac80	5290	Ant2	-8.51			
NVNT	ax20	5260	Ant1	8.27	8.60	11	Pass
NVNT	ax20	5260	Ant2	-2.77			
NVNT	ax20	5280	Ant1	8.5	8.84	11	Pass
NVNT	ax20	5280	Ant2	-2.33			
NVNT	ax20	5320	Ant1	5.26	5.85	11	Pass
NVNT	ax20	5320	Ant2	-3.13			
NVNT	ax40	5270	Ant1	8.37	8.54	11	Pass
NVNT	ax40	5270	Ant2	-5.56			
NVNT	ax40	5310	Ant1	-5.39	-2.60	11	Pass
NVNT	ax40	5310	Ant2	-5.92			
NVNT	ax80	5290	Ant1	-12.31	-9.21	11	Pass
NVNT	ax80	5290	Ant2	-11.92			

Test Graphs

PSD NVNT a 5260MHz Ant1



PSD NVNT a 5280MHz Ant1



PSD NVNT a 5320MHz Ant1



PSD NVNT a 5260MHz Ant2



PSD NVNT a 5280MHz Ant2



PSD NVNT a 5320MHz Ant2



PSD NVNT n20 5260MHz Ant1



PSD NVNT n20 5280MHz Ant1



PSD NVNT n20 5320MHz Ant1

PSD NVNT n20 5260MHz Ant2



PSD NVNT n20 5280MHz Ant2



PSD NVNT n20 5320MHz Ant2



PSD NVNT n40 5270MHz Ant1



PSD NVNT n40 5310MHz Ant1



PSD NVNT n40 5270MHz Ant2



PSD NVNT n40 5310MHz Ant2



PSD NVNT ac20 5260MHz Ant1



PSD NVNT ac20 5280MHz Ant1



PSD NVNT ac20 5320MHz Ant1

PSD NVNT ac20 5260MHz Ant2



PSD NVNT ac20 5280MHz Ant2



PSD NVNT ac20 5320MHz Ant2



PSD NVNT ac40 5270MHz Ant1



PSD NVNT ac40 5310MHz Ant1



PSD NVNT ac40 5270MHz Ant2



PSD NVNT ac40 5310MHz Ant2



PSD NVNT ac80 5290MHz Ant1



PSD NVNT ac80 5290MHz Ant2



PSD NVNT ax20 5260MHz Ant1



PSD NVNT ax20 5280MHz Ant1



PSD NVNT ax20 5320MHz Ant1



PSD NVNT ax20 5260MHz Ant2



PSD NVNT ax20 5280MHz Ant2



PSD NVNT ax20 5320MHz Ant2



PSD NVNT ax40 5270MHz Ant1



PSD NVNT ax40 5310MHz Ant1



PSD NVNT ax40 5270MHz Ant2



PSD NVNT ax40 5310MHz Ant2



PSD NVNT ax80 5290MHz Ant1



PSD NVNT ax80 5290MHz Ant2



7.2.6 BAND EDGE

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-39.99	-27	Pass
NVNT	a	5320	Ant1	-37.9	-27	Pass
NVNT	a	5260	Ant2	-45.31	-27	Pass
NVNT	a	5320	Ant2	-44.88	-27	Pass
NVNT	n20	5260	Ant1	-45.66	-27	Pass
NVNT	n20	5320	Ant1	-39.94	-27	Pass
NVNT	n20	5260	Ant2	-44.76	-27	Pass
NVNT	n20	5320	Ant2	-45.41	-27	Pass
NVNT	n40	5270	Ant1	-45.17	-27	Pass
NVNT	n40	5310	Ant1	-41.85	-27	Pass
NVNT	n40	5270	Ant2	-45.16	-27	Pass
NVNT	n40	5310	Ant2	-44.54	-27	Pass
NVNT	ac20	5260	Ant1	-46.03	-27	Pass
NVNT	ac20	5320	Ant1	-33.89	-27	Pass
NVNT	ac20	5260	Ant2	-44.94	-27	Pass
NVNT	ac20	5320	Ant2	-44.87	-27	Pass
NVNT	ac40	5270	Ant1	-46.11	-27	Pass
NVNT	ac40	5310	Ant1	-44.95	-27	Pass
NVNT	ac40	5270	Ant2	-45.36	-27	Pass
NVNT	ac40	5310	Ant2	-43.09	-27	Pass
NVNT	ac80	5290	Ant1	-46.22	-27	Pass
NVNT	ac80	5290	Ant2	-44.34	-27	Pass
NVNT	ax20	5260	Ant1	-45.26	-27	Pass
NVNT	ax20	5320	Ant1	-38.14	-27	Pass
NVNT	ax20	5260	Ant2	-45.49	-27	Pass
NVNT	ax20	5320	Ant2	-45.08	-27	Pass
NVNT	ax40	5270	Ant1	-44.85	-27	Pass
NVNT	ax40	5310	Ant1	-45.36	-27	Pass
NVNT	ax40	5270	Ant2	-45.19	-27	Pass
NVNT	ax40	5310	Ant2	-41.84	-27	Pass
NVNT	ax80	5290	Ant1	-45.66	-27	Pass
NVNT	ax80	5290	Ant2	-45.39	-27	Pass

Test Graphs

Band Edge NVNT a 5260MHz Low Ant1



Band Edge NVNT a 5320MHz High Ant1



Band Edge NVNT a 5260MHz Low Ant2



Band Edge NVNT a 5320MHz High Ant2



Band Edge NVNT n20 5260MHz Low Ant1



Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n20 5260MHz Low Ant2



Band Edge NVNT n20 5320MHz High Ant2



Band Edge NVNT n40 5270MHz Low Ant1



Band Edge NVNT n40 5310MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant2



Band Edge NVNT n40 5310MHz High Ant2



Band Edge NVNT ac20 5260MHz Low Ant1



Band Edge NVNT ac20 5320MHz High Ant1



Band Edge NVNT ac20 5260MHz Low Ant2



Band Edge NVNT ac20 5320MHz High Ant2



Band Edge NVNT ac40 5270MHz Low Ant1



Band Edge NVNT ac40 5310MHz High Ant1



Band Edge NVNT ac40 5270MHz Low Ant2



Band Edge NVNT ac40 5310MHz High Ant2



Band Edge NVNT ac80 5290MHz Low Ant1



Band Edge NVNT ac80 5290MHz Low Ant2



Band Edge NVNT ax20 5260MHz Low Ant1



Band Edge NVNT ax20 5320MHz High Ant1



Band Edge NVNT ax20 5260MHz Low Ant2



Band Edge NVNT ax20 5320MHz High Ant2



Band Edge NVNT ax40 5270MHz Low Ant1



Band Edge NVNT ax40 5310MHz High Ant1



Band Edge NVNT ax40 5270MHz Low Ant2



Band Edge NVNT ax40 5310MHz High Ant2



Band Edge NVNT ax80 5290MHz Low Ant1



Band Edge NVNT ax80 5290MHz Low Ant2



7.2.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-36.44	-27	Pass
NVNT	a	5280	Ant1	-36.82	-27	Pass
NVNT	a	5320	Ant1	-36.28	-27	Pass
NVNT	a	5260	Ant2	-41.19	-27	Pass
NVNT	a	5280	Ant2	-41.66	-27	Pass
NVNT	a	5320	Ant2	-40.24	-27	Pass
NVNT	n20	5260	Ant1	-35.55	-27	Pass
NVNT	n20	5280	Ant1	-37.13	-27	Pass
NVNT	n20	5320	Ant1	-36.52	-27	Pass
NVNT	n20	5260	Ant2	-40.25	-27	Pass
NVNT	n20	5280	Ant2	-41.03	-27	Pass
NVNT	n20	5320	Ant2	-41.1	-27	Pass
NVNT	n40	5270	Ant1	-34.88	-27	Pass
NVNT	n40	5310	Ant1	-37.34	-27	Pass
NVNT	n40	5270	Ant2	-41.37	-27	Pass
NVNT	n40	5310	Ant2	-40.92	-27	Pass
NVNT	ac20	5260	Ant1	-36.72	-27	Pass
NVNT	ac20	5280	Ant1	-36.87	-27	Pass
NVNT	ac20	5320	Ant1	-36.45	-27	Pass
NVNT	ac20	5260	Ant2	-40.63	-27	Pass
NVNT	ac20	5280	Ant2	-39.6	-27	Pass
NVNT	ac20	5320	Ant2	-40.19	-27	Pass
NVNT	ac40	5270	Ant1	-36.39	-27	Pass
NVNT	ac40	5310	Ant1	-37.33	-27	Pass
NVNT	ac40	5270	Ant2	-40.31	-27	Pass
NVNT	ac40	5310	Ant2	-40.65	-27	Pass
NVNT	ac80	5290	Ant1	-37.07	-27	Pass
NVNT	ac80	5290	Ant2	-40.38	-27	Pass
NVNT	ax20	5260	Ant1	-36.64	-27	Pass
NVNT	ax20	5280	Ant1	-36.56	-27	Pass
NVNT	ax20	5320	Ant1	-34.82	-27	Pass
NVNT	ax20	5260	Ant2	-40.74	-27	Pass
NVNT	ax20	5280	Ant2	-40.13	-27	Pass
NVNT	ax20	5320	Ant2	-41.01	-27	Pass
NVNT	ax40	5270	Ant1	-36.87	-27	Pass
NVNT	ax40	5310	Ant1	-37.13	-27	Pass
NVNT	ax40	5270	Ant2	-40.33	-27	Pass
NVNT	ax40	5310	Ant2	-40.21	-27	Pass
NVNT	ax80	5290	Ant1	-36.66	-27	Pass
NVNT	ax80	5290	Ant2	-41.04	-27	Pass

Test Graphs

Tx. Spurious NVNT a 5260MHz Ant1 Emission



Tx. Spurious NVNT a 5280MHz Ant1 Emission



Tx. Spurious NVNT a 5320MHz Ant1 Emission



Tx. Spurious NVNT a 5260MHz Ant2 Emission



Tx. Spurious NVNT a 5280MHz Ant2 Emission



Tx. Spurious NVNT a 5320MHz Ant2 Emission



Tx. Spurious NVNT n20 5260MHz Ant1 Emission



Tx. Spurious NVNT n20 5280MHz Ant1 Emission



Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n20 5260MHz Ant2 Emission



Tx. Spurious NVNT n20 5280MHz Ant2 Emission



Tx. Spurious NVNT n20 5320MHz Ant2 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant2 Emission



Tx. Spurious NVNT n40 5310MHz Ant2 Emission



Tx. Spurious NVNT ac20 5260MHz Ant1 Emission



Tx. Spurious NVNT ac20 5280MHz Ant1 Emission



Tx. Spurious NVNT ac20 5320MHz Ant1 Emission



Tx. Spurious NVNT ac20 5260MHz Ant2 Emission



Tx. Spurious NVNT ac20 5280MHz Ant2 Emission



Tx. Spurious NVNT ac20 5320MHz Ant2 Emission



Tx. Spurious NVNT ac40 5270MHz Ant1 Emission



Tx. Spurious NVNT ac40 5310MHz Ant1 Emission



Tx. Spurious NVNT ac40 5270MHz Ant2 Emission



Tx. Spurious NVNT ac40 5310MHz Ant2 Emission



Tx. Spurious NVNT ac80 5290MHz Ant1 Emission



Tx. Spurious NVNT ac80 5290MHz Ant2 Emission



Tx. Spurious NVNT ax20 5260MHz Ant1 Emission



Tx. Spurious NVNT ax20 5280MHz Ant1 Emission



Tx. Spurious NVNT ax20 5320MHz Ant1 Emission



Tx. Spurious NVNT ax20 5260MHz Ant2 Emission



Tx. Spurious NVNT ax20 5280MHz Ant2 Emission



Tx. Spurious NVNT ax20 5320MHz Ant2 Emission



Tx. Spurious NVNT ax40 5270MHz Ant1 Emission



Tx. Spurious NVNT ax40 5310MHz Ant1 Emission



Tx. Spurious NVNT ax40 5270MHz Ant2 Emission



Tx. Spurious NVNT ax40 5310MHz Ant2 Emission



Tx. Spurious NVNT ax80 5290MHz Ant1 Emission



Tx. Spurious NVNT ax80 5290MHz Ant2 Emission



7.3 5.6G

7.3.1 DUTY CYCLE

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	99.67	0.01	0.48
NVNT	a	5600	Ant1	99.65	0.02	0.48
NVNT	a	5700	Ant1	99.67	0.01	0.24
NVNT	a	5500	Ant2	99.68	0.01	0.48
NVNT	a	5600	Ant2	99.68	0.01	0.24
NVNT	a	5700	Ant2	99.67	0.01	0.48
NVNT	n20	5500	Ant1	99.88	0.01	0.09
NVNT	n20	5600	Ant1	99.91	0	0.09
NVNT	n20	5700	Ant1	99.89	0	0.18
NVNT	n20	5500	Ant2	99.86	0.01	0.18
NVNT	n20	5600	Ant2	99.91	0	0.09
NVNT	n20	5700	Ant2	99.86	0.01	0.09
NVNT	n40	5510	Ant1	99.87	0.01	0.18
NVNT	n40	5590	Ant1	99.89	0	0.09
NVNT	n40	5670	Ant1	99.89	0	0.09
NVNT	n40	5510	Ant2	99.89	0	0.09
NVNT	n40	5590	Ant2	99.89	0	0.09
NVNT	n40	5670	Ant2	99.89	0	0.09
NVNT	ac20	5500	Ant1	99.89	0	0.18
NVNT	ac20	5600	Ant1	99.9	0	0.18
NVNT	ac20	5700	Ant1	99.82	0.01	0.18
NVNT	ac20	5500	Ant2	99.81	0.01	0.18
NVNT	ac20	5600	Ant2	99.91	0	0.09
NVNT	ac20	5700	Ant2	99.84	0.01	0.18
NVNT	ac40	5510	Ant1	99.88	0.01	0.18
NVNT	ac40	5590	Ant1	99.88	0.01	0.18
NVNT	ac40	5670	Ant1	99.89	0	0.09
NVNT	ac40	5510	Ant2	99.88	0.01	0.09
NVNT	ac40	5590	Ant2	99.89	0	0.09
NVNT	ac40	5670	Ant2	99.89	0	0.09
NVNT	ac80	5530	Ant1	99.89	0	0.18
NVNT	ac80	5610	Ant1	99.87	0.01	0.18
NVNT	ac80	5530	Ant2	99.88	0.01	0.18
NVNT	ac80	5610	Ant2	99.9	0	0.09
NVNT	ac160	5570	Ant1	96.58	0.15	5.56
NVNT	ac160	5570	Ant2	95.69	0.19	2.17
NVNT	ax160	5570	Ant1	99.73	0.01	0.18
NVNT	ax160	5570	Ant2	99.86	0.01	0.06
NVNT	ax20	5500	Ant1	99.86	0.01	0.18
NVNT	ax20	5600	Ant1	99.88	0.01	0.18
NVNT	ax20	5700	Ant1	99.87	0.01	0.06
NVNT	ax20	5500	Ant2	99.87	0.01	0.18
NVNT	ax20	5600	Ant2	99.87	0.01	0.18
NVNT	ax20	5700	Ant2	99.88	0.01	0.18
NVNT	ax40	5510	Ant1	99.88	0.01	0.18
NVNT	ax40	5590	Ant1	99.87	0.01	0.18
NVNT	ax40	5670	Ant1	99.88	0.01	0.05
NVNT	ax40	5510	Ant2	99.9	0	0.18
NVNT	ax40	5590	Ant2	99.87	0.01	0.18
NVNT	ax40	5670	Ant2	99.88	0.01	0.18

NVNT	ax80	5530	Ant1	99.91	0	0.18
NVNT	ax80	5610	Ant1	99.89	0	0.18
NVNT	ax80	5530	Ant2	99.88	0.01	0.18
NVNT	ax80	5610	Ant2	99.86	0.01	0.18

Test Graphs

Duty Cycle NVNT a 5500MHz Ant1



Duty Cycle NVNT a 5600MHz Ant1



Duty Cycle NVNT a 5700MHz Ant1



Duty Cycle NVNT a 5500MHz Ant2