



5470-5725MHz


802.11a_5500MHz




802.11a_5600MHz




802.11a_5700MHz




802.11a_5720MHz




802.11ac20_5500MHz



802.11ac20_5600MHz




802.11ac20_5700MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:27:27

802.11ac20_5720MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:29:08

802.11ac40_5510MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:31:04

802.11ac40_5590MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:32:02

802.11ac40_5670MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:32:55

802.11ac40_5710MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:33:46

802.11ax20_5500MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:13:52

802.11ax20_5600MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:14:55

802.11ax20_5700MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:16:15

802.11ax20_5720MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:17:19

802.11ax40_5510MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:19:39

802.11ax40_5590MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:20:34

802.11ax40_5670MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:22:16


802.11ax40_5710MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:23:45


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:35:21

802.11a_5785MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:36:29

802.11a_5825MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:37:44

802.11ac20_5745MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:53:43

802.11ac20_5785MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:54:50

802.11ac20_5825MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:56:08

802.11ac40_5755MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 21:02:49

802.11ac40_5795MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 21:03:50

802.11ax20_5745MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:47:07

802.11ax20_5785MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:48:15

802.11ax20_5825MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:49:29

802.11ax40_5755MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:51:21

802.11ax40_5795MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:52:09

Maximum Conducted Output Power**Test Information:**

Sample No.:	3H1V-1	Test Date:	2026/03/19
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	40	ATM Pressure: (kPa)	101.1
----------------------	----	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)	FCC Limit (dBm)	Antenna Gain (dBi)	IC EIRP (dBm)	EIRP Limit(dBm)	Verdict
802.11a	5180	11.23	23.98	2.11	13.34	22.24	Pass
	5200	11.02	23.98	2.11	13.13	22.24	Pass
	5240	10.12	23.98	2.11	12.23	22.25	Pass
802.11ac20	5180	11.38	23.98	2.11	13.49	22.53	Pass
	5200	10.82	23.98	2.11	12.93	22.53	Pass
	5240	10.28	23.98	2.11	12.39	22.54	Pass
802.11ac40	5190	11.68	23.98	2.11	13.79	23.00	Pass
	5230	10.78	23.98	2.11	12.89	23.00	Pass
802.11ax20 _RU_Full	5180	8.29	23.98	2.11	10.4	22.84	Pass
	5200	8.40	23.98	2.11	10.51	22.83	Pass
	5240	7.54	23.98	2.11	9.65	22.80	Pass
802.11ax40 _RU_Full	5190	8.64	23.98	2.11	10.75	23.00	Pass
	5230	7.84	23.98	2.11	9.95	23.00	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	FCC Limit (dBm)	IC Limit (dBm)	Antenna Gain (dBi)	IC EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	5260	10.52	23.98	23.24	2.15	12.67	29.24	Pass
	5280	10.04	23.98	23.21	2.15	12.19	29.21	Pass
	5320	9.03	23.98	23.25	2.15	11.18	29.25	Pass
802.11ac20	5260	10.22	23.98	23.55	2.15	12.37	29.55	Pass
	5280	9.49	23.98	23.54	2.15	11.64	29.54	Pass
	5320	8.91	23.98	23.53	2.15	11.06	29.53	Pass
802.11ac40	5270	10.42	23.98	23.98	2.15	12.57	30.00	Pass
	5310	9.31	23.98	23.98	2.15	11.46	30.00	Pass
802.11ax20 _RU_Full	5260	7.16	23.98	23.81	2.15	9.31	29.81	Pass
	5280	7.11	23.98	23.81	2.15	9.26	29.81	Pass
	5320	6.08	23.98	23.82	2.15	8.23	29.82	Pass
802.11ax40 _RU_Full	5270	7.49	23.98	23.98	2.15	9.64	30.00	Pass
	5310	6.42	23.98	23.98	2.15	8.57	30.00	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	FCC Limit (dBm)	IC Limit (dBm)	Antenna Gain (dBi)	IC EIRP (dBm)	EIRP Limit (dBm)	Verdict
802.11a	5500	9.81	23.98	23.27	2.35	12.16	29.27	Pass
	5600	11.67	23.98	23.27	2.35	14.02	29.27	Pass
	5700	11.04	23.98	23.28	2.35	13.39	29.28	Pass
	5720	10.46	23.98	23.29	2.35	12.81	29.29	Pass
802.11ac20	5500	10.09	23.98	23.56	2.35	12.44	29.56	Pass
	5600	11.67	23.98	23.55	2.35	14.02	29.55	Pass
	5700	10.90	23.98	23.59	2.35	13.25	29.59	Pass
	5720	10.19	23.98	23.56	2.35	12.54	29.56	Pass
802.11ac40	5510	10.26	23.98	23.98	2.35	12.61	30.00	Pass
	5590	12.01	23.98	23.98	2.35	14.36	30.00	Pass
	5670	10.89	23.98	23.98	2.35	13.24	30.00	Pass
	5710	11.02	23.98	23.98	2.35	13.37	30.00	Pass
802.11ax20 _RU_Full	5500	6.96	23.98	23.81	2.35	9.31	29.81	Pass
	5600	8.86	23.98	23.81	2.35	11.21	29.81	Pass
	5700	8.12	23.98	23.82	2.35	10.47	29.82	Pass
	5720	7.20	23.98	23.82	2.35	9.55	29.82	Pass
802.11ax40 _RU_Full	5510	7.07	23.98	23.98	2.35	9.42	30.00	Pass
	5590	8.94	23.98	23.98	2.35	11.29	30.00	Pass
	5670	7.76	23.98	23.98	2.35	10.11	30.00	Pass
	5710	7.88	23.98	23.98	2.35	10.23	30.00	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	12.96	30	Pass
	5785	12.82	30	Pass
	5825	12.22	30	Pass
802.11ac20	5745	12.89	30	Pass
	5785	12.62	30	Pass
	5825	12.03	30	Pass
802.11ac40	5755	13.20	30	Pass
	5795	12.84	30	Pass
802.11ax20_RU_Full	5745	10.03	30	Pass
	5785	9.90	30	Pass
	5825	9.25	30	Pass
802.11ax40_RU_Full	5755	10.06	30	Pass
	5795	9.80	30	Pass

Note: EIRP = Average Output Power + Antenna Gain

Power Spectral Density**Test Information:**

Sample No.:	3H1V-1	Test Date:	2026/03/19
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	40	ATM Pressure: (kPa)	101.1
----------------------	----	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	FCC Limit (dBm/MHz)	IC EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)	Verdict
802.11a	5180	-0.17	0.64	0.47	11	2.58	10	Pass
	5200	-0.25	0.64	0.39	11	2.50	10	Pass
	5240	-1.40	0.64	-0.76	11	1.35	10	Pass
802.11ac20	5180	0.07	0.19	0.26	11	2.37	10	Pass
	5200	-0.32	0.19	-0.13	11	1.98	10	Pass
	5240	-0.83	0.19	-0.64	11	1.47	10	Pass
802.11ac40	5190	-2.49	0.19	-2.30	11	-0.19	10	Pass
	5230	-3.81	0.19	-3.62	11	-1.51	10	Pass
802.11ax20_RU_Full	5180	-3.03	0.24	-2.79	11	-0.68	10	Pass
	5200	-3.02	0.24	-2.78	11	-0.67	10	Pass
	5240	-3.78	0.24	-3.54	11	-1.43	10	Pass
802.11ax40_RU_Full	5190	-5.73	0.24	-5.49	11	-3.38	10	Pass
	5230	-6.43	0.24	-6.19	11	-4.08	10	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	-1.06	0.64	-0.42	11	Pass
	5280	-1.49	0.64	-0.85	11	Pass
	5320	-2.34	0.64	-1.70	11	Pass
802.11ac20	5260	-0.88	0.19	-0.69	11	Pass
	5280	-1.82	0.19	-1.63	11	Pass
	5320	-2.04	0.19	-1.85	11	Pass
802.11ac40	5270	-4.03	0.19	-3.84	11	Pass
	5310	-5.16	0.19	-4.97	11	Pass
802.11ax20_RU_Full	5260	-4.18	0.24	-3.94	11	Pass
	5280	-4.24	0.24	-4.00	11	Pass
	5320	-4.88	0.24	-4.64	11	Pass
802.11ax40_RU_Full	5270	-6.92	0.24	-6.68	11	Pass
	5310	-7.86	0.24	-7.62	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	-1.81	0.64	-1.17	11	Pass
	5600	0.06	0.64	0.70	11	Pass
	5700	-0.52	0.64	0.12	11	Pass
	5720	-0.28	0.64	0.36	11	Pass
802.11ac20	5500	-1.34	0.19	-1.15	11	Pass
	5600	0.16	0.19	0.35	11	Pass
	5700	-0.67	0.19	-0.48	11	Pass
	5720	-0.31	0.19	-0.12	11	Pass
802.11ac40	5510	-4.65	0.19	-4.46	11	Pass
	5590	-2.93	0.19	-2.74	11	Pass
	5670	-3.93	0.19	-3.74	11	Pass
	5710	-3.44	0.19	-3.25	11	Pass
802.11ax20_RU_Full	5500	-4.42	0.24	-4.18	11	Pass
	5600	-2.81	0.24	-2.57	11	Pass
	5700	-3.81	0.24	-3.57	11	Pass
	5720	-3.35	0.24	-3.11	11	Pass
802.11ax40_RU_Full	5510	-7.60	0.24	-7.36	11	Pass
	5590	-5.82	0.24	-5.58	11	Pass
	5670	-6.83	0.24	-6.59	11	Pass
	5710	-6.56	0.24	-6.32	11	Pass

5725-5850MHz


Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-1.47	0.64	-0.83	30	Pass
	5785	-1.83	0.64	-1.19	30	Pass
	5825	-2.35	0.64	-1.71	30	Pass
802.11ac20	5745	-1.60	0.19	-1.41	30	Pass
	5785	-1.93	0.19	-1.74	30	Pass
	5825	-2.43	0.19	-2.24	30	Pass
802.11ac40	5755	-4.71	0.19	-4.52	30	Pass
	5795	-4.86	0.19	-4.67	30	Pass
802.11ax20_RU_Full	5745	-4.68	0.24	-4.44	30	Pass
	5785	-4.76	0.24	-4.52	30	Pass
	5825	-5.35	0.24	-5.11	30	Pass
802.11ax40_RU_Full	5755	-7.55	0.24	-7.31	30	Pass
	5795	-7.94	0.24	-7.70	30	Pass

Result = Reading + Duty Cycle Factor

EIRP PSD = Result + Antenna Gain


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 18:40:28

802.11a_5200MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 18:41:58

802.11a_5240MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 18:43:53

802.11ac20_5180MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:10:14

802.11ac20_5200MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:11:30

802.11ac20_5240MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:12:55


802.11ac40_5190MHz




802.11ac40_5230MHz




802.11ax20_5180MHz_RU_Full




802.11ax20_5200MHz_RU_Full




802.11ax20_5240MHz_RU_Full



802.11ax40_5190MHz_RU_Full






ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19,MAR,2026 19:08:32


5250-5350MHz

802.11a_5260MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:19:37

802.11a_5280MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:20:57

802.11a_5320MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:22:14

802.11ac20_5260MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:48:16

802.11ac20_5280MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:49:35

802.11ac20_5320MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:51:11

802.11ac40_5270MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:53:37

802.11ac40_5310MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:55:20

802.11ax20_5260MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:35:26

802.11ax20_5280MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:39:35

802.11ax20_5320MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:41:00

802.11ax40_5270MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:44:28



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:45:47


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:57:29

802.11a_5600MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:58:57

802.11a_5700MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 19:59:56

802.11a_5720MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:01:24

802.11ac20_5500MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:25:35

802.11ac20_5600MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:26:35

802.11ac20_5700MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19,MAR,2026 20:27:38

802.11ac20_5720MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19,MAR,2026 20:29:30

802.11ac40_5510MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19,MAR,2026 20:31:16

802.11ac40_5590MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19,MAR,2026 20:32:13

802.11ac40_5670MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19,MAR,2026 20:33:06

802.11ac40_5710MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19,MAR,2026 20:34:10

802.11ax20_5500MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:14:05

802.11ax20_5600MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:15:07

802.11ax20_5700MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:16:27

802.11ax20_5720MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:17:41

802.11ax40_5510MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:19:51

802.11ax40_5590MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:20:47

802.11ax40_5670MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:22:28


802.11ax40_5710MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:24:08


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:35:32

802.11a_5785MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:36:40

802.11a_5825MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:37:55

802.11ac20_5745MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:53:54

802.11ac20_5785MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:55:01

802.11ac20_5825MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:56:20

802.11ac40_5755MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 21:03:00

802.11ac40_5795MHz




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 21:04:02

802.11ax20_5745MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:47:18

802.11ax20_5785MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:48:26

802.11ax20_5825MHz_RU_Full




ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:49:40

802.11ax40_5755MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:51:32

802.11ax40_5795MHz_RU_Full



ProjectNo.:2601P43216E-RF Tester:Cheeb Huang
Date: 19.MAR.2026 20:52:20

Duty Cycle**Test Information:**

Sample No.:	3H1V-1	Test Date:	2026/03/06~2026/05/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25	Relative Humidity: (%)	40	ATM Pressure: (kPa)	101.8
----------------------	----	------------------------------	----	------------------------	-------


Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	1.394	1.616	86.26	0.64	717	1
802.11ac20	5200	5.091	5.316	95.77	0.19	196	0.2
802.11ac40	5190	4.900	5.121	95.68	0.19	204	0.3
802.11ax20_RU_Full	5200	3.873	4.097	94.53	0.24	258	0.3
802.11ax40_RU_Full	5190	3.869	4.089	94.62	0.24	258	0.3


$$\text{Duty Cycle} = \text{Ton}/(\text{Ton}+\text{Toff})*100\%$$

5150-5250MHz


802.11a_5200MHz




802.11ac20_5200MHz




802.11ac40_5190MHz



802.11ax20_5200MHz_RU_Full



802.11ax40_5190MHz_RU_Full



EUT PHOTOGRAPHS

Please refer to the attachment 2601P43216E-RF-EXP External photo and 2601P43216E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2601P43216E-RF-TSPB Test Setup photo.

***** **END OF REPORT** *****