

SPECIFICATION FOR APPROVAL

CUSTOMER`S NAME : 芯闻芯科技（深圳）有限公司

CUSTOMER`S P/N : SP03050

PRODUCT SPEC : Y. WAC. 043

ISSUE DATE : 2023年4月17日

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Li Bei	Cheng Jie	Li Bowen	



DONGGUAN BOHONG TECHNOLOGY CO., LTD

ADD: 4th Floor, No. 533, Fumin Middle Road, Dalong Town, Dongguan City

TEL: 0769-82866410

FAX: 0769-82866409

FOR APPROVAL

COMER'S P/N

DUCT SPEC

TROL DRAWING

[illegible]

TECHNOLOGY CO., L
FOR APPROVAL

COMER'S P/N	Y
DUCT SPEC	Y


[illegible]

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xin wen xin	CUSTOMER'S P/N	SP03050
ISSUE DATE	Apr. 17, 2023	PRODUCT SPEC	Y. WAC. 043

2.DIMENSION:

size: mm



Note:


Double-sided adhesive on the back, with a handle;
Magnet: 7.5 * 2mm, with a magnetic strength of 3200REF;
The magnetic leads do not cross each other.

ISSUE BY	Li Bei	CHECK BY	Cheng Jie	APPROVAL BY	Li Bowen
----------	--------	----------	-----------	-------------	----------

DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xin wen xin	CUSTOMER'S P/N	SP03050
ISSUE DATE	Apr. 17, 2023	PRODUCT SPEC	Y. WAC. 043

4.CIRCUIT DIAGRAM



" • ": POLARITY

5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*24P	14	/	CCW


6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	7.8-8.1uH	LCR1062 100KHz/1V AT 25°C±2°C
Q	S-F	27±5	LCR1062 100KHz/1V AT 25°C±2°C

DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xin wen xin	CUSTOMER'S P/N	SP03050
ISSUE DATE	Apr. 17, 2023	PRODUCT SPEC	Y. WAC. 043

7.THE PACKING WAY



1. Pearl cotton specification:
355*235*28mm, 136 grids;
2. pieces per grid, 272 pieces per box;
3. 10 boxes per carton;
4. Total quantity per carton:
2720 pieces;
5. Carton material: K = K++.

