Appendix for 15.247

1. Bandwidth

1.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	20dB Bandwidth Test Result (MHz)	Verdict
GFSK	2402	SISO	1	0.956	PASS
	2441	SISO	1	0.956	PASS
	2480	SISO	1	0.954	PASS
Pi/4DQPSK	2402	SISO	1	1.307	PASS
	2441	SISO	1	1.321	PASS
	2480	SISO	1	1.310	PASS
8DPSK	2402	SISO	1	1.300	PASS
	2441	SISO	1	1.302	PASS
	2480	SISO	1	1.304	PASS

Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth Test Result (MHz)	
GFSK	2402	SISO	1	0.851	Only for Report Use
	2441	SISO	1	0.849	Only for Report Use
	2480	SISO	1	0.849	Only for Report Use
Pi/4DQPSK	2402	SISO	1	1.169	Only for Report Use
	2441	SISO	1	1.174	Only for Report Use
	2480	SISO	1	1.173	Only for Report Use
8DPSK	2402	SISO	1	1.189	Only for Report Use
	2441	SISO	1	1.185	Only for Report Use
	2480	SISO	1	1.199	Only for Report Use

1.2 Test Graph - 20dB Bandwidth


Bandwidth NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
20dB: 0.956MHz
Marker:
1: 2401.548 MHz
-20.72dBm
2: 2402.504 MHz
-20.72dBm
3: 2402.014 MHz
-0.72dBm
Trace
Level (dBm)
Frequency (MHz)
2401.0
2403.0


Bandwidth NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
20dB: 0.956MHz
Marker:
1: 2440.549 MHz
-19.83dBm
2: 2441.505 MHz
-19.83dBm
3: 2441.004 MHz
0.17dBm
Trace
Level (dBm)
Frequency (MHz)
2440.0
2442.0


Bandwidth NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
20dB: 0.954MHz
Marker:
1: 2479.549 MHz
-19.75dBm
2: 2480.504 MHz
-19.75dBm
3: 2479.852 MHz
0.25dBm
Trace
Level (dBm)
Frequency (MHz)
2479.0
2481.0


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.307MHz
Marker:
1: 2401.356 MHz
-20.44dBm
2: 2402.664 MHz
-20.44dBm
3: 2402.178 MHz
-0.44dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.321MHz
Marker:
1: 2440.349 MHz
-20.27dBm
2: 2441.670 MHz
-20.27dBm
3: 2441.000 MHz
-0.27dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.310MHz
Marker:
1: 2479.355 MHz
-19.43dBm
2: 2480.665 MHz
-19.43dBm
3: 2480.012 MHz
0.57dBm
Trace
Level (dBm)
Frequency (MHz)
2478.8
2481.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.300MHz
Marker:
1: 2401.365 MHz
-20.52dBm
2: 2402.664 MHz
-20.52dBm
3: 2402.012 MHz
-0.52dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
20dB: 1.302MHz
Marker:
1: 2440.365 MHz
-19.55dBm
2: 2441.667 MHz
-19.55dBm
3: 2441.007 MHz
0.45dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2



1.3 Test Graph - 99% Occupied Bandwidth




Bandwidth NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
99%OBW: 0.849MHz
Marker:
1: 2440.586 MHz
-17.18dBm
2: 2441.435 MHz
-18.56dBm
Trace
Level (dBm)
Frequency (MHz)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
2440.0
2442.0
1
2


Bandwidth NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.133ms
99%OBW: 0.849MHz
Marker:
1: 2479.586 MHz
-17.28dBm
2: 2480.436 MHz
-18.54dBm
Trace
Level (dBm)
Frequency (MHz)
2479.0
2481.0


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.169MHz
Marker:
1: 2401.426 MHz
-15.09dBm
2: 2402.595 MHz
-16.33dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.174MHz
Marker:
1: 2440.423 MHz
-14.14dBm
2: 2441.597 MHz
-16.11dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2


Bandwidth NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.173MHz
Marker:
1: 2479.424 MHz
-14.12dBm
2: 2480.597 MHz
-15.80dBm
Trace
Level (dBm)
Frequency (MHz)
2478.8
2481.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.189MHz
Marker:
1: 2401.417 MHz
-18.60dBm
2: 2402.606 MHz
-16.01dBm
Trace
Level (dBm)
Frequency (MHz)
2400.8
2403.2


Bandwidth NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=30kHz
VBW=100kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.533ms
99%OBW: 1.185MHz
Marker:
1: 2440.420 MHz
-17.10dBm
2: 2441.605 MHz
-15.04dBm
Trace
Level (dBm)
Frequency (MHz)
2439.8
2442.2



2. Maximum Conducted Output Power

2.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Measured Peak Output Power (dBm)	Limits (dBm)	Verdict
			Ant 1		
GFSK	2402	SISO	1.83	30	PASS
	2441	SISO	2.76	30	PASS
	2480	SISO	2.80	30	PASS
Pi/4DQPSK	2402	SISO	2.66	20.97	PASS
	2441	SISO	3.55	20.97	PASS
	2480	SISO	3.54	20.97	PASS
8DPSK	2402	SISO	3.06	20.97	PASS
	2441	SISO	3.91	20.97	PASS
	2480	SISO	3.87	20.97	PASS

2.2 Test Graph


Maximum Conducted Output Power NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 1.83 dBm
Marker:
1: 2401.900 MHz
1.83dBm
Trace
Level (dBm)
Frequency (MHz)
2397.0
2407.0


Maximum Conducted Output Power NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 2.76 dBm
Marker:
1: 2440.860 MHz
2.76dBm
Trace
Level (dBm)
Frequency (MHz)
2436.0
2446.0


Maximum Conducted Output Power NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 2.80 dBm
Marker:
1: 2479.770 MHz
2.80dBm
Trace
Level (dBm)
Frequency (MHz)
2475.0
2485.0


Maximum Conducted Output Power NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 2.66 dBm
Marker:
1: 2401.790 MHz
2.66dBm
Trace
Level (dBm)
Frequency (MHz)
2397.0
2407.0


Maximum Conducted Output Power NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 3.55 dBm
Marker:
1: 2440.840 MHz
3.55dBm
Trace
Level (dBm)
Frequency (MHz)
2436.0
2446.0


Maximum Conducted Output Power NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 3.54 dBm
Marker:
1: 2479.760 MHz
3.54dBm
Trace
Level (dBm)
Frequency (MHz)
2475.0
2485.0


Maximum Conducted Output Power NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 3.06 dBm
Marker:
1: 2401.920 MHz
3.06dBm
Trace
Level (dBm)
Frequency (MHz)
2397.0
2407.0


Maximum Conducted Output Power NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=3MHz
VBW=3MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Power: 3.91 dBm
Marker:
1: 2440.940 MHz
3.91dBm
Trace
Level (dBm)
Frequency (MHz)
2436.0
2446.0



3. Carrier frequency separation

3.1 Test Result

Test Mode	TX Type	ANT No.	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limits (MHz)	Verdict
GFSK	SISO	1	1.003	0.956	≥0.956	PASS
Pi/4DQPSK	SISO	1	1.020	1.321	≥0.881	PASS
8DPSK	SISO	1	1.000	1.304	≥0.869	PASS

3.2 Test Graph


Carrier frequency separation NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=300kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
CSP=1.003MHz
Marker:
1: 2440.845 MHz
2.72dBm
2: 2441.847 MHz
2.75dBm
Trace
Level (dBm)
Frequency (MHz)
2440.25
2442.75


Carrier frequency separation NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=300kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
CSP=1.020MHz
Marker:
1: 2440.843 MHz
2.74dBm
2: 2441.863 MHz
2.75dBm
Trace
Level (dBm)
Frequency (MHz)
2440.25
2442.75



4. Number of hopping frequencies

4.1 Test Result

Test Mode	TX Type	ANT No.	Num of Hopping Frequencies	Limits	Verdict
GFSK	SISO	1	79	≥15	PASS
Pi/4DQPSK	SISO	1	79	≥15	PASS
8DPSK	SISO	1	79	≥15	PASS

4.2 Test Graph


Number of hopping frequencies NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=270kHz
VBW=270kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=10001
Sweep Time=2ms
HOPP Num: 79
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
2398.0
2485.5
Frequency (MHz)


Number of hopping frequencies NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=300kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=10001
Sweep Time=1.333ms
HOPP Num: 79
Trace
Level (dBm)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
2398.0
2485.5
Frequency (MHz)



5. Time of occupancy (dwell time)

5.1 Test Result

Test Mode	Packet Type	TX Type	ANT No.	Duration of Single Pulse (ms)	Obeservation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limits (ms)	Verdict
GFSK	DH1	SISO	1	0.377	31.6	318	119.886	≤400	PASS
	DH3	SISO	1	1.633	31.6	176	287.408	≤400	PASS
	DH5	SISO	1	2.880	31.6	105	302.400	≤400	PASS
Pi/4DQPSK	2DH1	SISO	1	0.387	31.6	320	123.840	≤400	PASS
	2DH3	SISO	1	1.639	31.6	151	247.489	≤400	PASS
	2DH5	SISO	1	2.888	31.6	115	332.120	≤400	PASS
8DPSK	3DH1	SISO	1	0.389	31.6	317	123.313	≤400	PASS
	3DH3	SISO	1	1.639	31.6	155	254.045	≤400	PASS
	3DH5	SISO	1	2.889	31.6	106	306.234	≤400	PASS

5.2 Test Graph


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH1_HOPP_ANT1
Level (dBm)
Time (ms)
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
0.377ms
Trace


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH1_HOPP_ANT1
Level (dBm)
Time (s)
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
318
Dwell Time:
119.886ms
Trace


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
1.633ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
176
Dwell Time:
287.408ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
2.880ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_GFSK_SISO_DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
105
Dwell Time:
302.400ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
0.387ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
320
Dwell Time:
123.840ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
1.639ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH3_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
151
Dwell Time:
247.489ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
2.888ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_Pi/4DQPSK_SISO_2DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=1MHz
VBW=1MHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
115
Dwell Time:
332.120ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
0.389ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH1_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
317
Dwell Time:
123.313ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH3_HOPP_ANT1
Level (dBm)
Time (ms)
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
1.639ms
Trace


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH3_HOPP_ANT1
Level (dBm)
Time (s)
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
155
Dwell Time:
254.045ms
Trace


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=20ms
Time of Pulse:
2.889ms
Trace
Level (dBm)
Time (ms)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
−100
0.0
20.0


Time of Occupancy (Dwell Time) NTNV_8DPSK_SISO_3DH5_HOPP_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
Center=2.441GHz
RBW=910kHz
VBW=910kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=30001
Sweep Time=31.6s
Number of Pulse:
106
Dwell Time:
306.234ms
Trace
Level (dBm)
Time (s)
10
0
−10
−20
−30
−40
−50
−60
−70
−80
−90
0.0
31.6

6. Unwanted Emissions in Non-restricted Frequency Bands

6.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	Spurious Conducted Emission (dBm)	Limits (dBm)	Verdict
GFSK	2402	SISO	1	Refer to test graph	-17.34	PASS
	2441	SISO	1	Refer to test graph	-17.34	PASS
	2480	SISO	1	Refer to test graph	-17.34	PASS
	Hopping	SISO	1	Refer to test graph	-17.34	PASS
Pi/4DQPSK	2402	SISO	1	Refer to test graph	-17.40	PASS
	2441	SISO	1	Refer to test graph	-17.40	PASS
	2480	SISO	1	Refer to test graph	-17.40	PASS
	Hopping	SISO	1	Refer to test graph	-17.40	PASS
8DPSK	2402	SISO	1	Refer to test graph	-17.28	PASS
	2441	SISO	1	Refer to test graph	-17.28	PASS
	2480	SISO	1	Refer to test graph	-17.28	PASS
	Hopping	SISO	1	Refer to test graph	-17.28	PASS

6.2 Test Graph


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Marker:
1: 2479.854 MHz
2.66dBm
Trace
Level (dBm)
Frequency (MHz)
2479.284
2480.716


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=2001
Sweep Time=9.6ms
Marker:
1: 2401.850 MHz
1.69dBm
Limit: -17.340 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 4804.264 MHz
-47.17dBm
2: 9602.249 MHz
-41.89dBm
Limit: -17.340 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 4882.295 MHz
-43.34dBm
2: 9758.312 MHz
-42.28dBm
Limit: -17.340 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2479.868 MHz
2.71dBm
Limit: -17.340 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 4959.702 MHz
-44.26dBm
2: 9914.374 MHz
-41.16dBm
Limit: -17.340 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2406.050 MHz
1.59dBm
Limit: -17.340 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_GFSK_SISO_DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2474.912 MHz
2.52dBm
Limit: -17.340 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Marker:
1: 2479.859 MHz
2.60dBm
Trace
Level (dBm)
Frequency (MHz)
2479.018
2480.982


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=2001
Sweep Time=9.6ms
Marker:
1: 2402.200 MHz
1.60dBm
Limit: -17.400 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 4803.640 MHz
-46.28dBm
2: 9602.249 MHz
-41.62dBm
Limit: -17.400 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 9758.312 MHz
-42.21dBm
2: 24296.470 MHz
-47.36dBm
Limit: -17.400 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2479.868 MHz
2.71dBm
Limit: -17.400 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 9914.374 MHz
-41.05dBm
2: 24790.876 MHz
-46.93dBm
Limit: -17.400 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2408.000 MHz
0.79dBm
Limit: -17.400 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_Pi/4DQPSK_SISO_2DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2478.188 MHz
2.65dBm
Limit: -17.400 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=1ms
Marker:
1: 2479.853 MHz
2.72dBm
Trace
Level (dBm)
Frequency (MHz)
2479.022
2480.978


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=2001
Sweep Time=9.6ms
Marker:
1: 2402.000 MHz
1.43dBm
Limit: -17.280 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2402MHz_ANT1
ANT=1 (SISO)
ATT=15
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 7200.135 MHz
-48.08dBm
2: 9602.249 MHz
-41.68dBm
Limit: -17.280 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 9758.312 MHz
-42.38dBm
2: 24099.207 MHz
-47.18dBm
Limit: -17.280 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2479.868 MHz
2.77dBm
Limit: -17.280 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2480MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=40001
Sweep Time=2.387s
Marker:
1: 9914.374 MHz
-40.96dBm
2: 24562.401 MHz
-47.97dBm
Limit: -17.280 dBm
Trace
Level (dBm)
Frequency (MHz)
30.0
25000.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2402.850 MHz
0.70dBm
Limit: -17.280 dBm
Trace
Level (dBm)
Frequency (MHz)
2310.0
2410.0


Unwanted Emissions in Non-restricted Frequency Bands
NTNV_8DPSK_SISO_3DH5_2441MHz_ANT1
ANT=1 (SISO)
ATT=20
Offset=1
RBW=100kHz
VBW=300kHz
Detector=Peak
Trace=MAX Hold
Sweep Point=1001
Sweep Time=2.733ms
Marker:
1: 2477.880 MHz
2.76dBm
Limit: -17.280 dBm
Trace
Level (dBm)
Frequency (MHz)
2472.0
2500.0