





Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.384	34.48	58.19	23.71	29.14	48.19	19.05	20.90	N	9.000	1.000
0.629	33.79	56.00	22.21	25.02	46.00	20.98	20.65	N	9.000	1.000
1.619	35.30	56.00	20.70	31.71	46.00	14.29	19.79	N	9.000	1.000
4.848	38.66	56.00	17.34	37.84	46.00	8.16	19.41	N	9.000	1.000
5.656	35.32	60.00	24.68	34.76	50.00	15.24	19.41	N	9.000	1.000
16.438	38.04	60.00	21.96	34.11	50.00	15.89	19.58	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz

2.2. Bluetooth LE


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition (**Bluetooth LE-Channel 19**) was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.386	35.55	58.14	22.59	30.47	48.14	17.68	20.89	L1	9.000	1.000
0.908	27.97	56.00	28.03	20.08	46.00	25.92	20.23	L1	9.000	1.000
1.619	35.61	56.00	20.39	31.79	46.00	14.21	19.78	L1	9.000	1.000
4.848	39.31	56.00	16.69	38.72	46.00	7.28	19.40	L1	9.000	1.000
6.086	36.88	60.00	23.12	36.21	50.00	13.79	19.40	L1	9.000	1.000
16.431	37.54	60.00	22.46	30.28	50.00	19.72	19.55	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.384	35.38	58.19	22.81	30.20	48.19	17.99	20.90	N	9.000	1.000
1.624	34.74	56.00	21.26	33.78	46.00	12.22	19.79	N	9.000	1.000
2.434	34.20	56.00	21.80	32.94	46.00	13.06	19.57	N	9.000	1.000
4.871	39.36	56.00	16.64	38.53	46.00	7.47	19.41	N	9.000	1.000
6.088	36.91	60.00	23.09	35.89	50.00	14.11	19.41	N	9.000	1.000
16.838	37.40	60.00	22.60	33.09	50.00	16.91	19.60	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz