

## ANNEX A: Test Result

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in lie-down position (Z axis) and the loop antenna is coaxial, the others are vertical and horizontal. and the worst case was recorded.


# 1. Unwanted Emission

## 1.1. NearLink SLE


The following graphs display the maximum values of horizontal and vertical by software. Blue trace uses the peak detection, Green trace uses the average detection.

KR282

The signal beyond the limit is carrier.




NearLink SLE CH0: Peak + Average




NearLink SLE CH78: Peak + Average

WR341



NearLink SLE CH0: Peak + Average

WR342



NearLink SLE CH0: Peak + Average

## Result of RE

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier. The Radiates Emission from 9kHz to 30MHz and 18GHz to 26.5GHz are more than 20dB below the limit are not reported.

### Remark:

1. **Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)**
2. **Margin = Limit – Quasi-Peak/ MAX Peak/ Average**
3. **The following graphs display the maximum values of horizontal and vertical by software.**
4. **For below 1GHz**

 QP Level @Spectrum Overview H 
  QP Level @Spectrum Overview V 
  QP Level @Final Results 
  QP Limit


### For above 1GHz

 PK Level @Spectrum Overview H 
  PK Level @Spectrum Overview V 
  PK Level @Final Results 
  PK Limit  
 AVG Level @Spectrum Overview H 
  AVG Level @Spectrum Overview V 
  AVG Level @Final Results 
  AVG Limit

## Continuous TX mode:

### KR282

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.




## Final Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 168.18          | 34.64              | 43.50          | 8.86        | 1000.00         | 225.0       | H   | 37.00         | 16           |
| 207.36          | 26.70              | 43.50          | 16.80       | 1000.00         | 100.0       | V   | 292.00        | 18           |
| 280.30          | 36.71              | 46.00          | 9.29        | 1000.00         | 184.0       | V   | 23.00         | 20           |
| 294.45          | 35.70              | 46.00          | 10.30       | 1000.00         | 110.0       | V   | 36.00         | 21           |
| 330.93          | 30.42              | 46.00          | 15.58       | 1000.00         | 214.0       | H   | 278.00        | 22           |
| 497.13          | 31.85              | 46.00          | 14.15       | 1000.00         | 110.0       | V   | 20.00         | 25           |

Radiates Emission from 30MHz to 1GHz

## NearLink SLE CH0




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1143.50         | 46.10            | ---              | 74.00          | 27.90       | 500.00          | 200.0       | V   | 71.00         | 3            |
| 1177.75         | ---              | 34.42            | 54.00          | 19.58       | 500.00          | 100.0       | V   | 0.00          | 4            |
| 1393.50         | 46.74            | ---              | 74.00          | 27.26       | 500.00          | 100.0       | H   | 359.00        | 5            |
| 1407.50         | ---              | 34.75            | 54.00          | 19.25       | 500.00          | 100.0       | H   | 357.00        | 4            |
| 1452.50         | ---              | 34.96            | 54.00          | 19.04       | 500.00          | 100.0       | V   | 0.00          | 5            |
| 1671.75         | 46.50            | ---              | 74.00          | 27.50       | 500.00          | 200.0       | V   | 56.00         | 5            |
| 2053.00         | ---              | 35.69            | 54.00          | 18.31       | 500.00          | 200.0       | H   | 2.00          | 6            |
| 2067.75         | 47.14            | ---              | 74.00          | 26.86       | 500.00          | 100.0       | V   | 0.00          | 6            |
| 2347.25         | ---              | 36.15            | 54.00          | 17.85       | 500.00          | 100.0       | H   | 358.00        | 7            |
| 2355.25         | 48.87            | ---              | 74.00          | 25.13       | 500.00          | 200.0       | V   | 358.00        | 7            |
| 2562.00         | ---              | 40.60            | 54.00          | 13.40       | 500.00          | 100.0       | V   | 58.00         | 8            |
| 2727.50         | 49.89            | ---              | 74.00          | 24.11       | 500.00          | 200.0       | H   | 179.00        | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 3144.38         | 41.29            | ---              | 74.00          | 32.71       | 500.00          | 100.0       | H   | 280.00        | -8           |
| 3971.25         | ---              | 30.11            | 54.00          | 23.89       | 500.00          | 200.0       | V   | 0.00          | -4           |
| 5049.38         | 43.70            | ---              | 74.00          | 30.30       | 500.00          | 100.0       | V   | 268.00        | -2           |
| 5051.25         | ---              | 32.29            | 54.00          | 21.71       | 500.00          | 100.0       | H   | 25.00         | -2           |
| 7205.63         | ---              | 40.23            | 54.00          | 13.77       | 500.00          | 200.0       | V   | 32.00         | 1            |
| 7218.75         | 48.27            | ---              | 74.00          | 25.73       | 500.00          | 200.0       | H   | 336.00        | 1            |
| 8670.00         | 49.47            | ---              | 74.00          | 24.53       | 500.00          | 200.0       | V   | 0.00          | 4            |
| 8737.50         | ---              | 38.25            | 54.00          | 15.75       | 500.00          | 100.0       | V   | 237.00        | 5            |
| 11298.75        | 51.13            | ---              | 74.00          | 22.87       | 500.00          | 200.0       | V   | 122.00        | 7            |
| 11338.13        | ---              | 40.26            | 54.00          | 13.74       | 500.00          | 100.0       | V   | 354.00        | 7            |
| 14405.63        | ---              | 39.49            | 54.00          | 14.51       | 500.00          | 200.0       | H   | 36.00         | 8            |
| 14583.75        | 51.39            | ---              | 74.00          | 22.61       | 500.00          | 100.0       | V   | 326.00        | 8            |

Radiates Emission from 3GHz to 18GHz

NearLink SLE CH39




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1012.75         | ---              | 34.67            | 54.00          | 19.33       | 500.00          | 200.0       | H   | 0.00          | 3            |
| 1165.25         | 46.07            | ---              | 74.00          | 27.93       | 500.00          | 200.0       | H   | 72.00         | 3            |
| 1342.75         | 46.33            | ---              | 74.00          | 27.67       | 500.00          | 100.0       | V   | 337.00        | 4            |
| 1388.25         | ---              | 34.91            | 54.00          | 19.09       | 500.00          | 200.0       | H   | 321.00        | 4            |
| 1626.50         | 48.52            | ---              | 74.00          | 25.48       | 500.00          | 200.0       | V   | 204.00        | 4            |
| 1627.50         | ---              | 41.69            | 54.00          | 12.31       | 500.00          | 200.0       | V   | 176.00        | 4            |
| 1960.25         | 47.60            | ---              | 74.00          | 26.40       | 500.00          | 100.0       | V   | 0.00          | 6            |
| 2031.25         | ---              | 35.56            | 54.00          | 18.44       | 500.00          | 200.0       | H   | 347.00        | 6            |
| 2281.00         | ---              | 46.19            | 54.00          | 7.81        | 500.00          | 200.0       | H   | 1.00          | 7            |
| 2281.25         | 51.06            | ---              | 74.00          | 22.94       | 500.00          | 200.0       | H   | 5.00          | 7            |
| 2600.75         | 49.85            | ---              | 74.00          | 24.15       | 500.00          | 200.0       | V   | 66.00         | 8            |
| 2601.00         | ---              | 44.87            | 54.00          | 9.13        | 500.00          | 200.0       | V   | 66.00         | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 3253.13         | 43.91            | ---              | 74.00          | 30.09       | 500.00          | 100.0       | V   | 130.00        | -8           |
| 3253.13         | ---              | 37.20            | 54.00          | 16.80       | 500.00          | 100.0       | V   | 130.00        | -8           |
| 4880.63         | ---              | 44.30            | 54.00          | 9.70        | 500.00          | 200.0       | V   | 2.00          | -3           |
| 4882.50         | 50.29            | ---              | 74.00          | 23.71       | 500.00          | 200.0       | V   | 3.00          | -3           |
| 7321.88         | 53.81            | ---              | 74.00          | 20.19       | 500.00          | 200.0       | H   | 147.00        | 2            |
| 7321.88         | ---              | 45.95            | 54.00          | 8.05        | 500.00          | 200.0       | H   | 147.00        | 2            |
| 8626.88         | ---              | 38.86            | 54.00          | 15.14       | 500.00          | 100.0       | V   | 205.00        | 4            |
| 9898.13         | 50.83            | ---              | 74.00          | 23.17       | 500.00          | 200.0       | V   | 1.00          | 5            |
| 12204.38        | 58.15            | ---              | 74.00          | 15.85       | 500.00          | 200.0       | H   | 356.00        | 7            |
| 12206.25        | ---              | 49.20            | 54.00          | 4.81        | 500.00          | 200.0       | H   | 356.00        | 7            |
| 14647.50        | 53.46            | ---              | 74.00          | 20.54       | 500.00          | 200.0       | H   | 101.00        | 8            |
| 14647.50        | ---              | 43.85            | 54.00          | 10.15       | 500.00          | 200.0       | V   | 92.00         | 8            |

Radiates Emission from 3GHz to 18GHz

NearLink SLE CH78




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1012.75         | ---              | 34.57            | 54.00          | 19.43       | 500.00          | 100.0       | V   | 17.00         | 3            |
| 1015.50         | 46.14            | ---              | 74.00          | 27.86       | 500.00          | 100.0       | V   | 191.00        | 3            |
| 1257.25         | 46.20            | ---              | 74.00          | 27.80       | 500.00          | 100.0       | V   | 94.00         | 4            |
| 1390.25         | ---              | 34.72            | 54.00          | 19.28       | 500.00          | 200.0       | V   | 329.00        | 5            |
| 1680.25         | ---              | 34.87            | 54.00          | 19.13       | 500.00          | 200.0       | V   | 180.00        | 5            |
| 1712.00         | 46.42            | ---              | 74.00          | 27.58       | 500.00          | 100.0       | V   | 218.00        | 5            |
| 1773.25         | ---              | 35.91            | 54.00          | 18.09       | 500.00          | 100.0       | V   | 341.00        | 5            |
| 2034.00         | 47.80            | ---              | 74.00          | 26.20       | 500.00          | 200.0       | V   | 358.00        | 6            |
| 2319.75         | ---              | 38.95            | 54.00          | 15.05       | 500.00          | 200.0       | H   | 4.00          | 7            |
| 2409.00         | 47.62            | ---              | 74.00          | 26.38       | 500.00          | 200.0       | H   | 15.00         | 7            |
| 2640.00         | ---              | 38.32            | 54.00          | 15.68       | 500.00          | 200.0       | V   | 54.00         | 8            |
| 2874.25         | 49.43            | ---              | 74.00          | 24.57       | 500.00          | 100.0       | V   | 0.00          | 8            |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 3988.13         | ---              | 29.96            | 54.00          | 24.04       | 500.00          | 200.0       | V   | 2.00          | -5           |
| 3990.00         | 41.08            | ---              | 74.00          | 32.92       | 500.00          | 100.0       | V   | 305.00        | -5           |
| 5053.13         | ---              | 32.65            | 54.00          | 21.35       | 500.00          | 100.0       | H   | 127.00        | -2           |
| 5186.25         | 43.54            | ---              | 74.00          | 30.46       | 500.00          | 100.0       | V   | 155.00        | -2           |
| 6371.25         | ---              | 36.73            | 54.00          | 17.27       | 500.00          | 200.0       | V   | 114.00        | 1            |
| 7278.75         | 48.22            | ---              | 74.00          | 25.78       | 500.00          | 100.0       | V   | 305.00        | 2            |
| 8671.88         | ---              | 37.99            | 54.00          | 16.01       | 500.00          | 200.0       | V   | 37.00         | 4            |
| 9832.50         | 49.43            | ---              | 74.00          | 24.57       | 500.00          | 200.0       | H   | 351.00        | 5            |
| 11101.88        | 51.23            | ---              | 74.00          | 22.77       | 500.00          | 200.0       | H   | 0.00          | 7            |
| 11334.38        | ---              | 39.94            | 54.00          | 14.06       | 500.00          | 100.0       | H   | 2.00          | 7            |
| 14405.63        | 50.45            | ---              | 74.00          | 23.55       | 500.00          | 200.0       | V   | 59.00         | 8            |
| 14671.88        | ---              | 38.27            | 54.00          | 15.73       | 500.00          | 200.0       | V   | 37.00         | 8            |

Radiates Emission from 3GHz to 18GHz

WR341

NearLink SLE CH39




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1049.500000     | 39.94            | ---              | 74.00          | 34.06       | 500.0           | 100.0       | V   | 0.0           | -10.5        |
| 1083.500000     | ---              | 27.50            | 54.00          | 26.50       | 500.0           | 200.0       | H   | 353.0         | -10.2        |
| 1245.750000     | ---              | 28.59            | 54.00          | 25.41       | 500.0           | 200.0       | H   | 234.0         | -8.6         |
| 1293.500000     | 40.46            | ---              | 74.00          | 33.54       | 500.0           | 100.0       | H   | 139.0         | -8.2         |
| 1551.750000     | 41.12            | ---              | 74.00          | 32.88       | 500.0           | 200.0       | H   | 332.0         | -6.7         |
| 1578.500000     | ---              | 30.18            | 54.00          | 23.82       | 500.0           | 100.0       | H   | 80.0          | -6.6         |
| 1914.000000     | 41.83            | ---              | 74.00          | 32.17       | 500.0           | 200.0       | H   | 257.0         | -4.9         |
| 1946.750000     | ---              | 31.27            | 54.00          | 22.73       | 500.0           | 100.0       | V   | 308.0         | -4.7         |
| 2280.750000     | 45.43            | ---              | 74.00          | 28.57       | 500.0           | 100.0       | V   | 71.0          | -3.0         |
| 2281.250000     | ---              | 39.04            | 54.00          | 14.96       | 500.0           | 100.0       | V   | 55.0          | -3.0         |
| 2671.750000     | 45.72            | ---              | 74.00          | 28.28       | 500.0           | 200.0       | H   | 132.0         | -1.8         |
| 2691.000000     | ---              | 35.40            | 54.00          | 18.60       | 500.0           | 200.0       | H   | 332.0         | -1.7         |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 3253.125000     | 42.48            | ---              | 74.00          | 31.52       | 500.0           | 200.0       | H   | 294.0         | -9.7         |
| 3253.125000     | ---              | 35.43            | 54.00          | 18.57       | 500.0           | 200.0       | H   | 294.0         | -9.7         |
| 4068.750000     | 45.41            | ---              | 74.00          | 28.59       | 500.0           | 200.0       | H   | 95.0          | -6.5         |
| 4068.750000     | ---              | 34.56            | 54.00          | 19.44       | 500.0           | 200.0       | H   | 95.0          | -6.5         |
| 4880.625000     | 48.73            | ---              | 74.00          | 25.27       | 500.0           | 100.0       | H   | 84.0          | -5.7         |
| 4882.500000     | ---              | 38.57            | 54.00          | 15.43       | 500.0           | 200.0       | V   | 82.0          | -5.7         |
| 5979.375000     | 40.84            | ---              | 74.00          | 33.16       | 500.0           | 100.0       | H   | 157.0         | -4.6         |
| 5988.750000     | ---              | 29.43            | 54.00          | 24.57       | 500.0           | 100.0       | H   | 262.0         | -4.6         |
| 7321.875000     | 47.46            | ---              | 74.00          | 26.54       | 500.0           | 200.0       | H   | 112.0         | -3.0         |
| 7323.750000     | ---              | 38.14            | 54.00          | 15.86       | 500.0           | 200.0       | V   | 101.0         | -3.0         |
| 12204.375000    | 56.67            | ---              | 74.00          | 17.33       | 500.0           | 200.0       | H   | 131.0         | 0.4          |
| 12204.375000    | ---              | 48.55            | 54.00          | 5.45        | 500.0           | 200.0       | H   | 131.0         | 0.4          |

Radiates Emission from 3GHz to 18GHz

WR342

NearLink SLE CH39




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1039.750000     | 40.08            | ---              | 74.00          | 33.93       | 500.0           | 100.0       | H   | 96.0          | -10.5        |
| 1085.500000     | ---              | 27.92            | 54.00          | 26.08       | 500.0           | 100.0       | H   | 220.0         | -10.2        |
| 1375.250000     | 40.33            | ---              | 74.00          | 33.67       | 500.0           | 100.0       | V   | 313.0         | -7.7         |
| 1385.000000     | ---              | 29.12            | 54.00          | 24.88       | 500.0           | 100.0       | V   | 292.0         | -7.7         |
| 1627.250000     | ---              | 32.94            | 54.00          | 21.06       | 500.0           | 100.0       | V   | 255.0         | -6.2         |
| 1628.000000     | 42.12            | ---              | 74.00          | 31.88       | 500.0           | 100.0       | V   | 255.0         | -6.2         |
| 1765.750000     | 42.56            | ---              | 74.00          | 31.44       | 500.0           | 200.0       | H   | 252.0         | -5.7         |
| 1976.250000     | ---              | 32.55            | 54.00          | 21.45       | 500.0           | 100.0       | H   | 21.0          | -4.7         |
| 2280.750000     | 45.43            | ---              | 74.00          | 28.57       | 500.0           | 100.0       | V   | 71.0          | -3.0         |
| 2281.250000     | ---              | 39.04            | 54.00          | 14.96       | 500.0           | 100.0       | V   | 55.0          | -3.0         |
| 2600.750000     | ---              | 35.93            | 54.00          | 18.07       | 500.0           | 100.0       | V   | 222.0         | -2.0         |
| 2602.000000     | 46.04            | ---              | 74.00          | 27.96       | 500.0           | 100.0       | V   | 308.0         | -2.0         |

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 3253.125000     | 41.26            | ---              | 74.00          | 32.74       | 500.0           | 200.0       | V   | 113.0         | -9.7         |
| 3253.125000     | ---              | 34.39            | 54.00          | 19.61       | 500.0           | 200.0       | V   | 113.0         | -9.7         |
| 4066.875000     | ---              | 35.59            | 54.00          | 18.41       | 500.0           | 200.0       | V   | 190.0         | -6.5         |
| 4066.875000     | 43.45            | ---              | 74.00          | 30.55       | 500.0           | 200.0       | V   | 190.0         | -6.5         |
| 4880.625000     | 48.50            | ---              | 74.00          | 25.50       | 500.0           | 200.0       | V   | 82.0          | -5.7         |
| 4880.625000     | ---              | 42.07            | 54.00          | 11.93       | 500.0           | 200.0       | V   | 82.0          | -5.7         |
| 5981.250000     | ---              | 29.92            | 54.00          | 24.08       | 500.0           | 100.0       | V   | 6.0           | -4.6         |
| 5983.125000     | 39.91            | ---              | 74.00          | 34.09       | 500.0           | 100.0       | H   | 20.0          | -4.6         |
| 7321.875000     | 47.46            | ---              | 74.00          | 26.54       | 500.0           | 200.0       | H   | 112.0         | -3.0         |
| 7321.875000     | ---              | 38.93            | 54.00          | 15.07       | 500.0           | 200.0       | H   | 112.0         | -3.0         |
| 12204.375000    | ---              | 43.21            | 54.00          | 10.79       | 500.0           | 100.0       | V   | 53.0          | 0.4          |
| 12206.250000    | 52.01            | ---              | 74.00          | 21.99       | 500.0           | 100.0       | V   | 53.0          | 0.4          |


Radiates Emission from 3GHz to 18GHz

## 2. Conducted Emission

### 2.1. NearLink SLE

During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.


#### WR341



| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.166           | 23.43            | 65.17            | 41.74           | 14.03            | 55.17            | 41.14           | 20.89           | L1   | 9.000          | 1.000          |
| 0.490           | 31.22            | 56.17            | 24.96           | 15.57            | 46.17            | 30.60           | 20.79           | L1   | 9.000          | 1.000          |
| 0.872           | 29.14            | 56.00            | 26.86           | 13.75            | 46.00            | 32.25           | 20.26           | L1   | 9.000          | 1.000          |
| 2.117           | 17.09            | 56.00            | 38.91           | 9.27             | 46.00            | 36.73           | 19.62           | L1   | 9.000          | 1.000          |
| 13.191          | 28.11            | 60.00            | 31.89           | 21.93            | 50.00            | 28.07           | 19.45           | L1   | 9.000          | 1.000          |
| 26.536          | 30.57            | 60.00            | 29.44           | 29.73            | 50.00            | 20.27           | 19.81           | L1   | 9.000          | 1.000          |

**Remark: Correct factor=cable loss + LISN factor**

L line Conducted Emission from 150 kHz to 30 MHz




| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.152           | 25.14            | 65.88            | 40.74           | 13.77            | 55.88            | 42.11           | 20.91           | N    | 9.000          | 1.000          |
| 0.395           | 29.88            | 57.95            | 28.08           | 14.31            | 47.95            | 33.65           | 20.89           | N    | 9.000          | 1.000          |
| 0.746           | 26.60            | 56.00            | 29.40           | 11.65            | 46.00            | 34.35           | 20.39           | N    | 9.000          | 1.000          |
| 1.790           | 23.90            | 56.00            | 32.10           | 12.48            | 46.00            | 33.52           | 19.73           | N    | 9.000          | 1.000          |
| 12.980          | 26.30            | 60.00            | 33.70           | 22.15            | 50.00            | 27.85           | 19.47           | N    | 9.000          | 1.000          |
| 26.534          | 30.49            | 60.00            | 29.51           | 29.07            | 50.00            | 20.93           | 19.88           | N    | 9.000          | 1.000          |

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz


WR342



| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.159           | 30.36            | 65.52            | 35.16           | 12.65            | 55.52            | 42.87           | 20.90           | L1   | 9.000          | 1.000          |
| 0.449           | 30.33            | 56.89            | 26.56           | 13.57            | 46.89            | 33.32           | 20.83           | L1   | 9.000          | 1.000          |
| 0.953           | 24.74            | 56.00            | 31.26           | 14.10            | 46.00            | 31.90           | 20.20           | L1   | 9.000          | 1.000          |
| 3.442           | 15.56            | 56.00            | 40.44           | 9.54             | 46.00            | 36.46           | 19.45           | L1   | 9.000          | 1.000          |
| 13.088          | 25.53            | 60.00            | 34.47           | 21.93            | 50.00            | 28.07           | 19.45           | L1   | 9.000          | 1.000          |
| 26.538          | 29.99            | 60.00            | 30.01           | 29.00            | 50.00            | 21.00           | 19.81           | L1   | 9.000          | 1.000          |

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



| Frequency [MHz] | QPK Level [dBμV] | QPK Limit [dBμV] | QPK Margin [dB] | AVG Level [dBμV] | AVG Limit [dBμV] | AVG Margin [dB] | Correction [dB] | Line | Meas. BW [kHz] | Meas. Time [s] |
|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|-----------------|------|----------------|----------------|
| 0.159           | 26.42            | 65.52            | 39.10           | 12.71            | 55.52            | 42.80           | 20.91           | N    | 9.000          | 1.000          |
| 0.409           | 34.30            | 57.67            | 23.37           | 15.83            | 47.67            | 31.85           | 20.88           | N    | 9.000          | 1.000          |
| 0.875           | 29.24            | 56.00            | 26.76           | 13.94            | 46.00            | 32.06           | 20.27           | N    | 9.000          | 1.000          |
| 2.002           | 22.40            | 56.00            | 33.60           | 11.80            | 46.00            | 34.20           | 19.66           | N    | 9.000          | 1.000          |
| 12.989          | 21.88            | 60.00            | 38.12           | 14.53            | 50.00            | 35.47           | 19.47           | N    | 9.000          | 1.000          |
| 26.606          | 40.84            | 60.00            | 19.16           | 27.56            | 50.00            | 22.44           | 19.88           | N    | 9.000          | 1.000          |

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz