


RF Test Data


Duty Cycle.....	2
Maximum Conducted Output Power.....	12
-6dB Bandwidth.....	13
Occupied Channel Bandwidth.....	23
Maximum Power Spectral Density Level.....	33
Band Edge.....	43
Frequency Stability.....	51
Conducted RF Spurious Emission.....	61

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	55	2.6	9.09
NVNT	a	5785	Ant1	57.14	2.43	8.33
NVNT	a	5825	Ant1	55	2.6	9.09
NVNT	n20	5745	Ant1	57.14	2.43	8.33
NVNT	n20	5785	Ant1	57.14	2.43	8.33
NVNT	n20	5825	Ant1	57.14	2.43	8.33
NVNT	n40	5755	Ant1	43.75	3.59	14.29
NVNT	n40	5795	Ant1	47.06	3.27	12.5
NVNT	ac20	5745	Ant1	57.14	2.43	8.33
NVNT	ac20	5785	Ant1	59.09	2.28	7.69
NVNT	ac20	5825	Ant1	57.14	2.43	8.33
NVNT	ac40	5755	Ant1	47.06	3.27	12.5
NVNT	ac40	5795	Ant1	47.06	3.27	12.5
NVNT	ax20	5745	Ant1	54.55	2.63	8.33
NVNT	ax20	5785	Ant1	55	2.6	9.09
NVNT	ax20	5825	Ant1	57.14	2.43	8.33
NVNT	ax40	5755	Ant1	47.06	3.27	12.5
NVNT	ax40	5795	Ant1	43.75	3.59	14.29




Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1




Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ax20 5745MHz Ant1




Duty Cycle NVNT ax20 5785MHz Ant1



Duty Cycle NVNT ax20 5825MHz Ant1



Duty Cycle NVNT ax40 5755MHz Ant1




Duty Cycle NVNT ax40 5795MHz Ant1

Maximum Conducted Output Power


Condi tion	Mod e	Frequen cy (MHz)	Anten na	Conduct ed Power (dBm)	Duty Fact or (dB)	Total Conduct ed Power (dBm)	Total Conducted Power (W)	Limit Conducted(d Bm)	Verdi ct
NVNT	a	5745	Ant1	9.71	2.6	12.31	0.01702	30	Pass
NVNT	a	5785	Ant1	9.86	2.43	12.29	0.01694	30	Pass
NVNT	a	5825	Ant1	9.29	2.6	11.89	0.01545	30	Pass
NVNT	n20	5745	Ant1	9.88	2.43	12.31	0.01702	30	Pass
NVNT	n20	5785	Ant1	10.09	2.43	12.52	0.01786	30	Pass
NVNT	n20	5825	Ant1	9.46	2.43	11.89	0.01545	30	Pass
NVNT	n40	5755	Ant1	9.45	3.59	13.04	0.02014	30	Pass
NVNT	n40	5795	Ant1	9.63	3.27	12.9	0.01950	30	Pass
NVNT	ac20	5745	Ant1	9.89	2.43	12.32	0.01706	30	Pass
NVNT	ac20	5785	Ant1	10.06	2.28	12.34	0.01714	30	Pass
NVNT	ac20	5825	Ant1	9.45	2.43	11.88	0.01542	30	Pass
NVNT	ac40	5755	Ant1	8.82	3.27	12.09	0.01618	30	Pass
NVNT	ac40	5795	Ant1	9.04	3.27	12.31	0.01702	30	Pass
NVNT	ax20	5745	Ant1	9.81	2.63	12.44	0.01754	30	Pass
NVNT	ax20	5785	Ant1	10	2.6	12.6	0.01820	30	Pass
NVNT	ax20	5825	Ant1	9.44	2.43	11.87	0.01538	30	Pass
NVNT	ax40	5755	Ant1	8.55	3.27	11.82	0.01521	30	Pass
NVNT	ax40	5795	Ant1	9.16	3.59	12.75	0.01884	30	Pass

-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.34	0.5	Pass
NVNT	a	5785	Ant1	16.33	0.5	Pass
NVNT	a	5825	Ant1	16.32	0.5	Pass
NVNT	n20	5745	Ant1	17.22	0.5	Pass
NVNT	n20	5785	Ant1	17.07	0.5	Pass
NVNT	n20	5825	Ant1	17.4	0.5	Pass
NVNT	n40	5755	Ant1	35.5	0.5	Pass
NVNT	n40	5795	Ant1	35.52	0.5	Pass
NVNT	ac20	5745	Ant1	17.37	0.5	Pass
NVNT	ac20	5785	Ant1	17	0.5	Pass
NVNT	ac20	5825	Ant1	17.29	0.5	Pass
NVNT	ac40	5755	Ant1	35.73	0.5	Pass
NVNT	ac40	5795	Ant1	35.85	0.5	Pass
NVNT	ax20	5745	Ant1	17.22	0.5	Pass
NVNT	ax20	5785	Ant1	17.25	0.5	Pass
NVNT	ax20	5825	Ant1	17.18	0.5	Pass
NVNT	ax40	5755	Ant1	35.52	0.5	Pass
NVNT	ax40	5795	Ant1	35.61	0.5	Pass




-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ax20 5745MHz Ant1




-6dB Bandwidth NVNT ax20 5785MHz Ant1



-6dB Bandwidth NVNT ax20 5825MHz Ant1




-6dB Bandwidth NVNT ax40 5755MHz Ant1




-6dB Bandwidth NVNT ax40 5795MHz Ant1

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.644
NVNT	a	5785	Ant1	16.617
NVNT	a	5825	Ant1	16.621
NVNT	n20	5745	Ant1	17.664
NVNT	n20	5785	Ant1	17.611
NVNT	n20	5825	Ant1	17.669
NVNT	n40	5755	Ant1	36.243
NVNT	n40	5795	Ant1	36.175
NVNT	ac20	5745	Ant1	17.621
NVNT	ac20	5785	Ant1	17.65
NVNT	ac20	5825	Ant1	17.651
NVNT	ac40	5755	Ant1	36.187
NVNT	ac40	5795	Ant1	36.19
NVNT	ax20	5745	Ant1	17.682
NVNT	ax20	5785	Ant1	17.652
NVNT	ax20	5825	Ant1	17.679
NVNT	ax40	5755	Ant1	36.181
NVNT	ax40	5795	Ant1	36.124




OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ax20 5745MHz Ant1



OBW NVNT ax20 5785MHz Ant1



OBW NVNT ax20 5825MHz Ant1



OBW NVNT ax40 5755MHz Ant1




OBW NVNT ax40 5795MHz Ant1

Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total Conducted PSD (dBm/510kHz)	RBW Factor (dB)	Total Conducted PSD (dBm/500kHz)	Limit Conducted(dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	-6.63	2.6	-4.03	-0.09	-4.12	30	Pass
NVNT	a	5785	Ant1	-6.6	2.43	-4.17	-0.09	-4.26	30	Pass
NVNT	a	5825	Ant1	-7.56	2.6	-4.96	-0.09	-5.05	30	Pass
NVNT	n20	5745	Ant1	-5.75	2.43	-3.32	-0.09	-3.41	30	Pass
NVNT	n20	5785	Ant1	-6.39	2.43	-3.96	-0.09	-4.05	30	Pass
NVNT	n20	5825	Ant1	-7.53	2.43	-5.1	-0.09	-5.19	30	Pass
NVNT	n40	5755	Ant1	-10.44	3.59	-6.85	-0.09	-6.94	30	Pass
NVNT	n40	5795	Ant1	-10.01	3.27	-6.74	-0.09	-6.83	30	Pass
NVNT	ac20	5745	Ant1	-6.19	2.43	-3.76	-0.09	-3.85	30	Pass
NVNT	ac20	5785	Ant1	-6.29	2.28	-4.01	-0.09	-4.1	30	Pass
NVNT	ac20	5825	Ant1	-7.46	2.43	-5.03	-0.09	-5.12	30	Pass
NVNT	ac40	5755	Ant1	-11.02	3.27	-7.75	-0.09	-7.84	30	Pass
NVNT	ac40	5795	Ant1	-11.05	3.27	-7.78	-0.09	-7.87	30	Pass
NVNT	ax20	5745	Ant1	-6.5	2.63	-3.87	-0.09	-3.96	30	Pass
NVNT	ax20	5785	Ant1	-6.56	2.6	-3.96	-0.09	-4.05	30	Pass
NVNT	ax20	5825	Ant1	-7.73	2.43	-5.3	-0.09	-5.39	30	Pass
NVNT	ax40	5755	Ant1	-10.91	3.27	-7.64	-0.09	-7.73	30	Pass
NVNT	ax40	5795	Ant1	-10.7	3.59	-7.11	-0.09	-7.2	30	Pass

Note:PSD(dbm/500kHz)=PSD(dbm/510kHz)+10Log(500kHz/510kHz)+ Duty Factor


RB factor=10log(500/510)



PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1




PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1



PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1




PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5785MHz Ant1



PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5795MHz Ant1

Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5745	Ant1	-45.12	-27	Pass
NVNT	a	5825	Ant1	-45.62	-27	Pass
NVNT	n20	5745	Ant1	-45.81	-27	Pass
NVNT	n20	5825	Ant1	-46.14	-27	Pass
NVNT	n40	5755	Ant1	-46.35	-27	Pass
NVNT	n40	5795	Ant1	-45.92	-27	Pass
NVNT	ac20	5745	Ant1	-45.75	-27	Pass
NVNT	ac20	5825	Ant1	-46.3	-27	Pass
NVNT	ac40	5755	Ant1	-45.07	-27	Pass
NVNT	ac40	5795	Ant1	-46.03	-27	Pass
NVNT	ax20	5745	Ant1	-45	-27	Pass
NVNT	ax20	5825	Ant1	-45.8	-27	Pass
NVNT	ax40	5755	Ant1	-43.99	-27	Pass
NVNT	ax40	5795	Ant1	-46.03	-27	Pass

Note: The antenna gain value has been compensated in the "Ref Offset" section of the test chart.



Band Edge NVNT a 5745MHz Low Ant1



Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant1




Band Edge NVNT ac20 5825MHz High Ant1



Band Edge NVNT ac40 5755MHz Low Ant1



Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ax20 5745MHz Low Ant1



Band Edge NVNT ax20 5825MHz High Ant1




Band Edge NVNT ax40 5755MHz Low Ant1




Band Edge NVNT ax40 5795MHz High Ant1

Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5745	0	0	25	Pass
NVNT	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
NVNT	n20	5785	Ant1	5785	0	0	25	Pass
NVNT	n20	5825	Ant1	5825	0	0	25	Pass
NVNT	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant1	5785	0	0	25	Pass
NVNT	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant1	5755	0	0	25	Pass
NVNT	ac40	5795	Ant1	5795	0	0	25	Pass
NVNT	ax20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	ax20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
NVNT	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
NVNT	ax40	5755	Ant1	5755	0	0	25	Pass
NVNT	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass




Freq. Stability NVNT a 5745MHz Ant1




Freq. Stability NVNT a 5785MHz Ant1




Freq. Stability NVNT a 5825MHz Ant1




Freq. Stability NVNT n20 5745MHz Ant1




Freq. Stability NVNT n20 5785MHz Ant1




Freq. Stability NVNT n20 5825MHz Ant1




Freq. Stability NVNT n40 5755MHz Ant1




Freq. Stability NVNT n40 5795MHz Ant1




Freq. Stability NVNT ac20 5745MHz Ant1




Freq. Stability NVNT ac20 5785MHz Ant1




Freq. Stability NVNT ac20 5825MHz Ant1




Freq. Stability NVNT ac40 5755MHz Ant1




Freq. Stability NVNT ac40 5795MHz Ant1




Freq. Stability NVNT ax20 5745MHz Ant1




Freq. Stability NVNT ax20 5785MHz Ant1



Freq. Stability NVNT ax20 5825MHz Ant1



Freq. Stability NVNT ax40 5755MHz Ant1



Freq. Stability NVNT ax40 5795MHz Ant1

Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5745	Ant1	-30.53	-27	Pass
NVNT	a	5785	Ant1	-30.87	-27	Pass
NVNT	a	5825	Ant1	-31.73	-27	Pass
NVNT	n20	5745	Ant1	-30.86	-27	Pass
NVNT	n20	5785	Ant1	-30.92	-27	Pass
NVNT	n20	5825	Ant1	-30.76	-27	Pass
NVNT	n40	5755	Ant1	-31.35	-27	Pass
NVNT	n40	5795	Ant1	-31.33	-27	Pass
NVNT	ac20	5745	Ant1	-31.2	-27	Pass
NVNT	ac20	5785	Ant1	-31.02	-27	Pass
NVNT	ac20	5825	Ant1	-31.28	-27	Pass
NVNT	ac40	5755	Ant1	-30.75	-27	Pass
NVNT	ac40	5795	Ant1	-30.79	-27	Pass
NVNT	ax20	5745	Ant1	-31.69	-27	Pass
NVNT	ax20	5785	Ant1	-31.33	-27	Pass
NVNT	ax20	5825	Ant1	-31.54	-27	Pass
NVNT	ax40	5755	Ant1	-30.96	-27	Pass
NVNT	ax40	5795	Ant1	-30.97	-27	Pass
Note:The line loss and antenna gain have been compensated within the internal TDF of the spectrum.						



Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.95603 GHz	-30.53 dBm		


Date: 16.APR.2026 10:10:32

Tx. Spurious NVNT a 5745MHz Ant1 Emission

Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.94671 GHz	-30.88 dBm		

Date: 16.APR.2026 10:12:03


Tx. Spurious NVNT a 5785MHz Ant1 Emission



Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.96003 GHz	-31.73 dBm		


Date: 16.APR.2026 10:13:15

Tx. Spurious NVNT a 5825MHz Ant1 Emission

Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.87076 GHz	-30.86 dBm		

Date: 15.APR.2026 14:46:24


Tx. Spurious NVNT n20 5745MHz Ant1 Emission



Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.93338 GHz	-30.92 dBm		


Date: 15.APR.2026 14:47:45

Tx. Spurious NVNT n20 5785MHz Ant1 Emission

Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF


1Pk Max




Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.90008 GHz	-30.76 dBm		

Date: 15.APR.2026 14:49:04


Tx. Spurious NVNT n20 5825MHz Ant1 Emission




Tx. Spurious NVNT n40 5755MHz Ant1 Emission



Tx. Spurious NVNT n40 5795MHz Ant1 Emission



Tx. Spurious NVNT ac20 5745MHz Ant1 Emission




Tx. Spurious NVNT ac20 5785MHz Ant1 Emission



Spectrum

Ref Level 20.00 dBm
Att 30 dB
SGL Count 100/100
RBW 1 MHz
VBW 3 MHz
SWT 160 ms
TDF
Mode Auto Sweep

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.88675 GHz	-31.29 dBm		


Date: 16.APR.2026 10:17:09

Tx. Spurious NVNT ac20 5825MHz Ant1 Emission

Spectrum

Ref Level 20.00 dBm
Att 30 dB
SGL Count 100/100
RBW 1 MHz
VBW 3 MHz
SWT 160 ms
TDF
Mode Auto Sweep

1Pk Max




Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.98534 GHz	-30.76 dBm		

Date: 16.APR.2026 10:25:05

Tx. Spurious NVNT ac40 5755MHz Ant1 Emission



Tx. Spurious NVNT ac40 5795MHz Ant1 Emission




Tx. Spurious NVNT ax20 5745MHz Ant1 Emission



Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.88542 GHz	-31.34 dBm		


Date: 16.APR.2026 10:32:08

Tx. Spurious NVNT ax20 5785MHz Ant1 Emission

Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.97469 GHz	-31.55 dBm		

Date: 16.APR.2026 10:20:15


Tx. Spurious NVNT ax20 5825MHz Ant1 Emission



Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.96269 GHz	-30.96 dBm		


Date: 16.APR.2026 10:28:09

Tx. Spurious NVNT ax40 5755MHz Ant1 Emission

Spectrum

Ref Level 20.00 dBm RBW 1 MHz
Att 30 dB SWT 160 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100 TDF

1Pk Max



Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	39.91606 GHz	-30.97 dBm		

Date: 16.APR.2026 10:30:28

Tx. Spurious NVNT ax40 5795MHz Ant1 Emission