


FCC ID WIFI 5.2
FCC_5.2G_WIFI (Part15.407) Test Data
FCC ID:2ASCB-DK215
Report No.:NCT26004867E1-4

Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle	12
3. Maximum Conducted Output Power	22
4. Power Spectral Density	32
5. Bandedge	42
6. Spurious Emission	50
7. Frequency Stability	60

1. -26dB and 99% Emission Bandwidth


Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	24.68	16.692
NVNT	ANT1	802.11a	5200.00	27.45	16.681
NVNT	ANT1	802.11a	5240.00	27.11	16.714
NVNT	ANT1	802.11n(HT20)	5180.00	25.84	17.763
NVNT	ANT1	802.11n(HT20)	5200.00	27.02	17.818
NVNT	ANT1	802.11n(HT20)	5240.00	27.82	17.816
NVNT	ANT1	802.11ac(VHT20)	5180.00	28.91	17.868
NVNT	ANT1	802.11ac(VHT20)	5200.00	29.90	17.773
NVNT	ANT1	802.11ac(VHT20)	5240.00	30.96	17.817
NVNT	ANT1	802.11ax(HE20)	5180.00	29.20	17.779
NVNT	ANT1	802.11ax(HE20)	5200.00	29.74	17.790
NVNT	ANT1	802.11ax(HE20)	5240.00	26.68	17.808
NVNT	ANT1	802.11n(HT40)	5190.00	42.72	36.081
NVNT	ANT1	802.11n(HT40)	5230.00	40.22	36.086
NVNT	ANT1	802.11ac(VHT40)	5190.00	40.22	36.140
NVNT	ANT1	802.11ac(VHT40)	5230.00	42.44	36.118
NVNT	ANT1	802.11ax(HE40)	5190.00	43.28	36.093
NVNT	ANT1	802.11ax(HE40)	5230.00	39.73	36.057



99% OCB&-26BW NVNT_ANT1_802_11a_5200




99% OCB&-26BW NVNT_ANT1_802_11a_5240



99% OCB&-26BW NVNT ANT1_802_11n(HT20)_5180




99% OCB&-26BW NVNT ANT1_802_11n(HT20)_5200



99% OCB&-26BW NVNT ANT1_802_11n(HT20)_5240




99% OCB&-26BW NVNT ANT1_802_11ac(VHT20)_5180




99% OCB&-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99% OCB&-26BW_NVNT_ANT1_802_11ac(VHT20)_5240



99%_OCB&-26BW_NVNT_ANT1_802_11ax(HE20)_5180



99%_OCB&-26BW_NVNT_ANT1_802_11ax(HE20)_5200




99% OCB&-26BW NVNT ANT1 802 11ax(HE20) 5240



99% OCB&-26BW NVNT ANT1 802 11n(HT40) 5190



99% OCB&-26BW NVNT ANT1_802_11n(HT40)_5230




99% OCB&-26BW NVNT ANT1_802_11ac(VHT40)_5190



99%_OCB&-26BW_NVNT_ANT1_802_11ac(VHT40)_5230



99%_OCB&-26BW_NVNT_ANT1_802_11ax(HE40)_5190




99% OCB&-26BW NVNT ANT1 802 11ax(HE40) 5230




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	95.83	0.18
NVNT	ANT1	802.11a	5200.00	95.89	0.18
NVNT	ANT1	802.11a	5240.00	95.89	0.18
NVNT	ANT1	802.11n(HT20)	5180.00	95.16	0.22
NVNT	ANT1	802.11n(HT20)	5200.00	95.16	0.22
NVNT	ANT1	802.11n(HT20)	5240.00	95.16	0.22
NVNT	ANT1	802.11ac(VHT20)	5180.00	95.16	0.22
NVNT	ANT1	802.11ac(VHT20)	5200.00	96.77	0.14
NVNT	ANT1	802.11ac(VHT20)	5240.00	95.16	0.22
NVNT	ANT1	802.11ax(HE20)	5180.00	95.16	0.22
NVNT	ANT1	802.11ax(HE20)	5200.00	95.16	0.22
NVNT	ANT1	802.11ax(HE20)	5240.00	95.16	0.22
NVNT	ANT1	802.11n(HT40)	5190.00	93.75	0.28
NVNT	ANT1	802.11n(HT40)	5230.00	90.63	0.43
NVNT	ANT1	802.11ac(VHT40)	5190.00	90.91	0.41
NVNT	ANT1	802.11ac(VHT40)	5230.00	90.91	0.41
NVNT	ANT1	802.11ax(HE40)	5190.00	93.75	0.28
NVNT	ANT1	802.11ax(HE40)	5230.00	90.63	0.43




Duty Cycle NVNT_ANT1_802_11a_5200




Duty Cycle NVNT_ANT1_802_11a_5240




Duty Cycle NVNT ANT1_802_11n(HT20)_5180




Duty Cycle NVNT ANT1_802_11n(HT20)_5200




Duty Cycle NVNT_ANT1_802_11n(HT20)_5240




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5180




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5200




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5240




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5180




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5240




Duty Cycle NVNT_ANT1_802_11n(HT40)_5190




Duty Cycle NVNT_ANT1_802_11n(HT40)_5230




Duty Cycle NVNT_ANT1_802_11ac(VHT40)_5190




Duty Cycle NVNT ANT1_802_11ac(VHT40)_5230



Duty Cycle NVNT ANT1_802_11ax(HE40)_5190




Duty Cycle NVNT ANT1 802 11ax(HE40) 5230



3. Maximum Conducted Output Power


Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	8.14	0.18	8.96	24	Pass
NVNT	ANT1	802.11a	5200.00	9.37	0.18	9.55	24	Pass
NVNT	ANT1	802.11a	5240.00	8.22	0.18	8.40	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	9.19	0.22	9.41	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	9.66	0.22	9.88	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	8.34	0.22	8.56	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	8.90	0.22	9.12	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	9.39	0.14	9.53	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	8.30	0.22	8.52	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	8.92	0.22	9.14	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	9.38	0.22	9.60	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	8.37	0.22	8.59	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	8.52	0.28	8.80	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	7.99	0.43	8.42	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	8.81	0.41	9.22	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	8.37	0.41	8.78	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	8.82	0.28	9.10	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	8.35	0.43	8.78	24	Pass




Maximum Conducted Output Power_NVNT_ANT1_802_11a_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11a_5240_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT20)_5240_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5180_20M



Maximum Conducted Output Power NVNT_ANT1_802_11ax(HE20)_5200_20M




Maximum Conducted Output Power NVNT ANT1_802_11ax(HE20)_5240_20M



Maximum Conducted Output Power NVNT ANT1_802_11n(HT40)_5190_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT40)_5230_40M




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Maximum Conducted Output Power_NVNT ANT1 802 11ac(VHT40) 5230 40M



Maximum Conducted Output Power_NVNT ANT1 802 11ax(HE40) 5190 40M




Maximum Conducted Output Power NVNT ANT1_802_11ax(HE40) 5230 40M



4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm/MHz)	Result
NVNT	ANT1	802.11a	5180.00	-6.56	0.18	-6.38	11	Pass
NVNT	ANT1	802.11a	5200.00	-5.30	0.18	-5.12	11	Pass
NVNT	ANT1	802.11a	5240.00	-5.74	0.18	-5.56	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-6.14	0.22	-5.92	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-5.21	0.22	-4.99	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-6.30	0.22	-6.08	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-4.94	0.22	-4.72	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-5.75	0.14	-5.62	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-6.43	0.22	-6.21	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-5.59	0.22	-5.37	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-5.25	0.22	-5.03	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-6.94	0.22	-6.72	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-10.97	0.28	-10.69	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-11.14	0.43	-10.71	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-9.52	0.41	-9.11	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-10.72	0.41	-10.31	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-10.27	0.28	-9.99	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-11.40	0.43	-10.97	11	Pass




Power Spectral Density NVNT_ANT1_802_11a_5200




Power Spectral Density NVNT_ANT1_802_11a_5240



Power Spectral Density NVNT ANT1_802_11n(HT20)_5180




Power Spectral Density NVNT ANT1_802_11n(HT20)_5200




Power Spectral Density NVNT ANT1_802_11n(HT20)_5240




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5180




Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5200




Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5240




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5180



Power Spectral Density NVNT ANT1 802 11ax(HE20) 5200



Power Spectral Density NVNT ANT1 802 11ax(HE20) 5240



Power Spectral Density NVNT ANT1 802 11n(HT40) 5190



Power Spectral Density NVNT ANT1_802_11n(HT40) 5230




Power Spectral Density NVNT ANT1_802_11ac(VHT40) 5190



Power Spectral Density NVNT_ANT1_802_11ac(VHT40)_5230



Power Spectral Density NVNT_ANT1_802_11ax(HE40)_5190




Power Spectral Density NVNT ANT1 802_11ax(HE40) 5230



5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm/MHz)	Result
NVNT	ANT1	802.11a	5180.00	5149.40	-37.59	-27	Pass
NVNT	ANT1	802.11a	5240.00	5417.60	-51.72	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5149.60	-37.72	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5397.80	-41.39	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5149.80	-38.05	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5414.00	-41.81	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5146.80	-38.40	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5392.00	-41.97	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.94	-31.41	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5373.80	-41.85	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5149.73	-30.32	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5369.60	-41.41	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5148.68	-28.55	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5362.67	-42.18	-27	Pass


Note: The test diagram has integrated antenna gain to Offset Settings.




Bandedge_NVNT_ANT1_802_11a_5240




Bandedge_NVNT_ANT1_802_11n(HT20)_5180



Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240




Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240




Bandedge_NVNT_ANT1_802_11n(HT40)_5190




Bandedge_NVNT_ANT1_802_11n(HT40)_5230




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ax(HE40)_5190



Bandedge_NVNT_ANT1_802_11ax(HE40)_5230



6. Spurious Emission


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm/MHz)	Result
NVNT	ANT1	802.11a	5180.00	1777.02	-34.56	-27	Pass
NVNT	ANT1	802.11a	5200.00	824.10	-32.38	-27	Pass
NVNT	ANT1	802.11a	5240.00	24991.21	-40.18	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25017.68	-40.69	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	24885.33	-39.34	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	824.10	-28.23	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25335.32	-40.41	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	24461.81	-40.37	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	2465.24	-39.78	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	24779.45	-39.94	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	824.10	-37.43	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	903.51	-33.16	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	24461.81	-40.49	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	824.10	-29.88	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	824.10	-34.54	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	24964.74	-40.22	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	2491.71	-34.10	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	24964.74	-40.15	-27	Pass

Note:1. The antenna gain is compensated in the test data.


2. 26.5GHz-40GHz the Spurious level margin is the largest, so the test data only reflects 30MHz-26.5GHz




Spurious Emission NVNT ANT1_802_11a_5200_20M




Spurious Emission NVNT ANT1_802_11a_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious Emission NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5240_20M




Spurious Emission_NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious Emission_NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5240_20M




Spurious Emission NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious Emission NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5190_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40) 5230_40M



Spurious Emission NVNT_ANT1_802_11ax(HE40) 5190_40M



Spurious Emission NVNT_ANT1_802_11ax(HE40)_5230_40M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5180.044	5171.352	5188.736	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5171.652	5188.424	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5180.040	5171.808	5188.272	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.044	5171.892	5188.196	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.042	5171.956	5188.128	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5172.012	5188.064	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.046	5172.068	5188.024	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.044	5172.116	5187.972	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5180.040	5172.156	5187.924	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5172.204	5187.872	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5180.040	5172.248	5187.832	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5200.032	5191.320	5208.744	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5200.022	5191.632	5208.412	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5200.024	5191.784	5208.264	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.030	5191.872	5208.188	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.022	5191.936	5208.108	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.022	5191.996	5208.048	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.016	5192.044	5207.988	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.016	5192.092	5207.940	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5200.018	5192.144	5207.892	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.026	5192.184	5207.868	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5200.022	5192.216	5207.828	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5240.006	5231.364	5248.648	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5240.014	5231.628	5248.400	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5239.998	5231.768	5248.228	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.002	5231.852	5248.152	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.010	5231.924	5248.096	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.000	5231.972	5248.028	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5239.994	5232.020	5247.968	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.040	5232.060	5248.020	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5240.098	5232.116	5248.080	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.154	5232.164	5248.144	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5240.218	5232.204	5248.232	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.046	5170.888	5189.204	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.044	5171.164	5188.924	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.044	5171.284	5188.804	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.050	5171.380	5188.720	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.058	5171.456	5188.660	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.054	5171.528	5188.580	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.038	5171.584	5188.492	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.056	5171.652	5188.460	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5180.060	5171.720	5188.400	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.054	5171.768	5188.340	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5180.062	5171.812	5188.312	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.038	5190.884	5209.192	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.030	5191.148	5208.912	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.030	5191.268	5208.792	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.016	5191.352	5208.680	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.034	5191.432	5208.636	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.028	5191.492	5208.564	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.016	5191.540	5208.492	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.002	5191.592	5208.412	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5200.002	5191.640	5208.364	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.010	5191.688	5208.332	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5200.018	5191.740	5208.296	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.008	5230.880	5249.136	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.116	5248.888	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.256	5248.760	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.340	5248.676	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.012	5231.408	5248.616	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.468	5248.536	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.990	5231.536	5248.444	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.998	5231.596	5248.400	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5239.998	5231.652	5248.344	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.990	5231.696	5248.284	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.756	5248.248	5150~5250	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.050	5170.900	5189.200	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.044	5171.160	5188.928	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.044	5171.280	5188.808	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.058	5171.372	5188.744	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.044	5171.440	5188.648	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.050	5171.500	5188.600	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.560	5188.508	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.038	5171.612	5188.464	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5180.054	5171.676	5188.432	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.736	5188.332	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5180.026	5171.776	5188.276	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.044	5190.900	5209.188	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.032	5191.132	5208.932	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.020	5191.260	5208.780	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.120	5191.348	5208.892	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.280	5191.416	5209.144	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.442	5191.472	5219.412	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.392	5191.472	5219.312	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.276	5191.472	5219.080	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5205.250	5191.472	5219.028	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.216	5191.472	5218.960	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5205.200	5191.472	5218.928	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.990	5230.856	5249.124	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.112	5248.896	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.248	5248.764	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.336	5248.672	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.416	5248.596	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.480	5248.528	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.996	5231.528	5248.464	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.000	5231.576	5248.424	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5239.988	5231.632	5248.344	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.992	5231.680	5248.304	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5239.970	5231.732	5248.208	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.088	5170.952	5189.224	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.062	5171.192	5188.932	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.064	5171.304	5188.824	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.050	5171.376	5188.724	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.058	5171.452	5188.664	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.046	5171.516	5188.576	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.046	5171.576	5188.516	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.046	5171.628	5188.464	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5180.00	5180.026	5171.672	5188.380	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.038	5171.732	5188.344	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5180.00	5180.042	5171.784	5188.300	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.022	5190.856	5209.188	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.032	5191.128	5208.936	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.026	5191.264	5208.788	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.032	5191.352	5208.712	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.024	5191.432	5208.616	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.044	5191.512	5208.576	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.042	5191.576	5208.508	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.020	5191.628	5208.412	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5200.00	5200.026	5191.680	5208.372	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.014	5191.724	5208.304	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5200.00	5200.024	5191.760	5208.288	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.992	5230.852	5249.132	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.002	5231.124	5248.880	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.012	5231.256	5248.768	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.006	5231.328	5248.684	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.008	5231.400	5248.616	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.998	5231.460	5248.536	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.984	5231.520	5248.448	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.984	5231.572	5248.396	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5240.00	5239.990	5231.636	5248.344	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.994	5231.696	5248.292	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5240.00	5239.988	5231.744	5248.232	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.076	5171.816	5208.336	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.076	5172.040	5208.112	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.060	5172.192	5207.928	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.100	5172.336	5207.864	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.056	5172.480	5207.632	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.080	5172.584	5207.576	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.064	5172.704	5207.424	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.052	5172.816	5207.288	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.092	5172.904	5207.280	5150~5250	Pass

25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.080	5173.008	5207.152	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5190.084	5173.112	5207.056	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.048	5211.792	5248.304	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.016	5212.008	5248.024	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.024	5212.152	5247.896	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.004	5212.280	5247.728	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.012	5212.400	5247.624	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.728	5212.488	5246.968	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.904	5212.592	5247.216	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.048	5212.680	5247.416	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5230.260	5212.808	5247.712	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.464	5212.896	5248.032	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5230.600	5212.968	5248.232	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.088	5171.824	5208.352	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.072	5172.064	5208.080	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.292	5172.248	5208.336	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5200.772	5172.392	5229.152	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5200.672	5172.392	5228.952	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5200.612	5172.392	5228.832	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5200.432	5172.392	5228.472	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5200.420	5172.392	5228.448	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5200.208	5172.392	5228.024	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5200.092	5172.392	5227.792	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5200.056	5172.392	5227.720	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.048	5211.776	5248.320	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.012	5211.960	5248.064	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.000	5212.136	5247.864	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.004	5212.264	5247.744	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.004	5212.400	5247.608	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.992	5212.512	5247.472	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.964	5212.616	5247.312	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.968	5212.704	5247.232	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5229.956	5212.824	5247.088	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5229.952	5212.920	5246.984	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5229.948	5213.040	5246.856	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.068	5171.800	5208.336	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.088	5172.056	5208.120	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.068	5172.224	5207.912	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.096	5172.376	5207.816	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.056	5172.496	5207.616	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.096	5172.600	5207.592	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.068	5172.720	5207.416	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.088	5172.840	5207.336	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5190.00	5190.104	5172.960	5207.248	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.088	5173.072	5207.104	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5190.00	5190.084	5173.160	5207.008	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.052	5211.808	5248.296	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.012	5212.008	5248.016	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.012	5212.152	5247.872	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5229.976	5212.280	5247.672	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.028	5212.424	5247.632	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.008	5212.528	5247.488	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5229.980	5212.624	5247.336	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5229.960	5212.728	5247.192	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5230.00	5229.980	5212.856	5247.104	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5229.988	5212.960	5247.016	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5230.00	5229.976	5213.072	5246.880	5150~5250	Pass