Tx. Spurious NVNT ax20 2437MHz Ant1 Ref



Tx. Spurious NVNT ax20 2437MHz Ant1 Emission



Tx. Spurious NVNT ax20 2462MHz Ant1 Ref



Tx. Spurious NVNT ax20 2462MHz Ant1 Emission



Tx. Spurious NVNT ax40 2422MHz Ant1 Ref



Tx. Spurious NVNT ax40 2422MHz Ant1 Emission



Tx. Spurious NVNT ax40 2437MHz Ant1 Ref



Tx. Spurious NVNT ax40 2437MHz Ant1 Emission



Tx. Spurious NVNT ax40 2452MHz Ant1 Ref



Tx. Spurious NVNT ax40 2452MHz Ant1 Emission



C.7 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	1/T (kHz)
NVNT	b	2412	Ant0	99.9	0.01
NVNT	b	2437	Ant0	99.93	0.01
NVNT	b	2462	Ant0	99.93	0.01
NVNT	g	2412	Ant0	99.42	0.01
NVNT	g	2437	Ant0	99.56	0.01
NVNT	g	2462	Ant0	99.56	0.01
NVNT	n20	2412	Ant0	99.38	0.01
NVNT	n20	2437	Ant0	99.53	0.01
NVNT	n20	2462	Ant0	99.38	0.01
NVNT	n40	2422	Ant0	99.06	0.01
NVNT	n40	2437	Ant0	99.06	0.01
NVNT	n40	2452	Ant0	99.06	0.01
NVNT	ax20	2412	Ant0	99.4	0.01
NVNT	ax20	2437	Ant0	99.4	0.01
NVNT	ax20	2462	Ant0	99.4	0.01
NVNT	ax40	2422	Ant0	98.86	0.01
NVNT	ax40	2437	Ant0	98.48	0.01
NVNT	ax40	2452	Ant0	98.86	0.01

Test Graphs

Duty Cycle NVNT b 2412MHz Ant0



Duty Cycle NVNT b 2437MHz Ant0



Duty Cycle NVNT b 2462MHz Ant0



Duty Cycle NVNT g 2412MHz Ant0



Duty Cycle NVNT g 2437MHz Ant0



Duty Cycle NVNT g 2462MHz Ant0



Duty Cycle NVNT n20 2412MHz Ant0



Duty Cycle NVNT n20 2437MHz Ant0



Duty Cycle NVNT n20 2462MHz Ant0



Duty Cycle NVNT n40 2422MHz Ant0



Duty Cycle NVNT n40 2437MHz Ant0



Duty Cycle NVNT n40 2452MHz Ant0



Duty Cycle NVNT ax20 2412MHz Ant0



Duty Cycle NVNT ax20 2437MHz Ant0



Duty Cycle NVNT ax20 2462MHz Ant0



Duty Cycle NVNT ax40 2422MHz Ant0



Duty Cycle NVNT ax40 2437MHz Ant0



Duty Cycle NVNT ax40 2452MHz Ant0



Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	1/T (kHz)
NVNT	b	2412	Ant1	99.9	0.01
NVNT	b	2437	Ant1	99.93	0.01
NVNT	b	2462	Ant1	99.93	0.01
NVNT	g	2412	Ant1	99.56	0.01
NVNT	g	2437	Ant1	99.42	0.01
NVNT	g	2462	Ant1	99.42	0.01
NVNT	n20	2412	Ant1	99.38	0.01
NVNT	n20	2437	Ant1	99.53	0.01
NVNT	n20	2462	Ant1	99.38	0.01
NVNT	n40	2422	Ant1	98.75	0.01
NVNT	n40	2437	Ant1	99.38	0.01
NVNT	n40	2452	Ant1	99.06	0.01
NVNT	ax20	2412	Ant1	99.2	0.01
NVNT	ax20	2437	Ant1	99.4	0.01
NVNT	ax20	2462	Ant1	99.2	0.01
NVNT	ax40	2422	Ant1	99.24	0.01
NVNT	ax40	2437	Ant1	98.86	0.01
NVNT	ax40	2452	Ant1	98.86	0.01

Test Graphs

Duty Cycle NVNT b 2412MHz Ant1



Duty Cycle NVNT b 2437MHz Ant1



Duty Cycle NVNT b 2462MHz Ant1



Duty Cycle NVNT g 2412MHz Ant1



Duty Cycle NVNT g 2437MHz Ant1



Duty Cycle NVNT g 2462MHz Ant1



Duty Cycle NVNT n20 2412MHz Ant1



Duty Cycle NVNT n20 2437MHz Ant1



Duty Cycle NVNT n20 2462MHz Ant1



Duty Cycle NVNT n40 2422MHz Ant1



Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1



Duty Cycle NVNT ax20 2412MHz Ant1



Duty Cycle NVNT ax20 2437MHz Ant1



Duty Cycle NVNT ax20 2462MHz Ant1



Duty Cycle NVNT ax40 2422MHz Ant1



Duty Cycle NVNT ax40 2437MHz Ant1



Duty Cycle NVNT ax40 2452MHz Ant1



C.8 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-46.49	3.31	52.05	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-57.02	3.31	41.52	Average	54	Pass
NVNT	b	2412	Ant0	2380.785	-42.93	3.31	55.61	Peak	74	Pass
NVNT	b	2412	Ant0	2386.518	-55.05	3.31	43.49	Average	54	Pass
NVNT	b	2412	Ant0	2390	-45.01	3.31	53.53	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-55.22	3.31	43.32	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-46.2	3.31	52.34	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-55.31	3.31	43.23	Average	54	Pass
NVNT	b	2462	Ant0	2490.089	-43.27	3.31	55.27	Peak	74	Pass
NVNT	b	2462	Ant0	2488.446	-54.96	3.31	43.58	Average	54	Pass
NVNT	b	2462	Ant0	2500	-46.73	3.31	51.81	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-55.74	3.31	42.80	Average	54	Pass
NVNT	g	2412	Ant0	2310	-48.19	3.31	50.35	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-56.7	3.31	41.84	Average	54	Pass
NVNT	g	2412	Ant0	2382.423	-42.16	3.31	56.38	Peak	74	Pass
NVNT	g	2412	Ant0	2389.794	-54.67	3.31	43.87	Average	54	Pass
NVNT	g	2412	Ant0	2390	-45.31	3.31	53.23	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-54.76	3.31	43.78	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-43.16	3.31	55.38	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-54.21	3.31	44.33	Average	54	Pass
NVNT	g	2462	Ant0	2486.273	-41.87	3.31	56.67	Peak	74	Pass
NVNT	g	2462	Ant0	2483.57	-54.01	3.31	44.53	Average	54	Pass
NVNT	g	2462	Ant0	2500	-45.03	3.31	53.51	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-55.38	3.31	43.16	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-47.13	3.31	51.41	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-56.57	3.31	41.97	Average	54	Pass
NVNT	n20	2412	Ant0	2382.54	-42.91	3.31	55.63	Peak	74	Pass
NVNT	n20	2412	Ant0	2389.794	-54.49	3.31	44.05	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-46.06	3.31	52.48	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-54.8	3.31	43.74	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-45.26	3.31	53.28	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-55.08	3.31	43.46	Average	54	Pass
NVNT	n20	2462	Ant0	2487.386	-43.3	3.31	55.24	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.623	-55.04	3.31	43.50	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-47.17	3.31	51.37	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-55.89	3.31	42.65	Average	54	Pass
NVNT	n40	2422	Ant0	2310	-47.51	3.31	51.03	Peak	74	Pass

NVNT	n40	2422	Ant0	2310	-57.04	3.31	41.50	Average	54	Pass
NVNT	n40	2422	Ant0	2387.532	-38.05	3.31	60.49	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.662	-54.06	3.31	44.48	Average	54	Pass
NVNT	n40	2422	Ant0	2390	-43.31	3.31	55.23	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-54.1	3.31	44.44	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-44.46	3.31	54.08	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-52.75	3.31	45.79	Average	54	Pass
NVNT	n40	2452	Ant0	2486.116	-40.56	3.31	57.98	Peak	74	Pass
NVNT	n40	2452	Ant0	2484.79	-52.65	3.31	45.89	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-44.03	3.31	54.51	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-55.01	3.31	43.53	Average	54	Pass
NVNT	ax20	2412	Ant0	2310	-46.67	3.31	51.87	Peak	74	Pass
NVNT	ax20	2412	Ant0	2310	-56.76	3.31	41.78	Average	54	Pass
NVNT	ax20	2412	Ant0	2323.572	-43.86	3.31	54.68	Peak	74	Pass
NVNT	ax20	2412	Ant0	2389.326	-54.99	3.31	43.55	Average	54	Pass
NVNT	ax20	2412	Ant0	2390	-45.25	3.31	53.29	Peak	74	Pass
NVNT	ax20	2412	Ant0	2390	-55.13	3.31	43.41	Average	54	Pass
NVNT	ax20	2462	Ant0	2483.5	-45.02	3.31	53.52	Peak	74	Pass
NVNT	ax20	2462	Ant0	2483.5	-55.08	3.31	43.46	Average	54	Pass
NVNT	ax20	2462	Ant0	2484.206	-40.65	3.31	57.89	Peak	74	Pass
NVNT	ax20	2462	Ant0	2483.835	-55.07	3.31	43.47	Average	54	Pass
NVNT	ax20	2462	Ant0	2500	-46.73	3.31	51.81	Peak	74	Pass
NVNT	ax20	2462	Ant0	2500	-55.86	3.31	42.68	Average	54	Pass
NVNT	ax40	2422	Ant0	2310	-45.9	3.31	52.64	Peak	74	Pass
NVNT	ax40	2422	Ant0	2310	-56.3	3.31	42.24	Average	54	Pass
NVNT	ax40	2422	Ant0	2384.266	-38.84	3.31	59.70	Peak	74	Pass
NVNT	ax40	2422	Ant0	2388.1	-52.36	3.31	46.18	Average	54	Pass
NVNT	ax40	2422	Ant0	2390	-44.73	3.31	53.81	Peak	74	Pass
NVNT	ax40	2422	Ant0	2390	-52.75	3.31	45.79	Average	54	Pass
NVNT	ax40	2452	Ant0	2483.5	-44.63	3.31	53.91	Peak	74	Pass
NVNT	ax40	2452	Ant0	2483.5	-53.34	3.31	45.20	Average	54	Pass
NVNT	ax40	2452	Ant0	2486.974	-41.86	3.31	56.68	Peak	74	Pass
NVNT	ax40	2452	Ant0	2483.542	-53.74	3.31	44.80	Average	54	Pass
NVNT	ax40	2452	Ant0	2500	-44.49	3.31	54.05	Peak	74	Pass
NVNT	ax40	2452	Ant0	2500	-55	3.31	43.54	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant0 Peak



Restrict Band NVNT b 2412MHz Ant0 Average



Restrict Band NVNT b 2462MHz Ant0 Peak



Restrict Band NVNT b 2462MHz Ant0 Average



Restrict Band NVNT g 2412MHz Ant0 Peak



Restrict Band NVNT g 2412MHz Ant0 Average



Restrict Band NVNT g 2462MHz Ant0 Peak



Restrict Band NVNT g 2462MHz Ant0 Average



Restrict Band NVNT n20 2412MHz Ant0 Peak



Restrict Band NVNT n20 2412MHz Ant0 Average



Restrict Band NVNT n20 2462MHz Ant0 Peak



Restrict Band NVNT n20 2462MHz Ant0 Average



Restrict Band NVNT n40 2422MHz Ant0 Peak



Restrict Band NVNT n40 2422MHz Ant0 Average



Restrict Band NVNT n40 2452MHz Ant0 Peak



Restrict Band NVNT n40 2452MHz Ant0 Average



Restrict Band NVNT ax20 2412MHz Ant0 Peak



Restrict Band NVNT ax20 2412MHz Ant0 Average



Restrict Band NVNT ax20 2462MHz Ant0 Peak



Restrict Band NVNT ax20 2462MHz Ant0 Average



Restrict Band NVNT ax40 2422MHz Ant0 Peak



Restrict Band NVNT ax40 2422MHz Ant0 Average



Restrict Band NVNT ax40 2452MHz Ant0 Peak



Restrict Band NVNT ax40 2452MHz Ant0 Average



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-50.18	2.1	47.15	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-59.77	2.1	37.56	Average	54	Pass
NVNT	b	2412	Ant1	2385.465	-44.91	2.1	52.42	Peak	74	Pass
NVNT	b	2412	Ant1	2385.465	-56.61	2.1	40.72	Average	54	Pass
NVNT	b	2412	Ant1	2390	-48.14	2.1	49.19	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-57.73	2.1	39.60	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-48.04	2.1	49.29	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-57.21	2.1	40.12	Average	54	Pass
NVNT	b	2462	Ant1	2487.969	-45.39	2.1	51.94	Peak	74	Pass
NVNT	b	2462	Ant1	2487.863	-56.14	2.1	41.19	Average	54	Pass
NVNT	b	2462	Ant1	2500	-49.19	2.1	48.14	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-58.52	2.1	38.81	Average	54	Pass
NVNT	g	2412	Ant1	2310	-49.59	2.1	47.74	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-59.46	2.1	37.87	Average	54	Pass
NVNT	g	2412	Ant1	2384.88	-46.07	2.1	51.26	Peak	74	Pass
NVNT	g	2412	Ant1	2389.326	-56.85	2.1	40.48	Average	54	Pass
NVNT	g	2412	Ant1	2390	-46.83	2.1	50.50	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-56.81	2.1	40.52	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-46.63	2.1	50.70	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-56.76	2.1	40.57	Average	54	Pass
NVNT	g	2462	Ant1	2483.623	-44.72	2.1	52.61	Peak	74	Pass
NVNT	g	2462	Ant1	2483.676	-56.68	2.1	40.65	Average	54	Pass
NVNT	g	2462	Ant1	2500	-50.2	2.1	47.13	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-57.89	2.1	39.44	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-51.1	2.1	46.23	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-59.53	2.1	37.80	Average	54	Pass
NVNT	n20	2412	Ant1	2368.149	-33.88	2.1	63.45	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.677	-56.74	2.1	40.59	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-47.98	2.1	49.35	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-56.71	2.1	40.62	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-47.68	2.1	49.65	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-56.11	2.1	41.22	Average	54	Pass
NVNT	n20	2462	Ant1	2489.718	-29.18	2.1	68.15	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.517	-56.11	2.1	41.22	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-47.96	2.1	49.37	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-58.06	2.1	39.27	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-49.08	2.1	48.25	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-59.64	2.1	37.69	Average	54	Pass
NVNT	n40	2422	Ant1	2380.432	-43.56	2.1	53.77	Peak	74	Pass

NVNT	n40	2422	Ant1	2389.946	-57.33	2.1	40.00	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-45.9	2.1	51.43	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-57.33	2.1	40.00	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-45.1	2.1	52.23	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-56.15	2.1	41.18	Average	54	Pass
NVNT	n40	2452	Ant1	2488.066	-43.95	2.1	53.38	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.088	-55.79	2.1	41.54	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-47.95	2.1	49.38	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-57.6	2.1	39.73	Average	54	Pass
NVNT	ax20	2412	Ant1	2310	-50.36	2.1	46.97	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-59.74	2.1	37.59	Average	54	Pass
NVNT	ax20	2412	Ant1	2385.231	-46.86	2.1	50.47	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.56	-57.99	2.1	39.34	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-49.47	2.1	47.86	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-58.18	2.1	39.15	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-41.45	2.1	55.88	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-57.92	2.1	39.41	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.517	-41.45	2.1	55.88	Peak	74	Pass
NVNT	ax20	2462	Ant1	2484.683	-57.68	2.1	39.65	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-49.21	2.1	48.12	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-58.7	2.1	38.63	Average	54	Pass
NVNT	ax40	2422	Ant1	2310	-50.16	2.1	47.17	Peak	74	Pass
NVNT	ax40	2422	Ant1	2310	-58.98	2.1	38.35	Average	54	Pass
NVNT	ax40	2422	Ant1	2358.422	-45.61	2.1	51.72	Peak	74	Pass
NVNT	ax40	2422	Ant1	2386.822	-56.47	2.1	40.86	Average	54	Pass
NVNT	ax40	2422	Ant1	2390	-45.83	2.1	51.50	Peak	74	Pass
NVNT	ax40	2422	Ant1	2390	-56.96	2.1	40.37	Average	54	Pass
NVNT	ax40	2452	Ant1	2483.5	-45.42	2.1	51.91	Peak	74	Pass
NVNT	ax40	2452	Ant1	2483.5	-56.33	2.1	41.00	Average	54	Pass
NVNT	ax40	2452	Ant1	2487.91	-43.97	2.1	53.36	Peak	74	Pass
NVNT	ax40	2452	Ant1	2484.166	-55.98	2.1	41.35	Average	54	Pass
NVNT	ax40	2452	Ant1	2500	-47.83	2.1	49.50	Peak	74	Pass
NVNT	ax40	2452	Ant1	2500	-57.91	2.1	39.42	Average	54	Pass

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak



Restrict Band NVNT b 2412MHz Ant1 Average



Restrict Band NVNT b 2462MHz Ant1 Peak



Restrict Band NVNT b 2462MHz Ant1 Average



Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average



Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average



Restrict Band NVNT n20 2412MHz Ant1 Peak



Restrict Band NVNT n20 2412MHz Ant1 Average



Restrict Band NVNT n20 2462MHz Ant1 Peak



Restrict Band NVNT n20 2462MHz Ant1 Average



Restrict Band NVNT n40 2422MHz Ant1 Peak



Restrict Band NVNT n40 2422MHz Ant1 Average



Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average



Restrict Band NVNT ax20 2412MHz Ant1 Peak



Restrict Band NVNT ax20 2412MHz Ant1 Average



Restrict Band NVNT ax20 2462MHz Ant1 Peak



Restrict Band NVNT ax20 2462MHz Ant1 Average



Restrict Band NVNT ax40 2422MHz Ant1 Peak



Restrict Band NVNT ax40 2422MHz Ant1 Average



Restrict Band NVNT ax40 2452MHz Ant1 Peak



Restrict Band NVNT ax40 2452MHz Ant1 Average



MIMO

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Directional Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	Ant1	2310	-47.16	3.31	51.38	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-57.05	3.31	41.49	Average	54	Pass
NVNT	n20	2412	Ant1	2388.858	-42.3	3.31	56.24	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.911	-55.01	3.31	43.53	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-44.63	3.31	53.91	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-54.97	3.31	43.57	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-35.71	3.31	62.83	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-51.36	3.31	47.18	Average	54	Pass
NVNT	n20	2462	Ant1	2483.517	-35.71	3.31	62.83	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.623	-51.24	3.31	47.3	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-47.8	3.31	50.74	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-56.4	3.31	42.14	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-48.16	3.31	50.38	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-56.89	3.31	41.65	Average	54	Pass
NVNT	n40	2422	Ant1	2387.532	-41.7	3.31	56.84	Peak	74	Pass
NVNT	n40	2422	Ant1	2388.668	-53.77	3.31	44.77	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-45.05	3.31	53.49	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-53.98	3.31	44.56	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-42.22	3.31	56.32	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-54.05	3.31	44.49	Average	54	Pass
NVNT	n40	2452	Ant1	2484.166	-41.79	3.31	56.75	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.542	-53.82	3.31	44.72	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-46.85	3.31	51.69	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-55.46	3.31	43.08	Average	54	Pass
NVNT	ax20	2412	Ant1	2310	-46.63	3.31	51.91	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-57.06	3.31	41.48	Average	54	Pass
NVNT	ax20	2412	Ant1	2389.794	-40.56	3.31	57.98	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.794	-54.95	3.31	43.59	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-45.6	3.31	52.94	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-54.92	3.31	43.62	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-46.2	3.31	52.34	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-55.15	3.31	43.39	Average	54	Pass
NVNT	ax20	2462	Ant1	2484.365	-37.13	3.31	61.41	Peak	74	Pass
NVNT	ax20	2462	Ant1	2484.1	-55.02	3.31	43.52	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-46.82	3.31	51.72	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-56.21	3.31	42.33	Average	54	Pass
NVNT	ax40	2422	Ant1	2310	-47.73	3.31	50.81	Peak	74	Pass

NVNT	ax40	2422	Ant1	2310	-56.91	3.31	41.63	Average	54	Pass
NVNT	ax40	2422	Ant1	2378.87	-41.71	3.31	56.83	Peak	74	Pass
NVNT	ax40	2422	Ant1	2388.384	-53.14	3.31	45.4	Average	54	Pass
NVNT	ax40	2422	Ant1	2390	-44.99	3.31	53.55	Peak	74	Pass
NVNT	ax40	2422	Ant1	2390	-53.61	3.31	44.93	Average	54	Pass
NVNT	ax40	2452	Ant1	2483.5	-44.5	3.31	54.04	Peak	74	Pass
NVNT	ax40	2452	Ant1	2483.5	-54.33	3.31	44.21	Average	54	Pass
NVNT	ax40	2452	Ant1	2489.548	-41.03	3.31	57.51	Peak	74	Pass
NVNT	ax40	2452	Ant1	2489.626	-53.87	3.31	44.67	Average	54	Pass
NVNT	ax40	2452	Ant1	2500	-47.03	3.31	51.51	Peak	74	Pass
NVNT	ax40	2452	Ant1	2500	-55.46	3.31	43.08	Average	54	Pass

Restrict Band NVNT n20 2412MHz MIMO Peak



Restrict Band NVNT n20 2412MHz MIMO Average



Restrict Band NVNT n20 2462MHz MIMO Peak



Restrict Band NVNT n20 2462MHz MIMO Average



Restrict Band NVNT n40 2422MHz MIMO Peak



Restrict Band NVNT n40 2422MHz MIMO Average