PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5775MHz Ant1



PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5785MHz Ant1



PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5795MHz Ant1



PSD NVNT ax80 5775MHz Ant1



E.5 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	5650	-51.13	Peak	-27	Pass
NVNT	a	5745	Ant0	5650	-59.6	Average	-27	Pass
NVNT	a	5745	Ant0	5700	-49.95	Peak	10	Pass
NVNT	a	5745	Ant0	5700	-59.34	Average	10	Pass
NVNT	a	5745	Ant0	5720	-48.31	Peak	15.6	Pass
NVNT	a	5745	Ant0	5720	-58.87	Average	15.6	Pass
NVNT	a	5745	Ant0	5725	-47.53	Peak	27	Pass
NVNT	a	5745	Ant0	5725	-58.33	Average	27	Pass
NVNT	a	5825	Ant0	5850	-47.82	Peak	27	Pass
NVNT	a	5825	Ant0	5850	-56.93	Average	27	Pass
NVNT	a	5825	Ant0	5855	-48.13	Peak	15.6	Pass
NVNT	a	5825	Ant0	5855	-56.67	Average	15.6	Pass
NVNT	a	5825	Ant0	5875	-48.45	Peak	10	Pass
NVNT	a	5825	Ant0	5875	-56.53	Average	10	Pass
NVNT	a	5825	Ant0	5925	-47.91	Peak	-27	Pass
NVNT	a	5825	Ant0	5925	-56.32	Average	-27	Pass
NVNT	n20	5745	Ant0	5650	-47.3	Peak	-27	Pass
NVNT	n20	5745	Ant0	5650	-56.2	Average	-27	Pass
NVNT	n20	5745	Ant0	5700	-48.03	Peak	10	Pass
NVNT	n20	5745	Ant0	5700	-56.27	Average	10	Pass
NVNT	n20	5745	Ant0	5720	-46.65	Peak	15.6	Pass
NVNT	n20	5745	Ant0	5720	-55.94	Average	15.6	Pass
NVNT	n20	5745	Ant0	5725	-46.85	Peak	27	Pass
NVNT	n20	5745	Ant0	5725	-55.84	Average	27	Pass
NVNT	n20	5825	Ant0	5850	-47.17	Peak	27	Pass
NVNT	n20	5825	Ant0	5850	-56.62	Average	27	Pass
NVNT	n20	5825	Ant0	5855	-46.09	Peak	15.6	Pass
NVNT	n20	5825	Ant0	5855	-56.7	Average	15.6	Pass
NVNT	n20	5825	Ant0	5875	-47.12	Peak	10	Pass
NVNT	n20	5825	Ant0	5875	-56.69	Average	10	Pass
NVNT	n20	5825	Ant0	5925	-45.74	Peak	-27	Pass
NVNT	n20	5825	Ant0	5925	-56.27	Average	-27	Pass
NVNT	n40	5755	Ant0	5650	-46.24	Peak	-27	Pass
NVNT	n40	5755	Ant0	5650	-56.09	Average	-27	Pass
NVNT	n40	5755	Ant0	5700	-47.15	Peak	10	Pass
NVNT	n40	5755	Ant0	5700	-55.92	Average	10	Pass
NVNT	n40	5755	Ant0	5720	-46.66	Peak	15.6	Pass

NVNT	n40	5755	Ant0	5720	-55.42	Average	15.6	Pass
NVNT	n40	5755	Ant0	5725	-46.5	Peak	27	Pass
NVNT	n40	5755	Ant0	5725	-55.44	Average	27	Pass
NVNT	n40	5795	Ant0	5850	-48.03	Peak	27	Pass
NVNT	n40	5795	Ant0	5850	-56.48	Average	27	Pass
NVNT	n40	5795	Ant0	5855	-47.72	Peak	15.6	Pass
NVNT	n40	5795	Ant0	5855	-56.71	Average	15.6	Pass
NVNT	n40	5795	Ant0	5875	-46.51	Peak	10	Pass
NVNT	n40	5795	Ant0	5875	-56.69	Average	10	Pass
NVNT	n40	5795	Ant0	5925	-45.03	Peak	-27	Pass
NVNT	n40	5795	Ant0	5925	-56.16	Average	-27	Pass
NVNT	ac20	5745	Ant0	5650	-47.89	Peak	-27	Pass
NVNT	ac20	5745	Ant0	5650	-56.15	Average	-27	Pass
NVNT	ac20	5745	Ant0	5700	-46.15	Peak	10	Pass
NVNT	ac20	5745	Ant0	5700	-56.25	Average	10	Pass
NVNT	ac20	5745	Ant0	5720	-46.56	Peak	15.6	Pass
NVNT	ac20	5745	Ant0	5720	-55.96	Average	15.6	Pass
NVNT	ac20	5745	Ant0	5725	-46.38	Peak	27	Pass
NVNT	ac20	5745	Ant0	5725	-55.51	Average	27	Pass
NVNT	ac20	5825	Ant0	5850	-46.52	Peak	27	Pass
NVNT	ac20	5825	Ant0	5850	-56.3	Average	27	Pass
NVNT	ac20	5825	Ant0	5855	-46.48	Peak	15.6	Pass
NVNT	ac20	5825	Ant0	5855	-56.5	Average	15.6	Pass
NVNT	ac20	5825	Ant0	5875	-47.76	Peak	10	Pass
NVNT	ac20	5825	Ant0	5875	-56.34	Average	10	Pass
NVNT	ac20	5825	Ant0	5925	-47.27	Peak	-27	Pass
NVNT	ac20	5825	Ant0	5925	-55.98	Average	-27	Pass
NVNT	ac40	5755	Ant0	5650	-45.46	Peak	-27	Pass
NVNT	ac40	5755	Ant0	5650	-55.77	Average	-27	Pass
NVNT	ac40	5755	Ant0	5700	-47.92	Peak	10	Pass
NVNT	ac40	5755	Ant0	5700	-55.69	Average	10	Pass
NVNT	ac40	5755	Ant0	5720	-45.2	Peak	15.6	Pass
NVNT	ac40	5755	Ant0	5720	-55.41	Average	15.6	Pass
NVNT	ac40	5755	Ant0	5725	-46.69	Peak	27	Pass
NVNT	ac40	5755	Ant0	5725	-54.84	Average	27	Pass
NVNT	ac40	5795	Ant0	5850	-48.43	Peak	27	Pass
NVNT	ac40	5795	Ant0	5850	-56.41	Average	27	Pass
NVNT	ac40	5795	Ant0	5855	-49.08	Peak	15.6	Pass
NVNT	ac40	5795	Ant0	5855	-56.7	Average	15.6	Pass
NVNT	ac40	5795	Ant0	5875	-47.03	Peak	10	Pass
NVNT	ac40	5795	Ant0	5875	-55.87	Average	10	Pass

NVNT	ac40	5795	Ant0	5925	-45.7	Peak	-27	Pass
NVNT	ac40	5795	Ant0	5925	-55.91	Average	-27	Pass
NVNT	ac80	5775	Ant0	5650	-46.43	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5650	-55.57	Average	-27	Pass
NVNT	ac80	5775	Ant0	5700	-45.85	Peak	10	Pass
NVNT	ac80	5775	Ant0	5700	-55.03	Average	10	Pass
NVNT	ac80	5775	Ant0	5720	-44	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5720	-54.62	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5725	-42.12	Peak	27	Pass
NVNT	ac80	5775	Ant0	5725	-54.37	Average	27	Pass
NVNT	ac80	5775	Ant0	5850	-47.1	Peak	27	Pass
NVNT	ac80	5775	Ant0	5850	-56.15	Average	27	Pass
NVNT	ac80	5775	Ant0	5855	-47.91	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5855	-56.26	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5875	-47.1	Peak	10	Pass
NVNT	ac80	5775	Ant0	5875	-56.31	Average	10	Pass
NVNT	ac80	5775	Ant0	5925	-47.17	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5925	-55.41	Average	-27	Pass
NVNT	ax20	5745	Ant0	5650	-45.95	Peak	-27	Pass
NVNT	ax20	5745	Ant0	5650	-56.7	Average	-27	Pass
NVNT	ax20	5745	Ant0	5700	-47.51	Peak	10	Pass
NVNT	ax20	5745	Ant0	5700	-56.63	Average	10	Pass
NVNT	ax20	5745	Ant0	5720	-46.12	Peak	15.6	Pass
NVNT	ax20	5745	Ant0	5720	-56.35	Average	15.6	Pass
NVNT	ax20	5745	Ant0	5725	-46.5	Peak	27	Pass
NVNT	ax20	5745	Ant0	5725	-56.09	Average	27	Pass
NVNT	ax20	5825	Ant0	5850	-47.39	Peak	27	Pass
NVNT	ax20	5825	Ant0	5850	-56.97	Average	27	Pass
NVNT	ax20	5825	Ant0	5855	-46	Peak	15.6	Pass
NVNT	ax20	5825	Ant0	5855	-57.01	Average	15.6	Pass
NVNT	ax20	5825	Ant0	5875	-46.85	Peak	10	Pass
NVNT	ax20	5825	Ant0	5875	-57.03	Average	10	Pass
NVNT	ax20	5825	Ant0	5925	-47.03	Peak	-27	Pass
NVNT	ax20	5825	Ant0	5925	-56.64	Average	-27	Pass
NVNT	ax40	5755	Ant0	5650	-46.65	Peak	-27	Pass
NVNT	ax40	5755	Ant0	5650	-56.68	Average	-27	Pass
NVNT	ax40	5755	Ant0	5700	-46.82	Peak	10	Pass
NVNT	ax40	5755	Ant0	5700	-56.62	Average	10	Pass
NVNT	ax40	5755	Ant0	5720	-45.99	Peak	15.6	Pass
NVNT	ax40	5755	Ant0	5720	-56.26	Average	15.6	Pass
NVNT	ax40	5755	Ant0	5725	-46.59	Peak	27	Pass

NVNT	ax40	5755	Ant0	5725	-56.12	Average	27	Pass
NVNT	ax40	5795	Ant0	5850	-45.36	Peak	27	Pass
NVNT	ax40	5795	Ant0	5850	-57.32	Average	27	Pass
NVNT	ax40	5795	Ant0	5855	-47.01	Peak	15.6	Pass
NVNT	ax40	5795	Ant0	5855	-57.27	Average	15.6	Pass
NVNT	ax40	5795	Ant0	5875	-46.75	Peak	10	Pass
NVNT	ax40	5795	Ant0	5875	-57.07	Average	10	Pass
NVNT	ax40	5795	Ant0	5925	-46.45	Peak	-27	Pass
NVNT	ax40	5795	Ant0	5925	-56.68	Average	-27	Pass
NVNT	ax80	5775	Ant0	5850	-47.64	Peak	27	Pass
NVNT	ax80	5775	Ant0	5850	-55.4	Average	27	Pass
NVNT	ax80	5775	Ant0	5855	-46.56	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5855	-55.61	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5875	-48.22	Peak	10	Pass
NVNT	ax80	5775	Ant0	5875	-55.98	Average	10	Pass
NVNT	ax80	5775	Ant0	5925	-46.68	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5925	-55.37	Average	-27	Pass
NVNT	ax80	5775	Ant0	5650	-47.79	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5650	-55.65	Average	-27	Pass
NVNT	ax80	5775	Ant0	5700	-47.29	Peak	10	Pass
NVNT	ax80	5775	Ant0	5700	-55.5	Average	10	Pass
NVNT	ax80	5775	Ant0	5720	-44.96	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5720	-54.11	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5725	-46.59	Peak	27	Pass
NVNT	ax80	5775	Ant0	5725	-54.94	Average	27	Pass

Test Graphs

Restrict Band NVNT a 5745MHz Ant0 Peak



Restrict Band NVNT a 5745MHz Ant0 Average



Restrict Band NVNT a 5825MHz Ant0 Peak



Restrict Band NVNT a 5825MHz Ant0 Average



Restrict Band NVNT n20 5745MHz Ant0 Peak



Restrict Band NVNT n20 5745MHz Ant0 Average



Restrict Band NVNT n20 5825MHz Ant0 Peak



Restrict Band NVNT n20 5825MHz Ant0 Average



Restrict Band NVNT n40 5755MHz Ant0 Peak



Restrict Band NVNT n40 5755MHz Ant0 Average



Restrict Band NVNT n40 5795MHz Ant0 Peak



Restrict Band NVNT n40 5795MHz Ant0 Average



Restrict Band NVNT ac20 5745MHz Ant0 Peak



Restrict Band NVNT ac20 5745MHz Ant0 Average



Restrict Band NVNT ac20 5825MHz Ant0 Peak



Restrict Band NVNT ac20 5825MHz Ant0 Average



Restrict Band NVNT ac40 5755MHz Ant0 Peak



Restrict Band NVNT ac40 5755MHz Ant0 Average



Restrict Band NVNT ac40 5795MHz Ant0 Peak



Restrict Band NVNT ac40 5795MHz Ant0 Average



Restrict Band NVNT ac80 5775MHz Ant0 Peak



Restrict Band NVNT ac80 5775MHz Ant0 Average



Restrict Band NVNT ac80 5775MHz Ant0 Peak



Restrict Band NVNT ac80 5775MHz Ant0 Average



Restrict Band NVNT ax20 5745MHz Ant0 Peak



Restrict Band NVNT ax20 5745MHz Ant0 Average



Restrict Band NVNT ax20 5825MHz Ant0 Peak



Restrict Band NVNT ax20 5825MHz Ant0 Average



Restrict Band NVNT ax40 5755MHz Ant0 Peak



Restrict Band NVNT ax40 5755MHz Ant0 Average



Restrict Band NVNT ax40 5795MHz Ant0 Peak



Restrict Band NVNT ax40 5795MHz Ant0 Average



Restrict Band NVNT ax80 5775MHz Ant0 Peak



Restrict Band NVNT ax80 5775MHz Ant0 Average



Restrict Band NVNT ax80 5775MHz Ant0 Peak



Restrict Band NVNT ax80 5775MHz Ant0 Average



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	5650	-45.72	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-56.53	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-46.69	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-56.36	Average	10	Pass
NVNT	a	5745	Ant1	5720	-46.22	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-55.94	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-45.88	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-55.57	Average	27	Pass
NVNT	a	5825	Ant1	5850	-47.22	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-56.16	Average	27	Pass
NVNT	a	5825	Ant1	5855	-47.36	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-56.28	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-45.71	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-56.57	Average	10	Pass
NVNT	a	5825	Ant1	5925	-47.12	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-56.2	Average	-27	Pass
NVNT	n20	5745	Ant1	5650	-45.88	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-56.45	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-46.31	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-56.31	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-47.05	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-55.91	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-46.73	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-55.66	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-47.61	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-56.55	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-46.31	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-56.66	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-47.98	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-56.63	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-47.51	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-56.21	Average	-27	Pass
NVNT	n40	5755	Ant1	5650	-46.09	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-56.25	Average	-27	Pass
NVNT	n40	5755	Ant1	5700	-45.65	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-56.3	Average	10	Pass
NVNT	n40	5755	Ant1	5720	-46.74	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-55.74	Average	15.6	Pass
NVNT	n40	5755	Ant1	5725	-47.3	Peak	27	Pass

NVNT	n40	5755	Ant1	5725	-55.18	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-47.14	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-49.67	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-46.67	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-50.65	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-47.7	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-51.72	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-46.51	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-49.76	Average	-27	Pass
NVNT	ac20	5745	Ant1	5650	-46.08	Peak	-27	Pass
NVNT	ac20	5745	Ant1	5650	-56.35	Average	-27	Pass
NVNT	ac20	5745	Ant1	5700	-45.81	Peak	10	Pass
NVNT	ac20	5745	Ant1	5700	-56.23	Average	10	Pass
NVNT	ac20	5745	Ant1	5720	-45.45	Peak	15.6	Pass
NVNT	ac20	5745	Ant1	5720	-55.98	Average	15.6	Pass
NVNT	ac20	5745	Ant1	5725	-46.7	Peak	27	Pass
NVNT	ac20	5745	Ant1	5725	-55.64	Average	27	Pass
NVNT	ac20	5825	Ant1	5850	-45.64	Peak	27	Pass
NVNT	ac20	5825	Ant1	5850	-56.23	Average	27	Pass
NVNT	ac20	5825	Ant1	5855	-47.1	Peak	15.6	Pass
NVNT	ac20	5825	Ant1	5855	-56.6	Average	15.6	Pass
NVNT	ac20	5825	Ant1	5875	-47.58	Peak	10	Pass
NVNT	ac20	5825	Ant1	5875	-56.37	Average	10	Pass
NVNT	ac20	5825	Ant1	5925	-46.65	Peak	-27	Pass
NVNT	ac20	5825	Ant1	5925	-55.97	Average	-27	Pass
NVNT	ac40	5755	Ant1	5650	-47.19	Peak	-27	Pass
NVNT	ac40	5755	Ant1	5650	-55.64	Average	-27	Pass
NVNT	ac40	5755	Ant1	5700	-46.56	Peak	10	Pass
NVNT	ac40	5755	Ant1	5700	-55.87	Average	10	Pass
NVNT	ac40	5755	Ant1	5720	-47.51	Peak	15.6	Pass
NVNT	ac40	5755	Ant1	5720	-55.64	Average	15.6	Pass
NVNT	ac40	5755	Ant1	5725	-46.06	Peak	27	Pass
NVNT	ac40	5755	Ant1	5725	-55.47	Average	27	Pass
NVNT	ac40	5795	Ant1	5850	-47.67	Peak	27	Pass
NVNT	ac40	5795	Ant1	5850	-56.19	Average	27	Pass
NVNT	ac40	5795	Ant1	5855	-47.28	Peak	15.6	Pass
NVNT	ac40	5795	Ant1	5855	-56.15	Average	15.6	Pass
NVNT	ac40	5795	Ant1	5875	-46.64	Peak	10	Pass
NVNT	ac40	5795	Ant1	5875	-56.09	Average	10	Pass
NVNT	ac40	5795	Ant1	5925	-46.06	Peak	-27	Pass
NVNT	ac40	5795	Ant1	5925	-55.52	Average	-27	Pass

NVNT	ac80	5775	Ant1	5650	-46.32	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5650	-56.15	Average	-27	Pass
NVNT	ac80	5775	Ant1	5700	-45.82	Peak	10	Pass
NVNT	ac80	5775	Ant1	5700	-55.68	Average	10	Pass
NVNT	ac80	5775	Ant1	5720	-45.02	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5720	-54.73	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5725	-40.49	Peak	27	Pass
NVNT	ac80	5775	Ant1	5725	-54.68	Average	27	Pass
NVNT	ac80	5775	Ant1	5850	-46.3	Peak	27	Pass
NVNT	ac80	5775	Ant1	5850	-56.07	Average	27	Pass
NVNT	ac80	5775	Ant1	5855	-45.28	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5855	-55.73	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5875	-46.92	Peak	10	Pass
NVNT	ac80	5775	Ant1	5875	-56.05	Average	10	Pass
NVNT	ac80	5775	Ant1	5925	-47.84	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5925	-55.84	Average	-27	Pass
NVNT	ax20	5745	Ant1	5650	-47.28	Peak	-27	Pass
NVNT	ax20	5745	Ant1	5650	-56.73	Average	-27	Pass
NVNT	ax20	5745	Ant1	5700	-47.6	Peak	10	Pass
NVNT	ax20	5745	Ant1	5700	-56.68	Average	10	Pass
NVNT	ax20	5745	Ant1	5720	-47.04	Peak	15.6	Pass
NVNT	ax20	5745	Ant1	5720	-56.37	Average	15.6	Pass
NVNT	ax20	5745	Ant1	5725	-46.95	Peak	27	Pass
NVNT	ax20	5745	Ant1	5725	-55.94	Average	27	Pass
NVNT	ax20	5825	Ant1	5850	-47.75	Peak	27	Pass
NVNT	ax20	5825	Ant1	5850	-56.8	Average	27	Pass
NVNT	ax20	5825	Ant1	5855	-44.44	Peak	15.6	Pass
NVNT	ax20	5825	Ant1	5855	-56.87	Average	15.6	Pass
NVNT	ax20	5825	Ant1	5875	-45.95	Peak	10	Pass
NVNT	ax20	5825	Ant1	5875	-56.91	Average	10	Pass
NVNT	ax20	5825	Ant1	5925	-45.59	Peak	-27	Pass
NVNT	ax20	5825	Ant1	5925	-56.54	Average	-27	Pass
NVNT	ax40	5755	Ant1	5650	-47.18	Peak	-27	Pass
NVNT	ax40	5755	Ant1	5650	-56.69	Average	-27	Pass
NVNT	ax40	5755	Ant1	5700	-47.25	Peak	10	Pass
NVNT	ax40	5755	Ant1	5700	-56.67	Average	10	Pass
NVNT	ax40	5755	Ant1	5720	-46.19	Peak	15.6	Pass
NVNT	ax40	5755	Ant1	5720	-56.2	Average	15.6	Pass
NVNT	ax40	5755	Ant1	5725	-46.79	Peak	27	Pass
NVNT	ax40	5755	Ant1	5725	-56.02	Average	27	Pass
NVNT	ax40	5795	Ant1	5850	-46.95	Peak	27	Pass

NVNT	ax40	5795	Ant1	5850	-57.17	Average	27	Pass
NVNT	ax40	5795	Ant1	5855	-47.38	Peak	15.6	Pass
NVNT	ax40	5795	Ant1	5855	-57.15	Average	15.6	Pass
NVNT	ax40	5795	Ant1	5875	-47.72	Peak	10	Pass
NVNT	ax40	5795	Ant1	5875	-57.03	Average	10	Pass
NVNT	ax40	5795	Ant1	5925	-47.71	Peak	-27	Pass
NVNT	ax40	5795	Ant1	5925	-56.66	Average	-27	Pass
NVNT	ax80	5775	Ant1	5850	-46.63	Peak	27	Pass
NVNT	ax80	5775	Ant1	5850	-55.45	Average	27	Pass
NVNT	ax80	5775	Ant1	5855	-47.76	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5855	-55.47	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5875	-47.33	Peak	10	Pass
NVNT	ax80	5775	Ant1	5875	-55.47	Average	10	Pass
NVNT	ax80	5775	Ant1	5925	-47.04	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5925	-55.36	Average	-27	Pass
NVNT	ax80	5775	Ant1	5650	-48.16	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5650	-55.88	Average	-27	Pass
NVNT	ax80	5775	Ant1	5700	-47.9	Peak	10	Pass
NVNT	ax80	5775	Ant1	5700	-55.6	Average	10	Pass
NVNT	ax80	5775	Ant1	5720	-46.04	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5720	-55.15	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5725	-45.17	Peak	27	Pass
NVNT	ax80	5775	Ant1	5725	-54.88	Average	27	Pass

Test Graphs

Restrict Band NVNT a 5745MHz Ant1 Peak



Restrict Band NVNT a 5745MHz Ant1 Average



Restrict Band NVNT a 5825MHz Ant1 Peak



Restrict Band NVNT a 5825MHz Ant1 Average



Restrict Band NVNT n20 5745MHz Ant1 Peak



Restrict Band NVNT n20 5745MHz Ant1 Average



Restrict Band NVNT n20 5825MHz Ant1 Peak



Restrict Band NVNT n20 5825MHz Ant1 Average



Restrict Band NVNT n40 5755MHz Ant1 Peak



Restrict Band NVNT n40 5755MHz Ant1 Average



Restrict Band NVNT n40 5795MHz Ant1 Peak



Restrict Band NVNT n40 5795MHz Ant1 Average



Restrict Band NVNT ac20 5745MHz Ant1 Peak



Restrict Band NVNT ac20 5745MHz Ant1 Average



Restrict Band NVNT ac20 5825MHz Ant1 Peak



Restrict Band NVNT ac20 5825MHz Ant1 Average



Restrict Band NVNT ac40 5755MHz Ant1 Peak



Restrict Band NVNT ac40 5755MHz Ant1 Average



Restrict Band NVNT ac40 5795MHz Ant1 Peak



Restrict Band NVNT ac40 5795MHz Ant1 Average



Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average



Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average



Restrict Band NVNT ax20 5745MHz Ant1 Peak



Restrict Band NVNT ax20 5745MHz Ant1 Average



Restrict Band NVNT ax20 5825MHz Ant1 Peak



Restrict Band NVNT ax20 5825MHz Ant1 Average



Restrict Band NVNT ax40 5755MHz Ant1 Peak



Restrict Band NVNT ax40 5755MHz Ant1 Average



Restrict Band NVNT ax40 5795MHz Ant1 Peak



Restrict Band NVNT ax40 5795MHz Ant1 Average



Restrict Band NVNT ax80 5775MHz Ant1 Peak



Restrict Band NVNT ax80 5775MHz Ant1 Average



Restrict Band NVNT ax80 5775MHz Ant1 Peak



Restrict Band NVNT ax80 5775MHz Ant1 Average



MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	n20 MIMO	5745	5650	-49.28	Peak	-27	Pass
NVNT	n20 MIMO	5745	5650	-58.35	Average	-27	Pass
NVNT	n20 MIMO	5745	5700	-34.1	Peak	10	Pass
NVNT	n20 MIMO	5745	5700	-51.18	Average	10	Pass
NVNT	n20 MIMO	5745	5720	-23.15	Peak	15.6	Pass
NVNT	n20 MIMO	5745	5720	-40.92	Average	15.6	Pass
NVNT	n20 MIMO	5745	5725	-17.07	Peak	27	Pass
NVNT	n20 MIMO	5745	5725	-35.87	Average	27	Pass
NVNT	n20 MIMO	5825	5850	-21.28	Peak	27	Pass
NVNT	n20 MIMO	5825	5850	-33.75	Average	27	Pass
NVNT	n20 MIMO	5825	5855	-23.71	Peak	15.6	Pass
NVNT	n20 MIMO	5825	5855	-37.9	Average	15.6	Pass
NVNT	n20 MIMO	5825	5875	-29.7	Peak	10	Pass
NVNT	n20 MIMO	5825	5875	-50.69	Average	10	Pass
NVNT	n20 MIMO	5825	5925	-48.36	Peak	-27	Pass
NVNT	n20 MIMO	5825	5925	-58.06	Average	-27	Pass
NVNT	n40 MIMO	5755	5650	-43.27	Peak	-27	Pass
NVNT	n40 MIMO	5755	5650	-56.03	Average	-27	Pass
NVNT	n40 MIMO	5755	5700	-25.3	Peak	10	Pass
NVNT	n40 MIMO	5755	5700	-43.89	Average	10	Pass
NVNT	n40 MIMO	5755	5720	-16.65	Peak	15.6	Pass
NVNT	n40 MIMO	5755	5720	-33.59	Average	15.6	Pass
NVNT	n40 MIMO	5755	5725	-15.91	Peak	27	Pass
NVNT	n40 MIMO	5755	5725	-32.31	Average	27	Pass
NVNT	n40 MIMO	5795	5850	-26.32	Peak	27	Pass
NVNT	n40 MIMO	5795	5850	-37.73	Average	27	Pass
NVNT	n40 MIMO	5795	5855	-26.6	Peak	15.6	Pass
NVNT	n40 MIMO	5795	5855	-38.54	Average	15.6	Pass
NVNT	n40 MIMO	5795	5875	-29.7	Peak	10	Pass
NVNT	n40 MIMO	5795	5875	-45	Average	10	Pass
NVNT	n40 MIMO	5795	5925	-42.36	Peak	-27	Pass
NVNT	n40 MIMO	5795	5925	-55.61	Average	-27	Pass
NVNT	ac20 MIMO	5745	5650	-48.38	Peak	-27	Pass
NVNT	ac20 MIMO	5745	5650	-58.23	Average	-27	Pass
NVNT	ac20 MIMO	5745	5700	-32.89	Peak	10	Pass
NVNT	ac20 MIMO	5745	5700	-50.96	Average	10	Pass
NVNT	ac20 MIMO	5745	5720	-27.78	Peak	15.6	Pass
NVNT	ac20 MIMO	5745	5720	-40.22	Average	15.6	Pass

NVNT	ac20 MIMO	5745	5725	-17.88	Peak	27	Pass
NVNT	ac20 MIMO	5745	5725	-35.95	Average	27	Pass
NVNT	ac20 MIMO	5825	5850	-22.3	Peak	27	Pass
NVNT	ac20 MIMO	5825	5850	-33.94	Average	27	Pass
NVNT	ac20 MIMO	5825	5855	-23.8	Peak	15.6	Pass
NVNT	ac20 MIMO	5825	5855	-38.05	Average	15.6	Pass
NVNT	ac20 MIMO	5825	5875	-37.59	Peak	10	Pass
NVNT	ac20 MIMO	5825	5875	-51.52	Average	10	Pass
NVNT	ac20 MIMO	5825	5925	-47.44	Peak	-27	Pass
NVNT	ac20 MIMO	5825	5925	-58.05	Average	-27	Pass
NVNT	ac40 MIMO	5755	5650	-42.51	Peak	-27	Pass
NVNT	ac40 MIMO	5755	5650	-55.5	Average	-27	Pass
NVNT	ac40 MIMO	5755	5700	-30.86	Peak	10	Pass
NVNT	ac40 MIMO	5755	5700	-43.4	Average	10	Pass
NVNT	ac40 MIMO	5755	5720	-22.24	Peak	15.6	Pass
NVNT	ac40 MIMO	5755	5720	-33.41	Average	15.6	Pass
NVNT	ac40 MIMO	5755	5725	-18.4	Peak	27	Pass
NVNT	ac40 MIMO	5755	5725	-32.03	Average	27	Pass
NVNT	ac40 MIMO	5795	5850	-22.74	Peak	27	Pass
NVNT	ac40 MIMO	5795	5850	-36.99	Average	27	Pass
NVNT	ac40 MIMO	5795	5855	-24.04	Peak	15.6	Pass
NVNT	ac40 MIMO	5795	5855	-38.12	Average	15.6	Pass
NVNT	ac40 MIMO	5795	5875	-30.76	Peak	10	Pass
NVNT	ac40 MIMO	5795	5875	-44.1	Average	10	Pass
NVNT	ac40 MIMO	5795	5925	-40.87	Peak	-27	Pass
NVNT	ac40 MIMO	5795	5925	-55.17	Average	-27	Pass
NVNT	ac80 MIMO	5775	5650	-32.82	Peak	-27	Pass
NVNT	ac80 MIMO	5775	5650	-45.34	Average	-27	Pass
NVNT	ac80 MIMO	5775	5700	-15.04	Peak	10	Pass
NVNT	ac80 MIMO	5775	5700	-32.05	Average	10	Pass
NVNT	ac80 MIMO	5775	5720	-22.2	Peak	15.6	Pass
NVNT	ac80 MIMO	5775	5720	-33.14	Average	15.6	Pass
NVNT	ac80 MIMO	5775	5725	-22.89	Peak	27	Pass
NVNT	ac80 MIMO	5775	5725	-33.15	Average	27	Pass
NVNT	ac80 MIMO	5775	5850	-23.3	Peak	27	Pass
NVNT	ac80 MIMO	5775	5850	-32.24	Average	27	Pass
NVNT	ac80 MIMO	5775	5855	-18.48	Peak	15.6	Pass
NVNT	ac80 MIMO	5775	5855	-31.85	Average	15.6	Pass
NVNT	ac80 MIMO	5775	5875	-22.16	Peak	10	Pass
NVNT	ac80 MIMO	5775	5875	-34.37	Average	10	Pass
NVNT	ac80 MIMO	5775	5925	-34	Peak	-27	Pass

NVNT	ac80 MIMO	5775	5925	-44.89	Average	-27	Pass
NVNT	ax20 MIMO	5745	5650	-46.15	Peak	-27	Pass
NVNT	ax20 MIMO	5745	5650	-58.82	Average	-27	Pass
NVNT	ax20 MIMO	5745	5700	-32.76	Peak	10	Pass
NVNT	ax20 MIMO	5745	5700	-51.6	Average	10	Pass
NVNT	ax20 MIMO	5745	5720	-24.27	Peak	15.6	Pass
NVNT	ax20 MIMO	5745	5720	-41.3	Average	15.6	Pass
NVNT	ax20 MIMO	5745	5725	-17.3	Peak	27	Pass
NVNT	ax20 MIMO	5745	5725	-37.97	Average	27	Pass
NVNT	ax20 MIMO	5825	5850	-20.3	Peak	27	Pass
NVNT	ax20 MIMO	5825	5850	-34.49	Average	27	Pass
NVNT	ax20 MIMO	5825	5855	-23.79	Peak	15.6	Pass
NVNT	ax20 MIMO	5825	5855	-39.78	Average	15.6	Pass
NVNT	ax20 MIMO	5825	5875	-35.35	Peak	10	Pass
NVNT	ax20 MIMO	5825	5875	-52.29	Average	10	Pass
NVNT	ax20 MIMO	5825	5925	-47.47	Peak	-27	Pass
NVNT	ax20 MIMO	5825	5925	-58.57	Average	-27	Pass
NVNT	ax40 MIMO	5755	5650	-38.95	Peak	-27	Pass
NVNT	ax40 MIMO	5755	5650	-57.04	Average	-27	Pass
NVNT	ax40 MIMO	5755	5700	-29	Peak	10	Pass
NVNT	ax40 MIMO	5755	5700	-45.28	Average	10	Pass
NVNT	ax40 MIMO	5755	5720	-22.21	Peak	15.6	Pass
NVNT	ax40 MIMO	5755	5720	-36.8	Average	15.6	Pass
NVNT	ax40 MIMO	5755	5725	-20.49	Peak	27	Pass
NVNT	ax40 MIMO	5755	5725	-35.38	Average	27	Pass
NVNT	ax40 MIMO	5795	5850	-26.77	Peak	27	Pass
NVNT	ax40 MIMO	5795	5850	-39.04	Average	27	Pass
NVNT	ax40 MIMO	5795	5855	-25.68	Peak	15.6	Pass
NVNT	ax40 MIMO	5795	5855	-40.56	Average	15.6	Pass
NVNT	ax40 MIMO	5795	5875	-32.39	Peak	10	Pass
NVNT	ax40 MIMO	5795	5875	-47.43	Average	10	Pass
NVNT	ax40 MIMO	5795	5925	-41.85	Peak	-27	Pass
NVNT	ax40 MIMO	5795	5925	-56.99	Average	-27	Pass
NVNT	ax80 MIMO	5775	5850	-22.19	Peak	27	Pass
NVNT	ax80 MIMO	5775	5850	-35.05	Average	27	Pass
NVNT	ax80 MIMO	5775	5855	-23.54	Peak	15.6	Pass
NVNT	ax80 MIMO	5775	5855	-35.18	Average	15.6	Pass
NVNT	ax80 MIMO	5775	5875	-22.4	Peak	10	Pass
NVNT	ax80 MIMO	5775	5875	-38.1	Average	10	Pass
NVNT	ax80 MIMO	5775	5925	-34.27	Peak	-27	Pass
NVNT	ax80 MIMO	5775	5925	-47.77	Average	-27	Pass

NVNT	ax80 MIMO	5775	5650	-34.84	Peak	-27	Pass
NVNT	ax80 MIMO	5775	5650	-49.53	Average	-27	Pass
NVNT	ax80 MIMO	5775	5700	-23.14	Peak	10	Pass
NVNT	ax80 MIMO	5775	5700	-35.44	Average	10	Pass
NVNT	ax80 MIMO	5775	5720	-22.56	Peak	15.6	Pass
NVNT	ax80 MIMO	5775	5720	-35.21	Average	15.6	Pass
NVNT	ax80 MIMO	5775	5725	-23.02	Peak	27	Pass
NVNT	ax80 MIMO	5775	5725	-35.89	Average	27	Pass

Test Graphs

Restrict Band NVNT n20 5745MHz MIMO Peak



Restrict Band NVNT n20 5745MHz MIMO Average



Restrict Band NVNT n20 5825MHz MIMO Peak



Restrict Band NVNT n20 5825MHz MIMO Average



Restrict Band NVNT n40 5755MHz MIMO Peak



Restrict Band NVNT n40 5755MHz MIMO Average



Restrict Band NVNT n40 5795MHz MIMO Peak



Restrict Band NVNT n40 5795MHz MIMO Average



Restrict Band NVNT ac20 5745MHz MIMO Peak



Restrict Band NVNT ac20 5745MHz MIMO Average



Restrict Band NVNT ac20 5825MHz MIMO Peak



Restrict Band NVNT ac20 5825MHz MIMO Average



Restrict Band NVNT ac40 5755MHz MIMO Peak



Restrict Band NVNT ac40 5755MHz MIMO Average



Restrict Band NVNT ac40 5795MHz MIMO Peak



Restrict Band NVNT ac40 5795MHz MIMO Average



Restrict Band NVNT ac80 5775MHz MIMO Peak



Restrict Band NVNT ac80 5775MHz MIMO Average