






EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing four external components of the EUT (External Under Test) laid out on a blue textured surface. From left to right: a black microphone with a green 'K' logo, a black microphone with a grey fur windscreen and a green 'K' logo, a small black USB dongle with a green 'K' logo, and a black USB cable. A black ruler with white markings is placed vertically and horizontally to provide scale. The vertical ruler shows markings from 0 to 100 mm, and the horizontal ruler shows markings from 0 to 100 mm.
EUT View 2	 A close-up photograph of a single black microphone component with a green 'K' logo, positioned vertically on a blue textured surface. A black ruler with white markings is placed to the left of the microphone, showing markings from 0 to 100 mm.

EUT View 3	
EUT View 4	

EUT View 5	 A black electronic component, likely a microphone or sensor, is shown from a top-down perspective. It has a circular base and a rectangular top with a small protrusion. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters and centimeters.
EUT View 6	 A black electronic component, similar to the one in View 5, is shown from a different angle. It has a circular base and a rectangular top. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters and centimeters.

EUT View 7



EUT View 8



EUT View 9	
EUT View 10	